

Health Status Report for Cities and Towns in Maricopa County 2001 - 2003



Prepared by the Maricopa County Department of Public Health
Division of Epidemiology and Data Services
June 2005



Maricopa County

Table of Contents

Introduction	i
Population and Health Statistics for Cities/Towns	
Avondale	1
Buckeye	5
Carefree	9
Cave Creek	13
Chandler	17
El Mirage	21
Fountain Hills	25
Gila Bend	29
Gilbert	33
Glendale	37
Goodyear	41
Guadalupe	45
Litchfield Park	49
Mesa	53
New River	57
Paradise Valley	61
Peoria	65
Phoenix	69
Queen Creek	73
Rio Verde	77
Scottsdale	81
Sun City and Sun City West	85
Sun Lakes	89
Surprise	93
Tempe	97
Tolleson	101
Wickenburg	105
Youngtown	109
Remainder of Maricopa County	113
Comparison Charts	
Crude Death Rate	117
Deaths due to Malignant Neoplasms (Cancer)	118
Deaths due to Malignant Neoplasms of the Trachea, Bronchus and Lung	119
Deaths due to Malignant Neoplasms of the Breast	120
Deaths due to Malignant Neoplasms of the Prostate	121
Deaths due to Cardiovascular Disease	122
Deaths due to Heart Disease	123
Deaths due to Accidents	124
Deaths due to Homicide	125
Deaths due to Suicide	126
Low Birth Weight Births	127
Births to Teenaged Mothers	128

Infant Mortality Rates	129
New Cases of Coccidioidomycosis	130
New Cases of Aseptic Meningitis	131
New Cases of Hepatitis A	132
New Cases of Hepatitis B	133
Appendix A - Data Notes	134

Introduction

This report provides health status information for cities and towns in Maricopa County for the years 2001 to 2003. It includes data for 77 diseases and health indicators as well as information on the size and age distribution of the population.

The first section provides information on disease and health indicators for each city/town. The second section compares cities and Maricopa County on several key indicators, such as death rates, cancer rates, infant mortality rates, and selected communicable diseases. This section includes only cities with more than 50,000 residents or more than 1,000 births.

For each disease or health indicator, the following information is provided:

- Number of cases in the city/town
 - Example: 2 residents of Avondale were diagnosed with Hepatitis A in 2001. No residents of Avondale were diagnosed with Hepatitis A in 2002. Two residents were diagnosed with Hepatitis A in 2003.
- Rate of cases in the city/town
 - Example: For every 100,000 residents of Avondale, 3.7 were diagnosed with Hepatitis A in 2003.
- Rate for Maricopa County (for comparison purposes)
 - Example: For every 100,000 residents of Maricopa County, 4.5 were diagnosed with Hepatitis A in 2003.
- Rate for Healthy People 2010 (for comparison purposes)
 - The Centers for Disease Control and Prevention issued goals for the year 2010 for some disease and health indicators. Healthy People 2010 goals are included in this report as “gold standards” or goals for the future.
 - Example: The Healthy People 2010 goal for Hepatitis A is a rate of 4.5 cases of Hepatitis A per 100,000 people in the population.
- Rate for Arizona and United States (for comparison purposes)
 - Example: For every 100,000 residents of Arizona, 5.6 were diagnosed with Hepatitis A in 2002.
 - Example: For every 100,000 residents of the United States, 3.1 were diagnosed with Hepatitis A in 2002.

All city, town, and Maricopa County health data in this report are for calendar years 2001, 2002 and 2003. Arizona and United States health data are from other years as outlined in Appendix A.

Health Status Indicators for Cities and Towns 2001-2003

1

Avondale

Population Statistics

	Avondale		Maricopa County		Arizona	U.S.
Population in 2000	35,883		3,072,149		5,130,632	281,421,906
	Number	% Inc. from 2000	Number	% Inc. from 2000	Number	Number
Estimated Population 2001	41,579	15.9%	3,196,439	4.0%	5,296,845	285,102,075
2002	48,604	35.5%	3,294,911	7.3%	5,439,091	287,941,220
2003	54,710	52.5%	3,389,260	10.3%	5,579,222	290,788,976
	Number	% Distribution	Number	% Distribution	% Distribution	% Distribution
Age Distribution 2003 Under 20 years old	20,243	37.0%	1,030,335	30.4%	29.9%	27.9%
20 - 44 years old	21,884	40.0%	1,281,140	37.8%	35.7%	36.1%
45 - 64 years old	9,848	18.0%	698,188	20.6%	21.6%	23.6%
65 and older	2,736	5.0%	379,597	11.2%	12.8%	12.4%
Dependency ratio	0.72		0.71		0.75	0.68

Infant Health Indicators*

	Avondale						Comparisons			
	2001		2002		2003		Maricopa County, 2003	Healthy People	Arizona	U.S.
	<u>Number</u>	<u>Percent or Rate</u>	<u>Number</u>	<u>Percent or Rate</u>	<u>Number</u>	<u>Percent or Rate</u>		<u>2010</u>		
Low weight births (under 2500 grams) - % of live births	62	7.2%	74	7.4%	100	9.1%	7.0%	5.0%	7.1%	7.9%
Births to teen mothers - % of live births	128	14.8%	114	11.4%	128	11.7%	11.8%	(-)	12.9%	10.3%
Infant mortality per 1,000 live births	2	2.3	5	5.0	14	12.8	6.3	4.5	6.5	6.8
Total Births	866		999		1,096		59,000		90,783	4,091,063

* Please see Appendix A regarding limitations to birth data for cities/towns with fewer than 1,000 births.

Health Status Indicators for Cities and Towns
2001-2003
Avondale

2

Selected Reportable Diseases

	Avondale						Comparisons			
	2001		2002		2003		Rate per 100,000 Population			
	Number	Rate per 100,000	Number	Rate per 100,000	Number	Rate per 100,000	Maricopa County, 2003	H.P. 2010	Arizona 2002	U.S. 2002
Vaccine Preventable										
H. Flu (Invasive)	0	0.0	0	0.0	0	0.0	1.3	0.0	1.9	0.6
Measles	0	0.0	0	0.0	0	0.0	0.0	0.0	0.0	0.0
Mumps	0	0.0	0	0.0	0	0.0	0.0	0.0	0.0	0.1
Pertussis	0	0.0	0	0.0	8	14.6	3.7	0.0	13.2	3.4
Central Nervous System										
Encephalitis	0	0.0	0	0.0	0	0.0	0.6		0.0	0.1
Meningitis - Aseptic	4	9.6	5	10.3	16	29.2	33.6			
Meningococcal Disease	0	0.0	0	0.0	0	0.0	0.8	1.0	0.6	0.6
Enterics										
Amebiasis	0	0.0	0	0.0	0	0.0	0.8			
Botulism	0	0.0	0	0.0	0	0.0	0.0		0.1	0.0
Campylobacteriosis	5	12.0	5	10.3	5	9.1	13.7	12.3		
Cryptosporidiosis	0	0.0	0	0.0	0	0.0	0.1		0.3	1.0
<i>E. Coli</i> O157:H7	1	2.4	0	0.0	0	0.0	0.8	1.0	0.7	1.3
Giardiasis	0	0.0	2	4.1	2	3.7	5.0		4.9	7.4
Hemolytic Uremic Syndrome	0	0.0	0	0.0	0	0.0	0.0		0.0	0.1
Listeriosis	0	0.0	0	0.0	0	0.0	0.2	0.25	0.3	0.2
Salmonellosis	3	7.2	8	16.5	4	7.3	11.4	6.8	15.2	15.4
Shigellosis	7	16.8	2	4.1	2	3.7	10.0		12.6	8.2
Typhoid	0	0.0	0	0.0	0	0.0	0.0		0.0	0.1
Vibrioses	0	0.0	0	0.0	0	0.0	0.3			
Yersiniosis	0	0.0	0	0.0	0	0.0	0.2			
Mycosis										
Coccidioidomycosis	4	9.6	4	8.2	11	20.1	59.6		57.6	1.7
Zoonoses/Vectorborne										
Brucellosis	0	0.0	0	0.0	0	0.0	0.0		0.1	0.0
Hantavirus Pulmonary Syndrome	0	0.0	0	0.0	0	0.0	0.0		0.1	0.0
Malaria	1	2.4	2	4.1	0	0.0	0.3		0.1	0.5
West Nile Virus	0	0.0	0	0.0	0	0.0	0.2		0.1	1.0
Hepatitides										
Hepatitis A	2	4.8	0	0.0	2	3.7	4.5	4.5	5.6	3.1
Hepatitis B	1	2.4	2	4.1	3	5.5	5.3	2.4-9.0	4.6	2.8
Other										
Legionellosis	0	0.0	0	0.0	0	0.0	0.4		0.3	0.5
Streptococcal Inv. Pneumonia	3	7.2	3	6.2	0	0.0	12.5		0.0	0.9
Streptococcal Inf. Group A	1	2.4	0	0.0	0	0.0	4.4		5.8	1.6
Streptococcal Inf. Group B	0	0.0	0	0.0	1	1.8	0.9	0.5	0.8	
Vancomycin res. <i>Enterococcus</i>	2	4.8	5	10.3	5	9.1	18.4		18.2	

Health Status Indicators for Cities and Towns 2001-2003

3

Avondale

Selected Causes of Death

Cause of Death	Avondale						Comparisons			
	2001		2002		2003		Maricopa County, 2003	Healthy People		
	Number	Rate per 100,000	Number	Rate per 100,000	Number	Rate per 100,000		2010	Arizona	U.S.
Tuberculosis	0	0.0	0	0.0	0	0.0	0.1		0.2	0.2
Syphilis	0	0.0	0	0.0	0	0.0	0.0		0.0	0.0
HIV Disease	<5	-	<5	-	<5	-	3.5	0.7	3.1	4.7
Malignant Neoplasms	28	57.6	29	59.7	45	82.3	152.2	159.9	167.9	190.7
Malignant Neoplasm Stomach	0	0.0	1	2.1	1	1.8	2.6		3.1	4.1
Malignant Neoplasm Colon	3	6.2	2	4.1	5	9.1	16.8	13.9	17.7	19.1
Malignant Neoplasm Pancreas	2	4.1	3	6.2	2	3.7	7.9		8.4	10.5
Malig. Neo. Bronchus, Lung	10	20.6	7	14.4	10	18.3	42.7	44.9	47.6	54.2
Malignant Neoplasm Breast	3	6.2	1	2.1	3	5.5	10.7	22.3*	11.9	14.4
Mal. Neo. Uterus, Cervix, Ovary	1	2.1	0	0.0	1	1.8	6.6		2.5	2.4
Malig. Neoplasm Prostate	1	2.1	4	8.2	2	3.7	8.3	28.8*	9.7	10.2
Malignant Neoplasm Urinary	0	0.0	0	0.0	1	1.8	7.2		3.8	4.2
Non-Hodgkins Lymphoma	0	0.0	1	2.1	2	3.7	6.4		6.9	7.3
Leukemia	0	0.0	1	2.1	5	9.1	6.5		6.6	7.3
Other Malignant Neoplasms	8	16.5	9	18.5	13	23.8	36.5			
Diabetes	5	10.3	7	14.4	6	11.0	18.0	7.8	20.0	25.4
Alzheimers	8	16.5	11	22.6	9	16.5	32.5		30.0	21.8
Major Cardiovascular Diseases	54	111.1	49	100.8	60	109.7	230.5		247.7	310.1
Disease of Heart	44	90.5	39	80.2	39	71.3	176.0	166.0	189.2	235.4
Hypertensive Heart Disease	1	2.1	7	14.4	3	5.5	8.8		7.8	9.5
Ischemic Heart Disease	36	74.1	24	49.4	26	47.5	141.7		142.8	164.8
Other Heart Disease	7	14.4	8	16.5	10	18.3	25.6			
Primary Hypertension	2	4.1	2	4.1	2	3.7	6.6		6.0	7.5
Cerebrovascular	7	14.4	7	14.4	14	25.6	38.7	48.0	41.8	54.3
Atherosclerosis	0	0.0	0	0.0	1	1.8	3.4		4.0	4.5
Other Circulatory	1	2.1	1	2.1	4	7.3	5.7			

(continued on next page)

Health Status Indicators for Cities and Towns 2001-2003

4

Avondale

Selected Causes of Death, cont.

Cause of Death	Avondale						Comparisons			
	2001		2002		2003		Maricopa County, 2003	Healthy People 2010	Arizona	U.S.
	<u>Number</u>	<u>Rate per 100,000</u>	<u>Number</u>	<u>Rate per 100,000</u>	<u>Number</u>	<u>Rate per 100,000</u>				
Influenza & Pneumonia	2	4.1	3	6.2	7	12.8	18.5		22.2	22.3
Chronic Lower Respiratory	16	32.9	11	22.6	7	12.8	40.0		44.8	43.4
Peptic Ulcer	1	2.1	0	0.0	0	0.0	0.9		1.0	1.3
Liver Disease	4	8.2	3	6.2	7	12.8	9.5		11.1	9.4
Nephritis	2	4.1	1	2.1	7	12.8	7.8		9.8	14.6
Pregnancy	0	0.0	0	0.0	0	0.0	0.1		0.1	0.2
Perinatal Conditions	1	2.1	3	6.2	5	9.1	5.1		4.6	4.9
Congenital Malformations	2	4.1	1	2.1	4	7.3	3.7		3.6	3.7
SIDS	0	0.0	1	2.1	0	0.0	0.4			
Symptoms, Signs ex. SIDS	1	2.1	0	0.0	4	7.3	9.3			
All Other Diseases	14	28.8	26	53.5	22	40.2	93.7			
Motor Vehicle Accidents	12	24.7	10	20.6	9	16.5	14.5	9.2	17.9	15.2
All Other Acc. & Adverse Effects	5	10.3	6	12.3	11	20.1	23.8			
Suicide	2	4.1	9	18.5	8	14.6	13.2	5.0	14.3	10.5
Homicide	4	8.2	3	6.2	7	12.8	9.4	3.0	8.5	5.9
All Other External Causes	0	0.0	0	0.0	0	0.0	2.1			
Unknown	1	2.1	1	2.1	5	9.1	6.0			
Total	162	333.3	174	358.0	223	407.6	694.8		760.8	840.4

*HP 2010 goals are breast cancer in females and prostate cancer in males

Health Status Indicators for Cities and Towns 2001-2003

5

Buckeye

Population Statistics

Population in 2000

Estimated Population

2001

2002

2003

Age Distribution 2003

Under 20 years old

20 - 44 years old

45 - 64 years old

65 and older

Dependency ratio

Buckeye		Maricopa County		Arizona	U.S.
6,537		3,072,149		5,130,632	281,421,906
Number	% Inc. from 2000	Number	% Inc. from 2000	Number	Number
8,815	34.8%	3,196,439	4.0%	5,296,845	285,102,075
8,873	35.7%	3,294,911	7.3%	5,439,091	287,941,220
8,921	36.5%	3,389,260	10.3%	5,579,222	290,788,976
Number	% Distribution	Number	% Distribution	% Distribution	% Distribution
3,301	37.0%	1,030,335	30.4%	29.9%	27.9%
3,212	36.0%	1,281,140	37.8%	35.7%	36.1%
1,695	19.0%	698,188	20.6%	21.6%	23.6%
714	8.0%	379,597	11.2%	12.8%	12.4%
0.82		0.71		0.75	0.68

Infant Health Indicators*

Low weight births (under 2500 grams) - % of live births

Births to teen mothers - % of live births

Infant mortality per 1,000 live births

Total Births

Buckeye						Comparisons			
2001		2002		2003		Maricopa County, 2003	Healthy People 2010	Arizona	U.S.
Number	Percent or Rate	Number	Percent or Rate	Number	Percent or Rate				
23	8.3%	14	4.3%	6	1.7%	7.0%	5.0%	7.1%	7.9%
53	19.1%	57	17.6%	58	16.4%	11.8%	(-)	12.9%	10.3%
3	10.8	2	6.2	0	0.0	6.3	4.5	6.5	6.8
278		324		354		59,000		90,783	4,091,063

* Please see Appendix A regarding limitations to birth data for cities/towns with fewer than 1,000 births.

Health Status Indicators for Cities and Towns
2001-2003
Buckeye

6

Selected Reportable Diseases

	Buckeye						Comparisons			
	2001		2002		2003		Rate per 100,000 Population			
	Number	Rate per 100,000	Number	Rate per 100,000	Number	Rate per 100,000	Maricopa County, 2003	H.P. 2010	Arizona 2002	U.S. 2002
Vaccine Preventable										
H. Flu (Invasive)	0	0.0	0	0.0	0	0.0	1.3	0.0	1.9	0.6
Measles	0	0.0	0	0.0	0	0.0	0.0	0.0	0.0	0.0
Mumps	0	0.0	0	0.0	0	0.0	0.0	0.0	0.0	0.1
Pertussis	5	56.7	1	11.3	1	11.2	3.7	0.0	13.2	3.4
Central Nervous System										
Encephalitis	0	0.0	1	11.3	0	0.0	0.6		0.0	0.1
Meningitis - Aseptic	0	0.0	2	22.5	9	100.9	33.6			
Meningococcal Disease	0	0.0	0	0.0	0	0.0	0.8	1.0	0.6	0.6
Enterics										
Amebiasis	0	0.0	0	0.0	0	0.0	0.8			
Botulism	0	0.0	0	0.0	0	0.0	0.0		0.1	0.0
Campylobacteriosis	2	22.7	0	0.0	3	33.6	13.7	12.3		
Cryptosporidiosis	0	0.0	0	0.0	0	0.0	0.1		0.3	1.0
E. Coli O157:H7	0	0.0	0	0.0	0	0.0	0.8	1.0	0.7	1.3
Giardiasis	0	0.0	0	0.0	0	0.0	5.0		4.9	7.4
Hemolytic Uremic Syndrome	0	0.0	0	0.0	0	0.0	0.0		0.0	0.1
Listeriosis	0	0.0	0	0.0	0	0.0	0.2	0.25	0.3	0.2
Salmonellosis	2	22.7	0	0.0	2	22.4	11.4	6.8	15.2	15.4
Shigellosis	0	0.0	3	33.8	2	22.4	10.0		12.6	8.2
Typhoid	0	0.0	0	0.0	0	0.0	0.0		0.0	0.1
Vibrioses	0	0.0	0	0.0	0	0.0	0.3			
Yersiniosis	0	0.0	0	0.0	0	0.0	0.2			
Mycosis										
Coccidioidomycosis	7	79.4	5	56.4	1	11.2	59.6		57.6	1.7
Zoonoses/Vectorborne										
Brucellosis	0	0.0	0	0.0	0	0.0	0.0		0.1	0.0
Hantavirus Pulmonary Syndrome	0	0.0	0	0.0	0	0.0	0.0		0.1	0.0
Malaria	0	0.0	0	0.0	0	0.0	0.3		0.1	0.5
West Nile Virus	0	0.0	0	0.0	0	0.0	0.2		0.1	1.0
Hepatitides										
Hepatitis A	1	11.3	0	0.0	2	22.4	4.5	4.5	5.6	3.1
Hepatitis B	3	34.0	0	0.0	0	0.0	5.3	2.4-9.0	4.6	2.8
Other										
Legionellosis	0	0.0	0	0.0	0	0.0	0.4		0.3	0.5
Streptococcal Inv. Pneumonia	3	34.0	0	0.0	2	22.4	12.5		0.0	0.9
Streptococcal Inf. Group A	1	11.3	2	22.5	1	11.2	4.4		5.8	1.6
Streptococcal Inf. Group B	0	0.0	0	0.0	0	0.0	0.9	0.5	0.8	
Vancomycin res. Enterococcus	2	22.7	3	33.8	3	33.6	18.4		18.2	

Health Status Indicators for Cities and Towns 2001-2003

7

Buckeye

Selected Causes of Death

Cause of Death	Buckeye						Comparisons			
	2001		2002		2003		Maricopa County, 2003	Healthy People 2010		
	Number	Rate per 100,000	Number	Rate per 100,000	Number	Rate per 100,000		Arizona	U.S.	
Tuberculosis	0	0.0	0	0.0	0	0.0	0.1	0.2	0.2	
Syphilis	0	0.0	0	0.0	0	0.0	0.0	0.0	0.0	
HIV Disease	0	0.0	0	0.0	0	0.0	3.5	0.7	3.1	4.7
Malignant Neoplasms	34	385.7	34	383.2	29	325.1	152.2	159.9	167.9	190.7
Malignant Neoplasm Stomach	0	0.0	1	11.3	2	22.4	2.6		3.1	4.1
Malignant Neoplasm Colon	2	22.7	6	67.6	3	33.6	16.8	13.9	17.7	19.1
Malignant Neoplasm Pancreas	3	34.0	1	11.3	0	0.0	7.9		8.4	10.5
Malig. Neo. Bronchus, Lung	8	90.8	13	146.5	10	112.1	42.7	44.9	47.6	54.2
Malignant Neoplasm Breast	4	45.4	2	22.5	3	33.6	10.7	22.3*	11.9	14.4
Mal. Neo. Uterus, Cervix, Ovary	3	34.0	1	11.3	0	0.0	6.6		2.5	2.4
Malig. Neoplasm Prostate	2	22.7	0	0.0	1	11.2	8.3	28.8*	9.7	10.2
Malignant Neoplasm Urinary	3	34.0	2	22.5	1	11.2	7.2		3.8	4.2
Non-Hodgkins Lymphoma	1	11.3	0	0.0	0	0.0	6.4		6.9	7.3
Leukemia	3	34.0	3	33.8	0	0.0	6.5		6.6	7.3
Other Malignant Neoplasms	5	56.7	5	56.4	9	100.9	36.5			
Diabetes	4	45.4	2	22.5	6	67.3	18.0	7.8	20.0	25.4
Alzheimers	3	34.0	2	22.5	7	78.5	32.5		30.0	21.8
Major Cardiovascular Diseases	30	340.3	32	360.6	41	459.6	230.5		247.7	310.1
Disease of Heart	22	249.6	22	247.9	34	381.1	176.0	166.0	189.2	235.4
Hypertensive Heart Disease	0	0.0	4	45.1	3	33.6	8.8		7.8	9.5
Ischemic Heart Disease	19	215.5	15	169.1	25	280.2	141.7		142.8	164.8
Other Heart Disease	3	34.0	3	33.8	6	67.3	25.6			
Primary Hypertension	2	22.7	4	45.1	1	11.2	6.6		6.0	7.5
Cerebrovascular	6	68.1	6	67.6	5	56.0	38.7	48.0	41.8	54.3
Atherosclerosis	0	0.0	0	0.0	0	0.0	3.4		4.0	4.5
Other Circulatory	0	0.0	0	0.0	1	11.2	5.7			

(continued on next page)

**Health Status Indicators for Cities and Towns
2001-2003**

8

Buckeye

Selected Causes of Death, cont.

Cause of Death	Buckeye						Comparisons			
	2001		2002		2003		Maricopa County, 2003	Healthy People 2010	Arizona	U.S.
	Number	Rate per 100,000	Number	Rate per 100,000	Number	Rate per 100,000				
Influenza & Pneumonia	1	11.3	4	45.1	2	22.4	18.5		22.2	22.3
Chronic Lower Respiratory	12	136.1	14	157.8	10	112.1	40.0		44.8	43.4
Peptic Ulcer	0	0.0	0	0.0	0	0.0	0.9		1.0	1.3
Liver Disease	2	22.7	1	11.3	2	22.4	9.5		11.1	9.4
Nephritis	0	0.0	1	11.3	2	22.4	7.8		9.8	14.6
Pregnancy	0	0.0	0	0.0	0	0.0	0.1		0.1	0.2
Perinatal Conditions	3	34.0	1	11.3	0	0.0	5.1		4.6	4.9
Congenital Malformations	0	0.0	0	0.0	1	11.2	3.7		3.6	3.7
SIDS	0	0.0	0	0.0	0	0.0	0.4			
Symptoms, Signs ex. SIDS	0	0.0	1	11.3	1	11.2	9.3			
All Other Diseases	18	204.2	15	169.1	20	224.2	93.7			
Motor Vehicle Accidents	13	147.5	5	56.4	5	56.0	14.5	9.2	17.9	15.2
All Other Acc. & Adverse Effects	6	68.1	7	78.9	4	44.8	23.8			
Suicide	3	34.0	2	22.5	3	33.6	13.2	5.0	14.3	10.5
Homicide	3	34.0	5	56.4	3	33.6	9.4	3.0	8.5	5.9
All Other External Causes	1	11.3	0	0.0	0	0.0	2.1			
Unknown	1	11.3	0	0.0	1	11.2	6.0			
Total	134	1520.1	126	1420.0	137	1535.7	694.8		760.8	840.4

*HP 2010 goals are breast cancer in females and prostate cancer in males

Health Status Indicators for Cities and Towns 2001-2003

9

Carefree

Population Statistics

Population in 2000

Estimated Population

2001

2002

2003

Age Distribution 2003

Under 20 years old

20 - 44 years old

45 - 64 years old

65 and older

Dependency ratio

Carefree		Maricopa County		Arizona	U.S.
2,927		3,072,149		5,130,632	281,421,906
Number	% Inc. from 2000	Number	% Inc. from 2000	Number	Number
3,080	5.2%	3,196,439	4.0%	5,296,845	285,102,075
3,173	8.4%	3,294,911	7.3%	5,439,091	287,941,220
3,331	13.8%	3,389,260	10.3%	5,579,222	290,788,976
Number	% Distribution	Number	% Distribution	% Distribution	% Distribution
466	14.0%	1,030,335	30.4%	29.9%	27.9%
533	16.0%	1,281,140	37.8%	35.7%	36.1%
1,366	41.0%	698,188	20.6%	21.6%	23.6%
966	29.0%	379,597	11.2%	12.8%	12.4%
0.75		0.71		0.75	0.68

Infant Health Indicators*

Low weight births (under 2500 grams) - % of live births

Births to teen mothers - % of live births

Infant mortality per 1,000 live births

Total Births

Carefree						Comparisons		
2001		2002		2003		Maricopa County, 2003	Healthy People 2010	Arizona
Number	Percent or Rate	Number	Percent or Rate	Number	Percent or Rate			U.S.
1	7.7%	0	0.0%	0	0.0%	7.0%	5.0%	7.1%
1	7.7%	0	0.0%	0	0.0%	11.8%	(-)	12.9%
0	0.0	0	0.0	0	0.0	6.3	4.5	6.5
13		13		11		59,000		90,783

* Please see Appendix A regarding limitations to birth data for cities/towns with fewer than 1,000 births.

Health Status Indicators for Cities and Towns
2001-2003
Carefree

10

Selected Reportable Diseases

	Carefree						Comparisons			
	2001		2002		2003		Rate per 100,000 Population			
	<u>Number</u>	<u>Rate per 100,000</u>	<u>Number</u>	<u>Rate per 100,000</u>	<u>Number</u>	<u>Rate per 100,000</u>	<u>Maricopa County, 2003</u>	<u>H.P. 2010</u>	<u>Arizona 2002</u>	<u>U.S. 2002</u>
Vaccine Preventable										
H. Flu (Invasive)	0	0.0	0	0.0	0	0.0	1.3	0.0	1.9	0.6
Measles	0	0.0	0	0.0	0	0.0	0.0	0.0	0.0	0.0
Mumps	0	0.0	0	0.0	0	0.0	0.0	0.0	0.0	0.1
Pertussis	0	0.0	0	0.0	0	0.0	3.7	0.0	13.2	3.4
Central Nervous System										
Encephalitis	0	0.0	0	0.0	0	0.0	0.6		0.0	0.1
Meningitis - Aseptic	0	0.0	0	0.0	1	30.0	33.6			
Meningococcal Disease	0	0.0	0	0.0	0	0.0	0.8	1.0	0.6	0.6
Enterics										
Amebiasis	0	0.0	0	0.0	0	0.0	0.8			
Botulism	0	0.0	0	0.0	0	0.0	0.0		0.1	0.0
Campylobacteriosis	0	0.0	1	31.5	0	0.0	13.7	12.3		
Cryptosporidiosis	0	0.0	0	0.0	0	0.0	0.1		0.3	1.0
<i>E. Coli</i> O157:H7	0	0.0	0	0.0	0	0.0	0.8	1.0	0.7	1.3
Giardiasis	0	0.0	0	0.0	0	0.0	5.0		4.9	7.4
Hemolytic Uremic Syndrome	0	0.0	0	0.0	0	0.0	0.0		0.0	0.1
Listeriosis	0	0.0	0	0.0	0	0.0	0.2	0.25	0.3	0.2
Salmonellosis	1	32.5	0	0.0	0	0.0	11.4	6.8	15.2	15.4
Shigellosis	0	0.0	0	0.0	0	0.0	10.0		12.6	8.2
Typhoid	0	0.0	0	0.0	0	0.0	0.0		0.0	0.1
Vibrioses	0	0.0	0	0.0	0	0.0	0.3			
Yersiniosis	0	0.0	0	0.0	0	0.0	0.2			
Mycosis										
Coccidioidomycosis	6	194.8	8	252.1	7	210.1	59.6		57.6	1.7
Zoonoses/Vectorborne										
Brucellosis	0	0.0	0	0.0	0	0.0	0.0		0.1	0.0
Hantavirus Pulmonary Syndrome	0	0.0	0	0.0	0	0.0	0.0		0.1	0.0
Malaria	0	0.0	0	0.0	0	0.0	0.3		0.1	0.5
West Nile Virus	0	0.0	0	0.0	0	0.0	0.2		0.1	1.0
Hepatitides										
Hepatitis A	0	0.0	0	0.0	0	0.0	4.5	4.5	5.6	3.1
Hepatitis B	0	0.0	0	0.0	0	0.0	5.3	2.4-9.0	4.6	2.8
Other										
Legionellosis	0	0.0	0	0.0	0	0.0	0.4		0.3	0.5
Streptococcal Inv. Pneumonia	1	32.5	0	0.0	0	0.0	12.5		0.0	0.9
Streptococcal Inf. Group A	0	0.0	0	0.0	0	0.0	4.4		5.8	1.6
Streptococcal Inf. Group B	0	0.0	0	0.0	0	0.0	0.9	0.5	0.8	
Vancomycin res. <i>Enterococcus</i>	0	0.0	2	63.0	0	0.0	18.4		18.2	

Health Status Indicators for Cities and Towns 2001-2003

11

Carefree

Selected Causes of Death

Cause of Death	Carefree						Comparisons			
	2001		2002		2003		Maricopa County, 2003	Healthy People		
	Number	Rate per 100,000	Number	Rate per 100,000	Number	Rate per 100,000		2010	Arizona	U.S.
Tuberculosis	0	0.0	0	0.0	0	0.0	0.1		0.2	0.2
Syphilis	0	0.0	0	0.0	0	0.0	0.0		0.0	0.0
HIV Disease	0	0.0	0	0.0	0	0.0	3.5	0.7	3.1	4.7
Malignant Neoplasms	13	422.1	8	252.1	8	240.2	152.2	159.9	167.9	190.7
Malignant Neoplasm Stomach	1	32.5	0	0.0	0	0.0	2.6		3.1	4.1
Malignant Neoplasm Colon	1	32.5	0	0.0	3	90.1	16.8	13.9	17.7	19.1
Malignant Neoplasm Pancreas	1	32.5	0	0.0	0	0.0	7.9		8.4	10.5
Malig. Neo. Bronchus, Lung	2	64.9	1	31.5	2	60.0	42.7	44.9	47.6	54.2
Malignant Neoplasm Breast	0	0.0	1	31.5	0	0.0	10.7	22.3*	11.9	14.4
Mal. Neo. Uterus, Cervix, Ovary	2	64.9	0	0.0	1	30.0	6.6		2.5	2.4
Malig. Neoplasm Prostate	2	64.9	1	31.5	0	0.0	8.3	28.8*	9.7	10.2
Malignant Neoplasm Urinary	0	0.0	1	31.5	1	30.0	7.2		3.8	4.2
Non-Hodgkins Lymphoma	0	0.0	1	31.5	0	0.0	6.4		6.9	7.3
Leukemia	0	0.0	0	0.0	0	0.0	6.5		6.6	7.3
Other Malignant Neoplasms	4	129.9	3	94.5	1	30.0	36.5			
Diabetes	1	32.5	1	31.5	1	30.0	18.0	7.8	20.0	25.4
Alzheimers	1	32.5	2	63.0	1	30.0	32.5		30.0	21.8
Major Cardiovascular Diseases	10	324.7	12	378.2	10	300.2	230.5		247.7	310.1
Disease of Heart	9	292.2	9	283.6	7	210.1	176.0	166.0	189.2	235.4
Hypertensive Heart Disease	0	0.0	0	0.0	0	0.0	8.8		7.8	9.5
Ischemic Heart Disease	6	194.8	8	252.1	4	120.1	141.7		142.8	164.8
Other Heart Disease	3	97.4	1	31.5	3	90.1	25.6			
Primary Hypertension	0	0.0	0	0.0	0	0.0	6.6		6.0	7.5
Cerebrovascular	1	32.5	2	63.0	2	60.0	38.7	48.0	41.8	54.3
Atherosclerosis	0	0.0	0	0.0	0	0.0	3.4		4.0	4.5
Other Circulatory	0	0.0	1	31.5	1	30.0	5.7			

(continued on next page)

**Health Status Indicators for Cities and Towns
2001-2003**

12

Carefree

Selected Causes of Death, cont.

Cause of Death	Carefree						Comparisons			
	2001		2002		2003		Maricopa County, 2003	Healthy People 2010	Arizona	U.S.
	Number	Rate per 100,000	Number	Rate per 100,000	Number	Rate per 100,000				
Influenza & Pneumonia	1	32.5	0	0.0	1	30.0	18.5		22.2	22.3
Chronic Lower Respiratory	0	0.0	2	63.0	4	120.1	40.0		44.8	43.4
Peptic Ulcer	0	0.0	0	0.0	0	0.0	0.9		1.0	1.3
Liver Disease	0	0.0	0	0.0	0	0.0	9.5		11.1	9.4
Nephritis	0	0.0	0	0.0	2	60.0	7.8		9.8	14.6
Pregnancy	0	0.0	0	0.0	0	0.0	0.1		0.1	0.2
Perinatal Conditions	0	0.0	0	0.0	0	0.0	5.1		4.6	4.9
Congenital Malformations	0	0.0	0	0.0	0	0.0	3.7		3.6	3.7
SIDS	0	0.0	0	0.0	0	0.0	0.4			
Symptoms, Signs ex. SIDS	0	0.0	0	0.0	0	0.0	9.3			
All Other Diseases	2	64.9	7	220.6	6	180.1	93.7			
Motor Vehicle Accidents	0	0.0	0	0.0	0	0.0	14.5	9.2	17.9	15.2
All Other Acc. & Adverse Effects	2	64.9	0	0.0	2	60.0	23.8			
Suicide	2	64.9	0	0.0	0	0.0	13.2	5.0	14.3	10.5
Homicide	0	0.0	0	0.0	0	0.0	9.4	3.0	8.5	5.9
All Other External Causes	0	0.0	0	0.0	0	0.0	2.1			
Unknown	2	64.9	0	0.0	1	30.0	6.0			
Total	34	1103.9	32	1008.5	36	1080.8	694.8		760.8	840.4

*HP 2010 goals are breast cancer in females and prostate cancer in males

Health Status Indicators for Cities and Towns 2001-2003

13

Cave Creek

Population Statistics

Population in 2000

Estimated Population

2001

2002

2003

Age Distribution 2003

Under 20 years old

20 - 44 years old

45 - 64 years old

65 and older

Dependency ratio

Cave Creek		Maricopa County		Arizona	U.S.
3,728		3,072,149		5,130,632	281,421,906
Number	% Inc. from 2000	Number	% Inc. from 2000	Number	Number
3,963	6.3%	3,196,439	4.0%	5,296,845	285,102,075
4,096	9.9%	3,294,911	7.3%	5,439,091	287,941,220
4,261	14.3%	3,389,260	10.3%	5,579,222	290,788,976
Number	% Distribution	Number	% Distribution	% Distribution	% Distribution
980	23.0%	1,030,335	30.4%	29.9%	27.9%
1,150	27.0%	1,281,140	37.8%	35.7%	36.1%
1,534	36.0%	698,188	20.6%	21.6%	23.6%
554	13.0%	379,597	11.2%	12.8%	12.4%
0.57		0.71		0.75	0.68

Infant Health Indicators*

Low weight births (under 2500 grams) - % of live births

Births to teen mothers - % of live births

Infant mortality per 1,000 live births

Total Births

Cave Creek						Comparisons		
2001		2002		2003		Maricopa County, 2003	Healthy People 2010	Arizona
Number	Percent or Rate	Number	Percent or Rate	Number	Percent or Rate			U.S.
17	5.0%	22	6.6%	22	5.8%	7.0%	5.0%	7.1%
5	1.5%	7	2.1%	5	1.3%	11.8%	(-)	12.9%
0	0.0	2	6.0	0	0.0	6.3	4.5	6.5
338		335		379		59,000		90,783
								4,091,063

* Please see Appendix A regarding limitations to birth data for cities/towns with fewer than 1,000 births.

Health Status Indicators for Cities and Towns
2001-2003
Cave Creek

14

Selected Reportable Diseases

	Cave Creek						Comparisons			
	2001		2002		2003		Rate per 100,000 Population			
	Number	Rate per 100,000	Number	Rate per 100,000	Number	Rate per 100,000	Maricopa County, 2003	H.P. 2010	Arizona 2002	U.S. 2002
Vaccine Preventable										
H. Flu (Invasive)	0	0.0	0	0.0	0	0.0	1.3	0.0	1.9	0.6
Measles	0	0.0	0	0.0	0	0.0	0.0	0.0	0.0	0.0
Mumps	0	0.0	0	0.0	0	0.0	0.0	0.0	0.0	0.1
Pertussis	10	252.3	0	0.0	0	0.0	3.7	0.0	13.2	3.4
Central Nervous System										
Encephalitis	0	0.0	0	0.0	1	23.5	0.6		0.0	0.1
Meningitis - Aseptic	2	50.5	2	48.8	5	117.3	33.6			
Meningococcal Disease	0	0.0	0	0.0	0	0.0	0.8	1.0	0.6	0.6
Enterics										
Amebiasis	0	0.0	0	0.0	0	0.0	0.8			
Botulism	0	0.0	0	0.0	0	0.0	0.0		0.1	0.0
Campylobacteriosis	7	176.6	8	195.3	2	46.9	13.7	12.3		
Cryptosporidiosis	0	0.0	2	48.8	0	0.0	0.1		0.3	1.0
<i>E. Coli</i> O157:H7	0	0.0	0	0.0	1	23.5	0.8	1.0	0.7	1.3
Giardiasis	2	50.5	0	0.0	0	0.0	5.0		4.9	7.4
Hemolytic Uremic Syndrome	0	0.0	0	0.0	0	0.0	0.0		0.0	0.1
Listeriosis	0	0.0	0	0.0	0	0.0	0.2	0.25	0.3	0.2
Salmonellosis	1	25.2	3	73.2	0	0.0	11.4	6.8	15.2	15.4
Shigellosis	0	0.0	3	73.2	2	46.9	10.0		12.6	8.2
Typhoid	0	0.0	0	0.0	0	0.0	0.0		0.0	0.1
Vibrioses	0	0.0	0	0.0	0	0.0	0.3			
Yersiniosis	0	0.0	0	0.0	0	0.0	0.2			
Mycosis										
Coccidioidomycosis	17	429.0	19	463.9	14	328.6	59.6		57.6	1.7
Zoonoses/Vectorborne										
Brucellosis	0	0.0	0	0.0	0	0.0	0.0		0.1	0.0
Hantavirus Pulmonary Syndrome	0	0.0	0	0.0	0	0.0	0.0		0.1	0.0
Malaria	0	0.0	0	0.0	0	0.0	0.3		0.1	0.5
West Nile Virus	0	0.0	0	0.0	0	0.0	0.2		0.1	1.0
Hepatitides										
Hepatitis A	0	0.0	0	0.0	0	0.0	4.5	4.5	5.6	3.1
Hepatitis B	0	0.0	0	0.0	0	0.0	5.3	2.4-9.0	4.6	2.8
Other										
Legionellosis	0	0.0	0	0.0	0	0.0	0.4		0.3	0.5
Streptococcal Inv. Pneumonia	1	25.2	0	0.0	1	23.5	12.5		0.0	0.9
Streptococcal Inf. Group A	0	0.0	1	24.4	2	46.9	4.4		5.8	1.6
Streptococcal Inf. Group B	1	25.2	1	24.4	0	0.0	0.9	0.5	0.8	
Vancomycin res. <i>Enterococcus</i>	4	100.9	0	0.0	1	23.5	18.4		18.2	

Health Status Indicators for Cities and Towns 2001-2003

15

Cave Creek

Selected Causes of Death

Cause of Death	Cave Creek						Comparisons			
	2001		2002		2003		Maricopa County, 2003	Healthy People		
	Number	Rate per 100,000	Number	Rate per 100,000	Number	Rate per 100,000		2010	Arizona	U.S.
Tuberculosis	0	0.0	0	0.0	0	0.0	0.1		0.2	0.2
Syphilis	0	0.0	0	0.0	0	0.0	0.0		0.0	0.0
HIV Disease	0	0.0	<5	-	<5	-	3.5	0.7	3.1	4.7
Malignant Neoplasms	29	731.8	39	952.1	30	704.1	152.2	159.9	167.9	190.7
Malignant Neoplasm Stomach	1	25.2	0	0.0	0	0.0	2.6		3.1	4.1
Malignant Neoplasm Colon	1	25.2	4	97.7	6	140.8	16.8	13.9	17.7	19.1
Malignant Neoplasm Pancreas	0	0.0	4	97.7	0	0.0	7.9		8.4	10.5
Malig. Neo. Bronchus, Lung	8	201.9	10	244.1	7	164.3	42.7	44.9	47.6	54.2
Malignant Neoplasm Breast	1	25.2	5	122.1	2	46.9	10.7	22.3*	11.9	14.4
Mal. Neo. Uterus, Cervix, Ovary	0	0.0	1	24.4	2	46.9	6.6		2.5	2.4
Malig. Neoplasm Prostate	2	50.5	2	48.8	1	23.5	8.3	28.8*	9.7	10.2
Malignant Neoplasm Urinary	3	75.7	0	0.0	1	23.5	7.2		3.8	4.2
Non-Hodgkins Lymphoma	1	25.2	1	24.4	0	0.0	6.4		6.9	7.3
Leukemia	2	50.5	1	24.4	3	70.4	6.5		6.6	7.3
Other Malignant Neoplasms	10	252.3	11	268.6	8	187.7	36.5			
Diabetes	1	25.2	2	48.8	3	70.4	18.0	7.8	20.0	25.4
Alzheimers	3	75.7	5	122.1	4	93.9	32.5		30.0	21.8
Major Cardiovascular Diseases	32	807.5	25	610.4	33	774.5	230.5		247.7	310.1
Disease of Heart	28	706.5	21	512.7	28	657.1	176.0	166.0	189.2	235.4
Hypertensive Heart Disease	1	25.2	2	48.8	2	46.9	8.8		7.8	9.5
Ischemic Heart Disease	21	529.9	16	390.6	21	492.8	141.7		142.8	164.8
Other Heart Disease	6	151.4	3	73.2	5	117.3	25.6			
Primary Hypertension	0	0.0	0	0.0	0	0.0	6.6		6.0	7.5
Cerebrovascular	4	100.9	3	73.2	5	117.3	38.7	48.0	41.8	54.3
Atherosclerosis	0	0.0	0	0.0	0	0.0	3.4		4.0	4.5
Other Circulatory	0	0.0	1	24.4	0	0.0	5.7			

(continued on next page)

**Health Status Indicators for Cities and Towns
2001-2003**

16

Cave Creek

Selected Causes of Death, cont.

Cause of Death	Cave Creek						Comparisons		
	2001		2002		2003		Maricopa County, 2003	Healthy People 2010	Arizona
	Number	Rate per 100,000	Number	Rate per 100,000	Number	Rate per 100,000			U.S.
Influenza & Pneumonia	2	50.5	1	24.4	3	70.4	18.5		22.3
Chronic Lower Respiratory	2	50.5	6	146.5	5	117.3	40.0		43.4
Peptic Ulcer	0	0.0	0	0.0	0	0.0	0.9		1.3
Liver Disease	1	25.2	1	24.4	1	23.5	9.5		9.4
Nephritis	2	50.5	1	24.4	5	117.3	7.8		14.6
Pregnancy	0	0.0	0	0.0	0	0.0	0.1		0.2
Perinatal Conditions	0	0.0	2	48.8	0	0.0	5.1		4.9
Congenital Malformations	0	0.0	0	0.0	0	0.0	3.7		3.7
SIDS	0	0.0	0	0.0	0	0.0	0.4		
Symptoms, Signs ex. SIDS	0	0.0	0	0.0	0	0.0	9.3		
All Other Diseases	13	328.0	15	366.2	6	140.8	93.7		
Motor Vehicle Accidents	0	0.0	2	48.8	1	23.5	14.5	9.2	15.2
All Other Acc. & Adverse Effects	5	126.2	5	122.1	2	46.9	23.8		
Suicide	1	25.2	3	73.2	4	93.9	13.2	5.0	10.5
Homicide	0	0.0	0	0.0	0	0.0	9.4	3.0	5.9
All Other External Causes	1	25.2	0	0.0	0	0.0	2.1		
Unknown	3	75.7	1	24.4	2	46.9	6.0		
Total	95	2397.2	108	2636.7	99	2323.4	694.8		760.8

*HP 2010 goals are breast cancer in females and prostate cancer in males

Population Statistics

Dependency ratio

Low weight births (under 2500 grams) - % of live births
Births to teen mothers - % of live births
Infant mortality per 1,000 live births
Total Births

Chandler						Comparisons			
2001		2002		2003		Maricopa County, 2003	Healthy People 2010	Arizona	U.S.
<u>Number</u>	<u>Percent or Rate</u>	<u>Number</u>	<u>Percent or Rate</u>	<u>Number</u>	<u>Percent or Rate</u>				
262	7.1%	243	6.7%	244	6.3%	7.0%	5.0%	7.1%	7.9%
305	8.2%	284	7.8%	285	7.4%	11.8%	(-)	12.9%	10.3%
24	6.5	14	3.8	17	4.4	6.3	4.5	6.5	6.8
3,703		3,653		3,858		59,000		90,783	4,091,063

Health Status Indicators for Cities and Towns
2001-2003
Chandler

18

Selected Reportable Diseases

	Chandler						Comparisons			
	2001		2002		2003		Rate per 100,000 Population			
	Number	Rate per 100,000	Number	Rate per 100,000	Number	Rate per 100,000	Maricopa County, 2003	H.P. 2010	Arizona 2002	U.S. 2002
Vaccine Preventable										
H. Flu (Invasive)	1	0.5	1	0.5	3	1.4	1.3	0.0	1.9	0.6
Measles	0	0.0	0	0.0	0	0.0	0.0	0.0	0.0	0.0
Mumps	0	0.0	0	0.0	0	0.0	0.0	0.0	0.0	0.1
Pertussis	6	3.1	1	0.5	5	2.4	3.7	0.0	13.2	3.4
Central Nervous System										
Encephalitis	1	0.5	0	0.0	1	0.5	0.6		0.0	0.1
Meningitis - Aseptic	6	3.1	13	6.5	62	29.3	33.6			
Meningococcal Disease	0	0.0	1	0.5	0	0.0	0.8	1.0	0.6	0.6
Enterics										
Amebiasis	0	0.0	0	0.0	2	0.9	0.8			
Botulism	1	0.5	0	0.0	0	0.0	0.0		0.1	0.0
Campylobacteriosis	11	5.8	21	10.4	14	6.6	13.7	12.3		
Cryptosporidiosis	0	0.0	0	0.0	0	0.0	0.1		0.3	1.0
<i>E. Coli</i> O157:H7	0	0.0	2	1.0	0	0.0	0.8	1.0	0.7	1.3
Giardiasis	6	3.1	6	3.0	3	1.4	5.0		4.9	7.4
Hemolytic Uremic Syndrome	0	0.0	0	0.0	0	0.0	0.0		0.0	0.1
Listeriosis	0	0.0	0	0.0	1	0.5	0.2	0.25	0.3	0.2
Salmonellosis	19	9.9	20	9.9	15	7.1	11.4	6.8	15.2	15.4
Shigellosis	4	2.1	17	8.4	11	5.2	10.0		12.6	8.2
Typhoid	0	0.0	0	0.0	0	0.0	0.0		0.0	0.1
Vibrioses	0	0.0	0	0.0	0	0.0	0.3			
Yersiniosis	0	0.0	0	0.0	2	0.9	0.2			
Mycosis										
Coccidioidomycosis	42	22.0	85	42.2	93	44.0	59.6		57.6	1.7
Zoonoses/Vectorborne										
Brucellosis	0	0.0	0	0.0	1	0.5	0.0		0.1	0.0
Hantavirus Pulmonary Syndrome	0	0.0	0	0.0	0	0.0	0.0		0.1	0.0
Malaria	3	1.6	1	0.5	1	0.5	0.3		0.1	0.5
West Nile Virus	0	0.0	0	0.0	0	0.0	0.2		0.1	1.0
Hepatitides										
Hepatitis A	9	4.7	6	3.0	9	4.3	4.5	4.5	5.6	3.1
Hepatitis B	3	1.6	5	2.5	9	4.3	5.3	2.4-9.0	4.6	2.8
Other										
Legionellosis	0	0.0	0	0.0	1	0.5	0.4		0.3	0.5
Streptococcal Inv. Pneumonia	14	7.3	11	5.5	12	5.7	12.5		0.0	0.9
Streptococcal Inf. Group A	4	2.1	7	3.5	4	1.9	4.4		5.8	1.6
Streptococcal Inf. Group B	1	0.5	1	0.5	2	0.9	0.9	0.5	0.8	
Vancomycin res. <i>Enterococcus</i>	7	3.7	14	6.9	25	11.8	18.4		18.2	

**Health Status Indicators for Cities and Towns
2001-2003**

19

Chandler

Selected Causes of Death

Cause of Death	Chandler						Comparisons			
	2001		2002		2003		Maricopa County, 2003	Healthy People 2010	Arizona	U.S.
	Number	Rate per 100,000	Number	Rate per 100,000	Number	Rate per 100,000				
Tuberculosis	0	0.0	1	0.5	0	0.0	0.1		0.2	0.2
Syphilis	0	0.0	0	0.0	0	0.0	0.0		0.0	0.0
HIV Disease	<5	-	<5	-	<5	-	3.5	0.7	3.1	4.7
Malignant Neoplasms	156	81.6	185	91.8	200	94.7	152.2	159.9	167.9	190.7
Malignant Neoplasm Stomach	2	1.0	5	2.5	4	1.9	2.6		3.1	4.1
Malignant Neoplasm Colon	15	7.8	20	9.9	21	9.9	16.8	13.9	17.7	19.1
Malignant Neoplasm Pancreas	5	2.6	11	5.5	10	4.7	7.9		8.4	10.5
Malig. Neo. Bronchus, Lung	42	22.0	52	25.8	50	23.7	42.7	44.9	47.6	54.2
Malignant Neoplasm Breast	15	7.8	12	6.0	22	10.4	10.7	22.3*	11.9	14.4
Mal. Neo. Uterus, Cervix, Ovary	9	4.7	8	4.0	4	1.9	6.6		2.5	2.4
Malig. Neoplasm Prostate	8	4.2	9	4.5	9	4.3	8.3	28.8*	9.7	10.2
Malignant Neoplasm Urinary	10	5.2	9	4.5	12	5.7	7.2		3.8	4.2
Non-Hodgkins Lymphoma	8	4.2	7	3.5	9	4.3	6.4		6.9	7.3
Leukemia	8	4.2	7	3.5	10	4.7	6.5		6.6	7.3
Other Malignant Neoplasms	34	17.8	45	22.3	49	23.2	36.5			
Diabetes	16	8.4	31	15.4	22	10.4	18.0	7.8	20.0	25.4
Alzheimers	26	13.6	42	20.8	42	19.9	32.5		30.0	21.8
Major Cardiovascular Diseases	240	125.6	257	127.6	279	132.0	230.5		247.7	310.1
Disease of Heart	179	93.7	186	92.3	206	97.5	176.0	166.0	189.2	235.4
Hypertensive Heart Disease	8	4.2	13	6.5	13	6.2	8.8		7.8	9.5
Ischemic Heart Disease	140	73.3	142	70.5	168	79.5	141.7		142.8	164.8
Other Heart Disease	31	16.2	31	15.4	25	11.8	25.6			
Primary Hypertension	4	2.1	8	4.0	19	9.0	6.6		6.0	7.5
Cerebrovascular	49	25.6	45	22.3	45	21.3	38.7	48.0	41.8	54.3
Atherosclerosis	2	1.0	7	3.5	5	2.4	3.4		4.0	4.5
Other Circulatory	6	3.1	11	5.5	4	1.9	5.7			

(continued on next page)

**Health Status Indicators for Cities and Towns
2001-2003**

20

Chandler

Selected Causes of Death, cont.

Cause of Death	Chandler						Comparisons			
	2001		2002		2003		Maricopa County, 2003	Healthy People		
	Number	Rate per 100,000	Number	Rate per 100,000	Number	Rate per 100,000		2010	Arizona	U.S.
Influenza & Pneumonia	33	17.3	23	11.4	23	10.9	18.5		22.2	22.3
Chronic Lower Respiratory	35	18.3	41	20.4	46	21.8	40.0		44.8	43.4
Peptic Ulcer	0	0.0	1	0.5	1	0.5	0.9		1.0	1.3
Liver Disease	8	4.2	8	4.0	17	8.0	9.5		11.1	9.4
Nephritis	14	7.3	8	4.0	8	3.8	7.8		9.8	14.6
Pregnancy	2	1.0	0	0.0	0	0.0	0.1		0.1	0.2
Perinatal Conditions	13	6.8	11	5.5	7	3.3	5.1		4.6	4.9
Congenital Malformations	4	2.1	4	2.0	5	2.4	3.7		3.6	3.7
SIDS	0	0.0	0	0.0	0	0.0	0.4			
Symptoms, Signs ex. SIDS	4	2.1	5	2.5	15	7.1	9.3			
All Other Diseases	114	59.7	104	51.6	135	63.9	93.7			
Motor Vehicle Accidents	14	7.3	26	12.9	21	9.9	14.5	9.2	17.9	15.2
All Other Acc. & Adverse Effects	35	18.3	16	7.9	23	10.9	23.8			
Suicide	8	4.2	20	9.9	18	8.5	13.2	5.0	14.3	10.5
Homicide	5	2.6	13	6.5	5	2.4	9.4	3.0	8.5	5.9
All Other External Causes	1	0.5	1	0.5	4	1.9	2.1			
Unknown	10	5.2	11	5.5	6	2.8	6.0			
Total	738	386.2	808	401.1	877	415.1	694.8		760.8	840.4

*HP 2010 goals are breast cancer in females and prostate cancer in males

Health Status Indicators for Cities and Towns 2001-2003

21

El Mirage

Population Statistics

Population in 2000

Estimated Population

2001

2002

2003

Age Distribution 2003

Under 20 years old

20 - 44 years old

45 - 64 years old

65 and older

Dependency ratio

El Mirage		Maricopa County		Arizona	U.S.
7,609		3,072,149		5,130,632	281,421,906
Number	% Inc. from 2000	Number	% Inc. from 2000	Number	Number
7,739	1.7%	3,196,439	4.0%	5,296,845	285,102,075
13,219	73.7%	3,294,911	7.3%	5,439,091	287,941,220
18,261	140.0%	3,389,260	10.3%	5,579,222	290,788,976
Number	% Distribution	Number	% Distribution	% Distribution	% Distribution
7,304	40.0%	1,030,335	30.4%	29.9%	27.9%
7,122	39.0%	1,281,140	37.8%	35.7%	36.1%
2,557	14.0%	698,188	20.6%	21.6%	23.6%
1,278	7.0%	379,597	11.2%	12.8%	12.4%
0.89		0.71		0.75	0.68

Infant Health Indicators*

Low weight births (under 2500 grams) - % of live births

Births to teen mothers - % of live births

Infant mortality per 1,000 live births

Total Births

El Mirage						Comparisons		
2001		2002		2003		Maricopa County, 2003	Healthy People 2010	Arizona
Number	Percent or Rate	Number	Percent or Rate	Number	Percent or Rate			U.S.
27	5.9%	51	7.5%	57	6.8%	7.0%	5.0%	7.1%
80	17.4%	65	9.6%	85	10.1%	11.8%	(-)	12.9%
2	4.3	2	2.9	3	3.6	6.3	4.5	6.5
460		679		840		59,000		90,783
								4,091,063

* Please see Appendix A regarding limitations to birth data for cities/towns with fewer than 1,000 births.

Health Status Indicators for Cities and Towns
2001-2003
El Mirage

Selected Reportable Diseases

	El Mirage						Comparisons			
	2001		2002		2003		Rate per 100,000 Population			
	Number	Rate per 100,000	Number	Rate per 100,000	Number	Rate per 100,000	Maricopa County, 2003	H.P. 2010	Arizona 2002	U.S. 2002
Vaccine Preventable										
H. Flu (Invasive)	0	0.0	1	7.6	0	0.0	1.3	0.0	1.9	0.6
Measles	0	0.0	0	0.0	0	0.0	0.0	0.0	0.0	0.0
Mumps	0	0.0	0	0.0	0	0.0	0.0	0.0	0.0	0.1
Pertussis	1	12.9	1	7.6	0	0.0	3.7	0.0	13.2	3.4
Central Nervous System										
Encephalitis	0	0.0	0	0.0	0	0.0	0.6		0.0	0.1
Meningitis - Aseptic	2	25.8	9	68.1	27	147.9	33.6			
Meningococcal Disease	0	0.0	0	0.0	0	0.0	0.8	1.0	0.6	0.6
Enterics										
Amebiasis	0	0.0	0	0.0	0	0.0	0.8			
Botulism	0	0.0	0	0.0	0	0.0	0.0		0.1	0.0
Campylobacteriosis	1	12.9	5	37.8	1	5.5	13.7	12.3		
Cryptosporidiosis	0	0.0	1	7.6	0	0.0	0.1		0.3	1.0
<i>E. Coli</i> O157:H7	0	0.0	0	0.0	0	0.0	0.8	1.0	0.7	1.3
Giardiasis	0	0.0	0	0.0	0	0.0	5.0		4.9	7.4
Hemolytic Uremic Syndrome	0	0.0	0	0.0	0	0.0	0.0		0.0	0.1
Listeriosis	0	0.0	0	0.0	0	0.0	0.2	0.25	0.3	0.2
Salmonellosis	0	0.0	3	22.7	5	27.4	11.4	6.8	15.2	15.4
Shigellosis	0	0.0	5	37.8	5	27.4	10.0		12.6	8.2
Typhoid	0	0.0	0	0.0	0	0.0	0.0		0.0	0.1
Vibrioses	0	0.0	0	0.0	0	0.0	0.3			
Yersiniosis	0	0.0	0	0.0	0	0.0	0.2			
Mycosis										
Coccidioidomycosis	3	38.8	8	60.5	10	54.8	59.6		57.6	1.7
Zoonoses/Vectorborne										
Brucellosis	0	0.0	0	0.0	0	0.0	0.0		0.1	0.0
Hantavirus Pulmonary Syndrome	0	0.0	0	0.0	0	0.0	0.0		0.1	0.0
Malaria	0	0.0	0	0.0	0	0.0	0.3		0.1	0.5
West Nile Virus	0	0.0	0	0.0	0	0.0	0.2		0.1	1.0
Hepatitides										
Hepatitis A	2	25.8	0	0.0	2	11.0	4.5	4.5	5.6	3.1
Hepatitis B	0	0.0	1	7.6	0	0.0	5.3	2.4-9.0	4.6	2.8
Other										
Legionellosis	0	0.0	0	0.0	0	0.0	0.4		0.3	0.5
Streptococcal Inv. Pneumonia	0	0.0	2	15.1	4	21.9	12.5		0.0	0.9
Streptococcal Inf. Group A	0	0.0	0	0.0	1	5.5	4.4		5.8	1.6
Streptococcal Inf. Group B	0	0.0	1	7.6	0	0.0	0.9	0.5	0.8	
Vancomycin res. <i>Enterococcus</i>	0	0.0	1	7.6	3	16.4	18.4		18.2	

Health Status Indicators for Cities and Towns 2001-2003

23

El Mirage

Selected Causes of Death

Cause of Death	El Mirage						Comparisons			
	2001		2002		2003		Maricopa County, 2003	Healthy People		
	Number	Rate per 100,000	Number	Rate per 100,000	Number	Rate per 100,000		2010	Arizona	U.S.
Tuberculosis	0	0.0	0	0.0	0	0.0	0.1		0.2	0.2
Syphilis	0	0.0	0	0.0	0	0.0	0.0		0.0	0.0
HIV Disease	0	0.0	0	0.0	<5	-	3.5	0.7	3.1	4.7
Malignant Neoplasms	10	129.2	10	75.6	18	98.6	152.2	159.9	167.9	190.7
Malignant Neoplasm Stomach	0	0.0	0	0.0	0	0.0	2.6		3.1	4.1
Malignant Neoplasm Colon	0	0.0	1	7.6	1	5.5	16.8	13.9	17.7	19.1
Malignant Neoplasm Pancreas	0	0.0	2	15.1	2	11.0	7.9		8.4	10.5
Malig. Neo. Bronchus, Lung	5	64.6	5	37.8	5	27.4	42.7	44.9	47.6	54.2
Malignant Neoplasm Breast	0	0.0	0	0.0	4	21.9	10.7	22.3*	11.9	14.4
Mal. Neo. Uterus, Cervix, Ovary	0	0.0	1	7.6	1	5.5	6.6		2.5	2.4
Malig. Neoplasm Prostate	2	25.8	0	0.0	0	0.0	8.3	28.8*	9.7	10.2
Malignant Neoplasm Urinary	0	0.0	0	0.0	0	0.0	7.2		3.8	4.2
Non-Hodgkins Lymphoma	0	0.0	0	0.0	0	0.0	6.4		6.9	7.3
Leukemia	0	0.0	0	0.0	0	0.0	6.5		6.6	7.3
Other Malignant Neoplasms	3	38.8	1	7.6	5	27.4	36.5			
Diabetes	1	12.9	8	60.5	6	32.9	18.0	7.8	20.0	25.4
Alzheimers	1	12.9	1	7.6	2	11.0	32.5		30.0	21.8
Major Cardiovascular Diseases	18	232.6	23	174.0	20	109.5	230.5		247.7	310.1
Disease of Heart	12	155.1	17	128.6	16	87.6	176.0	166.0	189.2	235.4
Hypertensive Heart Disease	1	12.9	1	7.6	0	0.0	8.8		7.8	9.5
Ischemic Heart Disease	6	77.5	14	105.9	13	71.2	141.7		142.8	164.8
Other Heart Disease	5	64.6	2	15.1	3	16.4	25.6			
Primary Hypertension	1	12.9	0	0.0	0	0.0	6.6		6.0	7.5
Cerebrovascular	5	64.6	5	37.8	2	11.0	38.7	48.0	41.8	54.3
Atherosclerosis	0	0.0	1	7.6	1	5.5	3.4		4.0	4.5
Other Circulatory	0	0.0	0	0.0	1	5.5	5.7			

(continued on next page)

**Health Status Indicators for Cities and Towns
2001-2003**

24

El Mirage

Selected Causes of Death, cont.

Cause of Death	El Mirage						Comparisons			
	2001		2002		2003		Maricopa County, 2003	Healthy People 2010	Arizona	U.S.
	Number	Rate per 100,000	Number	Rate per 100,000	Number	Rate per 100,000				
Influenza & Pneumonia	2	25.8	1	7.6	2	11.0	18.5		22.2	22.3
Chronic Lower Respiratory	2	25.8	4	30.3	5	27.4	40.0		44.8	43.4
Peptic Ulcer	0	0.0	0	0.0	0	0.0	0.9		1.0	1.3
Liver Disease	6	77.5	1	7.6	6	32.9	9.5		11.1	9.4
Nephritis	1	12.9	0	0.0	2	11.0	7.8		9.8	14.6
Pregnancy	0	0.0	0	0.0	0	0.0	0.1		0.1	0.2
Perinatal Conditions	0	0.0	0	0.0	1	5.5	5.1		4.6	4.9
Congenital Malformations	0	0.0	0	0.0	3	16.4	3.7		3.6	3.7
SIDS	0	0.0	0	0.0	0	0.0	0.4			
Symptoms, Signs ex. SIDS	1	12.9	0	0.0	2	11.0	9.3			
All Other Diseases	5	64.6	10	75.6	7	38.3	93.7			
Motor Vehicle Accidents	1	12.9	6	45.4	5	27.4	14.5	9.2	17.9	15.2
All Other Acc. & Adverse Effects	0	0.0	3	22.7	3	16.4	23.8			
Suicide	0	0.0	1	7.6	4	21.9	13.2	5.0	14.3	10.5
Homicide	3	38.8	5	37.8	2	11.0	9.4	3.0	8.5	5.9
All Other External Causes	0	0.0	0	0.0	1	5.5	2.1			
Unknown	0	0.0	1	7.6	0	0.0	6.0			
Total	51	659.0	74	559.8	89	487.4	694.8		760.8	840.4

*HP 2010 goals are breast cancer in females and prostate cancer in males

Health Status Indicators for Cities and Towns 2001-2003

25

Fountain Hills

Population Statistics

Population in 2000

Estimated Population

2001

2002

2003

Age Distribution 2003

Under 20 years old

20 - 44 years old

45 - 64 years old

65 and older

Dependency ratio

Fountain Hills		Maricopa County		Arizona	U.S.
20,235		3,072,149		5,130,632	281,421,906
Number	% Inc. from 2000	Number	% Inc. from 2000	Number	Number
21,355	5.5%	3,196,439	4.0%	5,296,845	285,102,075
21,904	8.2%	3,294,911	7.3%	5,439,091	287,941,220
22,159	9.5%	3,389,260	10.3%	5,579,222	290,788,976
Number	% Distribution	Number	% Distribution	% Distribution	% Distribution
4,432	20.0%	1,030,335	30.4%	29.9%	27.9%
6,205	28.0%	1,281,140	37.8%	35.7%	36.1%
7,312	33.0%	698,188	20.6%	21.6%	23.6%
4,210	19.0%	379,597	11.2%	12.8%	12.4%
0.64		0.71		0.75	0.68

Infant Health Indicators*

Low weight births (under 2500 grams) - % of live births

Births to teen mothers - % of live births

Infant mortality per 1,000 live births

Total Births

Fountain Hills						Comparisons		
2001		2002		2003		Maricopa County, 2003	Healthy People 2010	Arizona
Number	Percent or Rate	Number	Percent or Rate	Number	Percent or Rate			U.S.
7	3.7%	14	8.4%	19	11.7%	7.0%	5.0%	7.1%
4	2.1%	4	2.4%	7	4.3%	11.8%	(-)	12.9%
1	5.3	2	12.0	2	12.3	6.3	4.5	6.5
188		166		162		59,000		90,783
								4,091,063

* Please see Appendix A regarding limitations to birth data for cities/towns with fewer than 1,000 births.

Health Status Indicators for Cities and Towns
2001-2003
Fountain Hills

Selected Reportable Diseases

	Fountain Hills						Comparisons			
	2001		2002		2003		Rate per 100,000 Population			
	<u>Number</u>	<u>Rate per 100,000</u>	<u>Number</u>	<u>Rate per 100,000</u>	<u>Number</u>	<u>Rate per 100,000</u>	<u>Maricopa County, 2003</u>	<u>H.P. 2010</u>	<u>Arizona 2002</u>	<u>U.S. 2002</u>
Vaccine Preventable										
H. Flu (Invasive)	0	0.0	1	4.6	0	0.0	1.3	0.0	1.9	0.6
Measles	0	0.0	0	0.0	0	0.0	0.0	0.0	0.0	0.0
Mumps	0	0.0	0	0.0	0	0.0	0.0	0.0	0.0	0.1
Pertussis	0	0.0	2	9.1	0	0.0	3.7	0.0	13.2	3.4
Central Nervous System										
Encephalitis	0	0.0	0	0.0	0	0.0	0.6		0.0	0.1
Meningitis - Aseptic	0	0.0	0	0.0	8	36.1	33.6			
Meningococcal Disease	2	9.4	1	4.6	0	0.0	0.8	1.0	0.6	0.6
Enterics										
Amebiasis	0	0.0	0	0.0	0	0.0	0.8			
Botulism	0	0.0	0	0.0	0	0.0	0.0		0.1	0.0
Campylobacteriosis	4	18.7	3	13.7	0	0.0	13.7	12.3		
Cryptosporidiosis	0	0.0	0	0.0	0	0.0	0.1		0.3	1.0
<i>E. Coli</i> O157:H7	0	0.0	0	0.0	1	4.5	0.8	1.0	0.7	1.3
Giardiasis	0	0.0	1	4.6	0	0.0	5.0		4.9	7.4
Hemolytic Uremic Syndrome	0	0.0	0	0.0	0	0.0	0.0		0.0	0.1
Listeriosis	0	0.0	0	0.0	0	0.0	0.2	0.25	0.3	0.2
Salmonellosis	3	14.0	1	4.6	2	9.0	11.4	6.8	15.2	15.4
Shigellosis	0	0.0	0	0.0	0	0.0	10.0		12.6	8.2
Typhoid	0	0.0	0	0.0	0	0.0	0.0		0.0	0.1
Vibrioses	0	0.0	0	0.0	0	0.0	0.3			
Yersiniosis	0	0.0	0	0.0	0	0.0	0.2			
Mycosis										
Coccidioidomycosis	24	112.4	23	105.0	22	99.3	59.6		57.6	1.7
Zoonoses/Vectorborne										
Brucellosis	0	0.0	0	0.0	0	0.0	0.0		0.1	0.0
Hantavirus Pulmonary Syndrome	0	0.0	0	0.0	0	0.0	0.0		0.1	0.0
Malaria	1	4.7	0	0.0	0	0.0	0.3		0.1	0.5
West Nile Virus	0	0.0	0	0.0	0	0.0	0.2		0.1	1.0
Hepatitides										
Hepatitis A	0	0.0	0	0.0	0	0.0	4.5	4.5	5.6	3.1
Hepatitis B	0	0.0	0	0.0	0	0.0	5.3	2.4-9.0	4.6	2.8
Other										
Legionellosis	2	9.4	0	0.0	0	0.0	0.4		0.3	0.5
Streptococcal Inv. Pneumonia	2	9.4	0	0.0	1	4.5	12.5		0.0	0.9
Streptococcal Inf. Group A	0	0.0	0	0.0	1	4.5	4.4		5.8	1.6
Streptococcal Inf. Group B	0	0.0	0	0.0	0	0.0	0.9	0.5	0.8	
Vancomycin res. <i>Enterococcus</i>	1	4.7	4	18.3	9	40.6	18.4		18.2	

**Health Status Indicators for Cities and Towns
2001-2003**

27

Fountain Hills

Selected Causes of Death

Cause of Death	Fountain Hills						Comparisons			
	2001		2002		2003		Maricopa County, 2003	Healthy People		
	Number	Rate per 100,000	Number	Rate per 100,000	Number	Rate per 100,000		2010	Arizona	U.S.
Tuberculosis	0	0.0	0	0.0	0	0.0	0.1		0.2	0.2
Syphilis	0	0.0	0	0.0	0	0.0	0.0		0.0	0.0
HIV Disease	<5	-	<5	-	0	0.0	3.5	0.7	3.1	4.7
Malignant Neoplasms	32	149.8	52	237.4	47	212.1	152.2	159.9	167.9	190.7
Malignant Neoplasm Stomach	0	0.0	4	18.3	0	0.0	2.6		3.1	4.1
Malignant Neoplasm Colon	5	23.4	6	27.4	6	27.1	16.8	13.9	17.7	19.1
Malignant Neoplasm Pancreas	2	9.4	4	18.3	4	18.1	7.9		8.4	10.5
Malig. Neo. Bronchus, Lung	10	46.8	12	54.8	15	67.7	42.7	44.9	47.6	54.2
Malignant Neoplasm Breast	3	14.0	2	9.1	2	9.0	10.7	22.3*	11.9	14.4
Mal. Neo. Uterus, Cervix, Ovary	0	0.0	2	9.1	1	4.5	6.6		2.5	2.4
Malig. Neoplasm Prostate	1	4.7	2	9.1	1	4.5	8.3	28.8*	9.7	10.2
Malignant Neoplasm Urinary	0	0.0	1	4.6	4	18.1	7.2		3.8	4.2
Non-Hodgkins Lymphoma	1	4.7	5	22.8	0	0.0	6.4		6.9	7.3
Leukemia	2	9.4	3	13.7	2	9.0	6.5		6.6	7.3
Other Malignant Neoplasms	8	37.5	11	50.2	12	54.2	36.5			
Diabetes	6	28.1	5	22.8	3	13.5	18.0	7.8	20.0	25.4
Alzheimers	2	9.4	12	54.8	16	72.2	32.5		30.0	21.8
Major Cardiovascular Diseases	45	210.7	54	246.5	61	275.3	230.5		247.7	310.1
Disease of Heart	29	135.8	40	182.6	55	248.2	176.0	166.0	189.2	235.4
Hypertensive Heart Disease	2	9.4	5	22.8	1	4.5	8.8		7.8	9.5
Ischemic Heart Disease	21	98.3	29	132.4	42	189.5	141.7		142.8	164.8
Other Heart Disease	6	28.1	6	27.4	12	54.2	25.6			
Primary Hypertension	0	0.0	1	4.6	0	0.0	6.6		6.0	7.5
Cerebrovascular	10	46.8	11	50.2	3	13.5	38.7	48.0	41.8	54.3
Atherosclerosis	0	0.0	0	0.0	2	9.0	3.4		4.0	4.5
Other Circulatory	6	28.1	2	9.1	1	4.5	5.7			

(continued on next page)

**Health Status Indicators for Cities and Towns
2001-2003**

28

Fountain Hills

Selected Causes of Death, cont.

Cause of Death	Fountain Hills						Comparisons			
	2001		2002		2003		Maricopa County, 2003	Healthy People 2010	Arizona	U.S.
	Number	Rate per 100,000	Number	Rate per 100,000	Number	Rate per 100,000				
Influenza & Pneumonia	4	18.7	4	18.3	4	18.1	18.5		22.2	22.3
Chronic Lower Respiratory	9	42.1	11	50.2	11	49.6	40.0		44.8	43.4
Peptic Ulcer	1	4.7	0	0.0	0	0.0	0.9		1.0	1.3
Liver Disease	1	4.7	1	4.6	1	4.5	9.5		11.1	9.4
Nephritis	3	14.0	1	4.6	1	4.5	7.8		9.8	14.6
Pregnancy	0	0.0	0	0.0	1	11.2	0.1		0.1	0.2
Perinatal Conditions	0	0.0	1	4.6	1	4.5	5.1		4.6	4.9
Congenital Malformations	1	4.7	1	4.6	0	0.0	3.7		3.6	3.7
SIDS	0	0.0	0	0.0	0	0.0	0.4			
Symptoms, Signs ex. SIDS	1	4.7	2	9.1	1	4.5	9.3			
All Other Diseases	29	135.8	24	109.6	23	103.8	93.7			
Motor Vehicle Accidents	5	23.4	2	9.1	1	4.5	14.5	9.2	17.9	15.2
All Other Acc. & Adverse Effects	5	23.4	3	13.7	4	18.1	23.8			
Suicide	2	9.4	3	13.7	1	4.5	13.2	5.0	14.3	10.5
Homicide	1	4.7	0	0.0	0	0.0	9.4	3.0	8.5	5.9
All Other External Causes	1	4.7	0	0.0	0	0.0	2.1			
Unknown	3	14.0	2	9.1	0	0.0	6.0			
Total	151	707.1	178	812.6	176	794.3	694.8		760.8	840.4

*HP 2010 goals are breast cancer in females and prostate cancer in males

Health Status Indicators for Cities and Towns 2001-2003

29

Gila Bend

Population Statistics

Population in 2000

Estimated Population

2001

2002

2003

Age Distribution 2003

Under 20 years old

20 - 44 years old

45 - 64 years old

65 and older

Dependency ratio

Gila Bend		Maricopa County		Arizona	U.S.
1,980		3,072,149		5,130,632	281,421,906
Number	% Inc. from 2000	Number	% Inc. from 2000	Number	Number
2,025	2.3%	3,196,439	4.0%	5,296,845	285,102,075
2,046	3.3%	3,294,911	7.3%	5,439,091	287,941,220
2,058	3.9%	3,389,260	10.3%	5,579,222	290,788,976
Number	% Distribution	Number	% Distribution	% Distribution	% Distribution
761	37.0%	1,030,335	30.4%	29.9%	27.9%
515	25.0%	1,281,140	37.8%	35.7%	36.1%
412	20.0%	698,188	20.6%	21.6%	23.6%
165	8.0%	379,597	11.2%	12.8%	12.4%
1.00		0.71		0.75	0.68

Infant Health Indicators*

Low weight births (under 2500 grams) - % of live births

Births to teen mothers - % of live births

Infant mortality per 1,000 live births

Total Births

Gila Bend						Comparisons		
2001		2002		2003		Maricopa County, 2003	Healthy People 2010	Arizona
Number	Percent or Rate	Number	Percent or Rate	Number	Percent or Rate			U.S.
2	4.8%	0	0.0%	5	6.7%	7.0%	5.0%	7.1%
11	26.2%	10	17.5%	13	17.3%	11.8%	(-)	12.9%
0	0.0	1	17.5	1	13.3	6.3	4.5	6.5
42		57		75		59,000		90,783
								4,091,063

* Please see Appendix A regarding limitations to birth data for cities/towns with fewer than 1,000 births.

Health Status Indicators for Cities and Towns
2001-2003
Gila Bend

30

Selected Reportable Diseases

	Gila Bend						Comparisons			
	2001		2002		2003		Rate per 100,000 Population			
	Number	Rate per 100,000	Number	Rate per 100,000	Number	Rate per 100,000	Maricopa County, 2003	H.P. 2010	Arizona 2002	U.S. 2002
Vaccine Preventable										
H. Flu (Invasive)	0	0.0	0	0.0	0	0.0	1.3	0.0	1.9	0.6
Measles	0	0.0	0	0.0	0	0.0	0.0	0.0	0.0	0.0
Mumps	0	0.0	0	0.0	0	0.0	0.0	0.0	0.0	0.1
Pertussis	0	0.0	1	48.9	0	0.0	3.7	0.0	13.2	3.4
Central Nervous System										
Encephalitis	0	0.0	0	0.0	0	0.0	0.6		0.0	0.1
Meningitis - Aseptic	1	49.4	1	48.9	0	0.0	33.6			
Meningococcal Disease	0	0.0	0	0.0	0	0.0	0.8	1.0	0.6	0.6
Enterics										
Amebiasis	0	0.0	0	0.0	1	48.6	0.8			
Botulism	0	0.0	0	0.0	0	0.0	0.0		0.1	0.0
Campylobacteriosis	0	0.0	0	0.0	2	97.2	13.7	12.3		
Cryptosporidiosis	0	0.0	0	0.0	0	0.0	0.1		0.3	1.0
E. Coli O157:H7	0	0.0	0	0.0	0	0.0	0.8	1.0	0.7	1.3
Giardiasis	0	0.0	0	0.0	0	0.0	5.0		4.9	7.4
Hemolytic Uremic Syndrome	0	0.0	0	0.0	0	0.0	0.0		0.0	0.1
Listeriosis	0	0.0	0	0.0	0	0.0	0.2	0.25	0.3	0.2
Salmonellosis	1	49.4	0	0.0	0	0.0	11.4	6.8	15.2	15.4
Shigellosis	2	98.8	1	48.9	1	48.6	10.0		12.6	8.2
Typhoid	0	0.0	0	0.0	0	0.0	0.0		0.0	0.1
Vibrioses	1	49.4	0	0.0	0	0.0	0.3			
Yersiniosis	0	0.0	0	0.0	0	0.0	0.2			
Mycosis										
Coccidioidomycosis	1	49.4	1	48.9	2	97.2	59.6		57.6	1.7
Zoonoses/Vectorborne										
Brucellosis	0	0.0	0	0.0	0	0.0	0.0		0.1	0.0
Hantavirus Pulmonary Syndrome	0	0.0	0	0.0	0	0.0	0.0		0.1	0.0
Malaria	0	0.0	0	0.0	0	0.0	0.3		0.1	0.5
West Nile Virus	0	0.0	0	0.0	0	0.0	0.2		0.1	1.0
Hepatitides										
Hepatitis A	0	0.0	2	97.8	1	48.6	4.5	4.5	5.6	3.1
Hepatitis B	0	0.0	0	0.0	0	0.0	5.3	2.4-9.0	4.6	2.8
Other										
Legionellosis	0	0.0	0	0.0	0	0.0	0.4		0.3	0.5
Streptococcal Inv. Pneumonia	1	49.4	1	48.9	2	97.2	12.5		0.0	0.9
Streptococcal Inf. Group A	1	49.4	2	97.8	3	145.8	4.4		5.8	1.6
Streptococcal Inf. Group B	0	0.0	0	0.0	0	0.0	0.9	0.5	0.8	
Vancomycin res. Enterococcus	2	98.8	0	0.0	2	97.2	18.4		18.2	

Health Status Indicators for Cities and Towns 2001-2003

31

Gila Bend

Selected Causes of Death

Cause of Death	Gila Bend						Comparisons			
	2001		2002		2003		Maricopa County, 2003	Healthy People		
	Number	Rate per 100,000	Number	Rate per 100,000	Number	Rate per 100,000		2010	Arizona	U.S.
Tuberculosis	0	0.0	0	0.0	0	0.0	0.1		0.2	0.2
Syphilis	0	0.0	0	0.0	0	0.0	0.0		0.0	0.0
HIV Disease	0	0.0	0	0.0	0	0.0	3.5	0.7	3.1	4.7
Malignant Neoplasms	4	197.5	3	146.6	4	194.4	152.2	159.9	167.9	190.7
Malignant Neoplasm Stomach	0	0.0	0	0.0	0	0.0	2.6		3.1	4.1
Malignant Neoplasm Colon	0	0.0	1	48.9	1	48.6	16.8	13.9	17.7	19.1
Malignant Neoplasm Pancreas	0	0.0	0	0.0	0	0.0	7.9		8.4	10.5
Malig. Neo. Bronchus, Lung	1	49.4	0	0.0	0	0.0	42.7	44.9	47.6	54.2
Malignant Neoplasm Breast	0	0.0	1	48.9	0	0.0	10.7	22.3*	11.9	14.4
Mal. Neo. Uterus, Cervix, Ovary	1	49.4	0	0.0	0	0.0	6.6		2.5	2.4
Malig. Neoplasm Prostate	0	0.0	0	0.0	0	0.0	8.3	28.8*	9.7	10.2
Malignant Neoplasm Urinary	0	0.0	0	0.0	1	48.6	7.2		3.8	4.2
Non-Hodgkins Lymphoma	0	0.0	0	0.0	0	0.0	6.4		6.9	7.3
Leukemia	0	0.0	1	48.9	0	0.0	6.5		6.6	7.3
Other Malignant Neoplasms	2	98.8	0	0.0	2	97.2	36.5			
Diabetes	1	49.4	2	97.8	0	0.0	18.0	7.8	20.0	25.4
Alzheimers	0	0.0	0	0.0	0	0.0	32.5		30.0	21.8
Major Cardiovascular Diseases	7	345.7	11	537.6	10	485.9	230.5		247.7	310.1
Disease of Heart	3	148.1	6	293.3	9	437.3	176.0	166.0	189.2	235.4
Hypertensive Heart Disease	0	0.0	0	0.0	1	48.6	8.8		7.8	9.5
Ischemic Heart Disease	3	148.1	5	244.4	5	243.0	141.7		142.8	164.8
Other Heart Disease	0	0.0	1	48.9	3	145.8	25.6			
Primary Hypertension	0	0.0	2	97.8	0	0.0	6.6		6.0	7.5
Cerebrovascular	3	148.1	3	146.6	0	0.0	38.7	48.0	41.8	54.3
Atherosclerosis	0	0.0	0	0.0	0	0.0	3.4		4.0	4.5
Other Circulatory	1	49.4	0	0.0	1	48.6	5.7			

(continued on next page)

**Health Status Indicators for Cities and Towns
2001-2003**

32

Gila Bend

Selected Causes of Death, cont.

Cause of Death	Gila Bend						Comparisons			
	2001		2002		2003		Maricopa County, 2003	Healthy People 2010	Arizona	U.S.
	Number	Rate per 100,000	Number	Rate per 100,000	Number	Rate per 100,000				
Influenza & Pneumonia	0	0.0	1	48.9	0	0.0	18.5		22.2	22.3
Chronic Lower Respiratory	0	0.0	2	97.8	1	48.6	40.0		44.8	43.4
Peptic Ulcer	0	0.0	0	0.0	0	0.0	0.9		1.0	1.3
Liver Disease	1	49.4	3	146.6	1	48.6	9.5		11.1	9.4
Nephritis	2	98.8	2	97.8	0	0.0	7.8		9.8	14.6
Pregnancy	0	0.0	0	0.0	0	0.0	0.1		0.1	0.2
Perinatal Conditions	0	0.0	0	0.0	1	48.6	5.1		4.6	4.9
Congenital Malformations	0	0.0	0	0.0	0	0.0	3.7		3.6	3.7
SIDS	0	0.0	1	48.9	0	0.0	0.4			
Symptoms, Signs ex. SIDS	2	98.8	0	0.0	0	0.0	9.3			
All Other Diseases	3	148.1	1	48.9	4	194.4	93.7			
Motor Vehicle Accidents	0	0.0	0	0.0	0	0.0	14.5	9.2	17.9	15.2
All Other Acc. & Adverse Effects	6	296.3	2	97.8	4	194.4	23.8			
Suicide	1	49.4	0	0.0	1	48.6	13.2	5.0	14.3	10.5
Homicide	0	0.0	0	0.0	0	0.0	9.4	3.0	8.5	5.9
All Other External Causes	0	0.0	0	0.0	0	0.0	2.1			
Unknown	0	0.0	0	0.0	1	48.6	6.0			
Total	27	1333.3	28	1368.5	27	1312.0	694.8		760.8	840.4

*HP 2010 goals are breast cancer in females and prostate cancer in males

Total Births

Gilbert						Comparisons			
2001		2002		2003		Maricopa County, 2003	Healthy People 2010	Arizona	U.S.
<u>Number</u>	<u>Percent or Rate</u>	<u>Number</u>	<u>Percent or Rate</u>	<u>Number</u>	<u>Percent or Rate</u>				
146	6.2%	164	6.3%	169	6.4%	7.0%	5.0%	7.1%	7.9%
96	4.1%	99	3.8%	92	3.5%	11.8%	(-)	12.9%	10.3%
12	5.1	16	6.1	11	4.1	6.3	4.5	6.5	6.8
2,354		2,617		2,660		59,000		90,783	4,091,063

Health Status Indicators for Cities and Towns
2001-2003
Gilbert

34

Selected Reportable Diseases

	Gilbert						Comparisons			
	2001		2002		2003		Rate per 100,000 Population			
	Number	Rate per 100,000	Number	Rate per 100,000	Number	Rate per 100,000	Maricopa County, 2003	H.P. 2010	Arizona 2002	U.S. 2002
Vaccine Preventable										
H. Flu (Invasive)	1	0.8	0	0.0	2	1.4	1.3	0.0	1.9	0.6
Measles	0	0.0	0	0.0	0	0.0	0.0	0.0	0.0	0.0
Mumps	0	0.0	0	0.0	0	0.0	0.0	0.0	0.0	0.1
Pertussis	14	11.5	3	2.2	0	0.0	3.7	0.0	13.2	3.4
Central Nervous System										
Encephalitis	0	0.0	0	0.0	1	0.7	0.6		0.0	0.1
Meningitis - Aseptic	2	1.6	1	0.7	25	17.2	33.6			
Meningococcal Disease	0	0.0	1	0.7	1	0.7	0.8	1.0	0.6	0.6
Enterics										
Amebiasis	0	0.0	0	0.0	0	0.0	0.8			
Botulism	0	0.0	1	0.7	0	0.0	0.0		0.1	0.0
Campylobacteriosis	7	5.7	9	6.7	13	9.0	13.7	12.3		
Cryptosporidiosis	0	0.0	0	0.0	0	0.0	0.1		0.3	1.0
<i>E. Coli</i> O157:H7	2	1.6	2	1.5	2	1.4	0.8	1.0	0.7	1.3
Giardiasis	2	1.6	1	0.7	2	1.4	5.0		4.9	7.4
Hemolytic Uremic Syndrome	0	0.0	0	0.0	0	0.0	0.0		0.0	0.1
Listeriosis	0	0.0	1	0.7	0	0.0	0.2	0.25	0.3	0.2
Salmonellosis	7	5.7	8	5.9	9	6.2	11.4	6.8	15.2	15.4
Shigellosis	1	0.8	6	4.5	5	3.4	10.0		12.6	8.2
Typhoid	0	0.0	0	0.0	0	0.0	0.0		0.0	0.1
Vibrioses	0	0.0	0	0.0	1	0.7	0.3			
Yersiniosis	0	0.0	0	0.0	0	0.0	0.2			
Mycosis										
Coccidioidomycosis	43	35.2	67	49.8	70	48.2	59.6		57.6	1.7
Zoonoses/Vectorborne										
Brucellosis	0	0.0	0	0.0	0	0.0	0.0		0.1	0.0
Hantavirus Pulmonary Syndrome	0	0.0	0	0.0	0	0.0	0.0		0.1	0.0
Malaria	0	0.0	0	0.0	1	0.7	0.3		0.1	0.5
West Nile Virus	0	0.0	0	0.0	0	0.0	0.2		0.1	1.0
Hepatitides										
Hepatitis A	0	0.0	4	3.0	0	0.0	4.5	4.5	5.6	3.1
Hepatitis B	0	0.0	1	0.7	2	1.4	5.3	2.4-9.0	4.6	2.8
Other										
Legionellosis	1	0.8	0	0.0	1	0.7	0.4		0.3	0.5
Streptococcal Inv. Pneumonia	6	4.9	5	3.7	4	2.8	12.5		0.0	0.9
Streptococcal Inf. Group A	0	0.0	3	2.2	7	4.8	4.4		5.8	1.6
Streptococcal Inf. Group B	3	2.5	1	0.7	1	0.7	0.9	0.5	0.8	
Vancomycin res. <i>Enterococcus</i>	7	5.7	13	9.7	2	1.4	18.4		18.2	

Health Status Indicators for Cities and Towns 2001-2003

35

Gilbert

Selected Causes of Death

Cause of Death	Gilbert						Comparisons			
	2001		2002		2003		Maricopa County, 2003	Healthy People	Arizona	U.S.
	Number	Rate per 100,000	Number	Rate per 100,000	Number	Rate per 100,000		2010		
Tuberculosis	0	0.0	0	0.0	0	0.0	0.1		0.2	0.2
Syphilis	0	0.0	0	0.0	0	0.0	0.0		0.0	0.0
HIV Disease	0	0.0	0	0.0	<5	-	3.5	0.7	3.1	4.7
Malignant Neoplasms	89	72.8	107	79.5	114	78.5	152.2	159.9	167.9	190.7
Malignant Neoplasm Stomach	1	0.8	3	2.2	2	1.4	2.6		3.1	4.1
Malignant Neoplasm Colon	9	7.4	18	13.4	15	10.3	16.8	13.9	17.7	19.1
Malignant Neoplasm Pancreas	2	1.6	5	3.7	6	4.1	7.9		8.4	10.5
Malig. Neo. Bronchus, Lung	13	10.6	25	18.6	26	17.9	42.7	44.9	47.6	54.2
Malignant Neoplasm Breast	12	9.8	14	10.4	12	8.3	10.7	22.3*	11.9	14.4
Mal. Neo. Uterus, Cervix, Ovary	4	3.3	4	3.0	4	2.8	6.6		2.5	2.4
Malig. Neoplasm Prostate	7	5.7	5	3.7	8	5.5	8.3	28.8*	9.7	10.2
Malignant Neoplasm Urinary	7	5.7	5	3.7	2	1.4	7.2		3.8	4.2
Non-Hodgkins Lymphoma	5	4.1	7	5.2	7	4.8	6.4		6.9	7.3
Leukemia	4	3.3	1	0.7	3	2.1	6.5		6.6	7.3
Other Malignant Neoplasms	25	20.5	20	14.9	29	20.0	36.5			
Diabetes	9	7.4	17	12.6	9	6.2	18.0	7.8	20.0	25.4
Alzheimers	10	8.2	20	14.9	20	13.8	32.5		30.0	21.8
Major Cardiovascular Diseases	125	102.3	116	86.1	130	89.5	230.5		247.7	310.1
Disease of Heart	101	82.7	88	65.3	86	59.2	176.0	166.0	189.2	235.4
Hypertensive Heart Disease	5	4.1	3	2.2	4	2.8	8.8		7.8	9.5
Ischemic Heart Disease	76	62.2	63	46.8	63	43.4	141.7		142.8	164.8
Other Heart Disease	20	16.4	22	16.3	19	13.1	25.6			
Primary Hypertension	3	2.5	3	2.2	7	4.8	6.6		6.0	7.5
Cerebrovascular	19	15.5	20	14.9	33	22.7	38.7	48.0	41.8	54.3
Atherosclerosis	0	0.0	3	2.2	2	1.4	3.4		4.0	4.5
Other Circulatory	2	1.6	2	1.5	2	1.4	5.7			

(continued on next page)

**Health Status Indicators for Cities and Towns
2001-2003**

36

Gilbert

Selected Causes of Death, cont.

Cause of Death	Gilbert						Comparisons			
	2001		2002		2003		Maricopa County, 2003	Healthy People		
	Number	Rate per 100,000	Number	Rate per 100,000	Number	Rate per 100,000		2010	Arizona	U.S.
Influenza & Pneumonia	6	4.9	13	9.7	7	4.8	18.5		22.2	22.3
Chronic Lower Respiratory	16	13.1	19	14.1	18	12.4	40.0		44.8	43.4
Peptic Ulcer	0	0.0	0	0.0	1	0.7	0.9		1.0	1.3
Liver Disease	1	0.8	2	1.5	2	1.4	9.5		11.1	9.4
Nephritis	5	4.1	5	3.7	3	2.1	7.8		9.8	14.6
Pregnancy	1	0.8	0	0.0	0	0.0	0.1		0.1	0.2
Perinatal Conditions	7	5.7	11	8.2	7	4.8	5.1		4.6	4.9
Congenital Malformations	5	4.1	4	3.0	4	2.8	3.7		3.6	3.7
SIDS	0	0.0	0	0.0	0	0.0	0.4			
Symptoms, Signs ex. SIDS	1	0.8	1	0.7	4	2.8	9.3			
All Other Diseases	48	39.3	48	35.6	54	37.2	93.7			
Motor Vehicle Accidents	5	4.1	5	3.7	14	9.6	14.5	9.2	17.9	15.2
All Other Acc. & Adverse Effects	13	10.6	10	7.4	0	0.0	23.8			
Suicide	6	4.9	8	5.9	11	7.6	13.2	5.0	14.3	10.5
Homicide	3	2.5	3	2.2	17	11.7	9.4	3.0	8.5	5.9
All Other External Causes	1	0.8	1	0.7	4	2.8	2.1			
Unknown	3	2.5	4	3.0	3	2.1	6.0			
Total	354	289.7	394	292.6	422	290.5	694.8		760.8	840.4

*HP 2010 goals are breast cancer in females and prostate cancer in males

Total Births

Glendale		Maricopa County		Arizona	U.S.
218,812		3,072,149		5,130,632	281,421,906
Number	% Inc. from 2000	Number	% Inc. from 2000	Number	Number
228,300	4.3%	3,196,439	4.0%	5,296,845	285,102,075
229,954	5.1%	3,294,911	7.3%	5,439,091	287,941,220
232,838	6.4%	3,389,260	10.3%	5,579,222	290,788,976
Number	% Distribution	Number	% Distribution	% Distribution	% Distribution
76,837	33.0%	1,030,335	30.4%	29.9%	27.9%
90,807	39.0%	1,281,140	37.8%	35.7%	36.1%
46,568	20.0%	698,188	20.6%	21.6%	23.6%
16,299	7.0%	379,597	11.2%	12.8%	12.4%
0.68		0.71		0.75	0.68

Glendale						Comparisons			
2001		2002		2003		Maricopa County, 2003	Healthy People 2010	Arizona	U.S.
<u>Number</u>	<u>Percent or Rate</u>	<u>Number</u>	<u>Percent or Rate</u>	<u>Number</u>	<u>Percent or Rate</u>				
353	7.3%	323	6.8%	365	7.4%	7.0%	5.0%	7.1%	7.9%
597	12.4%	593	12.5%	656	13.4%	11.8%	(-)	12.9%	10.3%
24	5.0	32	6.8	26	5.3	6.3	4.5	6.5	6.8
4,821		4,728		4,902		59,000		90,783	4,091,063

Health Status Indicators for Cities and Towns
2001-2003
Glendale

38

Selected Reportable Diseases

	Glendale						Comparisons			
	2001		2002		2003		Rate per 100,000 Population			
	<u>Number</u>	<u>Rate per 100,000</u>	<u>Number</u>	<u>Rate per 100,000</u>	<u>Number</u>	<u>Rate per 100,000</u>	<u>Maricopa County, 2003</u>	<u>H.P. 2010</u>	<u>Arizona 2002</u>	<u>U.S. 2002</u>
Vaccine Preventable										
H. Flu (Invasive)	1	0.4	2	0.9	2	0.9	1.3	0.0	1.9	0.6
Measles	0	0.0	0	0.0	0	0.0	0.0	0.0	0.0	0.0
Mumps	0	0.0	0	0.0	0	0.0	0.0	0.0	0.0	0.1
Pertussis	16	7.0	28	12.2	11	4.7	3.7	0.0	13.2	3.4
Central Nervous System										
Encephalitis	0	0.0	0	0.0	1	0.4	0.6		0.0	0.1
Meningitis - Aseptic	32	14.0	47	20.4	157	67.4	33.6			
Meningococcal Disease	1	0.4	1	0.4	4	1.7	0.8	1.0	0.6	0.6
Enterics										
Amebiasis	0	0.0	3	1.3	0	0.0	0.8			
Botulism	0	0.0	0	0.0	0	0.0	0.0		0.1	0.0
Campylobacteriosis	28	12.3	24	10.4	35	15.0	13.7	12.3		
Cryptosporidiosis	0	0.0	0	0.0	0	0.0	0.1		0.3	1.0
<i>E. Coli</i> O157:H7	1	0.4	1	0.4	1	0.4	0.8	1.0	0.7	1.3
Giardiasis	19	8.3	16	7.0	20	8.6	5.0		4.9	7.4
Hemolytic Uremic Syndrome	0	0.0	1	0.4	0	0.0	0.0		0.0	0.1
Listeriosis	1	0.4	0	0.0	0	0.0	0.2	0.25	0.3	0.2
Salmonellosis	25	11.0	25	10.9	21	9.0	11.4	6.8	15.2	15.4
Shigellosis	21	9.2	19	8.3	14	6.0	10.0		12.6	8.2
Typhoid	0	0.0	0	0.0	1	0.4	0.0		0.0	0.1
Vibrioses	0	0.0	0	0.0	0	0.0	0.3			
Yersiniosis	0	0.0	0	0.0	0	0.0	0.2			
Mycosis										
Coccidioidomycosis	97	42.5	184	80.0	130	55.8	59.6		57.6	1.7
Zoonoses/Vectorborne										
Brucellosis	1	0.4	0	0.0	0	0.0	0.0		0.1	0.0
Hantavirus Pulmonary Syndrome	0	0.0	0	0.0	0	0.0	0.0		0.1	0.0
Malaria	1	0.4	3	1.3	0	0.0	0.3		0.1	0.5
West Nile Virus	0	0.0	0	0.0	0	0.0	0.2		0.1	1.0
Hepatitides										
Hepatitis A	18	7.9	6	2.6	10	4.3	4.5	4.5	5.6	3.1
Hepatitis B	5	2.2	8	3.5	18	7.7	5.3	2.4-9.0	4.6	2.8
Other										
Legionellosis	0	0.0	1	0.4	0	0.0	0.4		0.3	0.5
Streptococcal Inv. Pneumonia	27	11.8	39	17.0	26	11.2	12.5		0.0	0.9
Streptococcal Inf. Group A	9	3.9	6	2.6	7	3.0	4.4		5.8	1.6
Streptococcal Inf. Group B	2	0.9	1	0.4	2	0.9	0.9	0.5	0.8	
Vancomycin res. <i>Enterococcus</i>	39	17.1	32	13.9	29	12.5	18.4		18.2	

**Health Status Indicators for Cities and Towns
2001-2003**

39

Glendale

Selected Causes of Death

Cause of Death	Glendale						Comparisons			
	2001		2002		2003		Maricopa County, 2003	Healthy People 2010		
	Number	Rate per 100,000	Number	Rate per 100,000	Number	Rate per 100,000		Arizona	U.S.	
Tuberculosis	1	0.4	0	0.0	0	0.0	0.1		0.2	0.2
Syphilis	0	0.0	0	0.0	0	0.0	0.0		0.0	0.0
HIV Disease	6	2.6	7	3.0	6	2.6	3.5	0.7	3.1	4.7
Malignant Neoplasms	355	155.5	367	159.6	374	160.6	152.2	159.9	167.9	190.7
Malignant Neoplasm Stomach	5	2.2	12	5.2	9	3.9	2.6		3.1	4.1
Malignant Neoplasm Colon	35	15.3	44	19.1	44	18.9	16.8	13.9	17.7	19.1
Malignant Neoplasm Pancreas	21	9.2	20	8.7	20	8.6	7.9		8.4	10.5
Malig. Neo. Bronchus, Lung	89	39.0	117	50.9	119	51.1	42.7	44.9	47.6	54.2
Malignant Neoplasm Breast	41	18.0	31	13.5	23	9.9	10.7	22.3*	11.9	14.4
Mal. Neo. Uterus, Cervix, Ovary	10	4.4	16	7.0	16	6.9	6.6		2.5	2.4
Malig. Neoplasm Prostate	16	7.0	14	6.1	16	6.9	8.3	28.8*	9.7	10.2
Malignant Neoplasm Urinary	26	11.4	13	5.7	12	5.2	7.2		3.8	4.2
Non-Hodgkins Lymphoma	5	2.2	7	3.0	9	3.9	6.4		6.9	7.3
Leukemia	15	6.6	15	6.5	16	6.9	6.5		6.6	7.3
Other Malignant Neoplasms	92	40.3	78	33.9	90	38.7	36.5			
Diabetes	30	13.1	62	27.0	44	18.9	18.0	7.8	20.0	25.4
Alzheimers	54	23.7	67	29.1	95	40.8	32.5		30.0	21.8
Major Cardiovascular Diseases	497	217.7	550	239.2	546	234.5	230.5		247.7	310.1
Disease of Heart	399	174.8	415	180.5	410	176.1	176.0	166.0	189.2	235.4
Hypertensive Heart Disease	19	8.3	24	10.4	27	11.6	8.8		7.8	9.5
Ischemic Heart Disease	288	126.1	341	148.3	321	137.9	141.7		142.8	164.8
Other Heart Disease	92	40.3	50	21.7	62	26.6	25.6			
Primary Hypertension	9	3.9	23	10.0	16	6.9	6.6		6.0	7.5
Cerebrovascular	70	30.7	85	37.0	101	43.4	38.7	48.0	41.8	54.3
Atherosclerosis	8	3.5	5	2.2	6	2.6	3.4		4.0	4.5
Other Circulatory	11	4.8	22	9.6	13	5.6	5.7			

(continued on next page)

**Health Status Indicators for Cities and Towns
2001-2003**

40

Glendale

Selected Causes of Death, cont.

Cause of Death	Glendale						Comparisons			
	2001		2002		2003		Maricopa County, 2003	Healthy People 2010	Arizona	U.S.
	Number	Rate per 100,000	Number	Rate per 100,000	Number	Rate per 100,000				
Influenza & Pneumonia	42	18.4	46	20.0	40	17.2	18.5		22.2	22.3
Chronic Lower Respiratory	115	50.4	94	40.9	104	44.7	40.0		44.8	43.4
Peptic Ulcer	1	0.4	0	0.0	1	0.4	0.9		1.0	1.3
Liver Disease	25	11.0	23	10.0	25	10.7	9.5		11.1	9.4
Nephritis	22	9.6	24	10.4	18	7.7	7.8		9.8	14.6
Pregnancy	1	0.4	0	0.0	0	0.0	0.1		0.1	0.2
Perinatal Conditions	11	4.8	11	4.8	11	4.7	5.1		4.6	4.9
Congenital Malformations	9	3.9	10	4.3	10	4.3	3.7		3.6	3.7
SIDS	1	0.4	1	0.4	0	0.0	0.4			
Symptoms, Signs ex. SIDS	6	2.6	11	4.8	25	10.7	9.3			
All Other Diseases	270	118.3	265	115.2	221	94.9	93.7			
Motor Vehicle Accidents	36	15.8	40	17.4	55	23.6	14.5	9.2	17.9	15.2
All Other Acc. & Adverse Effects	58	25.4	62	27.0	62	26.6	23.8			
Suicide	22	9.6	29	12.6	41	17.6	13.2	5.0	14.3	10.5
Homicide	27	11.8	16	7.0	19	8.2	9.4	3.0	8.5	5.9
All Other External Causes	4	1.8	4	1.7	8	3.4	2.1			
Unknown	14	6.1	9	3.9	13	5.6	6.0			
Total	1,607	703.9	1,698	738.4	1,718	737.9	694.8		760.8	840.4

*HP 2010 goals are breast cancer in females and prostate cancer in males

Health Status Indicators for Cities and Towns 2001-2003

41

Goodyear

Population Statistics

Population in 2000

Estimated Population

2001

2002

2003

Age Distribution 2003

Under 20 years old

20 - 44 years old

45 - 64 years old

65 and older

Dependency ratio

Goodyear		Maricopa County		Arizona	U.S.
18,911		3,072,149		5,130,632	281,421,906
Number	% Inc. from 2000	Number	% Inc. from 2000	Number	Number
23,219	22.8%	3,196,439	4.0%	5,296,845	285,102,075
27,665	46.3%	3,294,911	7.3%	5,439,091	287,941,220
31,968	69.0%	3,389,260	10.3%	5,579,222	290,788,976
Number	% Distribution	Number	% Distribution	% Distribution	% Distribution
7,672	24.0%	1,030,335	30.4%	29.9%	27.9%
13,107	41.0%	1,281,140	37.8%	35.7%	36.1%
7,992	25.0%	698,188	20.6%	21.6%	23.6%
3,197	10.0%	379,597	11.2%	12.8%	12.4%
0.52		0.71		0.75	0.68

Infant Health Indicators*

Low weight births (under 2500 grams) - % of live births

Births to teen mothers - % of live births

Infant mortality per 1,000 live births

Total Births

Goodyear						Comparisons			
2001		2002		2003		Maricopa County, 2003	Healthy People		
Number	Percent or Rate	Number	Percent or Rate	Number	Percent or Rate		2010	Arizona	U.S.
25	6.8%	16	3.3%	31	5.2%	7.0%	5.0%	7.1%	7.9%
32	8.7%	34	7.0%	31	5.2%	11.8%	(-)	12.9%	10.3%
1	2.7	3	6.1	5	8.4	6.3	4.5	6.5	6.8
367		488		594		59,000		90,783	4,091,063

* Please see Appendix A regarding limitations to birth data for cities/towns with fewer than 1,000 births.

Health Status Indicators for Cities and Towns
2001-2003
Goodyear

42

Selected Reportable Diseases

	Goodyear						Comparisons			
	2001		2002		2003		Rate per 100,000 Population			
	Number	Rate per 100,000	Number	Rate per 100,000	Number	Rate per 100,000	Maricopa County, 2003	H.P. 2010	Arizona 2002	U.S. 2002
Vaccine Preventable										
H. Flu (Invasive)	0	0.0	0	0.0	0	0.0	1.3	0.0	1.9	0.6
Measles	0	0.0	0	0.0	0	0.0	0.0	0.0	0.0	0.0
Mumps	0	0.0	0	0.0	0	0.0	0.0	0.0	0.0	0.1
Pertussis	0	0.0	0	0.0	0	0.0	3.7	0.0	13.2	3.4
Central Nervous System										
Encephalitis	0	0.0	0	0.0	0	0.0	0.6		0.0	0.1
Meningitis - Aseptic	3	12.9	1	3.6	10	31.3	33.6			
Meningococcal Disease	0	0.0	1	3.6	0	0.0	0.8	1.0	0.6	0.6
Enterics										
Amebiasis	0	0.0	0	0.0	0	0.0	0.8			
Botulism	0	0.0	0	0.0	0	0.0	0.0		0.1	0.0
Campylobacteriosis	4	17.2	1	3.6	2	6.3	13.7	12.3		
Cryptosporidiosis	0	0.0	0	0.0	0	0.0	0.1		0.3	1.0
<i>E. Coli</i> O157:H7	0	0.0	0	0.0	0	0.0	0.8	1.0	0.7	1.3
Giardiasis	1	4.3	1	3.6	0	0.0	5.0		4.9	7.4
Hemolytic Uremic Syndrome	0	0.0	0	0.0	0	0.0	0.0		0.0	0.1
Listeriosis	0	0.0	0	0.0	0	0.0	0.2	0.25	0.3	0.2
Salmonellosis	2	8.6	1	3.6	5	15.6	11.4	6.8	15.2	15.4
Shigellosis	1	4.3	0	0.0	2	6.3	10.0		12.6	8.2
Typhoid	0	0.0	0	0.0	0	0.0	0.0		0.0	0.1
Vibrioses	0	0.0	0	0.0	0	0.0	0.3			
Yersiniosis	0	0.0	0	0.0	0	0.0	0.2			
Mycosis										
Coccidioidomycosis	10	43.1	21	75.9	16	50.1	59.6		57.6	1.7
Zoonoses/Vectorborne										
Brucellosis	0	0.0	0	0.0	0	0.0	0.0		0.1	0.0
Hantavirus Pulmonary Syndrome	0	0.0	0	0.0	0	0.0	0.0		0.1	0.0
Malaria	0	0.0	0	0.0	0	0.0	0.3		0.1	0.5
West Nile Virus	0	0.0	0	0.0	0	0.0	0.2		0.1	1.0
Hepatitides										
Hepatitis A	2	8.6	1	3.6	0	0.0	4.5	4.5	5.6	3.1
Hepatitis B	0	0.0	2	7.2	1	3.1	5.3	2.4-9.0	4.6	2.8
Other										
Legionellosis	0	0.0	0	0.0	0	0.0	0.4		0.3	0.5
Streptococcal Inv. Pneumonia	3	12.9	1	3.6	1	3.1	12.5		0.0	0.9
Streptococcal Inf. Group A	0	0.0	1	3.6	0	0.0	4.4		5.8	1.6
Streptococcal Inf. Group B	0	0.0	0	0.0	0	0.0	0.9	0.5	0.8	
Vancomycin res. <i>Enterococcus</i>	1	4.3	5	18.1	4	12.5	18.4		18.2	

Health Status Indicators for Cities and Towns 2001-2003

43

Goodyear

Selected Causes of Death

Cause of Death	Goodyear						Comparisons		
	2001		2002		2003		Maricopa County, 2003	Healthy People 2010	
	Number	Rate per 100,000	Number	Rate per 100,000	Number	Rate per 100,000		Arizona	U.S.
Tuberculosis	0	0.0	0	0.0	0	0.0	0.1	0.2	0.2
Syphilis	0	0.0	0	0.0	0	0.0	0.0	0.0	0.0
HIV Disease	0	0.0	<5	-	0	0.0	3.5	0.7	4.7
Malignant Neoplasms	22	94.7	36	130.1	40	125.1	152.2	159.9	167.9
Malignant Neoplasm Stomach	1	4.3	2	7.2	0	0.0	2.6	3.1	4.1
Malignant Neoplasm Colon	1	4.3	4	14.5	3	9.4	16.8	13.9	17.7
Malignant Neoplasm Pancreas	0	0.0	0	0.0	3	9.4	7.9	8.4	10.5
Malig. Neo. Bronchus, Lung	7	30.1	9	32.5	9	28.2	42.7	44.9	47.6
Malignant Neoplasm Breast	0	0.0	2	7.2	5	15.6	10.7	22.3*	11.9
Mal. Neo. Uterus, Cervix, Ovary	1	4.3	0	0.0	2	6.3	6.6	2.5	2.4
Malig. Neoplasm Prostate	2	8.6	1	3.6	2	6.3	8.3	28.8*	9.7
Malignant Neoplasm Urinary	1	4.3	3	10.8	4	12.5	7.2	3.8	4.2
Non-Hodgkins Lymphoma	1	4.3	0	0.0	1	3.1	6.4	6.9	7.3
Leukemia	0	0.0	1	3.6	2	6.3	6.5	6.6	7.3
Other Malignant Neoplasms	8	34.5	14	50.6	9	28.2	36.5		
Diabetes	3	12.9	6	21.7	1	3.1	18.0	7.8	20.0
Alzheimers	2	8.6	4	14.5	4	12.5	32.5		30.0
Major Cardiovascular Diseases	36	155.0	47	169.9	48	150.2	230.5		247.7
Disease of Heart	19	81.8	35	126.5	35	109.5	176.0	166.0	189.2
Hypertensive Heart Disease	0	0.0	2	7.2	3	9.4	8.8		7.8
Ischemic Heart Disease	17	73.2	28	101.2	26	81.3	141.7		142.8
Other Heart Disease	2	8.6	5	18.1	6	18.8	25.6		
Primary Hypertension	2	8.6	3	10.8	4	12.5	6.6		6.0
Cerebrovascular	11	47.4	6	21.7	9	28.2	38.7	48.0	41.8
Atherosclerosis	1	4.3	2	7.2	0	0.0	3.4		4.0
Other Circulatory	3	12.9	1	3.6	0	0.0	5.7		

(continued on next page)

**Health Status Indicators for Cities and Towns
2001-2003**

44

Goodyear

Selected Causes of Death, cont.

Cause of Death	Goodyear						Comparisons			
	2001		2002		2003		Maricopa County, 2003	Healthy People	Arizona	U.S.
	Number	Rate per 100,000	Number	Rate per 100,000	Number	Rate per 100,000		2010		
Influenza & Pneumonia	2	8.6	7	25.3	3	9.4	18.5		22.2	22.3
Chronic Lower Respiratory	8	34.5	7	25.3	10	31.3	40.0		44.8	43.4
Peptic Ulcer	0	0.0	0	0.0	0	0.0	0.9		1.0	1.3
Liver Disease	0	0.0	2	7.2	3	9.4	9.5		11.1	9.4
Nephritis	2	8.6	2	7.2	1	3.1	7.8		9.8	14.6
Pregnancy	0	0.0	0	0.0	0	0.0	0.1		0.1	0.2
Perinatal Conditions	1	4.3	1	3.6	1	3.1	5.1		4.6	4.9
Congenital Malformations	0	0.0	0	0.0	0	0.0	3.7		3.6	3.7
SIDS	0	0.0	0	0.0	1	3.1	0.4			
Symptoms, Signs ex. SIDS	1	4.3	0	0.0	0	0.0	9.3			
All Other Diseases	10	43.1	21	75.9	20	62.6	93.7			
Motor Vehicle Accidents	2	8.6	6	21.7	7	21.9	14.5	9.2	17.9	15.2
All Other Acc. & Adverse Effects	1	4.3	3	10.8	2	6.3	23.8			
Suicide	0	0.0	2	7.2	0	0.0	13.2	5.0	14.3	10.5
Homicide	0	0.0	2	7.2	1	3.1	9.4	3.0	8.5	5.9
All Other External Causes	0	0.0	0	0.0	1	3.1	2.1			
Unknown	0	0.0	3	10.8	3	9.4	6.0			
Total	90	387.6	149	538.6	146	456.7	694.8		760.8	840.4

*HP 2010 goals are breast cancer in females and prostate cancer in males

Health Status Indicators for Cities and Towns 2001-2003

45

Guadalupe

Population Statistics

Population in 2000

Estimated Population

2001

2002

2003

Age Distribution 2003

Under 20 years old

20 - 44 years old

45 - 64 years old

65 and older

Dependency ratio

Guadalupe		Maricopa County		Arizona	U.S.
5,228		3,072,149		5,130,632	281,421,906
Number	% Inc. from 2000	Number	% Inc. from 2000	Number	Number
5,227	0.0%	3,196,439	4.0%	5,296,845	285,102,075
5,224	-0.1%	3,294,911	7.3%	5,439,091	287,941,220
5,221	-0.1%	3,389,260	10.3%	5,579,222	290,788,976
Number	% Distribution	Number	% Distribution	% Distribution	% Distribution
2,141	41.0%	1,030,335	30.4%	29.9%	27.9%
1,880	36.0%	1,281,140	37.8%	35.7%	36.1%
835	16.0%	698,188	20.6%	21.6%	23.6%
365	7.0%	379,597	11.2%	12.8%	12.4%
0.92		0.71		0.75	0.68

Infant Health Indicators*

Low weight births (under 2500 grams) - % of live births

Births to teen mothers - % of live births

Infant mortality per 1,000 live births

Total Births

Guadalupe						Comparisons		
2001		2002		2003		Maricopa County, 2003	Healthy People 2010	Arizona
Number	Percent or Rate	Number	Percent or Rate	Number	Percent or Rate			U.S.
4	9.8%	0	0.0%	8	20.5%	7.0%	5.0%	7.1%
13	31.7%	4	17.4%	1	2.6%	11.8%	(-)	12.9%
1	24.4	0	0.0	3	76.9	6.3	4.5	6.5
41		23		39		59,000		90,783
								4,091,063

* Please see Appendix A regarding limitations to birth data for cities/towns with fewer than 1,000 births.

Health Status Indicators for Cities and Towns
2001-2003
Guadalupe

46

Selected Reportable Diseases

	Guadalupe						Comparisons			
	2001		2002		2003		Rate per 100,000 Population			
	<u>Number</u>	<u>Rate per 100,000</u>	<u>Number</u>	<u>Rate per 100,000</u>	<u>Number</u>	<u>Rate per 100,000</u>	<u>Maricopa County, 2003</u>	<u>H.P. 2010</u>	<u>Arizona 2002</u>	<u>U.S. 2002</u>
Vaccine Preventable										
H. Flu (Invasive)	0	0.0	0	0.0	0	0.0	1.3	0.0	1.9	0.6
Measles	0	0.0	0	0.0	0	0.0	0.0	0.0	0.0	0.0
Mumps	0	0.0	0	0.0	0	0.0	0.0	0.0	0.0	0.1
Pertussis	0	0.0	0	0.0	0	0.0	3.7	0.0	13.2	3.4
Central Nervous System										
Encephalitis	0	0.0	0	0.0	0	0.0	0.6		0.0	0.1
Meningitis - Aseptic	0	0.0	0	0.0	0	0.0	33.6			
Meningococcal Disease	0	0.0	0	0.0	0	0.0	0.8	1.0	0.6	0.6
Enterics										
Amebiasis	0	0.0	0	0.0	0	0.0	0.8			
Botulism	0	0.0	0	0.0	0	0.0	0.0		0.1	0.0
Campylobacteriosis	1	19.1	1	19.1	4	76.6	13.7	12.3		
Cryptosporidiosis	0	0.0	0	0.0	0	0.0	0.1		0.3	1.0
<i>E. Coli</i> O157:H7	0	0.0	0	0.0	0	0.0	0.8	1.0	0.7	1.3
Giardiasis	0	0.0	1	19.1	0	0.0	5.0		4.9	7.4
Hemolytic Uremic Syndrome	0	0.0	0	0.0	0	0.0	0.0		0.0	0.1
Listeriosis	0	0.0	0	0.0	0	0.0	0.2	0.25	0.3	0.2
Salmonellosis	0	0.0	2	38.3	2	38.3	11.4	6.8	15.2	15.4
Shigellosis	2	38.3	2	38.3	3	57.5	10.0		12.6	8.2
Typhoid	0	0.0	0	0.0	0	0.0	0.0		0.0	0.1
Vibrioses	0	0.0	0	0.0	0	0.0	0.3			
Yersiniosis	0	0.0	0	0.0	0	0.0	0.2			
Mycosis										
Coccidioidomycosis	0	0.0	0	0.0	0	0.0	59.6		57.6	1.7
Zoonoses/Vectorborne										
Brucellosis	0	0.0	0	0.0	0	0.0	0.0		0.1	0.0
Hantavirus Pulmonary Syndrome	0	0.0	0	0.0	0	0.0	0.0		0.1	0.0
Malaria	0	0.0	0	0.0	0	0.0	0.3		0.1	0.5
West Nile Virus	0	0.0	0	0.0	0	0.0	0.2		0.1	1.0
Hepatitides										
Hepatitis A	0	0.0	0	0.0	1	19.2	4.5	4.5	5.6	3.1
Hepatitis B	0	0.0	2	38.3	1	19.2	5.3	2.4-9.0	4.6	2.8
Other										
Legionellosis	0	0.0	0	0.0	0	0.0	0.4		0.3	0.5
Streptococcal Inv. Pneumonia	1	19.1	3	57.4	0	0.0	12.5		0.0	0.9
Streptococcal Inf. Group A	1	19.1	0	0.0	0	0.0	4.4		5.8	1.6
Streptococcal Inf. Group B	0	0.0	0	0.0	0	0.0	0.9	0.5	0.8	
Vancomycin res. <i>Enterococcus</i>	0	0.0	1	19.1	0	0.0	18.4		18.2	

Health Status Indicators for Cities and Towns 2001-2003

47

Guadalupe

Selected Causes of Death

Cause of Death	Guadalupe						Comparisons			
	2001		2002		2003		Maricopa County, 2003	Healthy People		
	Number	Rate per 100,000	Number	Rate per 100,000	Number	Rate per 100,000		2010	Arizona	U.S.
Tuberculosis	0	0.0	0	0.0	0	0.0	0.1		0.2	0.2
Syphilis	0	0.0	0	0.0	0	0.0	0.0		0.0	0.0
HIV Disease	0	0.0	0	0.0	0	0.0	3.5	0.7	3.1	4.7
Malignant Neoplasms	4	76.5	7	134.0	2	38.3	152.2	159.9	167.9	190.7
Malignant Neoplasm Stomach	1	19.1	0	0.0	0	0.0	2.6		3.1	4.1
Malignant Neoplasm Colon	0	0.0	0	0.0	1	19.2	16.8	13.9	17.7	19.1
Malignant Neoplasm Pancreas	0	0.0	0	0.0	0	0.0	7.9		8.4	10.5
Malig. Neo. Bronchus, Lung	1	19.1	2	38.3	0	0.0	42.7	44.9	47.6	54.2
Malignant Neoplasm Breast	1	19.1	0	0.0	0	0.0	10.7	22.3*	11.9	14.4
Mal. Neo. Uterus, Cervix, Ovary	0	0.0	0	0.0	0	0.0	6.6		2.5	2.4
Malig. Neoplasm Prostate	0	0.0	0	0.0	0	0.0	8.3	28.8*	9.7	10.2
Malignant Neoplasm Urinary	1	19.1	0	0.0	1	19.2	7.2		3.8	4.2
Non-Hodgkins Lymphoma	0	0.0	2	38.3	0	0.0	6.4		6.9	7.3
Leukemia	0	0.0	0	0.0	0	0.0	6.5		6.6	7.3
Other Malignant Neoplasms	0	0.0	3	57.4	0	0.0	36.5			
Diabetes	4	76.5	5	95.7	4	76.6	18.0	7.8	20.0	25.4
Alzheimers	2	38.3	0	0.0	0	0.0	32.5		30.0	21.8
Major Cardiovascular Diseases	10	191.3	14	268.0	10	191.5	230.5		247.7	310.1
Disease of Heart	9	172.2	9	172.3	9	172.4	176.0	166.0	189.2	235.4
Hypertensive Heart Disease	0	0.0	0	0.0	0	0.0	8.8		7.8	9.5
Ischemic Heart Disease	8	153.1	8	153.1	7	134.1	141.7		142.8	164.8
Other Heart Disease	1	19.1	1	19.1	2	38.3	25.6			
Primary Hypertension	0	0.0	0	0.0	0	0.0	6.6		6.0	7.5
Cerebrovascular	1	19.1	4	76.6	1	19.2	38.7	48.0	41.8	54.3
Atherosclerosis	0	0.0	1	19.1	0	0.0	3.4		4.0	4.5
Other Circulatory	0	0.0	0	0.0	0	0.0	5.7			

(continued on next page)

**Health Status Indicators for Cities and Towns
2001-2003**

48

Guadalupe

Selected Causes of Death, cont.

Cause of Death	Guadalupe						Comparisons			
	2001		2002		2003		Maricopa County, 2003	Healthy People 2010	Arizona	U.S.
	Number	Rate per 100,000	Number	Rate per 100,000	Number	Rate per 100,000				
Influenza & Pneumonia	1	19.1	1	19.1	3	57.5	18.5		22.2	22.3
Chronic Lower Respiratory	0	0.0	0	0.0	1	19.2	40.0		44.8	43.4
Peptic Ulcer	0	0.0	1	19.1	0	0.0	0.9		1.0	1.3
Liver Disease	4	76.5	4	76.6	0	0.0	9.5		11.1	9.4
Nephritis	0	0.0	1	19.1	0	0.0	7.8		9.8	14.6
Pregnancy	0	0.0	0	0.0	0	0.0	0.1		0.1	0.2
Perinatal Conditions	1	19.1	0	0.0	2	38.3	5.1		4.6	4.9
Congenital Malformations	1	19.1	0	0.0	0	0.0	3.7		3.6	3.7
SIDS	0	0.0	0	0.0	1	19.2	0.4			
Symptoms, Signs ex. SIDS	0	0.0	1	19.1	1	19.2	9.3			
All Other Diseases	7	133.9	10	191.4	4	76.6	93.7			
Motor Vehicle Accidents	2	38.3	1	19.1	3	57.5	14.5	9.2	17.9	15.2
All Other Acc. & Adverse Effects	2	38.3	4	76.6	1	19.2	23.8			
Suicide	0	0.0	0	0.0	0	0.0	13.2	5.0	14.3	10.5
Homicide	2	38.3	2	38.3	0	0.0	9.4	3.0	8.5	5.9
All Other External Causes	0	0.0	0	0.0	0	0.0	2.1			
Unknown	1	19.1	0	0.0	0	0.0	6.0			
Total	41	784.4	51	976.3	32	612.9	694.8		760.8	840.4

*HP 2010 goals are breast cancer in females and prostate cancer in males

Health Status Indicators for Cities and Towns 2001-2003

49

Litchfield Park

Population Statistics

	Litchfield Park		Maricopa County		Arizona	U.S.
Population in 2000	3,810		3,072,149		5,130,632	281,421,906
Estimated Population	<u>Number</u>	<u>% Inc. from 2000</u>	<u>Number</u>	<u>% Inc. from 2000</u>	<u>Number</u>	<u>Number</u>
2001	3,864	1.4%	3,196,439	4.0%	5,296,845	285,102,075
2002	3,902	2.4%	3,294,911	7.3%	5,439,091	287,941,220
2003	3,933	3.2%	3,389,260	10.3%	5,579,222	290,788,976
Age Distribution 2003	<u>Number</u>	<u>% Distribution</u>	<u>Number</u>	<u>% Distribution</u>	<u>% Distribution</u>	<u>% Distribution</u>
Under 20 years old	1,023	26.0%	1,030,335	30.4%	29.9%	27.9%
20 - 44 years old	983	25.0%	1,281,140	37.8%	35.7%	36.1%
45 - 64 years old	1,101	28.0%	698,188	20.6%	21.6%	23.6%
65 and older	865	22.0%	379,597	11.2%	12.8%	12.4%
Dependency ratio	0.91		0.71		0.75	0.68

Infant Health Indicators*

	Litchfield Park						Comparisons		
	2001		2002		2003		Maricopa County, 2003	Healthy People 2010	Arizona
	<u>Number</u>	<u>Percent or Rate</u>	<u>Number</u>	<u>Percent or Rate</u>	<u>Number</u>	<u>Percent or Rate</u>			<u>U.S.</u>
Low weight births (under 2500 grams) - % of live births	9	11.4%	6	4.6%	17	5.8%	7.0%	5.0%	7.1%
Births to teen mothers - % of live births	9	11.4%	11	8.4%	11	3.8%	11.8%	(-)	12.9%
Infant mortality per 1,000 live births	1	12.7	0	0.0	0	0.0	6.3	4.5	6.5
Total Births	79		131		291		59,000		90,783
									4,091,063

* Please see Appendix A regarding limitations to birth data for cities/towns with fewer than 1,000 births.

Health Status Indicators for Cities and Towns
2001-2003
Litchfield Park

50

Selected Reportable Diseases

	Litchfield Park						Comparisons			
	2001		2002		2003		Rate per 100,000 Population			
	<u>Number</u>	<u>Rate per 100,000</u>	<u>Number</u>	<u>Rate per 100,000</u>	<u>Number</u>	<u>Rate per 100,000</u>	<u>Maricopa County, 2003</u>	<u>H.P. 2010</u>	<u>Arizona 2002</u>	<u>U.S. 2002</u>
Vaccine Preventable										
H. Flu (Invasive)	0	0.0	0	0.0	0	0.0	1.3	0.0	1.9	0.6
Measles	0	0.0	0	0.0	0	0.0	0.0	0.0	0.0	0.0
Mumps	0	0.0	0	0.0	0	0.0	0.0	0.0	0.0	0.1
Pertussis	0	0.0	1	25.6	0	0.0	3.7	0.0	13.2	3.4
Central Nervous System										
Encephalitis	0	0.0	0	0.0	0	0.0	0.6		0.0	0.1
Meningitis - Aseptic	0	0.0	0	0.0	5	127.1	33.6			
Meningococcal Disease	0	0.0	0	0.0	0	0.0	0.8	1.0	0.6	0.6
Enterics										
Amebiasis	0	0.0	0	0.0	0	0.0	0.8			
Botulism	0	0.0	0	0.0	0	0.0	0.0		0.1	0.0
Campylobacteriosis	3	77.6	1	25.6	3	76.3	13.7	12.3		
Cryptosporidiosis	0	0.0	0	0.0	0	0.0	0.1		0.3	1.0
<i>E. Coli</i> O157:H7	0	0.0	0	0.0	0	0.0	0.8	1.0	0.7	1.3
Giardiasis	1	25.9	0	0.0	0	0.0	5.0		4.9	7.4
Hemolytic Uremic Syndrome	0	0.0	0	0.0	0	0.0	0.0		0.0	0.1
Listeriosis	0	0.0	0	0.0	0	0.0	0.2	0.25	0.3	0.2
Salmonellosis	1	25.9	0	0.0	3	76.3	11.4	6.8	15.2	15.4
Shigellosis	0	0.0	1	25.6	1	25.4	10.0		12.6	8.2
Typhoid	0	0.0	0	0.0	0	0.0	0.0		0.0	0.1
Vibrioses	0	0.0	0	0.0	0	0.0	0.3			
Yersiniosis	0	0.0	0	0.0	0	0.0	0.2			
Mycosis										
Coccidioidomycosis	2	51.8	3	76.9	6	152.6	59.6		57.6	1.7
Zoonoses/Vectorborne										
Brucellosis	0	0.0	0	0.0	0	0.0	0.0		0.1	0.0
Hantavirus Pulmonary Syndrome	0	0.0	0	0.0	0	0.0	0.0		0.1	0.0
Malaria	0	0.0	0	0.0	0	0.0	0.3		0.1	0.5
West Nile Virus	0	0.0	0	0.0	0	0.0	0.2		0.1	1.0
Hepatitides										
Hepatitis A	0	0.0	0	0.0	1	25.4	4.5	4.5	5.6	3.1
Hepatitis B	0	0.0	0	0.0	0	0.0	5.3	2.4-9.0	4.6	2.8
Other										
Legionellosis	0	0.0	0	0.0	0	0.0	0.4		0.3	0.5
Streptococcal Inv. Pneumonia	0	0.0	0	0.0	2	50.9	12.5		0.0	0.9
Streptococcal Inf. Group A	0	0.0	1	25.6	0	0.0	4.4		5.8	1.6
Streptococcal Inf. Group B	0	0.0	0	0.0	0	0.0	0.9	0.5	0.8	
Vancomycin res. <i>Enterococcus</i>	0	0.0	1	25.6	2	50.9	18.4		18.2	

**Health Status Indicators for Cities and Towns
2001-2003**

51

Litchfield Park

Selected Causes of Death

Cause of Death	Litchfield Park						Comparisons			
	2001		2002		2003		Maricopa County, 2003	Healthy People		
	Number	Rate per 100,000	Number	Rate per 100,000	Number	Rate per 100,000		2010	Arizona	U.S.
Tuberculosis	0	0.0	0	0.0	0	0.0	0.1		0.2	0.2
Syphilis	0	0.0	0	0.0	0	0.0	0.0		0.0	0.0
HIV Disease	0	0.0	0	0.0	0	0.0	3.5	0.7	3.1	4.7
Malignant Neoplasms	22	569.4	25	640.7	15	381.4	152.2	159.9	167.9	190.7
Malignant Neoplasm Stomach	1	25.9	0	0.0	1	25.4	2.6		3.1	4.1
Malignant Neoplasm Colon	1	25.9	5	128.1	0	0.0	16.8	13.9	17.7	19.1
Malignant Neoplasm Pancreas	2	51.8	0	0.0	3	76.3	7.9		8.4	10.5
Malig. Neo. Bronchus, Lung	3	77.6	6	153.8	5	127.1	42.7	44.9	47.6	54.2
Malignant Neoplasm Breast	5	129.4	2	51.3	3	76.3	10.7	22.3*	11.9	14.4
Mal. Neo. Uterus, Cervix, Ovary	2	51.8	1	25.6	1	25.4	6.6		2.5	2.4
Malig. Neoplasm Prostate	2	51.8	3	76.9	0	0.0	8.3	28.8*	9.7	10.2
Malignant Neoplasm Urinary	1	25.9	1	25.6	0	0.0	7.2		3.8	4.2
Non-Hodgkins Lymphoma	1	25.9	0	0.0	0	0.0	6.4		6.9	7.3
Leukemia	0	0.0	1	25.6	1	25.4	6.5		6.6	7.3
Other Malignant Neoplasms	4	103.5	6	153.8	1	25.4	36.5			
Diabetes	0	0.0	0	0.0	2	50.9	18.0	7.8	20.0	25.4
Alzheimers	4	103.5	1	25.6	3	76.3	32.5		30.0	21.8
Major Cardiovascular Diseases	17	440.0	21	538.2	19	483.1	230.5		247.7	310.1
Disease of Heart	15	388.2	20	512.6	14	356.0	176.0	166.0	189.2	235.4
Hypertensive Heart Disease	0	0.0	2	51.3	2	50.9	8.8		7.8	9.5
Ischemic Heart Disease	12	310.6	15	384.4	11	279.7	141.7		142.8	164.8
Other Heart Disease	3	77.6	3	76.9	1	25.4	25.6			
Primary Hypertension	0	0.0	0	0.0	1	25.4	6.6		6.0	7.5
Cerebrovascular	2	51.8	0	0.0	4	101.7	38.7	48.0	41.8	54.3
Atherosclerosis	0	0.0	0	0.0	0	0.0	3.4		4.0	4.5
Other Circulatory	0	0.0	1	25.6	0	0.0	5.7			

(continued on next page)

**Health Status Indicators for Cities and Towns
2001-2003**

52

Litchfield Park

Selected Causes of Death, cont.

Cause of Death	Litchfield Park						Comparisons			
	2001		2002		2003		Maricopa County, 2003	Healthy People		
	Number	Rate per 100,000	Number	Rate per 100,000	Number	Rate per 100,000		2010	Arizona	U.S.
Influenza & Pneumonia	0	0.0	2	51.3	1	25.4	18.5		22.2	22.3
Chronic Lower Respiratory	3	77.6	4	102.5	8	203.4	40.0		44.8	43.4
Peptic Ulcer	0	0.0	1	25.6	0	0.0	0.9		1.0	1.3
Liver Disease	2	51.8	2	51.3	3	76.3	9.5		11.1	9.4
Nephritis	0	0.0	1	25.6	0	0.0	7.8		9.8	14.6
Pregnancy	0	0.0	0	0.0	0	0.0	0.1		0.1	0.2
Perinatal Conditions	0	0.0	0	0.0	0	0.0	5.1		4.6	4.9
Congenital Malformations	0	0.0	0	0.0	0	0.0	3.7		3.6	3.7
SIDS	0	0.0	0	0.0	0	0.0	0.4			
Symptoms, Signs ex. SIDS	0	0.0	0	0.0	0	0.0	9.3			
All Other Diseases	5	129.4	8	205.0	8	203.4	93.7			
Motor Vehicle Accidents	0	0.0	1	25.6	3	76.3	14.5	9.2	17.9	15.2
All Other Acc. & Adverse Effects	2	51.8	1	25.6	0	0.0	23.8			
Suicide	1	25.9	0	0.0	1	25.4	13.2	5.0	14.3	10.5
Homicide	0	0.0	0	0.0	0	0.0	9.4	3.0	8.5	5.9
All Other External Causes	0	0.0	0	0.0	0	0.0	2.1			
Unknown	0	0.0	1	25.6	0	0.0	6.0			
Total	56	1449.3	68	1742.7	63	1601.8	694.8		760.8	840.4

*HP 2010 goals are breast cancer in females and prostate cancer in males

Health Status Indicators for Cities and Towns
2001-2003
Mesa

54

Selected Reportable Diseases

	Mesa						Comparisons			
	2001		2002		2003		Rate per 100,000 Population			
	Number	Rate per 100,000	Number	Rate per 100,000	Number	Rate per 100,000	Maricopa County, 2003	H.P. 2010	Arizona 2002	U.S. 2002
Vaccine Preventable										
H. Flu (Invasive)	7	1.7	9	2.1	5	1.2	1.3	0.0	1.9	0.6
Measles	1	0.2	0	0.0	0	0.0	0.0	0.0	0.0	0.0
Mumps	0	0.0	0	0.0	1	0.2	0.0	0.0	0.0	0.1
Pertussis	18	4.3	17	4.0	14	3.2	3.7	0.0	13.2	3.4
Central Nervous System										
Encephalitis	2	0.5	5	1.2	1	0.2	0.6		0.0	0.1
Meningitis - Aseptic	20	4.8	14	3.3	100	23.1	33.6			
Meningococcal Disease	0	0.0	2	0.5	5	1.2	0.8	1.0	0.6	0.6
Enterics										
Amebiasis	0	0.0	1	0.2	2	0.5	0.8			
Botulism	0	0.0	1	0.2	0	0.0	0.0		0.1	0.0
Campylobacteriosis	39	9.4	29	6.8	61	14.1	13.7	12.3		
Cryptosporidiosis	1	0.2	1	0.2	2	0.5	0.1		0.3	1.0
E. Coli O157:H7	1	0.2	5	1.2	2	0.5	0.8	1.0	0.7	1.3
Giardiasis	12	2.9	11	2.6	23	5.3	5.0		4.9	7.4
Hemolytic Uremic Syndrome	0	0.0	1	0.2	0	0.0	0.0		0.0	0.1
Listeriosis	1	0.2	0	0.0	0	0.0	0.2	0.25	0.3	0.2
Salmonellosis	32	7.7	37	8.7	27	6.2	11.4	6.8	15.2	15.4
Shigellosis	7	1.7	36	8.5	30	6.9	10.0		12.6	8.2
Typhoid	0	0.0	0	0.0	0	0.0	0.0		0.0	0.1
Vibrioses	2	0.5	0	0.0	0	0.0	0.3			
Yersiniosis	0	0.0	0	0.0	0	0.0	0.2			
Mycosis										
Coccidioidomycosis	247	59.3	325	76.3	235	54.4	59.6		57.6	1.7
Zoonoses/Vectorborne										
Brucellosis	0	0.0	0	0.0	0	0.0	0.0		0.1	0.0
Hantavirus Pulmonary Syndrome	0	0.0	0	0.0	0	0.0	0.0		0.1	0.0
Malaria	1	0.2	0	0.0	2	0.5	0.3		0.1	0.5
West Nile Virus	0	0.0	1	0.2	2	0.5	0.2		0.1	1.0
Hepatitides										
Hepatitis A	18	4.3	19	4.5	22	5.1	4.5	4.5	5.6	3.1
Hepatitis B	10	2.4	14	3.3	18	4.2	5.3	2.4-9.0	4.6	2.8
Other										
Legionellosis	1	0.2	1	0.2	4	0.9	0.4		0.3	0.5
Streptococcal Inv. Pneumonia	78	18.7	62	14.6	48	11.1	12.5		0.0	0.9
Streptococcal Inf. Group A	18	4.3	29	6.8	18	4.2	4.4		5.8	1.6
Streptococcal Inf. Group B	4	1.0	0	0.0	2	0.5	0.9	0.5	0.8	
Vancomycin res. Enterococcus	107	25.7	157	36.9	73	16.9	18.4		18.2	

Health Status Indicators for Cities and Towns 2001-2003

55

Mesa

Selected Causes of Death

Cause of Death	Mesa						Comparisons		
	2001		2002		2003		Maricopa County, 2003	Healthy People 2010	
	Number	Rate per 100,000	Number	Rate per 100,000	Number	Rate per 100,000		Arizona	U.S.
Tuberculosis	0	0.0	1	0.2	2	0.5	0.1	0.2	0.2
Syphilis	1	0.2	0	0.0	0	0.0	0.0	0.0	0.0
HIV Disease	6	1.4	10	2.3	5	1.2	3.5	0.7	4.7
Malignant Neoplasms	809	194.4	704	165.4	809	187.1	152.2	159.9	167.9
Malignant Neoplasm Stomach	13	3.1	6	1.4	13	3.0	2.6	3.1	4.1
Malignant Neoplasm Colon	80	19.2	69	16.2	82	19.0	16.8	13.9	17.7
Malignant Neoplasm Pancreas	50	12.0	28	6.6	50	11.6	7.9	8.4	10.5
Malig. Neo. Bronchus, Lung	231	55.5	177	41.6	212	49.0	42.7	44.9	47.6
Malignant Neoplasm Breast	70	16.8	64	15.0	66	15.3	10.7	22.3*	11.9
Mal. Neo. Uterus, Cervix, Ovary	29	7.0	29	6.8	37	8.6	6.6	2.5	2.4
Malig. Neoplasm Prostate	60	14.4	40	9.4	44	10.2	8.3	28.8*	9.7
Malignant Neoplasm Urinary	34	8.2	21	4.9	40	9.3	7.2	3.8	4.2
Non-Hodgkins Lymphoma	30	7.2	43	10.1	32	7.4	6.4	6.9	7.3
Leukemia	32	7.7	36	8.5	32	7.4	6.5	6.6	7.3
Other Malignant Neoplasms	180	43.2	191	44.9	201	46.5	36.5		
Diabetes	102	24.5	119	28.0	110	25.4	18.0	7.8	20.0
Alzheimers	91	21.9	130	30.5	180	41.6	32.5		30.0
Major Cardiovascular Diseases	1,276	306.5	1,322	310.6	1,327	306.9	230.5		247.7
Disease of Heart	962	231.1	991	232.8	988	228.5	176.0	166.0	189.2
Hypertensive Heart Disease	43	10.3	50	11.7	47	10.9	8.8	7.8	9.5
Ischemic Heart Disease	742	178.3	803	188.6	802	185.5	141.7		142.8
Other Heart Disease	177	42.5	138	32.4	139	32.1	25.6		
Primary Hypertension	38	9.1	33	7.8	41	9.5	6.6		6.0
Cerebrovascular	224	53.8	231	54.3	242	56.0	38.7	48.0	41.8
Atherosclerosis	17	4.1	18	4.2	28	6.5	3.4		4.0
Other Circulatory	35	8.4	49	11.5	28	6.5	5.7		4.5

(continued on next page)

**Health Status Indicators for Cities and Towns
2001-2003**

56

Mesa

Selected Causes of Death, cont.

Cause of Death	Mesa						Comparisons			
	2001		2002		2003		Maricopa County, 2003	Healthy People 2010	Arizona	U.S.
	Number	Rate per 100,000	Number	Rate per 100,000	Number	Rate per 100,000				
Influenza & Pneumonia	104	25.0	107	25.1	101	23.4	18.5		22.2	22.3
Chronic Lower Respiratory	240	57.7	207	48.6	250	57.8	40.0		44.8	43.4
Peptic Ulcer	3	0.7	6	1.4	9	2.1	0.9		1.0	1.3
Liver Disease	36	8.6	50	11.7	40	9.3	9.5		11.1	9.4
Nephritis	48	11.5	54	12.7	41	9.5	7.8		9.8	14.6
Pregnancy	1	0.2	1	0.2	0	0.0	0.1		0.1	0.2
Perinatal Conditions	19	4.6	24	5.6	19	4.4	5.1		4.6	4.9
Congenital Malformations	15	3.6	20	4.7	15	3.5	3.7		3.6	3.7
SIDS	3	0.7	3	0.7	2	0.5	0.4			
Symptoms, Signs ex. SIDS	22	5.3	34	8.0	45	10.4	9.3			
All Other Diseases	534	128.3	519	121.9	501	115.9	93.7			
Motor Vehicle Accidents	60	14.4	55	12.9	57	13.2	14.5	9.2	17.9	15.2
All Other Acc. & Adverse Effects	102	24.5	127	29.8	93	21.5	23.8			
Suicide	51	12.3	72	16.9	58	13.4	13.2	5.0	14.3	10.5
Homicide	22	5.3	25	5.9	27	6.2	9.4	3.0	8.5	5.9
All Other External Causes	3	0.7	7	1.6	5	1.2	2.1			
Unknown	44	10.6	48	11.3	28	6.5	6.0			
Total	3,592	862.9	3,645	856.3	3,724	861.3	694.8		760.8	840.4

*HP 2010 goals are breast cancer in females and prostate cancer in males

Health Status Indicators for Cities and Towns 2001-2003

57

New River

Population Statistics

	New River		Maricopa County		Arizona	U.S.
Population in 2000	10,740		3,072,149		5,130,632	281,421,906
Estimated Population	<u>Number</u>	<u>% Inc. from 2000</u>	<u>Number</u>	<u>% Inc. from 2000</u>	<u>Number</u>	<u>Number</u>
2001	11,170	4.0%	3,196,439	4.0%	5,296,845	285,102,075
2002	11,524	7.3%	3,294,911	7.3%	5,439,091	287,941,220
2003	11,846	10.3%	3,389,260	10.3%	5,579,222	290,788,976
Age Distribution 2003	<u>Number</u>	<u>% Distribution</u>	<u>Number</u>	<u>% Distribution</u>	<u>% Distribution</u>	<u>% Distribution</u>
Under 20 years old	3,317	28.0%	1,030,335	30.4%	29.9%	27.9%
20 - 44 years old	4,265	36.0%	1,281,140	37.8%	35.7%	36.1%
45 - 64 years old	3,435	29.0%	698,188	20.6%	21.6%	23.6%
65 and older	829	7.0%	379,597	11.2%	12.8%	12.4%
Dependency ratio	0.54		0.71		0.75	0.68

Infant Health Indicators*

	New River						Comparisons		
	2001		2002		2003		Maricopa County, 2003	Healthy People 2010	Arizona
	<u>Number</u>	<u>Percent or Rate</u>	<u>Number</u>	<u>Percent or Rate</u>	<u>Number</u>	<u>Percent or Rate</u>			<u>U.S.</u>
Low weight births (under 2500 grams) - % of live births	2	11.8%	1	3.1%	2	9.1%	7.0%	5.0%	7.1%
Births to teen mothers - % of live births	0	0.0%	1	3.1%	0	0.0%	11.8%	(-)	12.9%
Infant mortality per 1,000 live births	0	0.0	0	0.0	0	0.0	6.3	4.5	6.5
Total Births	17		32		22		59,000		90,783
									4,091,063

* Please see Appendix A regarding limitations to birth data for cities/towns with fewer than 1,000 births.

Health Status Indicators for Cities and Towns
2001-2003
New River

58

Selected Reportable Diseases

	New River						Comparisons			
	2001		2002		2003		Rate per 100,000 Population			
	Number	Rate per 100,000	Number	Rate per 100,000	Number	Rate per 100,000	Maricopa County, 2003	H.P. 2010	Arizona 2002	U.S. 2002
Vaccine Preventable										
H. Flu (Invasive)	0	0.0	0	0.0	0	0.0	1.3	0.0	1.9	0.6
Measles	0	0.0	0	0.0	0	0.0	0.0	0.0	0.0	0.0
Mumps	0	0.0	0	0.0	0	0.0	0.0	0.0	0.0	0.1
Pertussis	0	0.0	0	0.0	0	0.0	3.7	0.0	13.2	3.4
Central Nervous System										
Encephalitis	0	0.0	0	0.0	0	0.0	0.6		0.0	0.1
Meningitis - Aseptic	1	9.0	0	0.0	0	0.0	33.6			
Meningococcal Disease	0	0.0	0	0.0	0	0.0	0.8	1.0	0.6	0.6
Enterics										
Amebiasis	0	0.0	0	0.0	0	0.0	0.8			
Botulism	0	0.0	0	0.0	0	0.0	0.0		0.1	0.0
Campylobacteriosis	0	0.0	1	8.7	0	0.0	13.7	12.3		
Cryptosporidiosis	0	0.0	0	0.0	0	0.0	0.1		0.3	1.0
<i>E. Coli</i> O157:H7	0	0.0	0	0.0	0	0.0	0.8	1.0	0.7	1.3
Giardiasis	0	0.0	0	0.0	0	0.0	5.0		4.9	7.4
Hemolytic Uremic Syndrome	0	0.0	0	0.0	0	0.0	0.0		0.0	0.1
Listeriosis	0	0.0	0	0.0	0	0.0	0.2	0.25	0.3	0.2
Salmonellosis	0	0.0	0	0.0	1	8.4	11.4	6.8	15.2	15.4
Shigellosis	0	0.0	0	0.0	0	0.0	10.0		12.6	8.2
Typhoid	0	0.0	0	0.0	0	0.0	0.0		0.0	0.1
Vibrioses	0	0.0	0	0.0	0	0.0	0.3			
Yersiniosis	0	0.0	0	0.0	0	0.0	0.2			
Mycosis										
Coccidioidomycosis	2	17.9	5	43.4	0	0.0	59.6		57.6	1.7
Zoonoses/Vectorborne										
Brucellosis	0	0.0	0	0.0	0	0.0	0.0		0.1	0.0
Hantavirus Pulmonary Syndrome	0	0.0	0	0.0	0	0.0	0.0		0.1	0.0
Malaria	0	0.0	0	0.0	0	0.0	0.3		0.1	0.5
West Nile Virus	0	0.0	0	0.0	0	0.0	0.2		0.1	1.0
Hepatitides										
Hepatitis A	0	0.0	0	0.0	1	8.4	4.5	4.5	5.6	3.1
Hepatitis B	0	0.0	0	0.0	0	0.0	5.3	2.4-9.0	4.6	2.8
Other										
Legionellosis	0	0.0	0	0.0	0	0.0	0.4		0.3	0.5
Streptococcal Inv. Pneumonia	0	0.0	1	8.7	1	8.4	12.5		0.0	0.9
Streptococcal Inf. Group A	0	0.0	0	0.0	0	0.0	4.4		5.8	1.6
Streptococcal Inf. Group B	0	0.0	0	0.0	0	0.0	0.9	0.5	0.8	
Vancomycin res. <i>Enterococcus</i>	0	0.0	0	0.0	0	0.0	18.4		18.2	

Health Status Indicators for Cities and Towns 2001-2003

59

New River

Selected Causes of Death

Cause of Death	New River						Comparisons			
	2001		2002		2003		Maricopa County, 2003	Healthy People		
	Number	Rate per 100,000	Number	Rate per 100,000	Number	Rate per 100,000		2010	Arizona	U.S.
Tuberculosis	0	0.0	0	0.0	0	0.0	0.1		0.2	0.2
Syphilis	0	0.0	0	0.0	0	0.0	0.0		0.0	0.0
HIV Disease	0	0.0	0	0.0	0	0.0	3.5	0.7	3.1	4.7
Malignant Neoplasms	3	26.9	6	52.1	4	33.8	152.2	159.9	167.9	190.7
Malignant Neoplasm Stomach	0	0.0	0	0.0	0	0.0	2.6		3.1	4.1
Malignant Neoplasm Colon	0	0.0	0	0.0	1	8.4	16.8	13.9	17.7	19.1
Malignant Neoplasm Pancreas	0	0.0	0	0.0	0	0.0	7.9		8.4	10.5
Malig. Neo. Bronchus, Lung	0	0.0	3	26.0	2	16.9	42.7	44.9	47.6	54.2
Malignant Neoplasm Breast	0	0.0	0	0.0	0	0.0	10.7	22.3*	11.9	14.4
Mal. Neo. Uterus, Cervix, Ovary	0	0.0	1	8.7	0	0.0	6.6		2.5	2.4
Malig. Neoplasm Prostate	0	0.0	0	0.0	0	0.0	8.3	28.8*	9.7	10.2
Malignant Neoplasm Urinary	0	0.0	0	0.0	0	0.0	7.2		3.8	4.2
Non-Hodgkins Lymphoma	0	0.0	1	8.7	0	0.0	6.4		6.9	7.3
Leukemia	0	0.0	0	0.0	0	0.0	6.5		6.6	7.3
Other Malignant Neoplasms	3	26.9	1	8.7	1	8.4	36.5			
Diabetes	0	0.0	1	8.7	0	0.0	18.0	7.8	20.0	25.4
Alzheimers	1	9.0	0	0.0	2	16.9	32.5		30.0	21.8
Major Cardiovascular Diseases	11	98.5	6	52.1	9	76.0	230.5		247.7	310.1
Disease of Heart	8	71.6	4	34.7	7	59.1	176.0	166.0	189.2	235.4
Hypertensive Heart Disease	0	0.0	0	0.0	0	0.0	8.8		7.8	9.5
Ischemic Heart Disease	5	44.8	3	26.0	5	42.2	141.7		142.8	164.8
Other Heart Disease	3	26.9	1	8.7	2	16.9	25.6			
Primary Hypertension	0	0.0	0	0.0	0	0.0	6.6		6.0	7.5
Cerebrovascular	2	17.9	1	8.7	2	16.9	38.7	48.0	41.8	54.3
Atherosclerosis	0	0.0	1	8.7	0	0.0	3.4		4.0	4.5
Other Circulatory	1	9.0	0	0.0	0	0.0	5.7			

(continued on next page)

**Health Status Indicators for Cities and Towns
2001-2003**

60

New River

Selected Causes of Death, cont.

Cause of Death	New River						Comparisons			
	2001		2002		2003		Maricopa County, 2003	Healthy People 2010	Arizona	U.S.
	Number	Rate per 100,000	Number	Rate per 100,000	Number	Rate per 100,000				
Influenza & Pneumonia	0	0.0	0	0.0	1	8.4	18.5		22.2	22.3
Chronic Lower Respiratory	2	17.9	1	8.7	3	25.3	40.0		44.8	43.4
Peptic Ulcer	0	0.0	0	0.0	0	0.0	0.9		1.0	1.3
Liver Disease	0	0.0	0	0.0	0	0.0	9.5		11.1	9.4
Nephritis	0	0.0	0	0.0	1	8.4	7.8		9.8	14.6
Pregnancy	0	0.0	0	0.0	0	0.0	0.1		0.1	0.2
Perinatal Conditions	0	0.0	0	0.0	0	0.0	5.1		4.6	4.9
Congenital Malformations	0	0.0	0	0.0	0	0.0	3.7		3.6	3.7
SIDS	0	0.0	0	0.0	0	0.0	0.4			
Symptoms, Signs ex. SIDS	0	0.0	0	0.0	0	0.0	9.3			
All Other Diseases	3	26.9	2	17.4	5	42.2	93.7			
Motor Vehicle Accidents	0	0.0	0	0.0	1	8.4	14.5	9.2	17.9	15.2
All Other Acc. & Adverse Effects	1	9.0	1	8.7	0	0.0	23.8			
Suicide	2	17.9	0	0.0	2	16.9	13.2	5.0	14.3	10.5
Homicide	0	0.0	0	0.0	0	0.0	9.4	3.0	8.5	5.9
All Other External Causes	0	0.0	0	0.0	0	0.0	2.1			
Unknown	0	0.0	1	8.7	0	0.0	6.0			
Total	23	205.9	18	156.2	28	236.4	694.8		760.8	840.4

*HP 2010 goals are breast cancer in females and prostate cancer in males

Health Status Indicators for Cities and Towns 2001-2003

61

Paradise Valley

Population Statistics

	Paradise Valley		Maricopa County		Arizona	U.S.
Population in 2000	13,664		3,072,149		5,130,632	281,421,906
Estimated Population	<u>Number</u>	<u>% Inc. from 2000</u>	<u>Number</u>	<u>% Inc. from 2000</u>	<u>Number</u>	<u>Number</u>
2001	13,898	1.7%	3,196,439	4.0%	5,296,845	285,102,075
2002	14,064	2.9%	3,294,911	7.3%	5,439,091	287,941,220
2003	14,169	3.7%	3,389,260	10.3%	5,579,222	290,788,976
Age Distribution 2003	<u>Number</u>	<u>% Distribution</u>	<u>Number</u>	<u>% Distribution</u>	<u>% Distribution</u>	<u>% Distribution</u>
Under 20 years old	3,826	27.0%	1,030,335	30.4%	29.9%	27.9%
20 - 44 years old	2,975	21.0%	1,281,140	37.8%	35.7%	36.1%
45 - 64 years old	5,101	36.0%	698,188	20.6%	21.6%	23.6%
65 and older	2,267	16.0%	379,597	11.2%	12.8%	12.4%
Dependency ratio	0.75		0.71		0.75	0.68

Infant Health Indicators*

	Paradise Valley						Comparisons		
	2001		2002		2003		Maricopa County, 2003	Healthy People 2010	Arizona
	<u>Number</u>	<u>Percent or Rate</u>	<u>Number</u>	<u>Percent or Rate</u>	<u>Number</u>	<u>Percent or Rate</u>			<u>U.S.</u>
Low weight births (under 2500 grams) - % of live births	12	10.7%	5	5.3%	12	12.6%	7.0%	5.0%	7.1%
Births to teen mothers - % of live births	1	0.9%	1	1.1%	0	0.0%	11.8%	(-)	12.9%
Infant mortality per 1,000 live births	1	8.9	0	0.0	0	0.0	6.3	4.5	6.5
Total Births	112		95		95		59,000		90,783
									4,091,063

* Please see Appendix A regarding limitations to birth data for cities/towns with fewer than 1,000 births.

Health Status Indicators for Cities and Towns
2001-2003
Paradise Valley

Selected Reportable Diseases

	Paradise Valley						Comparisons			
	2001		2002		2003		Rate per 100,000 Population			
	<u>Number</u>	<u>Rate per 100,000</u>	<u>Number</u>	<u>Rate per 100,000</u>	<u>Number</u>	<u>Rate per 100,000</u>	<u>Maricopa County, 2003</u>	<u>H.P. 2010</u>	<u>Arizona 2002</u>	<u>U.S. 2002</u>
Vaccine Preventable										
H. Flu (Invasive)	0	0.0	0	0.0	0	0.0	1.3	0.0	1.9	0.6
Measles	0	0.0	0	0.0	0	0.0	0.0	0.0	0.0	0.0
Mumps	0	0.0	0	0.0	0	0.0	0.0	0.0	0.0	0.1
Pertussis	1	7.2	0	0.0	0	0.0	3.7	0.0	13.2	3.4
Central Nervous System										
Encephalitis	0	0.0	0	0.0	0	0.0	0.6		0.0	0.1
Meningitis - Aseptic	0	0.0	1	7.1	3	21.2	33.6			
Meningococcal Disease	0	0.0	0	0.0	0	0.0	0.8	1.0	0.6	0.6
Enterics										
Amebiasis	0	0.0	0	0.0	0	0.0	0.8			
Botulism	0	0.0	0	0.0	0	0.0	0.0		0.1	0.0
Campylobacteriosis	2	14.4	2	14.2	3	21.2	13.7	12.3		
Cryptosporidiosis	0	0.0	0	0.0	0	0.0	0.1		0.3	1.0
<i>E. Coli</i> O157:H7	0	0.0	0	0.0	1	7.1	0.8	1.0	0.7	1.3
Giardiasis	3	21.6	2	14.2	1	7.1	5.0		4.9	7.4
Hemolytic Uremic Syndrome	0	0.0	0	0.0	0	0.0	0.0		0.0	0.1
Listeriosis	0	0.0	0	0.0	0	0.0	0.2	0.25	0.3	0.2
Salmonellosis	0	0.0	3	21.3	0	0.0	11.4	6.8	15.2	15.4
Shigellosis	0	0.0	0	0.0	1	7.1	10.0		12.6	8.2
Typhoid	0	0.0	0	0.0	0	0.0	0.0		0.0	0.1
Vibrioses	0	0.0	0	0.0	0	0.0	0.3			
Yersiniosis	0	0.0	0	0.0	0	0.0	0.2			
Mycosis										
Coccidioidomycosis	2	14.4	11	78.2	9	63.5	59.6		57.6	1.7
Zoonoses/Vectorborne										
Brucellosis	0	0.0	0	0.0	0	0.0	0.0		0.1	0.0
Hantavirus Pulmonary Syndrome	0	0.0	0	0.0	0	0.0	0.0		0.1	0.0
Malaria	1	7.2	0	0.0	0	0.0	0.3		0.1	0.5
West Nile Virus	0	0.0	0	0.0	0	0.0	0.2		0.1	1.0
Hepatitides										
Hepatitis A	1	7.2	0	0.0	0	0.0	4.5	4.5	5.6	3.1
Hepatitis B	1	7.2	2	14.2	1	7.1	5.3	2.4-9.0	4.6	2.8
Other										
Legionellosis	0	0.0	0	0.0	0	0.0	0.4		0.3	0.5
Streptococcal Inv. Pneumonia	0	0.0	1	7.1	2	14.1	12.5		0.0	0.9
Streptococcal Inf. Group A	0	0.0	1	7.1	0	0.0	4.4		5.8	1.6
Streptococcal Inf. Group B	0	0.0	0	0.0	0	0.0	0.9	0.5	0.8	
Vancomycin res. <i>Enterococcus</i>	0	0.0	9	64.0	2	14.1	18.4		18.2	

**Health Status Indicators for Cities and Towns
2001-2003**

63

Paradise Valley

Selected Causes of Death

Cause of Death	Paradise Valley						Comparisons			
	2001		2002		2003		Maricopa County, 2003	Healthy People		
	Number	Rate per 100,000	Number	Rate per 100,000	Number	Rate per 100,000		2010	Arizona	U.S.
Tuberculosis	0	0.0	0	0.0	0	0.0	0.1		0.2	0.2
Syphilis	0	0.0	0	0.0	0	0.0	0.0		0.0	0.0
HIV Disease	0	0.0	0	0.0	0	0.0	3.5	0.7	3.1	4.7
Malignant Neoplasms	22	158.3	28	199.1	28	197.6	152.2	159.9	167.9	190.7
Malignant Neoplasm Stomach	0	0.0	0	0.0	0	0.0	2.6		3.1	4.1
Malignant Neoplasm Colon	4	28.8	3	21.3	3	21.2	16.8	13.9	17.7	19.1
Malignant Neoplasm Pancreas	1	7.2	1	7.1	2	14.1	7.9		8.4	10.5
Malig. Neo. Bronchus, Lung	6	43.2	3	21.3	7	49.4	42.7	44.9	47.6	54.2
Malignant Neoplasm Breast	1	7.2	0	0.0	1	7.1	10.7	22.3*	11.9	14.4
Mal. Neo. Uterus, Cervix, Ovary	2	14.4	1	7.1	1	7.1	6.6		2.5	2.4
Malig. Neoplasm Prostate	1	7.2	3	21.3	3	21.2	8.3	28.8*	9.7	10.2
Malignant Neoplasm Urinary	1	7.2	1	7.1	0	0.0	7.2		3.8	4.2
Non-Hodgkins Lymphoma	2	14.4	2	14.2	2	14.1	6.4		6.9	7.3
Leukemia	0	0.0	1	7.1	2	14.1	6.5		6.6	7.3
Other Malignant Neoplasms	4	28.8	13	92.4	7	49.4	36.5			
Diabetes	1	7.2	2	14.2	2	14.1	18.0	7.8	20.0	25.4
Alzheimers	4	28.8	4	28.4	7	49.4	32.5		30.0	21.8
Major Cardiovascular Diseases	32	230.2	28	199.1	22	155.3	230.5		247.7	310.1
Disease of Heart	27	194.3	23	163.5	15	105.9	176.0	166.0	189.2	235.4
Hypertensive Heart Disease	2	14.4	0	0.0	2	14.1	8.8		7.8	9.5
Ischemic Heart Disease	18	129.5	19	135.1	10	70.6	141.7		142.8	164.8
Other Heart Disease	7	50.4	4	28.4	3	21.2	25.6			
Primary Hypertension	0	0.0	1	7.1	0	0.0	6.6		6.0	7.5
Cerebrovascular	5	36.0	3	21.3	5	35.3	38.7	48.0	41.8	54.3
Atherosclerosis	0	0.0	1	7.1	1	7.1	3.4		4.0	4.5
Other Circulatory	0	0.0	0	0.0	1	7.1	5.7			

(continued on next page)

**Health Status Indicators for Cities and Towns
2001-2003**

64

Paradise Valley

Selected Causes of Death, cont.

Cause of Death	Paradise Valley						Comparisons			
	2001		2002		2003		Maricopa County, 2003	Healthy People 2010	Arizona	U.S.
	Number	Rate per 100,000	Number	Rate per 100,000	Number	Rate per 100,000				
Influenza & Pneumonia	1	7.2	8	56.9	1	7.1	18.5		22.2	22.3
Chronic Lower Respiratory	5	36.0	3	21.3	5	35.3	40.0		44.8	43.4
Peptic Ulcer	0	0.0	0	0.0	0	0.0	0.9		1.0	1.3
Liver Disease	3	21.6	0	0.0	4	28.2	9.5		11.1	9.4
Nephritis	0	0.0	0	0.0	1	7.1	7.8		9.8	14.6
Pregnancy	0	0.0	0	0.0	0	0.0	0.1		0.1	0.2
Perinatal Conditions	0	0.0	0	0.0	0	0.0	5.1		4.6	4.9
Congenital Malformations	1	7.2	0	0.0	0	0.0	3.7		3.6	3.7
SIDS	0	0.0	0	0.0	0	0.0	0.4			
Symptoms, Signs ex. SIDS	2	14.4	2	14.2	0	0.0	9.3			
All Other Diseases	13	93.5	14	99.5	12	84.7	93.7			
Motor Vehicle Accidents	2	14.4	0	0.0	1	7.1	14.5	9.2	17.9	15.2
All Other Acc. & Adverse Effects	5	36.0	6	42.7	7	49.4	23.8			
Suicide	1	7.2	1	7.1	2	14.1	13.2	5.0	14.3	10.5
Homicide	0	0.0	1	7.1	0	0.0	9.4	3.0	8.5	5.9
All Other External Causes	1	7.2	1	7.1	0	0.0	2.1			
Unknown	3	21.6	0	0.0	0	0.0	6.0			
Total	96	690.7	98	696.8	92	649.3	694.8		760.8	840.4

*HP 2010 goals are breast cancer in females and prostate cancer in males

Population Statistics

	Peoria		Maricopa County		Arizona	U.S.
Population in 2000	108,364		3,072,149		5,130,632	281,421,906
Estimated Population	Number	% Inc. from 2000	Number	% Inc. from 2000	Number	Number
2001	117,589	8.5%	3,196,439	4.0%	5,296,845	285,102,075
2002	122,764	13.3%	3,294,911	7.3%	5,439,091	287,941,220
2003	127,399	17.6%	3,389,260	10.3%	5,579,222	290,788,976
Age Distribution 2003	Number	% Distribution	Number	% Distribution	% Distribution	% Distribution
Under 20 years old	39,494	31.0%	1,030,335	30.4%	29.9%	27.9%
20 - 44 years old	44,590	35.0%	1,281,140	37.8%	35.7%	36.1%
45 - 64 years old	25,480	20.0%	698,188	20.6%	21.6%	23.6%
65 and older	17,836	14.0%	379,597	11.2%	12.8%	12.4%
Dependency ratio	0.82		0.71		0.75	0.68

	Peoria						Comparisons			
	2001		2002		2003		Maricopa County, 2003	Healthy People	Arizona	U.S.
	Number	Percent or Rate	Number	Percent or Rate	Number	Percent or Rate		2010		
Low weight births (under 2500 grams) - % of live births	116	6.7%	122	6.7%	117	6.4%	7.0%	5.0%	7.1%	7.9%
Births to teen mothers - % of live births	154	8.9%	190	10.5%	171	9.3%	11.8%	(-)	12.9%	10.3%
Infant mortality per 1,000 live births	11	6.4	22	12.1	14	7.7	6.3	4.5	6.5	6.8
Total Births	1,721		1,817		1,830		59,000		90,783	4,091,063

Health Status Indicators for Cities and Towns
2001-2003
Peoria

66

Selected Reportable Diseases

	Peoria						Comparisons			
	2001		2002		2003		Rate per 100,000 Population			
	Number	Rate per 100,000	Number	Rate per 100,000	Number	Rate per 100,000	Maricopa County, 2003	H.P. 2010	Arizona 2002	U.S. 2002
Vaccine Preventable										
H. Flu (Invasive)	3	2.6	1	0.8	1	0.8	1.3	0.0	1.9	0.6
Measles	0	0.0	0	0.0	1	0.8	0.0	0.0	0.0	0.0
Mumps	1	0.9	0	0.0	0	0.0	0.0	0.0	0.0	0.1
Pertussis	5	4.3	5	4.1	9	7.1	3.7	0.0	13.2	3.4
Central Nervous System										
Encephalitis	0	0.0	0	0.0	0	0.0	0.6		0.0	0.1
Meningitis - Aseptic	14	11.9	17	13.8	73	57.3	33.6			
Meningococcal Disease	0	0.0	0	0.0	0	0.0	0.8	1.0	0.6	0.6
Enterics										
Amebiasis	0	0.0	0	0.0	0	0.0	0.8			
Botulism	0	0.0	0	0.0	0	0.0	0.0		0.1	0.0
Campylobacteriosis	8	6.8	7	5.7	7	5.5	13.7	12.3		
Cryptosporidiosis	1	0.9	0	0.0	0	0.0	0.1		0.3	1.0
E. Coli O157:H7	1	0.9	1	0.8	0	0.0	0.8	1.0	0.7	1.3
Giardiasis	3	2.6	1	0.8	4	3.1	5.0		4.9	7.4
Hemolytic Uremic Syndrome	0	0.0	0	0.0	0	0.0	0.0		0.0	0.1
Listeriosis	0	0.0	0	0.0	0	0.0	0.2	0.25	0.3	0.2
Salmonellosis	5	4.3	8	6.5	9	7.1	11.4	6.8	15.2	15.4
Shigellosis	1	0.9	7	5.7	8	6.3	10.0		12.6	8.2
Typhoid	0	0.0	0	0.0	0	0.0	0.0		0.0	0.1
Vibrioses	0	0.0	0	0.0	2	1.6	0.3			
Yersiniosis	0	0.0	0	0.0	0	0.0	0.2			
Mycosis										
Coccidioidomycosis	27	23.0	76	61.9	80	62.8	59.6		57.6	1.7
Zoonoses/Vectorborne										
Brucellosis	0	0.0	0	0.0	0	0.0	0.0		0.1	0.0
Hantavirus Pulmonary Syndrome	0	0.0	0	0.0	0	0.0	0.0		0.1	0.0
Malaria	0	0.0	0	0.0	0	0.0	0.3		0.1	0.5
West Nile Virus	0	0.0	0	0.0	0	0.0	0.2		0.1	1.0
Hepatitides										
Hepatitis A	1	0.9	1	0.8	0	0.0	4.5	4.5	5.6	3.1
Hepatitis B	0	0.0	0	0.0	5	3.9	5.3	2.4-9.0	4.6	2.8
Other										
Legionellosis	1	0.9	0	0.0	0	0.0	0.4		0.3	0.5
Streptococcal Inv. Pneumonia	13	11.1	11	9.0	12	9.4	12.5		0.0	0.9
Streptococcal Inf. Group A	3	2.6	5	4.1	2	1.6	4.4		5.8	1.6
Streptococcal Inf. Group B	0	0.0	0	0.0	1	0.8	0.9	0.5	0.8	
Vancomycin res. Enterococcus	13	11.1	15	12.2	20	15.7	18.4		18.2	

**Health Status Indicators for Cities and Towns
2001-2003**

67

Peoria

Selected Causes of Death

Cause of Death	Peoria						Comparisons		
	2001		2002		2003		Maricopa County, 2003	Healthy People 2010	
	Number	Rate per 100,000	Number	Rate per 100,000	Number	Rate per 100,000		Arizona	U.S.
Tuberculosis	0	0.0	1	0.8	0	0.0	0.1	0.2	0.2
Syphilis	0	0.0	0	0.0	0	0.0	0.0	0.0	0.0
HIV Disease	<5	-	<5	-	<5	-	3.5	0.7	4.7
Malignant Neoplasms	221	187.9	235	191.4	245	192.3	152.2	159.9	167.9
Malignant Neoplasm Stomach	3	2.6	4	3.3	2	1.6	2.6	3.1	4.1
Malignant Neoplasm Colon	25	21.3	27	22.0	21	16.5	16.8	13.9	17.7
Malignant Neoplasm Pancreas	15	12.8	13	10.6	9	7.1	7.9	8.4	10.5
Malig. Neo. Bronchus, Lung	48	40.8	74	60.3	80	62.8	42.7	44.9	47.6
Malignant Neoplasm Breast	14	11.9	16	13.0	15	11.8	10.7	22.3*	11.9
Mal. Neo. Uterus, Cervix, Ovary	10	8.5	9	7.3	10	7.8	6.6	2.5	2.4
Malig. Neoplasm Prostate	12	10.2	18	14.7	18	14.1	8.3	28.8*	9.7
Malignant Neoplasm Urinary	16	13.6	12	9.8	10	7.8	7.2	3.8	4.2
Non-Hodgkins Lymphoma	8	6.8	11	9.0	8	6.3	6.4	6.9	7.3
Leukemia	18	15.3	8	6.5	16	12.6	6.5	6.6	7.3
Other Malignant Neoplasms	52	44.2	43	35.0	56	44.0	36.5		
Diabetes	19	16.2	26	21.2	24	18.8	18.0	7.8	20.0
Alzheimers	61	51.9	65	52.9	86	67.5	32.5		30.0
Major Cardiovascular Diseases	382	324.9	408	332.3	454	356.4	230.5		247.7
Disease of Heart	283	240.7	312	254.1	337	264.5	176.0	166.0	189.2
Hypertensive Heart Disease	5	4.3	11	9.0	20	15.7	8.8		7.8
Ischemic Heart Disease	212	180.3	259	211.0	274	215.1	141.7		142.8
Other Heart Disease	66	56.1	42	34.2	43	33.8	25.6		
Primary Hypertension	14	11.9	9	7.3	13	10.2	6.6		6.0
Cerebrovascular	71	60.4	66	53.8	87	68.3	38.7	48.0	41.8
Atherosclerosis	4	3.4	7	5.7	6	4.7	3.4		4.0
Other Circulatory	10	8.5	14	11.4	11	8.6	5.7		

(continued on next page)

**Health Status Indicators for Cities and Towns
2001-2003**

68

Peoria

Selected Causes of Death, cont.

Cause of Death	Peoria						Comparisons			
	2001		2002		2003		Maricopa County, 2003	Healthy People 2010	Arizona	U.S.
	Number	Rate per 100,000	Number	Rate per 100,000	Number	Rate per 100,000				
Influenza & Pneumonia	29	24.7	44	35.8	45	35.3	18.5		22.2	22.3
Chronic Lower Respiratory	78	66.3	82	66.8	84	65.9	40.0		44.8	43.4
Peptic Ulcer	2	1.7	3	2.4	2	1.6	0.9		1.0	1.3
Liver Disease	5	4.3	8	6.5	12	9.4	9.5		11.1	9.4
Nephritis	8	6.8	13	10.6	10	7.8	7.8		9.8	14.6
Pregnancy	0	0.0	0	0.0	0	0.0	0.1		0.1	0.2
Perinatal Conditions	8	6.8	10	8.1	6	4.7	5.1		4.6	4.9
Congenital Malformations	5	4.3	8	6.5	6	4.7	3.7		3.6	3.7
SIDS	0	0.0	2	1.6	0	0.0	0.4			
Symptoms, Signs ex. SIDS	3	2.6	6	4.9	28	22.0	9.3			
All Other Diseases	166	141.2	143	116.5	160	125.6	93.7			
Motor Vehicle Accidents	5	4.3	9	7.3	23	18.1	14.5	9.2	17.9	15.2
All Other Acc. & Adverse Effects	24	20.4	34	27.7	46	36.1	23.8			
Suicide	5	4.3	18	14.7	18	14.1	13.2	5.0	14.3	10.5
Homicide	7	6.0	2	1.6	5	3.9	9.4	3.0	8.5	5.9
All Other External Causes	2	1.7	0	0.0	3	2.4	2.1			
Unknown	9	7.7	12	9.8	9	7.1	6.0			
Total	1,039	883.6	1,129	919.7	1,266	993.7	694.8		760.8	840.4

*HP 2010 goals are breast cancer in females and prostate cancer in males

Population Statistics

Dependency ratio

Low weight births (under 2500 grams) - % of live births
Births to teen mothers - % of live births
Infant mortality per 1,000 live births
Total Births

Phoenix						Comparisons			
2001		2002		2003		Maricopa County, 2003	Healthy People 2010	Arizona	U.S.
<u>Number</u>	<u>Percent or Rate</u>	<u>Number</u>	<u>Percent or Rate</u>	<u>Number</u>	<u>Percent or Rate</u>				
1,778	7.1%	1,719	6.8%	1,848	7.2%	7.0%	5.0%	7.1%	7.9%
4,175	16.6%	3,917	15.6%	3,899	15.1%	11.8%	(-)	12.9%	10.3%
197	7.8	166	6.6	173	6.7	6.3	4.5	6.5	6.8
25,207		25,153		25,748		59,000		90,783	4,091,063

Health Status Indicators for Cities and Towns
2001-2003
Phoenix

70

Selected Reportable Diseases

	Phoenix						Comparisons			
	2001		2002		2003		Rate per 100,000 Population			
	Number	Rate per 100,000	Number	Rate per 100,000	Number	Rate per 100,000	Maricopa County, 2003	H.P. 2010	Arizona 2002	U.S. 2002
Vaccine Preventable										
H. Flu (Invasive)	21	1.6	33	2.4	23	1.7	1.3	0.0	1.9	0.6
Measles	0	0.0	0	0.0	0	0.0	0.0	0.0	0.0	0.0
Mumps	1	0.1	0	0.0	0	0.0	0.0	0.0	0.0	0.1
Pertussis	117	8.7	44	3.2	49	3.5	3.7	0.0	13.2	3.4
Central Nervous System										
Encephalitis	3	0.2	5	0.4	8	0.6	0.6		0.0	0.1
Meningitis - Aseptic	73	5.4	90	6.6	510	36.7	33.6			
Meningococcal Disease	13	1.0	12	0.9	13	0.9	0.8	1.0	0.6	0.6
Enterics										
Amebiasis	11	0.8	10	0.7	20	1.4	0.8			
Botulism	1	0.1	0	0.0	0	0.0	0.0		0.1	0.0
Campylobacteriosis	144	10.7	192	14.0	240	17.3	13.7	12.3		
Cryptosporidiosis	5	0.4	9	0.7	2	0.1	0.1		0.3	1.0
<i>E. Coli</i> O157:H7	8	0.6	5	0.4	9	0.6	0.8	1.0	0.7	1.3
Giardiasis	129	9.6	87	6.4	97	7.0	5.0		4.9	7.4
Hemolytic Uremic Syndrome	0	0.0	1	0.1	0	0.0	0.0		0.0	0.1
Listeriosis	3	0.2	6	0.4	5	0.4	0.2	0.25	0.3	0.2
Salmonellosis	222	16.5	220	16.1	211	15.2	11.4	6.8	15.2	15.4
Shigellosis	202	15.0	227	16.6	218	15.7	10.0		12.6	8.2
Typhoid	1	0.1	0	0.0	0	0.0	0.0		0.0	0.1
Vibrioses	1	0.1	4	0.3	4	0.3	0.3			
Yersiniosis	0	0.0	4	0.3	3	0.2	0.2			
Mycosis										
Coccidioidomycosis	721	53.6	827	60.4	740	53.3	59.6		57.6	1.7
Zoonoses/Vectorborne										
Brucellosis	3	0.2	5	0.4	0	0.0	0.0		0.1	0.0
Hantavirus Pulmonary Syndrome	0	0.0	0	0.0	0	0.0	0.0		0.1	0.0
Malaria	5	0.4	6	0.4	5	0.4	0.3		0.1	0.5
West Nile Virus	0	0.0	1	0.1	1	0.1	0.2		0.1	1.0
Hepatitides										
Hepatitis A	111	8.3	107	7.8	85	6.1	4.5	4.5	5.6	3.1
Hepatitis B	74	5.5	88	6.4	109	7.9	5.3	2.4-9.0	4.6	2.8
Other										
Legionellosis	4	0.3	3	0.2	4	0.3	0.4		0.3	0.5
Streptococcal Inv. Pneumonia	235	17.5	290	21.2	249	17.9	12.5		0.0	0.9
Streptococcal Inf. Group A	66	4.9	98	7.2	76	5.5	4.4		5.8	1.6
Streptococcal Inf. Group B	27	2.0	13	1.0	20	1.4	0.9	0.5	0.8	
Vancomycin res. <i>Enterococcus</i>	274	20.4	328	24.0	275	19.8	18.4		18.2	

Health Status Indicators for Cities and Towns 2001-2003

71

Phoenix

Selected Causes of Death

Cause of Death	Phoenix						Comparisons		
	2001		2002		2003		Maricopa County, 2003	Healthy People 2010	
	Number	Rate per 100,000	Number	Rate per 100,000	Number	Rate per 100,000		Arizona	U.S.
Tuberculosis	4	0.3	5	0.4	2	0.1	0.1	0.2	0.2
Syphilis	0	0.0	1	0.1	0	0.0	0.0	0.0	0.0
HIV Disease	67	5.0	68	5.0	85	6.1	3.5	0.7	4.7
Malignant Neoplasms	1,624	120.7	1,715	125.3	1,627	117.2	152.2	159.9	167.9
Malignant Neoplasm Stomach	36	2.7	32	2.3	32	2.3	2.6	3.1	4.1
Malignant Neoplasm Colon	156	11.6	173	12.6	171	12.3	16.8	13.9	17.7
Malignant Neoplasm Pancreas	83	6.2	90	6.6	72	5.2	7.9	8.4	10.5
Malig. Neo. Bronchus, Lung	417	31.0	497	36.3	475	34.2	42.7	44.9	47.6
Malignant Neoplasm Breast	143	10.6	139	10.2	115	8.3	10.7	22.3*	11.9
Mal. Neo. Uterus, Cervix, Ovary	74	5.5	78	5.7	67	4.8	6.6	2.5	2.4
Malig. Neoplasm Prostate	70	5.2	91	6.7	89	6.4	8.3	28.8*	9.7
Malignant Neoplasm Urinary	73	5.4	86	6.3	69	5.0	7.2	3.8	4.2
Non-Hodgkins Lymphoma	62	4.6	60	4.4	70	5.0	6.4	6.9	7.3
Leukemia	74	5.5	66	4.8	69	5.0	6.5	6.6	7.3
Other Malignant Neoplasms	436	32.4	403	29.5	398	28.7	36.5		
Diabetes	234	17.4	252	18.4	224	16.1	18.0	7.8	20.0
Alzheimers	213	15.8	264	19.3	283	20.4	32.5		30.0
Major Cardiovascular Diseases	2,699	200.6	2,541	185.7	2,510	180.8	230.5		247.7
Disease of Heart	2,100	156.1	1,957	143.0	1,994	143.6	176.0	166.0	189.2
Hypertensive Heart Disease	85	6.3	99	7.2	94	6.8	8.8		7.8
Ischemic Heart Disease	1,630	121.2	1,562	114.2	1,621	116.8	141.7		142.8
Other Heart Disease	385	28.6	296	21.6	279	20.1	25.6		
Primary Hypertension	45	3.3	57	4.2	65	4.7	6.6		6.0
Cerebrovascular	455	33.8	429	31.4	357	25.7	38.7	48.0	41.8
Atherosclerosis	27	2.0	35	2.6	27	1.9	3.4		4.0
Other Circulatory	72	5.4	63	4.6	67	4.8	5.7		

(continued on next page)

**Health Status Indicators for Cities and Towns
2001-2003**

72

Phoenix

Selected Causes of Death, cont.

Cause of Death	Phoenix						Comparisons		
	2001		2002		2003		Maricopa County, 2003	Healthy People 2010	Arizona
	Number	Rate per 100,000	Number	Rate per 100,000	Number	Rate per 100,000			U.S.
Influenza & Pneumonia	172	12.8	211	15.4	207	14.9	18.5		22.2
Chronic Lower Respiratory	463	34.4	502	36.7	436	31.4	40.0		44.8
Peptic Ulcer	14	1.0	17	1.2	8	0.6	0.9		1.0
Liver Disease	163	12.1	159	11.6	133	9.6	9.5		11.1
Nephritis	107	8.0	94	6.9	90	6.5	7.8		9.8
Pregnancy	1	0.1	2	0.1	1	11.2	0.1		0.1
Perinatal Conditions	77	5.7	91	6.7	84	6.1	5.1		4.6
Congenital Malformations	77	5.7	54	3.9	54	3.9	3.7		3.6
SIDS	15	1.1	9	0.7	7	0.5	0.4		
Symptoms, Signs ex. SIDS	36	2.7	55	4.0	107	7.7	9.3		
All Other Diseases	1,117	83.0	1,067	78.0	1,015	73.1	93.7		
Motor Vehicle Accidents	245	18.2	248	18.1	203	14.6	14.5	9.2	17.9
All Other Acc. & Adverse Effects	402	29.9	325	23.8	312	22.5	23.8		
Suicide	132	9.8	189	13.8	171	12.3	13.2	5.0	14.3
Homicide	220	16.4	198	14.5	211	15.2	9.4	3.0	8.5
All Other External Causes	35	2.6	30	2.2	34	2.4	2.1		
Unknown	100	7.4	73	5.3	81	5.8	6.0		
Total	8,217	610.8	8,170	597.1	7,885	567.9	694.8		760.8
									840.4

*HP 2010 goals are breast cancer in females and prostate cancer in males

Health Status Indicators for Cities and Towns 2001-2003

73

Queen Creek

Population Statistics

Population in 2000

Estimated Population

2001

2002

2003

Age Distribution 2003

Under 20 years old

20 - 44 years old

45 - 64 years old

65 and older

Dependency ratio

Queen Creek		Maricopa County		Arizona	U.S.
4,316		3,072,149		5,130,632	281,421,906
Number	% Inc. from 2000	Number	% Inc. from 2000	Number	Number
4,693	8.7%	3,196,439	4.0%	5,296,845	285,102,075
5,240	21.4%	3,294,911	7.3%	5,439,091	287,941,220
7,184	66.5%	3,389,260	10.3%	5,579,222	290,788,976
Number	% Distribution	Number	% Distribution	% Distribution	% Distribution
2,802	39.0%	1,030,335	30.4%	29.9%	27.9%
2,514	35.0%	1,281,140	37.8%	35.7%	36.1%
1,509	21.0%	698,188	20.6%	21.6%	23.6%
359	5.0%	379,597	11.2%	12.8%	12.4%
0.79		0.71		0.75	0.68

Infant Health Indicators*

Low weight births (under 2500 grams) - % of live births

Births to teen mothers - % of live births

Infant mortality per 1,000 live births

Total Births

Queen Creek						Comparisons		
2001		2002		2003		Maricopa County, 2003	Healthy People 2010	Arizona
Number	Percent or Rate	Number	Percent or Rate	Number	Percent or Rate			U.S.
16	5.5%	16	4.4%	22	4.4%	7.0%	5.0%	7.1%
26	8.9%	25	6.9%	33	6.5%	11.8%	(-)	12.9%
1	3.4	1	2.8	0	0.0	6.3	4.5	6.5
292		360		504		59,000		90,783
								4,091,063

* Please see Appendix A regarding limitations to birth data for cities/towns with fewer than 1,000 births.

Health Status Indicators for Cities and Towns
2001-2003
Queen Creek

74

Selected Reportable Diseases

	Queen Creek						Comparisons			
	2001		2002		2003		Rate per 100,000 Population			
	Number	Rate per 100,000	Number	Rate per 100,000	Number	Rate per 100,000	Maricopa County, 2003	H.P. 2010	Arizona 2002	U.S. 2002
Vaccine Preventable										
H. Flu (Invasive)	0	0.0	1	19.1	0	0.0	1.3	0.0	1.9	0.6
Measles	0	0.0	0	0.0	0	0.0	0.0	0.0	0.0	0.0
Mumps	0	0.0	0	0.0	0	0.0	0.0	0.0	0.0	0.1
Pertussis	0	0.0	0	0.0	3	41.8	3.7	0.0	13.2	3.4
Central Nervous System										
Encephalitis	1	21.3	0	0.0	0	0.0	0.6		0.0	0.1
Meningitis - Aseptic	2	42.6	0	0.0	4	55.7	33.6			
Meningococcal Disease	0	0.0	0	0.0	1	13.9	0.8	1.0	0.6	0.6
Enterics										
Amebiasis	0	0.0	0	0.0	0	0.0	0.8			
Botulism	0	0.0	0	0.0	0	0.0	0.0		0.1	0.0
Campylobacteriosis	5	106.5	2	38.2	1	13.9	13.7	12.3		
Cryptosporidiosis	0	0.0	0	0.0	0	0.0	0.1		0.3	1.0
<i>E. Coli</i> O157:H7	0	0.0	0	0.0	1	13.9	0.8	1.0	0.7	1.3
Giardiasis	0	0.0	1	19.1	3	41.8	5.0		4.9	7.4
Hemolytic Uremic Syndrome	0	0.0	0	0.0	0	0.0	0.0		0.0	0.1
Listeriosis	0	0.0	0	0.0	0	0.0	0.2	0.25	0.3	0.2
Salmonellosis	1	21.3	1	19.1	3	41.8	11.4	6.8	15.2	15.4
Shigellosis	0	0.0	2	38.2	2	27.8	10.0		12.6	8.2
Typhoid	0	0.0	0	0.0	0	0.0	0.0		0.0	0.1
Vibrioses	0	0.0	0	0.0	0	0.0	0.3			
Yersiniosis	0	0.0	0	0.0	0	0.0	0.2			
Mycosis										
Coccidioidomycosis	2	42.6	9	171.8	6	83.5	59.6		57.6	1.7
Zoonoses/Vectorborne										
Brucellosis	0	0.0	0	0.0	0	0.0	0.0		0.1	0.0
Hantavirus Pulmonary Syndrome	0	0.0	0	0.0	0	0.0	0.0		0.1	0.0
Malaria	0	0.0	0	0.0	0	0.0	0.3		0.1	0.5
West Nile Virus	0	0.0	0	0.0	0	0.0	0.2		0.1	1.0
Hepatitides										
Hepatitis A	1	21.3	0	0.0	1	13.9	4.5	4.5	5.6	3.1
Hepatitis B	0	0.0	0	0.0	0	0.0	5.3	2.4-9.0	4.6	2.8
Other										
Legionellosis	0	0.0	0	0.0	0	0.0	0.4		0.3	0.5
Streptococcal Inv. Pneumonia	1	21.3	0	0.0	1	13.9	12.5		0.0	0.9
Streptococcal Inf. Group A	0	0.0	0	0.0	2	27.8	4.4		5.8	1.6
Streptococcal Inf. Group B	0	0.0	0	0.0	0	0.0	0.9	0.5	0.8	
Vancomycin res. <i>Enterococcus</i>	1	21.3	3	57.3	3	41.8	18.4		18.2	

**Health Status Indicators for Cities and Towns
2001-2003**

75

Queen Creek

Selected Causes of Death

Cause of Death	Queen Creek						Comparisons			
	2001		2002		2003		Maricopa County, 2003	Healthy People	Arizona	U.S.
	Number	Rate per 100,000	Number	Rate per 100,000	Number	Rate per 100,000		2010		
Tuberculosis	0	0.0	0	0.0	0	0.0	0.1		0.2	0.2
Syphilis	0	0.0	0	0.0	0	0.0	0.0		0.0	0.0
HIV Disease	0	0.0	<5	-	0	0.0	3.5	0.7	3.1	4.7
Malignant Neoplasms	10	213.1	11	209.9	7	97.4	152.2	159.9	167.9	190.7
Malignant Neoplasm Stomach	0	0.0	0	0.0	0	0.0	2.6		3.1	4.1
Malignant Neoplasm Colon	1	21.3	1	19.1	1	13.9	16.8	13.9	17.7	19.1
Malignant Neoplasm Pancreas	0	0.0	1	19.1	1	13.9	7.9		8.4	10.5
Malig. Neo. Bronchus, Lung	3	63.9	4	76.3	4	55.7	42.7	44.9	47.6	54.2
Malignant Neoplasm Breast	0	0.0	0	0.0	0	0.0	10.7	22.3*	11.9	14.4
Mal. Neo. Uterus, Cervix, Ovary	0	0.0	0	0.0	0	0.0	6.6		2.5	2.4
Malig. Neoplasm Prostate	1	21.3	0	0.0	0	0.0	8.3	28.8*	9.7	10.2
Malignant Neoplasm Urinary	2	42.6	2	38.2	0	0.0	7.2		3.8	4.2
Non-Hodgkins Lymphoma	0	0.0	0	0.0	0	0.0	6.4		6.9	7.3
Leukemia	0	0.0	1	19.1	0	0.0	6.5		6.6	7.3
Other Malignant Neoplasms	3	63.9	2	38.2	1	13.9	36.5			
Diabetes	0	0.0	4	76.3	2	27.8	18.0	7.8	20.0	25.4
Alzheimers	2	42.6	1	19.1	1	13.9	32.5		30.0	21.8
Major Cardiovascular Diseases	10	213.1	9	171.8	18	250.6	230.5		247.7	310.1
Disease of Heart	7	149.2	8	152.7	17	236.6	176.0	166.0	189.2	235.4
Hypertensive Heart Disease	1	21.3	0	0.0	1	13.9	8.8		7.8	9.5
Ischemic Heart Disease	3	63.9	7	133.6	14	194.9	141.7		142.8	164.8
Other Heart Disease	3	63.9	1	19.1	2	27.8	25.6			
Primary Hypertension	1	21.3	0	0.0	0	0.0	6.6		6.0	7.5
Cerebrovascular	2	42.6	1	19.1	1	13.9	38.7	48.0	41.8	54.3
Atherosclerosis	0	0.0	0	0.0	0	0.0	3.4		4.0	4.5
Other Circulatory	0	0.0	0	0.0	0	0.0	5.7			

(continued on next page)

**Health Status Indicators for Cities and Towns
2001-2003**

76

Queen Creek

Selected Causes of Death, cont.

Cause of Death	Queen Creek						Comparisons			
	2001		2002		2003		Maricopa County, 2003	Healthy People		
	Number	Rate per 100,000	Number	Rate per 100,000	Number	Rate per 100,000		2010	Arizona	U.S.
Influenza & Pneumonia	0	0.0	1	19.1	3	41.8	18.5		22.2	22.3
Chronic Lower Respiratory	5	106.5	0	0.0	2	27.8	40.0		44.8	43.4
Peptic Ulcer	0	0.0	0	0.0	0	0.0	0.9		1.0	1.3
Liver Disease	1	21.3	1	19.1	1	13.9	9.5		11.1	9.4
Nephritis	0	0.0	0	0.0	1	13.9	7.8		9.8	14.6
Pregnancy	0	0.0	0	0.0	0	0.0	0.1		0.1	0.2
Perinatal Conditions	1	21.3	1	19.1	0	0.0	5.1		4.6	4.9
Congenital Malformations	0	0.0	1	19.1	0	0.0	3.7		3.6	3.7
SIDS	0	0.0	0	0.0	0	0.0	0.4			
Symptoms, Signs ex. SIDS	0	0.0	0	0.0	0	0.0	9.3			
All Other Diseases	8	170.5	3	57.3	5	69.6	93.7			
Motor Vehicle Accidents	8	170.5	2	38.2	3	41.8	14.5	9.2	17.9	15.2
All Other Acc. & Adverse Effects	3	63.9	2	38.2	2	27.8	23.8			
Suicide	1	21.3	0	0.0	2	27.8	13.2	5.0	14.3	10.5
Homicide	0	0.0	1	19.1	2	27.8	9.4	3.0	8.5	5.9
All Other External Causes	1	21.3	0	0.0	0	0.0	2.1			
Unknown	0	0.0	0	0.0	0	0.0	6.0			
Total	50	1065.4	37	706.1	49	682.1	694.8		760.8	840.4

*HP 2010 goals are breast cancer in females and prostate cancer in males

Health Status Indicators for Cities and Towns 2001-2003

77

Rio Verde

Population Statistics

Population in 2000

Estimated Population

2001

2002

2003

Age Distribution 2003

Under 20 years old

20 - 44 years old

45 - 64 years old

65 and older

Dependency ratio

Rio Verde		Maricopa County		Arizona	U.S.
1,419		3,072,149		5,130,632	281,421,906
Number	% Inc. from 2000	Number	% Inc. from 2000	Number	Number
1,476	4.0%	3,196,439	4.0%	5,296,845	285,102,075
1,523	7.3%	3,294,911	7.3%	5,439,091	287,941,220
1,565	10.3%	3,389,260	10.3%	5,579,222	290,788,976
Number	% Distribution	Number	% Distribution	% Distribution	% Distribution
0	0.0%	1,030,335	30.4%	29.9%	27.9%
16	1.0%	1,281,140	37.8%	35.7%	36.1%
563	36.0%	698,188	20.6%	21.6%	23.6%
970	62.0%	379,597	11.2%	12.8%	12.4%
1.68		0.71		0.75	0.68

Infant Health Indicators*

Low weight births (under 2500 grams) - % of live births

Births to teen mothers - % of live births

Infant mortality per 1,000 live births

Total Births

Rio Verde						Comparisons		
2001		2002		2003		Maricopa County, 2003	Healthy People 2010	Arizona
Number	Percent or Rate	Number	Percent or Rate	Number	Percent or Rate			U.S.
0	0.0%	0	0.0%	0	0.0%	7.0%	5.0%	7.1%
0	0.0%	0	0.0%	0	0.0%	11.8%	(-)	12.9%
0	0.0	0	0.0	0	0.0	6.3	4.5	6.5
1		2		1		59,000		90,783
								4,091,063

* Please see Appendix A regarding limitations to birth data for cities/towns with fewer than 1,000 births.

Health Status Indicators for Cities and Towns
2001-2003
Rio Verde

78

Selected Reportable Diseases

	Rio Verde						Comparisons			
	2001		2002		2003		Rate per 100,000 Population			
	<u>Number</u>	<u>Rate per 100,000</u>	<u>Number</u>	<u>Rate per 100,000</u>	<u>Number</u>	<u>Rate per 100,000</u>	<u>Maricopa County, 2003</u>	<u>H.P. 2010</u>	<u>Arizona 2002</u>	<u>U.S. 2002</u>
Vaccine Preventable										
H. Flu (Invasive)	0	0.0	0	0.0	0	0.0	1.3	0.0	1.9	0.6
Measles	0	0.0	0	0.0	0	0.0	0.0	0.0	0.0	0.0
Mumps	0	0.0	0	0.0	0	0.0	0.0	0.0	0.0	0.1
Pertussis	0	0.0	0	0.0	0	0.0	3.7	0.0	13.2	3.4
Central Nervous System										
Encephalitis	0	0.0	0	0.0	0	0.0	0.6		0.0	0.1
Meningitis - Aseptic	1	67.8	0	0.0	0	0.0	33.6			
Meningococcal Disease	0	0.0	0	0.0	0	0.0	0.8	1.0	0.6	0.6
Enterics										
Amebiasis	0	0.0	0	0.0	0	0.0	0.8			
Botulism	0	0.0	0	0.0	0	0.0	0.0		0.1	0.0
Campylobacteriosis	0	0.0	0	0.0	0	0.0	13.7	12.3		
Cryptosporidiosis	0	0.0	0	0.0	0	0.0	0.1		0.3	1.0
<i>E. Coli</i> O157:H7	0	0.0	0	0.0	0	0.0	0.8	1.0	0.7	1.3
Giardiasis	0	0.0	0	0.0	0	0.0	5.0		4.9	7.4
Hemolytic Uremic Syndrome	0	0.0	0	0.0	0	0.0	0.0		0.0	0.1
Listeriosis	0	0.0	0	0.0	0	0.0	0.2	0.25	0.3	0.2
Salmonellosis	0	0.0	0	0.0	0	0.0	11.4	6.8	15.2	15.4
Shigellosis	0	0.0	0	0.0	0	0.0	10.0		12.6	8.2
Typhoid	0	0.0	0	0.0	0	0.0	0.0		0.0	0.1
Vibrioses	0	0.0	0	0.0	0	0.0	0.3			
Yersiniosis	0	0.0	0	0.0	0	0.0	0.2			
Mycosis										
Coccidioidomycosis	0	0.0	1	65.7	1	63.9	59.6		57.6	1.7
Zoonoses/Vectorborne										
Brucellosis	0	0.0	0	0.0	0	0.0	0.0		0.1	0.0
Hantavirus Pulmonary Syndrome	0	0.0	0	0.0	0	0.0	0.0		0.1	0.0
Malaria	0	0.0	0	0.0	0	0.0	0.3		0.1	0.5
West Nile Virus	0	0.0	0	0.0	0	0.0	0.2		0.1	1.0
Hepatitides										
Hepatitis A	0	0.0	0	0.0	0	0.0	4.5	4.5	5.6	3.1
Hepatitis B	0	0.0	0	0.0	0	0.0	5.3	2.4-9.0	4.6	2.8
Other										
Legionellosis	0	0.0	0	0.0	0	0.0	0.4		0.3	0.5
Streptococcal Inv. Pneumonia	0	0.0	0	0.0	0	0.0	12.5		0.0	0.9
Streptococcal Inf. Group A	0	0.0	0	0.0	0	0.0	4.4		5.8	1.6
Streptococcal Inf. Group B	0	0.0	0	0.0	0	0.0	0.9	0.5	0.8	
Vancomycin res. <i>Enterococcus</i>	1	67.8	0	0.0	0	0.0	18.4		18.2	

**Health Status Indicators for Cities and Towns
2001-2003**

79

Rio Verde

Selected Causes of Death

Cause of Death	Rio Verde						Comparisons			
	2001		2002		2003		Maricopa County, 2003	Healthy People		
	Number	Rate per 100,000	Number	Rate per 100,000	Number	Rate per 100,000		2010	Arizona	U.S.
Tuberculosis	0	0.0	0	0.0	0	0.0	0.1		0.2	0.2
Syphilis	0	0.0	0	0.0	0	0.0	0.0		0.0	0.0
HIV Disease	0	0.0	0	0.0	0	0.0	3.5	0.7	3.1	4.7
Malignant Neoplasms	2	135.5	6	394.1	4	255.6	152.2	159.9	167.9	190.7
Malignant Neoplasm Stomach	0	0.0	0	0.0	0	0.0	2.6		3.1	4.1
Malignant Neoplasm Colon	0	0.0	0	0.0	1	63.9	16.8	13.9	17.7	19.1
Malignant Neoplasm Pancreas	0	0.0	1	65.7	1	63.9	7.9		8.4	10.5
Malig. Neo. Bronchus, Lung	1	67.8	1	65.7	1	63.9	42.7	44.9	47.6	54.2
Malignant Neoplasm Breast	0	0.0	0	0.0	1	63.9	10.7	22.3*	11.9	14.4
Mal. Neo. Uterus, Cervix, Ovary	0	0.0	0	0.0	0	0.0	6.6		2.5	2.4
Malig. Neoplasm Prostate	0	0.0	0	0.0	0	0.0	8.3	28.8*	9.7	10.2
Malignant Neoplasm Urinary	0	0.0	0	0.0	0	0.0	7.2		3.8	4.2
Non-Hodgkins Lymphoma	0	0.0	1	65.7	0	0.0	6.4		6.9	7.3
Leukemia	0	0.0	0	0.0	0	0.0	6.5		6.6	7.3
Other Malignant Neoplasms	1	67.8	3	197.0	0	0.0	36.5			
Diabetes	0	0.0	0	0.0	0	0.0	18.0	7.8	20.0	25.4
Alzheimers	0	0.0	0	0.0	0	0.0	32.5		30.0	21.8
Major Cardiovascular Diseases	3	203.3	4	262.7	0	0.0	230.5		247.7	310.1
Disease of Heart	3	203.3	1	65.7	0	0.0	176.0	166.0	189.2	235.4
Hypertensive Heart Disease	0	0.0	0	0.0	0	0.0	8.8		7.8	9.5
Ischemic Heart Disease	2	135.5	0	0.0	0	0.0	141.7		142.8	164.8
Other Heart Disease	1	67.8	1	65.7	0	0.0	25.6			
Primary Hypertension	0	0.0	0	0.0	0	0.0	6.6		6.0	7.5
Cerebrovascular	0	0.0	2	131.4	0	0.0	38.7	48.0	41.8	54.3
Atherosclerosis	0	0.0	0	0.0	0	0.0	3.4		4.0	4.5
Other Circulatory	0	0.0	1	65.7	0	0.0	5.7			

(continued on next page)

**Health Status Indicators for Cities and Towns
2001-2003**

80

Rio Verde

Selected Causes of Death, cont.

Cause of Death	Rio Verde						Comparisons			
	2001		2002		2003		Maricopa County, 2003	Healthy People 2010	Arizona	U.S.
	Number	Rate per 100,000	Number	Rate per 100,000	Number	Rate per 100,000				
Influenza & Pneumonia	0	0.0	0	0.0	1	63.9	18.5		22.2	22.3
Chronic Lower Respiratory	0	0.0	1	65.7	0	0.0	40.0		44.8	43.4
Peptic Ulcer	0	0.0	1	65.7	0	0.0	0.9		1.0	1.3
Liver Disease	0	0.0	0	0.0	0	0.0	9.5		11.1	9.4
Nephritis	0	0.0	0	0.0	0	0.0	7.8		9.8	14.6
Pregnancy	0	0.0	0	0.0	0	0.0	0.1		0.1	0.2
Perinatal Conditions	0	0.0	0	0.0	0	0.0	5.1		4.6	4.9
Congenital Malformations	0	0.0	0	0.0	0	0.0	3.7		3.6	3.7
SIDS	0	0.0	0	0.0	0	0.0	0.4			
Symptoms, Signs ex. SIDS	0	0.0	0	0.0	0	0.0	9.3			
All Other Diseases	3	203.3	2	131.4	2	127.8	93.7			
Motor Vehicle Accidents	0	0.0	0	0.0	0	0.0	14.5	9.2	17.9	15.2
All Other Acc. & Adverse Effects	1	67.8	1	65.7	1	63.9	23.8			
Suicide	0	0.0	0	0.0	0	0.0	13.2	5.0	14.3	10.5
Homicide	0	0.0	0	0.0	0	0.0	9.4	3.0	8.5	5.9
All Other External Causes	0	0.0	0	0.0	0	0.0	2.1			
Unknown	0	0.0	1	65.7	0	0.0	6.0			
Total	9	609.9	16	1050.8	8	511.1	694.8		760.8	840.4

*HP 2010 goals are breast cancer in females and prostate cancer in males

Total Births

Scottsdale						Comparisons			
2001		2002		2003		Maricopa County, 2003	Healthy People 2010	Arizona	U.S.
<u>Number</u>	<u>Percent or Rate</u>	<u>Number</u>	<u>Percent or Rate</u>	<u>Number</u>	<u>Percent or Rate</u>				
207	7.6%	178	6.4%	211	7.6%	7.0%	5.0%	7.1%	7.9%
144	5.3%	140	5.0%	148	5.3%	11.8%	(-)	12.9%	10.3%
22	8.1	22	7.9	17	6.1	6.3	4.5	6.5	6.8
2,711		2,787		2,792		59,000		90,783	4,091,063

Health Status Indicators for Cities and Towns
2001-2003
Scottsdale

82

Selected Reportable Diseases

	Scottsdale						Comparisons			
	2001		2002		2003		Rate per 100,000 Population			
	Number	Rate per 100,000	Number	Rate per 100,000	Number	Rate per 100,000	Maricopa County, 2003	H.P. 2010	Arizona 2002	U.S. 2002
Vaccine Preventable										
H. Flu (Invasive)	4	1.9	4	1.9	4	1.8	1.3	0.0	1.9	0.6
Measles	0	0.0	0	0.0	0	0.0	0.0	0.0	0.0	0.0
Mumps	0	0.0	0	0.0	0	0.0	0.0	0.0	0.0	0.1
Pertussis	12	5.7	4	1.9	9	4.1	3.7	0.0	13.2	3.4
Central Nervous System										
Encephalitis	3	1.4	0	0.0	4	1.8	0.6		0.0	0.1
Meningitis - Aseptic	8	3.8	4	1.9	52	23.9	33.6			
Meningococcal Disease	1	0.5	2	0.9	0	0.0	0.8	1.0	0.6	0.6
Enterics										
Amebiasis	2	1.0	1	0.5	1	0.5	0.8			
Botulism	0	0.0	0	0.0	0	0.0	0.0		0.1	0.0
Campylobacteriosis	22	10.5	31	14.4	29	13.3	13.7	12.3		
Cryptosporidiosis	0	0.0	1	0.5	0	0.0	0.1		0.3	1.0
<i>E. Coli</i> O157:H7	3	1.4	6	2.8	4	1.8	0.8	1.0	0.7	1.3
Giardiasis	6	2.9	5	2.3	5	2.3	5.0		4.9	7.4
Hemolytic Uremic Syndrome	0	0.0	0	0.0	0	0.0	0.0		0.0	0.1
Listeriosis	2	1.0	3	1.4	2	0.9	0.2	0.25	0.3	0.2
Salmonellosis	30	14.3	26	12.1	25	11.5	11.4	6.8	15.2	15.4
Shigellosis	5	2.4	9	4.2	11	5.0	10.0		12.6	8.2
Typhoid	0	0.0	0	0.0	0	0.0	0.0		0.0	0.1
Vibrioses	1	0.5	0	0.0	1	0.5	0.3			
Yersiniosis	1	0.5	1	0.5	2	0.9	0.2			
Mycosis										
Coccidioidomycosis	193	91.7	238	110.7	159	72.9	59.6		57.6	1.7
Zoonoses/Vectorborne										
Brucellosis	0	0.0	0	0.0	0	0.0	0.0		0.1	0.0
Hantavirus Pulmonary Syndrome	0	0.0	0	0.0	0	0.0	0.0		0.1	0.0
Malaria	0	0.0	2	0.9	0	0.0	0.3		0.1	0.5
West Nile Virus	0	0.0	0	0.0	0	0.0	0.2		0.1	1.0
Hepatitides										
Hepatitis A	19	9.0	22	10.2	7	3.2	4.5	4.5	5.6	3.1
Hepatitis B	3	1.4	8	3.7	2	0.9	5.3	2.4-9.0	4.6	2.8
Other										
Legionellosis	1	0.5	0	0.0	1	0.5	0.4		0.3	0.5
Streptococcal Inv. Pneumonia	47	22.3	23	10.7	29	13.3	12.5		0.0	0.9
Streptococcal Inf. Group A	14	6.7	12	5.6	11	5.0	4.4		5.8	1.6
Streptococcal Inf. Group B	3	1.4	1	0.5	0	0.0	0.9	0.5	0.8	
Vancomycin res. <i>Enterococcus</i>	77	36.6	80	37.2	94	43.1	18.4		18.2	

Health Status Indicators for Cities and Towns 2001-2003

83

Scottsdale

Selected Causes of Death

Cause of Death	Scottsdale						Comparisons			
	2001		2002		2003		Maricopa County, 2003	Healthy People		
	Number	Rate per 100,000	Number	Rate per 100,000	Number	Rate per 100,000		2010	Arizona	U.S.
Tuberculosis	0	0.0	0	0.0	0	0.0	0.1		0.2	0.2
Syphilis	0	0.0	0	0.0	0	0.0	0.0		0.0	0.0
HIV Disease	7	3.3	<5	-	<5	-	3.5	0.7	3.1	4.7
Malignant Neoplasms	509	241.8	460	213.9	499	228.9	152.2	159.9	167.9	190.7
Malignant Neoplasm Stomach	13	6.2	4	1.9	4	1.8	2.6		3.1	4.1
Malignant Neoplasm Colon	46	21.9	33	15.3	70	32.1	16.8	13.9	17.7	19.1
Malignant Neoplasm Pancreas	37	17.6	37	17.2	28	12.8	7.9		8.4	10.5
Malig. Neo. Bronchus, Lung	135	64.1	136	63.2	126	57.8	42.7	44.9	47.6	54.2
Malignant Neoplasm Breast	43	20.4	39	18.1	30	13.8	10.7	22.3*	11.9	14.4
Mal. Neo. Uterus, Cervix, Ovary	17	8.1	22	10.2	24	11.0	6.6		2.5	2.4
Malig. Neoplasm Prostate	27	12.8	34	15.8	27	12.4	8.3	28.8*	9.7	10.2
Malignant Neoplasm Urinary	25	11.9	20	9.3	22	10.1	7.2		3.8	4.2
Non-Hodgkins Lymphoma	29	13.8	22	10.2	33	15.1	6.4		6.9	7.3
Leukemia	31	14.7	16	7.4	15	6.9	6.5		6.6	7.3
Other Malignant Neoplasms	106	50.4	97	45.1	120	55.0	36.5			
Diabetes	50	23.8	51	23.7	53	24.3	18.0	7.8	20.0	25.4
Alzheimers	85	40.4	107	49.8	124	56.9	32.5		30.0	21.8
Major Cardiovascular Diseases	712	338.3	718	333.9	691	317.0	230.5		247.7	310.1
Disease of Heart	501	238.0	525	244.1	511	234.4	176.0	166.0	189.2	235.4
Hypertensive Heart Disease	23	10.9	23	10.7	23	10.6	8.8		7.8	9.5
Ischemic Heart Disease	393	186.7	416	193.4	413	189.5	141.7		142.8	164.8
Other Heart Disease	85	40.4	86	40.0	75	34.4	25.6			
Primary Hypertension	15	7.1	10	4.6	14	6.4	6.6		6.0	7.5
Cerebrovascular	159	75.5	142	66.0	129	59.2	38.7	48.0	41.8	54.3
Atherosclerosis	13	6.2	16	7.4	19	8.7	3.4		4.0	4.5
Other Circulatory	24	11.4	25	11.6	18	8.3	5.7			

(continued on next page)

**Health Status Indicators for Cities and Towns
2001-2003**

84

Scottsdale

Selected Causes of Death, cont.

Cause of Death	Scottsdale						Comparisons			
	2001		2002		2003		Maricopa County, 2003	Healthy People		
	Number	Rate per 100,000	Number	Rate per 100,000	Number	Rate per 100,000		2010	Arizona	U.S.
Influenza & Pneumonia	54	25.7	76	35.3	51	23.4	18.5		22.2	22.3
Chronic Lower Respiratory	99	47.0	122	56.7	88	40.4	40.0		44.8	43.4
Peptic Ulcer	6	2.9	0	0.0	1	0.5	0.9		1.0	1.3
Liver Disease	29	13.8	24	11.2	26	11.9	9.5		11.1	9.4
Nephritis	19	9.0	15	7.0	25	11.5	7.8		9.8	14.6
Pregnancy	0	0.0	0	0.0	0	0.0	0.1		0.1	0.2
Perinatal Conditions	14	6.7	9	4.2	8	3.7	5.1		4.6	4.9
Congenital Malformations	5	2.4	7	3.3	13	6.0	3.7		3.6	3.7
SIDS	0	0.0	0	0.0	2	0.9	0.4			
Symptoms, Signs ex. SIDS	9	4.3	7	3.3	19	8.7	9.3			
All Other Diseases	276	131.1	285	132.5	320	146.8	93.7			
Motor Vehicle Accidents	29	13.8	31	14.4	28	12.8	14.5	9.2	17.9	15.2
All Other Acc. & Adverse Effects	71	33.7	68	31.6	65	29.8	23.8			
Suicide	32	15.2	42	19.5	38	17.4	13.2	5.0	14.3	10.5
Homicide	10	4.8	8	3.7	8	3.7	9.4	3.0	8.5	5.9
All Other External Causes	1	0.5	7	3.3	6	2.8	2.1			
Unknown	28	13.3	27	12.6	21	9.6	6.0			
Total	2,045	971.6	2,064	959.8	2,086	956.9	694.8		760.8	840.4

*HP 2010 goals are breast cancer in females and prostate cancer in males

Health Status Indicators for Cities and Towns 2001-2003

85

Sun City and Sun City West

Population Statistics

Population in 2000

Estimated Population

2001

2002

2003

Age Distribution 2003

Under 20 years old

20 - 44 years old

45 - 64 years old

65 and older

Dependency ratio

Sun City and Sun City West		Maricopa County		Arizona	U.S.
64,653		3,072,149		5,130,632	281,421,906
Number	% Inc. from 2000	Number	% Inc. from 2000	Number	Number
67,239	4.0%	3,196,439	4.0%	5,296,845	285,102,075
69,373	7.3%	3,294,911	7.3%	5,439,091	287,941,220
71,312	10.3%	3,389,260	10.3%	5,579,222	290,788,976
Number	% Distribution	Number	% Distribution	% Distribution	% Distribution
0	0.0%	1,030,335	30.4%	29.9%	27.9%
1,426	2.0%	1,281,140	37.8%	35.7%	36.1%
12,123	17.0%	698,188	20.6%	21.6%	23.6%
57,763	81.0%	379,597	11.2%	12.8%	12.4%
4.26		0.71		0.75	0.68

Infant Health Indicators*

Low weight births (under 2500 grams) - % of live births

Births to teen mothers - % of live births

Infant mortality per 1,000 live births

Total Births

Sun City and Sun City West						Comparisons		
2001		2002		2003		Maricopa County, 2003	Healthy People 2010	Arizona
Number	Percent or Rate	Number	Percent or Rate	Number	Percent or Rate			U.S.
3	6.0%	5	8.3%	6	13.3%	7.0%	5.0%	7.1%
2	4.0%	4	6.7%	4	8.9%	11.8%	(-)	12.9%
1	20.0	0	0.0	0	0.0	6.3	4.5	6.5
50		60		45		59,000		90,783
								4,091,063

* Please see Appendix A regarding limitations to birth data for cities/towns with fewer than 1,000 births.

Health Status Indicators for Cities and Towns
2001-2003
Sun City and Sun City West

Selected Reportable Diseases

	Sun City and Sun City West						Comparisons			
	2001		2002		2003		Rate per 100,000 Population			
	<u>Number</u>	<u>Rate per 100,000</u>	<u>Number</u>	<u>Rate per 100,000</u>	<u>Number</u>	<u>Rate per 100,000</u>	<u>Maricopa County, 2003</u>	<u>H.P. 2010</u>	<u>Arizona 2002</u>	<u>U.S. 2002</u>
Vaccine Preventable										
H. Flu (Invasive)	1	1.5	3	4.3	1	1.4	1.3	0.0	1.9	0.6
Measles	0	0.0	0	0.0	0	0.0	0.0	0.0	0.0	0.0
Mumps	0	0.0	0	0.0	0	0.0	0.0	0.0	0.0	0.1
Pertussis	3	4.5	0	0.0	1	1.4	3.7	0.0	13.2	3.4
Central Nervous System										
Encephalitis	0	0.0	0	0.0	1	1.4	0.6		0.0	0.1
Meningitis - Aseptic	4	5.9	3	4.3	4	5.6	33.6			
Meningococcal Disease	0	0.0	0	0.0	2	2.8	0.8	1.0	0.6	0.6
Enterics										
Amebiasis	1	1.5	0	0.0	1	1.4	0.8			
Botulism	0	0.0	0	0.0	0	0.0	0.0		0.1	0.0
Campylobacteriosis	2	3.0	6	8.6	1	1.4	13.7	12.3		
Cryptosporidiosis	0	0.0	0	0.0	0	0.0	0.1		0.3	1.0
<i>E. Coli</i> O157:H7	0	0.0	0	0.0	1	1.4	0.8	1.0	0.7	1.3
Giardiasis	1	1.5	0	0.0	0	0.0	5.0		4.9	7.4
Hemolytic Uremic Syndrome	0	0.0	0	0.0	0	0.0	0.0		0.0	0.1
Listeriosis	1	1.5	0	0.0	0	0.0	0.2	0.25	0.3	0.2
Salmonellosis	3	4.5	5	7.2	10	14.0	11.4	6.8	15.2	15.4
Shigellosis	1	1.5	1	1.4	0	0.0	10.0		12.6	8.2
Typhoid	0	0.0	0	0.0	0	0.0	0.0		0.0	0.1
Vibrioses	0	0.0	1	1.4	1	1.4	0.3			
Yersiniosis	1	1.5	0	0.0	0	0.0	0.2			
Mycosis										
Coccidioidomycosis	119	177.0	189	272.4	184	258.0	59.6		57.6	1.7
Zoonoses/Vectorborne										
Brucellosis	0	0.0	0	0.0	0	0.0	0.0		0.1	0.0
Hantavirus Pulmonary Syndrome	0	0.0	0	0.0	0	0.0	0.0		0.1	0.0
Malaria	1	1.5	0	0.0	0	0.0	0.3		0.1	0.5
West Nile Virus	0	0.0	0	0.0	2	2.8	0.2		0.1	1.0
Hepatitides										
Hepatitis A	2	3.0	6	8.6	0	0.0	4.5	4.5	5.6	3.1
Hepatitis B	1	1.5	0	0.0	3	4.2	5.3	2.4-9.0	4.6	2.8
Other										
Legionellosis	0	0.0	2	2.9	0	0.0	0.4		0.3	0.5
Streptococcal Inv. Pneumonia	18	26.8	16	23.1	8	11.2	12.5		0.0	0.9
Streptococcal Inf. Group A	4	5.9	11	15.9	2	2.8	4.4		5.8	1.6
Streptococcal Inf. Group B	0	0.0	0	0.0	0	0.0	0.9	0.5	0.8	
Vancomycin res. <i>Enterococcus</i>	49	72.9	28	40.4	33	46.3	18.4		18.2	

**Health Status Indicators for Cities and Towns
2001-2003**

87

Sun City and Sun City West

Selected Causes of Death

Cause of Death	Sun City and Sun City West						Comparisons			
	2001		2002		2003		Maricopa County, 2003	Healthy	Arizona	U.S.
	Number	Rate per 100,000	Number	Rate per 100,000	Number	Rate per 100,000		People 2010		
Tuberculosis	0	0.0	2	2.9	0	0.0	0.1		0.2	0.2
Syphilis	0	0.0	0	0.0	0	0.0	0.0		0.0	0.0
HIV Disease	<5	-	<5	-	<5	-	3.5	0.7	3.1	4.7
Malignant Neoplasms	493	733.2	519	748.1	501	702.5	152.2	159.9	167.9	190.7
Malignant Neoplasm Stomach	6	8.9	8	11.5	11	15.4	2.6		3.1	4.1
Malignant Neoplasm Colon	59	87.7	38	54.8	60	84.1	16.8	13.9	17.7	19.1
Malignant Neoplasm Pancreas	35	52.1	29	41.8	26	36.5	7.9		8.4	10.5
Malig. Neo. Bronchus, Lung	124	184.4	128	184.5	129	180.9	42.7	44.9	47.6	54.2
Malignant Neoplasm Breast	28	41.6	29	41.8	32	44.9	10.7	22.3*	11.9	14.4
Mal. Neo. Uterus, Cervix, Ovary	22	32.7	28	40.4	23	32.3	6.6		2.5	2.4
Malig. Neoplasm Prostate	33	49.1	48	69.2	28	39.3	8.3	28.8*	9.7	10.2
Malignant Neoplasm Urinary	16	23.8	43	62.0	37	51.9	7.2		3.8	4.2
Non-Hodgkins Lymphoma	28	41.6	35	50.5	28	39.3	6.4		6.9	7.3
Leukemia	30	44.6	22	31.7	23	32.3	6.5		6.6	7.3
Other Malignant Neoplasms	112	166.6	111	160.0	104	145.8	36.5			
Diabetes	34	50.6	30	43.2	36	50.5	18.0	7.8	20.0	25.4
Alzheimers	89	132.4	111	160.0	131	183.7	32.5		30.0	21.8
Major Cardiovascular Diseases	853	1268.6	887	1278.6	803	1126.0	230.5		247.7	310.1
Disease of Heart	625	929.5	644	928.3	610	855.4	176.0	166.0	189.2	235.4
Hypertensive Heart Disease	23	34.2	36	51.9	28	39.3	8.8		7.8	9.5
Ischemic Heart Disease	469	697.5	523	753.9	508	712.4	141.7		142.8	164.8
Other Heart Disease	133	197.8	85	122.5	74	103.8	25.6			
Primary Hypertension	20	29.7	32	46.1	25	35.1	6.6		6.0	7.5
Cerebrovascular	167	248.4	178	256.6	137	192.1	38.7	48.0	41.8	54.3
Atherosclerosis	13	19.3	12	17.3	8	11.2	3.4		4.0	4.5
Other Circulatory	28	41.6	21	30.3	23	32.3	5.7			

(continued on next page)

**Health Status Indicators for Cities and Towns
2001-2003**

88

Sun City and Sun City West

Selected Causes of Death, cont.

Cause of Death	Sun City and Sun City West						Comparisons			
	2001		2002		2003		Maricopa County, 2003	Healthy People	Arizona	U.S.
	Number	Rate per 100,000	Number	Rate per 100,000	Number	Rate per 100,000		2010		
Influenza & Pneumonia	79	117.5	85	122.5	70	98.2	18.5		22.2	22.3
Chronic Lower Respiratory	149	221.6	132	190.3	116	162.7	40.0		44.8	43.4
Peptic Ulcer	1	1.5	5	7.2	2	2.8	0.9		1.0	1.3
Liver Disease	19	28.3	19	27.4	11	15.4	9.5		11.1	9.4
Nephritis	21	31.2	21	30.3	22	30.9	7.8		9.8	14.6
Pregnancy	0	0.0	0	0.0	0	0.0	0.1		0.1	0.2
Perinatal Conditions	1	1.5	0	0.0	0	0.0	5.1		4.6	4.9
Congenital Malformations	2	3.0	0	0.0	2	2.8	3.7		3.6	3.7
SIDS	0	0.0	0	0.0	0	0.0	0.4			
Symptoms, Signs ex. SIDS	6	8.9	13	18.7	39	54.7	9.3			
All Other Diseases	270	401.6	249	358.9	310	434.7	93.7			
Motor Vehicle Accidents	8	11.9	12	17.3	12	16.8	14.5	9.2	17.9	15.2
All Other Acc. & Adverse Effects	50	74.4	51	73.5	75	105.2	23.8			
Suicide	12	17.8	18	25.9	15	21.0	13.2	5.0	14.3	10.5
Homicide	2	3.0	1	1.4	3	4.2	9.4	3.0	8.5	5.9
All Other External Causes	0	0.0	2	2.9	3	4.2	2.1			
Unknown	47	69.9	40	57.7	8	11.2	6.0			
Total	2,136	3176.7	2,197	3167.0	2,159	3027.5	694.8		760.8	840.4

*HP 2010 goals are breast cancer in females and prostate cancer in males

Health Status Indicators for Cities and Towns 2001-2003

89

Sun Lakes

Population Statistics

Population in 2000

Estimated Population

2001

2002

2003

Age Distribution 2003

Under 20 years old

20 - 44 years old

45 - 64 years old

65 and older

Dependency ratio

Sun Lakes		Maricopa County		Arizona	U.S.
11,936		3,072,149		5,130,632	281,421,906
Number	% Inc. from 2000	Number	% Inc. from 2000	Number	Number
12,413	4.0%	3,196,439	4.0%	5,296,845	285,102,075
12,807	7.3%	3,294,911	7.3%	5,439,091	287,941,220
13,165	10.3%	3,389,260	10.3%	5,579,222	290,788,976
Number	% Distribution	Number	% Distribution	% Distribution	% Distribution
0	0.0%	1,030,335	30.4%	29.9%	27.9%
263	2.0%	1,281,140	37.8%	35.7%	36.1%
4,081	31.0%	698,188	20.6%	21.6%	23.6%
8,689	66.0%	379,597	11.2%	12.8%	12.4%
2.00		0.71		0.75	0.68

Infant Health Indicators*

Low weight births (under 2500 grams) - % of live births

Births to teen mothers - % of live births

Infant mortality per 1,000 live births

Total Births

Sun Lakes						Comparisons		
2001		2002		2003		Maricopa County, 2003	Healthy People 2010	Arizona
Number	Percent or Rate	Number	Percent or Rate	Number	Percent or Rate			U.S.
0	0.0%	0	n/a	0	0.0%	7.0%	5.0%	7.1%
0	0.0%	0	n/a	0	0.0%	11.8%	(-)	12.9%
1	1000.0	0	n/a	0	0.0	6.3	4.5	6.5
1		0		1		59,000		90,783
								4,091,063

* Please see Appendix A regarding limitations to birth data for cities/towns with fewer than 1,000 births.

Health Status Indicators for Cities and Towns
2001-2003
Sun Lakes

90

Selected Reportable Diseases

	Sun Lakes						Comparisons			
	2001		2002		2003		Rate per 100,000 Population			
	<u>Number</u>	<u>Rate per 100,000</u>	<u>Number</u>	<u>Rate per 100,000</u>	<u>Number</u>	<u>Rate per 100,000</u>	<u>Maricopa County, 2003</u>	<u>H.P. 2010</u>	<u>Arizona 2002</u>	<u>U.S. 2002</u>
Vaccine Preventable										
H. Flu (Invasive)	0	0.0	0	0.0	1	7.6	1.3	0.0	1.9	0.6
Measles	0	0.0	0	0.0	0	0.0	0.0	0.0	0.0	0.0
Mumps	0	0.0	0	0.0	0	0.0	0.0	0.0	0.0	0.1
Pertussis	0	0.0	0	0.0	0	0.0	3.7	0.0	13.2	3.4
Central Nervous System										
Encephalitis	0	0.0	0	0.0	0	0.0	0.6		0.0	0.1
Meningitis - Aseptic	0	0.0	0	0.0	0	0.0	33.6			
Meningococcal Disease	0	0.0	0	0.0	0	0.0	0.8	1.0	0.6	0.6
Enterics										
Amebiasis	0	0.0	0	0.0	0	0.0	0.8			
Botulism	0	0.0	0	0.0	0	0.0	0.0		0.1	0.0
Campylobacteriosis	1	8.1	0	0.0	2	15.2	13.7	12.3		
Cryptosporidiosis	0	0.0	0	0.0	0	0.0	0.1		0.3	1.0
<i>E. Coli</i> O157:H7	0	0.0	0	0.0	0	0.0	0.8	1.0	0.7	1.3
Giardiasis	0	0.0	0	0.0	0	0.0	5.0		4.9	7.4
Hemolytic Uremic Syndrome	0	0.0	0	0.0	0	0.0	0.0		0.0	0.1
Listeriosis	0	0.0	0	0.0	0	0.0	0.2	0.25	0.3	0.2
Salmonellosis	0	0.0	1	7.8	1	7.6	11.4	6.8	15.2	15.4
Shigellosis	0	0.0	0	0.0	0	0.0	10.0		12.6	8.2
Typhoid	0	0.0	0	0.0	0	0.0	0.0		0.0	0.1
Vibrioses	0	0.0	0	0.0	0	0.0	0.3			
Yersiniosis	0	0.0	0	0.0	0	0.0	0.2			
Mycosis										
Coccidioidomycosis	7	56.4	10	78.1	12	91.1	59.6		57.6	1.7
Zoonoses/Vectorborne										
Brucellosis	0	0.0	0	0.0	0	0.0	0.0		0.1	0.0
Hantavirus Pulmonary Syndrome	0	0.0	0	0.0	0	0.0	0.0		0.1	0.0
Malaria	0	0.0	0	0.0	0	0.0	0.3		0.1	0.5
West Nile Virus	0	0.0	0	0.0	0	0.0	0.2		0.1	1.0
Hepatitides										
Hepatitis A	0	0.0	0	0.0	0	0.0	4.5	4.5	5.6	3.1
Hepatitis B	0	0.0	0	0.0	0	0.0	5.3	2.4-9.0	4.6	2.8
Other										
Legionellosis	0	0.0	0	0.0	0	0.0	0.4		0.3	0.5
Streptococcal Inv. Pneumonia	2	16.1	1	7.8	1	7.6	12.5		0.0	0.9
Streptococcal Inf. Group A	1	8.1	0	0.0	1	7.6	4.4		5.8	1.6
Streptococcal Inf. Group B	0	0.0	0	0.0	0	0.0	0.9	0.5	0.8	
Vancomycin res. <i>Enterococcus</i>	1	8.1	3	23.4	4	30.4	18.4		18.2	

Health Status Indicators for Cities and Towns 2001-2003

91

Sun Lakes

Selected Causes of Death

Cause of Death	Sun Lakes						Comparisons		
	2001		2002		2003		Maricopa County, 2003	Healthy People 2010	
	Number	Rate per 100,000	Number	Rate per 100,000	Number	Rate per 100,000		Arizona	U.S.
Tuberculosis	0	0.0	0	0.0	0	0.0	0.1	0.2	0.2
Syphilis	0	0.0	0	0.0	0	0.0	0.0	0.0	0.0
HIV Disease	0	0.0	0	0.0	0	0.0	3.5	0.7	4.7
Malignant Neoplasms	67	539.7	84	655.9	70	531.7	152.2	159.9	167.9
Malignant Neoplasm Stomach	3	24.2	0	0.0	0	0.0	2.6	3.1	4.1
Malignant Neoplasm Colon	5	40.3	10	78.1	5	38.0	16.8	13.9	17.7
Malignant Neoplasm Pancreas	6	48.3	5	39.0	7	53.2	7.9	8.4	10.5
Malig. Neo. Bronchus, Lung	22	177.2	27	210.8	21	159.5	42.7	44.9	47.6
Malignant Neoplasm Breast	2	16.1	6	46.8	3	22.8	10.7	22.3*	11.9
Mal. Neo. Uterus, Cervix, Ovary	3	24.2	4	31.2	4	30.4	6.6	2.5	2.4
Malig. Neoplasm Prostate	5	40.3	5	39.0	4	30.4	8.3	28.8*	9.7
Malignant Neoplasm Urinary	3	24.2	3	23.4	2	15.2	7.2	3.8	4.2
Non-Hodgkins Lymphoma	1	8.1	7	54.7	5	38.0	6.4	6.9	7.3
Leukemia	3	24.2	2	15.6	6	45.6	6.5	6.6	7.3
Other Malignant Neoplasms	14	112.8	15	117.1	13	98.7	36.5		
Diabetes	2	16.1	4	31.2	2	15.2	18.0	7.8	20.0
Alzheimers	10	80.6	14	109.3	9	68.4	32.5		30.0
Major Cardiovascular Diseases	88	708.9	94	734.0	87	660.8	230.5		247.7
Disease of Heart	69	555.8	80	624.6	66	501.3	176.0	166.0	189.2
Hypertensive Heart Disease	1	8.1	0	0.0	0	0.0	8.8		7.8
Ischemic Heart Disease	59	475.3	73	570.0	54	410.2	141.7		142.8
Other Heart Disease	9	72.5	7	54.7	12	91.1	25.6		
Primary Hypertension	3	24.2	1	7.8	1	7.6	6.6		6.0
Cerebrovascular	13	104.7	13	101.5	15	113.9	38.7	48.0	41.8
Atherosclerosis	1	8.1	0	0.0	3	22.8	3.4		4.0
Other Circulatory	2	16.1	0	0.0	2	15.2	5.7		

(continued on next page)

**Health Status Indicators for Cities and Towns
2001-2003**

92

Sun Lakes

Selected Causes of Death, cont.

Cause of Death	Sun Lakes						Comparisons			
	2001		2002		2003		Maricopa County, 2003	Healthy People 2010	Arizona	U.S.
	Number	Rate per 100,000	Number	Rate per 100,000	Number	Rate per 100,000				
Influenza & Pneumonia	7	56.4	9	70.3	6	45.6	18.5		22.2	22.3
Chronic Lower Respiratory	12	96.7	15	117.1	16	121.5	40.0		44.8	43.4
Peptic Ulcer	0	0.0	0	0.0	1	7.6	0.9		1.0	1.3
Liver Disease	3	24.2	5	39.0	2	15.2	9.5		11.1	9.4
Nephritis	3	24.2	4	31.2	1	7.6	7.8		9.8	14.6
Pregnancy	0	0.0	0	0.0	0	0.0	0.1		0.1	0.2
Perinatal Conditions	1	8.1	0	0.0	0	0.0	5.1		4.6	4.9
Congenital Malformations	0	0.0	1	7.8	0	0.0	3.7		3.6	3.7
SIDS	1	8.1	0	0.0	0	0.0	0.4			
Symptoms, Signs ex. SIDS	0	0.0	1	7.8	0	0.0	9.3			
All Other Diseases	25	201.4	35	273.3	36	273.4	93.7			
Motor Vehicle Accidents	1	8.1	2	15.6	0	0.0	14.5	9.2	17.9	15.2
All Other Acc. & Adverse Effects	7	56.4	7	54.7	6	45.6	23.8			
Suicide	0	0.0	3	23.4	0	0.0	13.2	5.0	14.3	10.5
Homicide	0	0.0	0	0.0	0	0.0	9.4	3.0	8.5	5.9
All Other External Causes	0	0.0	1	7.8	0	0.0	2.1			
Unknown	5	40.3	7	54.7	2	15.2	6.0			
Total	232	1868.9	286	2233.1	238	1807.8	694.8		760.8	840.4

*HP 2010 goals are breast cancer in females and prostate cancer in males

Health Status Indicators for Cities and Towns 2001-2003

93

Surprise

Population Statistics

Population in 2000

Estimated Population

2001

2002

2003

Age Distribution 2003

Under 20 years old

20 - 44 years old

45 - 64 years old

65 and older

Dependency ratio

Surprise		Maricopa County		Arizona	U.S.
30,848		3,072,149		5,130,632	281,421,906
Number	% Inc. from 2000	Number	% Inc. from 2000	Number	Number
38,356	24.3%	3,196,439	4.0%	5,296,845	285,102,075
44,560	44.5%	3,294,911	7.3%	5,439,091	287,941,220
50,585	64.0%	3,389,260	10.3%	5,579,222	290,788,976
Number	% Distribution	Number	% Distribution	% Distribution	% Distribution
10,623	21.0%	1,030,335	30.4%	29.9%	27.9%
14,164	28.0%	1,281,140	37.8%	35.7%	36.1%
12,646	25.0%	698,188	20.6%	21.6%	23.6%
12,646	25.0%	379,597	11.2%	12.8%	12.4%
0.87		0.71		0.75	0.68

Infant Health Indicators*

Low weight births (under 2500 grams) - % of live births

Births to teen mothers - % of live births

Infant mortality per 1,000 live births

Total Births

Surprise						Comparisons		
2001		2002		2003		Maricopa County, 2003	Healthy People 2010	Arizona
Number	Percent or Rate	Number	Percent or Rate	Number	Percent or Rate			U.S.
47	6.2%	60	6.8%	81	8.0%	7.0%	5.0%	7.1%
57	7.5%	61	6.9%	74	7.3%	11.8%	(-)	12.9%
7	9.2	5	5.6	7	6.9	6.3	4.5	6.5
762		886		1,012		59,000		90,783
								4,091,063

* Please see Appendix A regarding limitations to birth data for cities/towns with fewer than 1,000 births.

Health Status Indicators for Cities and Towns
2001-2003
Surprise

94

Selected Reportable Diseases

	Surprise						Comparisons			
	2001		2002		2003		Rate per 100,000 Population			
	<u>Number</u>	<u>Rate per 100,000</u>	<u>Number</u>	<u>Rate per 100,000</u>	<u>Number</u>	<u>Rate per 100,000</u>	<u>Maricopa County, 2003</u>	<u>H.P. 2010</u>	<u>Arizona 2002</u>	<u>U.S. 2002</u>
Vaccine Preventable										
H. Flu (Invasive)	1	2.6	0	0.0	1	2.0	1.3	0.0	1.9	0.6
Measles	0	0.0	0	0.0	0	0.0	0.0	0.0	0.0	0.0
Mumps	0	0.0	0	0.0	0	0.0	0.0	0.0	0.0	0.1
Pertussis	1	2.6	0	0.0	0	0.0	3.7	0.0	13.2	3.4
Central Nervous System										
Encephalitis	0	0.0	0	0.0	2	4.0	0.6		0.0	0.1
Meningitis - Aseptic	1	2.6	5	11.2	20	39.5	33.6			
Meningococcal Disease	0	0.0	0	0.0	0	0.0	0.8	1.0	0.6	0.6
Enterics										
Amebiasis	0	0.0	1	2.2	0	0.0	0.8			
Botulism	0	0.0	0	0.0	0	0.0	0.0		0.1	0.0
Campylobacteriosis	2	5.2	1	2.2	4	7.9	13.7	12.3		
Cryptosporidiosis	0	0.0	1	2.2	0	0.0	0.1		0.3	1.0
<i>E. Coli</i> O157:H7	1	2.6	0	0.0	0	0.0	0.8	1.0	0.7	1.3
Giardiasis	1	2.6	1	2.2	0	0.0	5.0		4.9	7.4
Hemolytic Uremic Syndrome	0	0.0	0	0.0	0	0.0	0.0		0.0	0.1
Listeriosis	0	0.0	0	0.0	0	0.0	0.2	0.25	0.3	0.2
Salmonellosis	3	7.8	1	2.2	2	4.0	11.4	6.8	15.2	15.4
Shigellosis	0	0.0	1	2.2	4	7.9	10.0		12.6	8.2
Typhoid	0	0.0	0	0.0	0	0.0	0.0		0.0	0.1
Vibrioses	0	0.0	0	0.0	0	0.0	0.3			
Yersiniosis	0	0.0	1	2.2	0	0.0	0.2			
Mycosis										
Coccidioidomycosis	31	80.8	59	132.4	94	185.8	59.6		57.6	1.7
Zoonoses/Vectorborne										
Brucellosis	0	0.0	0	0.0	0	0.0	0.0		0.1	0.0
Hantavirus Pulmonary Syndrome	0	0.0	1	2.2	0	0.0	0.0		0.1	0.0
Malaria	0	0.0	0	0.0	0	0.0	0.3		0.1	0.5
West Nile Virus	0	0.0	0	0.0	0	0.0	0.2		0.1	1.0
Hepatitides										
Hepatitis A	3	7.8	0	0.0	1	2.0	4.5	4.5	5.6	3.1
Hepatitis B	0	0.0	0	0.0	0	0.0	5.3	2.4-9.0	4.6	2.8
Other										
Legionellosis	0	0.0	0	0.0	0	0.0	0.4		0.3	0.5
Streptococcal Inv. Pneumonia	2	5.2	3	6.7	2	4.0	12.5		0.0	0.9
Streptococcal Inf. Group A	2	5.2	3	6.7	3	5.9	4.4		5.8	1.6
Streptococcal Inf. Group B	0	0.0	0	0.0	0	0.0	0.9	0.5	0.8	
Vancomycin res. <i>Enterococcus</i>	6	15.6	1	2.2	7	13.8	18.4		18.2	

**Health Status Indicators for Cities and Towns
2001-2003**

95

Surprise

Selected Causes of Death

Cause of Death	Surprise						Comparisons		
	2001		2002		2003		Maricopa County, 2003	Healthy People 2010	
	Number	Rate per 100,000	Number	Rate per 100,000	Number	Rate per 100,000		Arizona	U.S.
Tuberculosis	0	0.0	0	0.0	0	0.0	0.1	0.2	0.2
Syphilis	0	0.0	0	0.0	0	0.0	0.0	0.0	0.0
HIV Disease	<5	-	<5	-	0	0.0	3.5	0.7	4.7
Malignant Neoplasms	73	190.3	83	186.3	107	211.5	152.2	159.9	167.9
Malignant Neoplasm Stomach	2	5.2	1	2.2	3	5.9	2.6	3.1	4.1
Malignant Neoplasm Colon	9	23.5	10	22.4	17	33.6	16.8	13.9	17.7
Malignant Neoplasm Pancreas	6	15.6	5	11.2	5	9.9	7.9	8.4	10.5
Malig. Neo. Bronchus, Lung	25	65.2	19	42.6	34	67.2	42.7	44.9	47.6
Malignant Neoplasm Breast	4	10.4	6	13.5	6	11.9	10.7	22.3*	11.9
Mal. Neo. Uterus, Cervix, Ovary	1	2.6	8	18.0	7	13.8	6.6	2.5	2.4
Malig. Neoplasm Prostate	4	10.4	4	9.0	1	2.0	8.3	28.8*	9.7
Malignant Neoplasm Urinary	3	7.8	3	6.7	8	15.8	7.2	3.8	4.2
Non-Hodgkins Lymphoma	2	5.2	5	11.2	2	4.0	6.4	6.9	7.3
Leukemia	3	7.8	1	2.2	3	5.9	6.5	6.6	7.3
Other Malignant Neoplasms	14	36.5	21	47.1	21	41.5	36.5		
Diabetes	5	13.0	9	20.2	10	19.8	18.0	7.8	20.0
Alzheimers	9	23.5	16	35.9	11	21.7	32.5		30.0
Major Cardiovascular Diseases	93	242.5	131	294.0	138	272.8	230.5		247.7
Disease of Heart	68	177.3	87	195.2	101	199.7	176.0	166.0	189.2
Hypertensive Heart Disease	3	7.8	4	9.0	6	11.9	8.8	7.8	9.5
Ischemic Heart Disease	55	143.4	69	154.8	75	148.3	141.7		142.8
Other Heart Disease	10	26.1	14	31.4	20	39.5	25.6		
Primary Hypertension	8	20.9	8	18.0	7	13.8	6.6		6.0
Cerebrovascular	14	36.5	29	65.1	23	45.5	38.7	48.0	41.8
Atherosclerosis	0	0.0	4	9.0	3	5.9	3.4		4.0
Other Circulatory	3	7.8	3	6.7	4	7.9	5.7		4.5

(continued on next page)

**Health Status Indicators for Cities and Towns
2001-2003**

96

Surprise

Selected Causes of Death, cont.

Cause of Death	Surprise						Comparisons			
	2001		2002		2003		Maricopa County, 2003	Healthy People 2010	Arizona	U.S.
	Number	Rate per 100,000	Number	Rate per 100,000	Number	Rate per 100,000				
Influenza & Pneumonia	6	15.6	11	24.7	9	17.8	18.5		22.2	22.3
Chronic Lower Respiratory	18	46.9	16	35.9	23	45.5	40.0		44.8	43.4
Peptic Ulcer	0	0.0	0	0.0	0	0.0	0.9		1.0	1.3
Liver Disease	2	5.2	4	9.0	8	15.8	9.5		11.1	9.4
Nephritis	4	10.4	2	4.5	4	7.9	7.8		9.8	14.6
Pregnancy	0	0.0	0	0.0	0	0.0	0.1		0.1	0.2
Perinatal Conditions	5	13.0	5	11.2	5	9.9	5.1		4.6	4.9
Congenital Malformations	3	7.8	0	0.0	1	2.0	3.7		3.6	3.7
SIDS	0	0.0	0	0.0	1	2.0	0.4			
Symptoms, Signs ex. SIDS	1	2.6	6	13.5	3	5.9	9.3			
All Other Diseases	42	109.5	38	85.3	50	98.8	93.7			
Motor Vehicle Accidents	4	10.4	6	13.5	3	5.9	14.5	9.2	17.9	15.2
All Other Acc. & Adverse Effects	13	33.9	8	18.0	14	27.7	23.8			
Suicide	2	5.2	5	11.2	5	9.9	13.2	5.0	14.3	10.5
Homicide	4	10.4	1	2.2	2	4.0	9.4	3.0	8.5	5.9
All Other External Causes	0	0.0	0	0.0	1	2.0	2.1			
Unknown	6	15.6	3	6.7	2	4.0	6.0			
Total	290	756.1	344	772.0	397	784.8	694.8		760.8	840.4

*HP 2010 goals are breast cancer in females and prostate cancer in males

Total Births

Tempe						Comparisons				
2001		2002		2003		Maricopa County, 2003	Healthy People 2010	Arizona	U.S.	
<u>Number</u>	<u>Percent or Rate</u>	<u>Number</u>	<u>Percent or Rate</u>	<u>Number</u>	<u>Percent or Rate</u>					
146	6.8%	165	7.7%	149	7.3%		7.0%	5.0%	7.1%	7.9%
247	11.6%	208	9.7%	217	10.6%		11.8%	(-)	12.9%	10.3%
6	2.8	18	8.4	14	6.8		6.3	4.5	6.5	6.8
2,135		2,136		2,044		59,000		90,783	4,091,063	

Health Status Indicators for Cities and Towns
2001-2003
Tempe

98

Selected Reportable Diseases

	Tempe						Comparisons			
	2001		2002		2003		Rate per 100,000 Population			
	Number	Rate per 100,000	Number	Rate per 100,000	Number	Rate per 100,000	Maricopa County, 2003	H.P. 2010	Arizona 2002	U.S. 2002
Vaccine Preventable										
H. Flu (Invasive)	0	0.0	0	0.0	1	0.6	1.3	0.0	1.9	0.6
Measles	0	0.0	0	0.0	0	0.0	0.0	0.0	0.0	0.0
Mumps	0	0.0	0	0.0	0	0.0	0.0	0.0	0.0	0.1
Pertussis	1	0.6	2	1.3	12	7.6	3.7	0.0	13.2	3.4
Central Nervous System										
Encephalitis	0	0.0	0	0.0	0	0.0	0.6		0.0	0.1
Meningitis - Aseptic	13	8.2	11	6.9	32	20.1	33.6			
Meningococcal Disease	0	0.0	0	0.0	0	0.0	0.8	1.0	0.6	0.6
Enterics										
Amebiasis	2	1.3	1	0.6	1	0.6	0.8			
Botulism	0	0.0	0	0.0	0	0.0	0.0		0.1	0.0
Campylobacteriosis	13	8.2	11	6.9	20	12.6	13.7	12.3		
Cryptosporidiosis	0	0.0	0	0.0	1	0.6	0.1		0.3	1.0
<i>E. Coli</i> O157:H7	2	1.3	1	0.6	1	0.6	0.8	1.0	0.7	1.3
Giardiasis	18	11.3	22	13.8	6	3.8	5.0		4.9	7.4
Hemolytic Uremic Syndrome	0	0.0	0	0.0	0	0.0	0.0		0.0	0.1
Listeriosis	0	0.0	0	0.0	0	0.0	0.2	0.25	0.3	0.2
Salmonellosis	12	7.6	14	8.8	15	9.4	11.4	6.8	15.2	15.4
Shigellosis	7	4.4	23	14.5	10	6.3	10.0		12.6	8.2
Typhoid	0	0.0	0	0.0	0	0.0	0.0		0.0	0.1
Vibrioses	0	0.0	1	0.6	0	0.0	0.3			
Yersiniosis	0	0.0	0	0.0	0	0.0	0.2			
Mycosis										
Coccidioidomycosis	78	49.2	119	74.8	75	47.2	59.6		57.6	1.7
Zoonoses/Vectorborne										
Brucellosis	0	0.0	0	0.0	0	0.0	0.0		0.1	0.0
Hantavirus Pulmonary Syndrome	0	0.0	0	0.0	0	0.0	0.0		0.1	0.0
Malaria	0	0.0	1	0.6	0	0.0	0.3		0.1	0.5
West Nile Virus	0	0.0	0	0.0	0	0.0	0.2		0.1	1.0
Hepatitides										
Hepatitis A	4	2.5	7	4.4	2	1.3	4.5	4.5	5.6	3.1
Hepatitis B	11	6.9	6	3.8	6	3.8	5.3	2.4-9.0	4.6	2.8
Other										
Legionellosis	1	0.6	1	0.6	0	0.0	0.4		0.3	0.5
Streptococcal Inv. Pneumonia	10	6.3	10	6.3	6	3.8	12.5		0.0	0.9
Streptococcal Inf. Group A	8	5.0	6	3.8	6	3.8	4.4		5.8	1.6
Streptococcal Inf. Group B	1	0.6	0	0.0	0	0.0	0.9	0.5	0.8	
Vancomycin res. <i>Enterococcus</i>	13	8.2	20	12.6	21	13.2	18.4		18.2	

**Health Status Indicators for Cities and Towns
2001-2003**

99

Tempe

Selected Causes of Death

Cause of Death	Tempe						Comparisons			
	2001		2002		2003		Maricopa County, 2003	Healthy People		
	Number	Rate per 100,000	Number	Rate per 100,000	Number	Rate per 100,000		2010	Arizona	U.S.
Tuberculosis	0	0.0	0	0.0	0	0.0	0.1		0.2	0.2
Syphilis	0	0.0	0	0.0	0	0.0	0.0		0.0	0.0
HIV Disease	>5	-	>5	-	7	4.4	3.5	0.7	3.1	4.7
Malignant Neoplasms	179	112.9	195	122.6	184	115.8	152.2	159.9	167.9	190.7
Malignant Neoplasm Stomach	4	2.5	5	3.1	1	0.6	2.6		3.1	4.1
Malignant Neoplasm Colon	25	15.8	15	9.4	14	8.8	16.8	13.9	17.7	19.1
Malignant Neoplasm Pancreas	11	6.9	12	7.5	10	6.3	7.9		8.4	10.5
Malig. Neo. Bronchus, Lung	46	29.0	51	32.1	54	34.0	42.7	44.9	47.6	54.2
Malignant Neoplasm Breast	15	9.5	11	6.9	9	5.7	10.7	22.3*	11.9	14.4
Mal. Neo. Uterus, Cervix, Ovary	11	6.9	10	6.3	10	6.3	6.6		2.5	2.4
Malig. Neoplasm Prostate	11	6.9	6	3.8	20	12.6	8.3	28.8*	9.7	10.2
Malignant Neoplasm Urinary	1	0.6	6	3.8	9	5.7	7.2		3.8	4.2
Non-Hodgkins Lymphoma	12	7.6	8	5.0	3	1.9	6.4		6.9	7.3
Leukemia	3	1.9	13	8.2	8	5.0	6.5		6.6	7.3
Other Malignant Neoplasms	40	25.2	58	36.5	46	29.0	36.5			
Diabetes	20	12.6	16	10.1	20	12.6	18.0	7.8	20.0	25.4
Alzheimers	22	13.9	35	22.0	38	23.9	32.5		30.0	21.8
Major Cardiovascular Diseases	278	175.3	286	179.8	245	154.2	230.5		247.7	310.1
Disease of Heart	219	138.1	218	137.0	185	116.4	176.0	166.0	189.2	235.4
Hypertensive Heart Disease	9	5.7	12	7.5	6	3.8	8.8		7.8	9.5
Ischemic Heart Disease	170	107.2	158	99.3	150	94.4	141.7		142.8	164.8
Other Heart Disease	40	25.2	48	30.2	29	18.3	25.6			
Primary Hypertension	9	5.7	7	4.4	5	3.1	6.6		6.0	7.5
Cerebrovascular	40	25.2	48	30.2	46	29.0	38.7	48.0	41.8	54.3
Atherosclerosis	3	1.9	5	3.1	4	2.5	3.4		4.0	4.5
Other Circulatory	7	4.4	8	5.0	5	3.1	5.7			

(continued on next page)

**Health Status Indicators for Cities and Towns
2001-2003**

100

Tempe

Selected Causes of Death, cont.

Cause of Death	Tempe						Comparisons			
	2001		2002		2003		Maricopa County, 2003	Healthy People		
	Number	Rate per 100,000	Number	Rate per 100,000	Number	Rate per 100,000		2010	Arizona	U.S.
Influenza & Pneumonia	18	11.3	36	22.6	22	13.8	18.5		22.2	22.3
Chronic Lower Respiratory	51	32.2	40	25.1	46	29.0	40.0		44.8	43.4
Peptic Ulcer	1	0.6	0	0.0	3	1.9	0.9		1.0	1.3
Liver Disease	12	7.6	14	8.8	8	5.0	9.5		11.1	9.4
Nephritis	11	6.9	11	6.9	11	6.9	7.8		9.8	14.6
Pregnancy	0	0.0	0	0.0	0	0.0	0.1		0.1	0.2
Perinatal Conditions	3	1.9	8	5.0	7	4.4	5.1		4.6	4.9
Congenital Malformations	1	0.6	1	0.6	3	1.9	3.7		3.6	3.7
SIDS	0	0.0	3	1.9	0	0.0	0.4			
Symptoms, Signs ex. SIDS	4	2.5	9	5.7	14	8.8	9.3			
All Other Diseases	127	80.1	139	87.4	135	85.0	93.7			
Motor Vehicle Accidents	17	10.7	17	10.7	14	8.8	14.5	9.2	17.9	15.2
All Other Acc. & Adverse Effects	35	22.1	33	20.7	30	18.9	23.8			
Suicide	14	8.8	16	10.1	22	13.8	13.2	5.0	14.3	10.5
Homicide	7	4.4	6	3.8	8	5.0	9.4	3.0	8.5	5.9
All Other External Causes	2	1.3	4	2.5	2	1.3	2.1			
Unknown	9	5.7	8	5.0	8	5.0	6.0			
Total	811	511.4	877	551.3	827	520.5	694.8		760.8	840.4

*HP 2010 goals are breast cancer in females and prostate cancer in males

Health Status Indicators for Cities and Towns 2001-2003

101

Tolleson

Population Statistics

	Tolleson		Maricopa County		Arizona	U.S.
Population in 2000	4,974		3,072,149		5,130,632	281,421,906
Estimated Population	<u>Number</u>	<u>% Inc. from 2000</u>	<u>Number</u>	<u>% Inc. from 2000</u>	<u>Number</u>	<u>Number</u>
2001	5,088	2.3%	3,196,439	4.0%	5,296,845	285,102,075
2002	5,104	2.6%	3,294,911	7.3%	5,439,091	287,941,220
2003	5,848	17.6%	3,389,260	10.3%	5,579,222	290,788,976
Age Distribution 2003	<u>Number</u>	<u>% Distribution</u>	<u>Number</u>	<u>% Distribution</u>	<u>% Distribution</u>	<u>% Distribution</u>
Under 20 years old	2,105	36.0%	1,030,335	30.4%	29.9%	27.9%
20 - 44 years old	2,047	35.0%	1,281,140	37.8%	35.7%	36.1%
45 - 64 years old	1,111	19.0%	698,188	20.6%	21.6%	23.6%
65 and older	585	10.0%	379,597	11.2%	12.8%	12.4%
Dependency ratio	0.85		0.71		0.75	0.68

Infant Health Indicators*

	Tolleson						Comparisons		
	2001		2002		2003		Maricopa County, 2003	Healthy People 2010	Arizona
	<u>Number</u>	<u>Percent or Rate</u>	<u>Number</u>	<u>Percent or Rate</u>	<u>Number</u>	<u>Percent or Rate</u>			<u>U.S.</u>
Low weight births (under 2500 grams) - % of live births	12	8.1%	13	7.8%	19	7.4%	7.0%	5.0%	7.1%
Births to teen mothers - % of live births	28	18.8%	22	13.2%	30	11.7%	11.8%	(-)	12.9%
Infant mortality per 1,000 live births	1	6.7	2	12.0	3	11.7	6.3	4.5	6.5
Total Births	149		167		257		59,000		90,783
									4,091,063

* Please see Appendix A regarding limitations to birth data for cities/towns with fewer than 1,000 births.

Health Status Indicators for Cities and Towns
2001-2003
Tolleson

102

Selected Reportable Diseases

	Tolleson						Comparisons			
	2001		2002		2003		Rate per 100,000 Population			
	Number	Rate per 100,000	Number	Rate per 100,000	Number	Rate per 100,000	Maricopa County, 2003	H.P. 2010	Arizona 2002	U.S. 2002
Vaccine Preventable										
H. Flu (Invasive)	0	0.0	0	0.0	0	0.0	1.3	0.0	1.9	0.6
Measles	0	0.0	0	0.0	0	0.0	0.0	0.0	0.0	0.0
Mumps	0	0.0	0	0.0	0	0.0	0.0	0.0	0.0	0.1
Pertussis	3	59.0	0	0.0	0	0.0	3.7	0.0	13.2	3.4
Central Nervous System										
Encephalitis	0	0.0	0	0.0	0	0.0	0.6		0.0	0.1
Meningitis - Aseptic	0	0.0	2	39.2	2	34.2	33.6			
Meningococcal Disease	0	0.0	0	0.0	0	0.0	0.8	1.0	0.6	0.6
Enterics										
Amebiasis	0	0.0	0	0.0	0	0.0	0.8			
Botulism	0	0.0	0	0.0	0	0.0	0.0		0.1	0.0
Campylobacteriosis	1	19.7	3	58.8	1	17.1	13.7	12.3		
Cryptosporidiosis	0	0.0	0	0.0	0	0.0	0.1		0.3	1.0
<i>E. Coli</i> O157:H7	0	0.0	0	0.0	0	0.0	0.8	1.0	0.7	1.3
Giardiasis	2	39.3	0	0.0	0	0.0	5.0		4.9	7.4
Hemolytic Uremic Syndrome	0	0.0	0	0.0	0	0.0	0.0		0.0	0.1
Listeriosis	0	0.0	0	0.0	0	0.0	0.2	0.25	0.3	0.2
Salmonellosis	0	0.0	1	19.6	1	17.1	11.4	6.8	15.2	15.4
Shigellosis	0	0.0	1	19.6	2	34.2	10.0		12.6	8.2
Typhoid	0	0.0	0	0.0	0	0.0	0.0		0.0	0.1
Vibrioses	0	0.0	0	0.0	0	0.0	0.3			
Yersiniosis	0	0.0	0	0.0	0	0.0	0.2			
Mycosis										
Coccidioidomycosis	0	0.0	1	19.6	1	17.1	59.6		57.6	1.7
Zoonoses/Vectorborne										
Brucellosis	0	0.0	0	0.0	0	0.0	0.0		0.1	0.0
Hantavirus Pulmonary Syndrome	0	0.0	0	0.0	0	0.0	0.0		0.1	0.0
Malaria	0	0.0	0	0.0	0	0.0	0.3		0.1	0.5
West Nile Virus	0	0.0	0	0.0	0	0.0	0.2		0.1	1.0
Hepatitides										
Hepatitis A	1	19.7	0	0.0	0	0.0	4.5	4.5	5.6	3.1
Hepatitis B	0	0.0	1	19.6	0	0.0	5.3	2.4-9.0	4.6	2.8
Other										
Legionellosis	0	0.0	0	0.0	0	0.0	0.4		0.3	0.5
Streptococcal Inv. Pneumonia	2	39.3	0	0.0	1	17.1	12.5		0.0	0.9
Streptococcal Inf. Group A	0	0.0	0	0.0	0	0.0	4.4		5.8	1.6
Streptococcal Inf. Group B	0	0.0	0	0.0	0	0.0	0.9	0.5	0.8	
Vancomycin res. <i>Enterococcus</i>	0	0.0	2	39.2	0	0.0	18.4		18.2	

Health Status Indicators for Cities and Towns 2001-2003

103

Tolleson

Selected Causes of Death

Cause of Death	Tolleson						Comparisons			
	2001		2002		2003		Maricopa County, 2003	Healthy People		
	Number	Rate per 100,000	Number	Rate per 100,000	Number	Rate per 100,000		2010	Arizona	U.S.
Tuberculosis	0	0.0	0	0.0	0	0.0	0.1		0.2	0.2
Syphilis	0	0.0	0	0.0	0	0.0	0.0		0.0	0.0
HIV Disease	0	0.0	0	0.0	0	0.0	3.5	0.7	3.1	4.7
Malignant Neoplasms	14	275.2	7	137.1	10	171.0	152.2	159.9	167.9	190.7
Malignant Neoplasm Stomach	0	0.0	0	0.0	0	0.0	2.6		3.1	4.1
Malignant Neoplasm Colon	1	19.7	0	0.0	1	17.1	16.8	13.9	17.7	19.1
Malignant Neoplasm Pancreas	2	39.3	1	19.6	0	0.0	7.9		8.4	10.5
Malig. Neo. Bronchus, Lung	1	19.7	3	58.8	3	51.3	42.7	44.9	47.6	54.2
Malignant Neoplasm Breast	2	39.3	1	19.6	2	34.2	10.7	22.3*	11.9	14.4
Mal. Neo. Uterus, Cervix, Ovary	1	19.7	1	19.6	2	34.2	6.6		2.5	2.4
Malig. Neoplasm Prostate	0	0.0	0	0.0	0	0.0	8.3	28.8*	9.7	10.2
Malignant Neoplasm Urinary	0	0.0	0	0.0	0	0.0	7.2		3.8	4.2
Non-Hodgkins Lymphoma	1	19.7	0	0.0	0	0.0	6.4		6.9	7.3
Leukemia	0	0.0	0	0.0	0	0.0	6.5		6.6	7.3
Other Malignant Neoplasms	6	117.9	1	19.6	2	34.2	36.5			
Diabetes	1	19.7	3	58.8	1	17.1	18.0	7.8	20.0	25.4
Alzheimers	0	0.0	1	19.6	1	17.1	32.5		30.0	21.8
Major Cardiovascular Diseases	19	373.4	18	352.7	13	222.3	230.5		247.7	310.1
Disease of Heart	13	255.5	14	274.3	10	171.0	176.0	166.0	189.2	235.4
Hypertensive Heart Disease	1	19.7	0	0.0	2	34.2	8.8		7.8	9.5
Ischemic Heart Disease	9	176.9	11	215.5	6	102.6	141.7		142.8	164.8
Other Heart Disease	3	59.0	3	58.8	2	34.2	25.6			
Primary Hypertension	0	0.0	0	0.0	0	0.0	6.6		6.0	7.5
Cerebrovascular	6	117.9	3	58.8	3	51.3	38.7	48.0	41.8	54.3
Atherosclerosis	0	0.0	0	0.0	0	0.0	3.4		4.0	4.5
Other Circulatory	0	0.0	1	19.6	0	0.0	5.7			

(continued on next page)

**Health Status Indicators for Cities and Towns
2001-2003**

104

Tolleson

Selected Causes of Death, cont.

Cause of Death	Tolleson						Comparisons			
	2001		2002		2003		Maricopa County, 2003	Healthy People 2010	Arizona	U.S.
	Number	Rate per 100,000	Number	Rate per 100,000	Number	Rate per 100,000				
Influenza & Pneumonia	2	39.3	0	0.0	2	34.2	18.5		22.2	22.3
Chronic Lower Respiratory	5	98.3	2	39.2	1	17.1	40.0		44.8	43.4
Peptic Ulcer	1	19.7	0	0.0	0	0.0	0.9		1.0	1.3
Liver Disease	1	19.7	3	58.8	1	17.1	9.5		11.1	9.4
Nephritis	0	0.0	1	19.6	1	17.1	7.8		9.8	14.6
Pregnancy	0	0.0	1	19.6	0	0.0	0.1		0.1	0.2
Perinatal Conditions	1	19.7	2	39.2	2	34.2	5.1		4.6	4.9
Congenital Malformations	0	0.0	0	0.0	1	17.1	3.7		3.6	3.7
SIDS	0	0.0	0	0.0	0	0.0	0.4			
Symptoms, Signs ex. SIDS	0	0.0	0	0.0	1	17.1	9.3			
All Other Diseases	4	78.6	8	156.7	7	119.7	93.7			
Motor Vehicle Accidents	1	19.7	0	0.0	2	34.2	14.5	9.2	17.9	15.2
All Other Acc. & Adverse Effects	1	19.7	0	0.0	4	68.4	23.8			
Suicide	0	0.0	1	19.6	2	34.2	13.2	5.0	14.3	10.5
Homicide	1	19.7	1	19.6	2	34.2	9.4	3.0	8.5	5.9
All Other External Causes	0	0.0	0	0.0	1	17.1	2.1			
Unknown	0	0.0	0	0.0	2	34.2	6.0			
Total	51	1002.4	48	940.4	54	923.4	694.8		760.8	840.4

*HP 2010 goals are breast cancer in females and prostate cancer in males

Health Status Indicators for Cities and Towns 2001-2003

105

Wickenburg

Population Statistics

Population in 2000

Estimated Population

2001

2002

2003

Age Distribution 2003

Under 20 years old

20 - 44 years old

45 - 64 years old

65 and older

Dependency ratio

Wickenburg		Maricopa County		Arizona	U.S.
5,082		3,072,149		5,130,632	281,421,906
Number	% Inc. from 2000	Number	% Inc. from 2000	Number	Number
5,191	2.1%	3,196,439	4.0%	5,296,845	285,102,075
5,285	4.0%	3,294,911	7.3%	5,439,091	287,941,220
5,345	5.2%	3,389,260	10.3%	5,579,222	290,788,976
Number	% Distribution	Number	% Distribution	% Distribution	% Distribution
1,176	22.0%	1,030,335	30.4%	29.9%	27.9%
1,336	25.0%	1,281,140	37.8%	35.7%	36.1%
1,336	25.0%	698,188	20.6%	21.6%	23.6%
1,550	29.0%	379,597	11.2%	12.8%	12.4%
1.02		0.71		0.75	0.68

Infant Health Indicators*

Low weight births (under 2500 grams) - % of live births

Births to teen mothers - % of live births

Infant mortality per 1,000 live births

Total Births

Wickenburg						Comparisons			
2001		2002		2003		Maricopa County, 2003	Healthy People 2010	Arizona	U.S.
Number	Percent or Rate	Number	Percent or Rate	Number	Percent or Rate				
4	5.8%	8	11.0%	4	4.7%	7.0%	5.0%	7.1%	7.9%
6	8.7%	10	13.7%	10	11.8%	11.8%	(-)	12.9%	10.3%
0	0.0	0	0.0	0	0.0	6.3	4.5	6.5	6.8
69		73		85		59,000		90,783	4,091,063

* Please see Appendix A regarding limitations to birth data for cities/towns with fewer than 1,000 births.

Health Status Indicators for Cities and Towns
2001-2003
Wickenburg

106

Selected Reportable Diseases

	Wickenburg						Comparisons			
	2001		2002		2003		Rate per 100,000 Population			
	Number	Rate per 100,000	Number	Rate per 100,000	Number	Rate per 100,000	Maricopa County, 2003	H.P. 2010	Arizona 2002	U.S. 2002
Vaccine Preventable										
H. Flu (Invasive)	0	0.0	0	0.0	0	0.0	1.3	0.0	1.9	0.6
Measles	0	0.0	0	0.0	0	0.0	0.0	0.0	0.0	0.0
Mumps	0	0.0	0	0.0	0	0.0	0.0	0.0	0.0	0.1
Pertussis	1	19.3	0	0.0	0	0.0	3.7	0.0	13.2	3.4
Central Nervous System										
Encephalitis	0	0.0	0	0.0	0	0.0	0.6		0.0	0.1
Meningitis - Aseptic	1	19.3	0	0.0	0	0.0	33.6			
Meningococcal Disease	0	0.0	0	0.0	0	0.0	0.8	1.0	0.6	0.6
Enterics										
Amebiasis	0	0.0	0	0.0	0	0.0	0.8			
Botulism	0	0.0	0	0.0	0	0.0	0.0		0.1	0.0
Campylobacteriosis	0	0.0	0	0.0	0	0.0	13.7	12.3		
Cryptosporidiosis	0	0.0	0	0.0	0	0.0	0.1		0.3	1.0
E. Coli O157:H7	0	0.0	0	0.0	2	37.4	0.8	1.0	0.7	1.3
Giardiasis	0	0.0	0	0.0	0	0.0	5.0		4.9	7.4
Hemolytic Uremic Syndrome	0	0.0	0	0.0	0	0.0	0.0		0.0	0.1
Listeriosis	0	0.0	0	0.0	0	0.0	0.2	0.25	0.3	0.2
Salmonellosis	0	0.0	1	18.9	0	0.0	11.4	6.8	15.2	15.4
Shigellosis	0	0.0	1	18.9	0	0.0	10.0		12.6	8.2
Typhoid	0	0.0	0	0.0	0	0.0	0.0		0.0	0.1
Vibrioses	0	0.0	0	0.0	0	0.0	0.3			
Yersiniosis	0	0.0	0	0.0	0	0.0	0.2			
Mycosis										
Coccidioidomycosis	16	308.2	14	264.9	14	261.9	59.6		57.6	1.7
Zoonoses/Vectorborne										
Brucellosis	0	0.0	0	0.0	0	0.0	0.0		0.1	0.0
Hantavirus Pulmonary Syndrome	0	0.0	0	0.0	0	0.0	0.0		0.1	0.0
Malaria	0	0.0	0	0.0	0	0.0	0.3		0.1	0.5
West Nile Virus	0	0.0	0	0.0	0	0.0	0.2		0.1	1.0
Hepatitides										
Hepatitis A	0	0.0	0	0.0	1	18.7	4.5	4.5	5.6	3.1
Hepatitis B	0	0.0	1	18.9	0	0.0	5.3	2.4-9.0	4.6	2.8
Other										
Legionellosis	0	0.0	0	0.0	0	0.0	0.4		0.3	0.5
Streptococcal Inv. Pneumonia	0	0.0	1	18.9	2	37.4	12.5		0.0	0.9
Streptococcal Inf. Group A	0	0.0	0	0.0	0	0.0	4.4		5.8	1.6
Streptococcal Inf. Group B	0	0.0	1	18.9	0	0.0	0.9	0.5	0.8	
Vancomycin res. Enterococcus	1	19.3	0	0.0	0	0.0	18.4		18.2	

Health Status Indicators for Cities and Towns 2001-2003

107

Wickenburg

Selected Causes of Death

Cause of Death	Wickenburg						Comparisons			
	2001		2002		2003		Maricopa County, 2003	Healthy People		
	Number	Rate per 100,000	Number	Rate per 100,000	Number	Rate per 100,000		2010	Arizona	U.S.
Tuberculosis	0	0.0	1	18.9	0	0.0	0.1		0.2	0.2
Syphilis	0	0.0	0	0.0	0	0.0	0.0		0.0	0.0
HIV Disease	0	0.0	0	0.0	0	0.0	3.5	0.7	3.1	4.7
Malignant Neoplasms	26	500.9	23	435.2	26	486.4	152.2	159.9	167.9	190.7
Malignant Neoplasm Stomach	0	0.0	2	37.8	1	18.7	2.6		3.1	4.1
Malignant Neoplasm Colon	4	77.1	2	37.8	4	74.8	16.8	13.9	17.7	19.1
Malignant Neoplasm Pancreas	0	0.0	0	0.0	2	37.4	7.9		8.4	10.5
Malig. Neo. Bronchus, Lung	5	96.3	9	170.3	11	205.8	42.7	44.9	47.6	54.2
Malignant Neoplasm Breast	4	77.1	3	56.8	0	0.0	10.7	22.3*	11.9	14.4
Mal. Neo. Uterus, Cervix, Ovary	0	0.0	0	0.0	1	18.7	6.6		2.5	2.4
Malig. Neoplasm Prostate	4	77.1	3	56.8	2	37.4	8.3	28.8*	9.7	10.2
Malignant Neoplasm Urinary	1	19.3	0	0.0	0	0.0	7.2		3.8	4.2
Non-Hodgkins Lymphoma	2	38.5	1	18.9	0	0.0	6.4		6.9	7.3
Leukemia	0	0.0	0	0.0	1	18.7	6.5		6.6	7.3
Other Malignant Neoplasms	6	115.6	3	56.8	4	74.8	36.5			
Diabetes	2	38.5	1	18.9	2	37.4	18.0	7.8	20.0	25.4
Alzheimers	3	57.8	6	113.5	6	112.3	32.5		30.0	21.8
Major Cardiovascular Diseases	35	674.2	48	908.2	42	785.8	230.5		247.7	310.1
Disease of Heart	27	520.1	31	586.6	29	542.6	176.0	166.0	189.2	235.4
Hypertensive Heart Disease	1	19.3	1	18.9	0	0.0	8.8		7.8	9.5
Ischemic Heart Disease	23	443.1	26	492.0	23	430.3	141.7		142.8	164.8
Other Heart Disease	3	57.8	4	75.7	6	112.3	25.6			
Primary Hypertension	0	0.0	2	37.8	2	37.4	6.6		6.0	7.5
Cerebrovascular	7	134.8	14	264.9	9	168.4	38.7	48.0	41.8	54.3
Atherosclerosis	0	0.0	0	0.0	0	0.0	3.4		4.0	4.5
Other Circulatory	1	19.3	1	18.9	2	37.4	5.7			

(continued on next page)

**Health Status Indicators for Cities and Towns
2001-2003**

108

Wickenburg

Selected Causes of Death, cont.

Cause of Death	Wickenburg						Comparisons			
	2001		2002		2003		Maricopa County, 2003	Healthy People 2010	Arizona	U.S.
	Number	Rate per 100,000	Number	Rate per 100,000	Number	Rate per 100,000				
Influenza & Pneumonia	3	57.8	0	0.0	3	56.1	18.5		22.2	22.3
Chronic Lower Respiratory	9	173.4	11	208.1	10	187.1	40.0		44.8	43.4
Peptic Ulcer	0	0.0	0	0.0	0	0.0	0.9		1.0	1.3
Liver Disease	1	19.3	4	75.7	2	37.4	9.5		11.1	9.4
Nephritis	2	38.5	0	0.0	1	18.7	7.8		9.8	14.6
Pregnancy	0	0.0	0	0.0	0	0.0	0.1		0.1	0.2
Perinatal Conditions	0	0.0	0	0.0	0	0.0	5.1		4.6	4.9
Congenital Malformations	0	0.0	0	0.0	0	0.0	3.7		3.6	3.7
SIDS	0	0.0	0	0.0	0	0.0	0.4			
Symptoms, Signs ex. SIDS	0	0.0	1	18.9	1	18.7	9.3			
All Other Diseases	18	346.8	14	264.9	16	299.3	93.7			
Motor Vehicle Accidents	6	115.6	2	37.8	4	74.8	14.5	9.2	17.9	15.2
All Other Acc. & Adverse Effects	0	0.0	4	75.7	8	149.7	23.8			
Suicide	1	19.3	4	75.7	5	93.5	13.2	5.0	14.3	10.5
Homicide	2	38.5	1	18.9	2	37.4	9.4	3.0	8.5	5.9
All Other External Causes	0	0.0	0	0.0	0	0.0	2.1			
Unknown	1	19.3	1	18.9	1	18.7	6.0			
Total	109	2099.8	121	2289.5	129	2413.5	694.8		760.8	840.4

*HP 2010 goals are breast cancer in females and prostate cancer in males

Health Status Indicators for Cities and Towns 2001-2003

109

Youngtown

Population Statistics

Population in 2000

Estimated Population

2001

2002

2003

Age Distribution 2003

Under 20 years old

20 - 44 years old

45 - 64 years old

65 and older

Dependency ratio

Youngtown		Maricopa County		Arizona	U.S.
3,010		3,072,149		5,130,632	281,421,906
Number	% Inc. from 2000	Number	% Inc. from 2000	Number	Number
3,006	-0.1%	3,196,439	4.0%	5,296,845	285,102,075
3,001	-0.3%	3,294,911	7.3%	5,439,091	287,941,220
2,993	-0.6%	3,389,260	10.3%	5,579,222	290,788,976
Number	% Distribution	Number	% Distribution	% Distribution	% Distribution
329	11.0%	1,030,335	30.4%	29.9%	27.9%
449	15.0%	1,281,140	37.8%	35.7%	36.1%
688	23.0%	698,188	20.6%	21.6%	23.6%
1,497	50.0%	379,597	11.2%	12.8%	12.4%
1.61		0.71		0.75	0.68

Infant Health Indicators*

Low weight births (under 2500 grams) - % of live births

Births to teen mothers - % of live births

Infant mortality per 1,000 live births

Total Births

Youngtown						Comparisons		
2001		2002		2003		Maricopa County, 2003	Healthy People 2010	Arizona
Number	Percent or Rate	Number	Percent or Rate	Number	Percent or Rate			U.S.
2	5.6%	4	8.9%	4	9.3%	7.0%	5.0%	7.1%
4	11.1%	7	15.6%	11	25.6%	11.8%	(-)	12.9%
0	0.0	0	0.0	0	0.0	6.3	4.5	6.5
36		45		43		59,000		90,783
								4,091,063

* Please see Appendix A regarding limitations to birth data for cities/towns with fewer than 1,000 births.

Health Status Indicators for Cities and Towns
2001-2003
Youngtown

110

Selected Reportable Diseases

	Youngtown						Comparisons			
	2001		2002		2003		Rate per 100,000 Population			
	Number	Rate per 100,000	Number	Rate per 100,000	Number	Rate per 100,000	Maricopa County, 2003	H.P. 2010	Arizona 2002	U.S. 2002
Vaccine Preventable										
H. Flu (Invasive)	0	0.0	0	0.0	0	0.0	1.3	0.0	1.9	0.6
Measles	0	0.0	0	0.0	0	0.0	0.0	0.0	0.0	0.0
Mumps	0	0.0	0	0.0	0	0.0	0.0	0.0	0.0	0.1
Pertussis	0	0.0	0	0.0	0	0.0	3.7	0.0	13.2	3.4
Central Nervous System										
Encephalitis	0	0.0	0	0.0	0	0.0	0.6		0.0	0.1
Meningitis - Aseptic	0	0.0	1	33.3	1	33.4	33.6			
Meningococcal Disease	0	0.0	0	0.0	0	0.0	0.8	1.0	0.6	0.6
Enterics										
Amebiasis	0	0.0	0	0.0	0	0.0	0.8			
Botulism	0	0.0	0	0.0	0	0.0	0.0		0.1	0.0
Campylobacteriosis	1	33.3	0	0.0	0	0.0	13.7	12.3		
Cryptosporidiosis	0	0.0	0	0.0	0	0.0	0.1		0.3	1.0
<i>E. Coli</i> O157:H7	0	0.0	0	0.0	0	0.0	0.8	1.0	0.7	1.3
Giardiasis	0	0.0	0	0.0	0	0.0	5.0		4.9	7.4
Hemolytic Uremic Syndrome	0	0.0	0	0.0	0	0.0	0.0		0.0	0.1
Listeriosis	0	0.0	0	0.0	0	0.0	0.2	0.25	0.3	0.2
Salmonellosis	1	33.3	2	66.6	0	0.0	11.4	6.8	15.2	15.4
Shigellosis	0	0.0	0	0.0	0	0.0	10.0		12.6	8.2
Typhoid	0	0.0	0	0.0	0	0.0	0.0		0.0	0.1
Vibrioses	0	0.0	0	0.0	0	0.0	0.3			
Yersiniosis	0	0.0	0	0.0	0	0.0	0.2			
Mycosis										
Coccidioidomycosis	3	99.8	1	33.3	5	167.1	59.6		57.6	1.7
Zoonoses/Vectorborne										
Brucellosis	0	0.0	0	0.0	0	0.0	0.0		0.1	0.0
Hantavirus Pulmonary Syndrome	0	0.0	0	0.0	0	0.0	0.0		0.1	0.0
Malaria	0	0.0	0	0.0	0	0.0	0.3		0.1	0.5
West Nile Virus	0	0.0	0	0.0	0	0.0	0.2		0.1	1.0
Hepatitides										
Hepatitis A	0	0.0	0	0.0	0	0.0	4.5	4.5	5.6	3.1
Hepatitis B	0	0.0	1	33.3	0	0.0	5.3	2.4-9.0	4.6	2.8
Other										
Legionellosis	0	0.0	0	0.0	0	0.0	0.4		0.3	0.5
Streptococcal Inv. Pneumonia	0	0.0	1	33.3	1	33.4	12.5		0.0	0.9
Streptococcal Inf. Group A	0	0.0	0	0.0	0	0.0	4.4		5.8	1.6
Streptococcal Inf. Group B	1	33.3	0	0.0	0	0.0	0.9	0.5	0.8	
Vancomycin res. <i>Enterococcus</i>	1	33.3	1	33.3	0	0.0	18.4		18.2	

Health Status Indicators for Cities and Towns 2001-2003

111

Youngtown

Selected Causes of Death

Cause of Death	Youngtown						Comparisons			
	2001		2002		2003		Maricopa County, 2003	Healthy People 2010		
	Number	Rate per 100,000	Number	Rate per 100,000	Number	Rate per 100,000		Arizona	U.S.	
Tuberculosis	0	0.0	0	0.0	0	0.0	0.1	0.2	0.2	
Syphilis	0	0.0	0	0.0	0	0.0	0.0	0.0	0.0	
HIV Disease	0	0.0	0	0.0	0	0.0	3.5	0.7	3.1	4.7
Malignant Neoplasms	34	1131.1	11	366.5	22	735.0	152.2	159.9	167.9	190.7
Malignant Neoplasm Stomach	2	66.5	0	0.0	0	0.0	2.6		3.1	4.1
Malignant Neoplasm Colon	6	199.6	1	33.3	3	100.2	16.8	13.9	17.7	19.1
Malignant Neoplasm Pancreas	2	66.5	0	0.0	0	0.0	7.9		8.4	10.5
Malig. Neo. Bronchus, Lung	11	365.9	4	133.3	5	167.1	42.7	44.9	47.6	54.2
Malignant Neoplasm Breast	1	33.3	0	0.0	3	100.2	10.7	22.3*	11.9	14.4
Mal. Neo. Uterus, Cervix, Ovary	4	133.1	0	0.0	1	33.4	6.6		2.5	2.4
Malig. Neoplasm Prostate	2	66.5	2	66.6	0	0.0	8.3	28.8*	9.7	10.2
Malignant Neoplasm Urinary	1	33.3	0	0.0	2	66.8	7.2		3.8	4.2
Non-Hodgkins Lymphoma	1	33.3	0	0.0	1	33.4	6.4		6.9	7.3
Leukemia	0	0.0	0	0.0	1	33.4	6.5		6.6	7.3
Other Malignant Neoplasms	4	133.1	4	133.3	6	200.5	36.5			
Diabetes	9	299.4	4	133.3	2	66.8	18.0	7.8	20.0	25.4
Alzheimers	8	266.1	7	233.3	9	300.7	32.5		30.0	21.8
Major Cardiovascular Diseases	49	1630.1	54	1799.4	41	1369.9	230.5		247.7	310.1
Disease of Heart	34	1131.1	40	1332.9	33	1102.6	176.0	166.0	189.2	235.4
Hypertensive Heart Disease	1	33.3	1	33.3	5	167.1	8.8		7.8	9.5
Ischemic Heart Disease	25	831.7	33	1099.6	22	735.0	141.7		142.8	164.8
Other Heart Disease	8	266.1	6	199.9	6	200.5	25.6			
Primary Hypertension	2	66.5	2	66.6	1	33.4	6.6		6.0	7.5
Cerebrovascular	10	332.7	10	333.2	7	233.9	38.7	48.0	41.8	54.3
Atherosclerosis	1	33.3	2	66.6	0	0.0	3.4		4.0	4.5
Other Circulatory	2	66.5	0	0.0	0	0.0	5.7			

(continued on next page)

**Health Status Indicators for Cities and Towns
2001-2003**

112

Youngtown

Selected Causes of Death, cont.

Cause of Death	Youngtown						Comparisons			
	2001		2002		2003		Maricopa County, 2003	Healthy People 2010	Arizona	U.S.
	Number	Rate per 100,000	Number	Rate per 100,000	Number	Rate per 100,000				
Influenza & Pneumonia	5	166.3	4	133.3	4	133.6	18.5		22.2	22.3
Chronic Lower Respiratory	7	232.9	14	466.5	9	300.7	40.0		44.8	43.4
Peptic Ulcer	1	33.3	0	0.0	0	0.0	0.9		1.0	1.3
Liver Disease	0	0.0	2	66.6	0	0.0	9.5		11.1	9.4
Nephritis	2	66.5	1	33.3	0	0.0	7.8		9.8	14.6
Pregnancy	0	0.0	0	0.0	0	0.0	0.1		0.1	0.2
Perinatal Conditions	0	0.0	0	0.0	0	0.0	5.1		4.6	4.9
Congenital Malformations	0	0.0	1	33.3	0	0.0	3.7		3.6	3.7
SIDS	0	0.0	0	0.0	0	0.0	0.4			
Symptoms, Signs ex. SIDS	1	33.3	2	66.6	1	33.4	9.3			
All Other Diseases	14	465.7	18	599.8	19	634.8	93.7			
Motor Vehicle Accidents	0	0.0	0	0.0	0	0.0	14.5	9.2	17.9	15.2
All Other Acc. & Adverse Effects	1	33.3	5	166.6	2	66.8	23.8			
Suicide	1	33.3	0	0.0	2	66.8	13.2	5.0	14.3	10.5
Homicide	0	0.0	0	0.0	0	0.0	9.4	3.0	8.5	5.9
All Other External Causes	0	0.0	0	0.0	0	0.0	2.1			
Unknown	0	0.0	1	33.3	0	0.0	6.0			
Total	132	4391.2	124	4132.0	111	3708.7	694.8		760.8	840.4

*HP 2010 goals are breast cancer in females and prostate cancer in males

Health Status Indicators for Cities and Towns 2001-2003

113

Remainder of Maricopa County

Population Statistics

	Remainder of Maricopa County		Maricopa County		Arizona	U.S.
Population in 2000	122,455		3,072,149		5,130,632	281,421,906
Estimated Population	<u>Number</u>	<u>% Inc. from 2000</u>	<u>Number</u>	<u>% Inc. from 2000</u>	<u>Number</u>	<u>Number</u>
2001	127,353	4.0%	3,196,439	4.0%	5,296,845	285,102,075
2002	131,394	7.3%	3,294,911	7.3%	5,439,091	287,941,220
2003	135,068	10.3%	3,389,260	10.3%	5,579,222	290,788,976
Age Distribution 2003	<u>Number</u>	<u>% Distribution</u>	<u>Number</u>	<u>% Distribution</u>	<u>% Distribution</u>	<u>% Distribution</u>
Under 20 years old	20,243	37.0%	1,030,335	30.4%	29.9%	27.9%
20 - 44 years old	21,884	40.0%	1,281,140	37.8%	35.7%	36.1%
45 - 64 years old	9,848	18.0%	698,188	20.6%	21.6%	23.6%
65 and older	2,736	5.0%	379,597	11.2%	12.8%	12.4%
Dependency ratio	0.72		0.71		0.75	0.68

Infant Health Indicators*

	Remainder of Maricopa County						Comparisons		
	2001		2002		2003		Maricopa County, 2003	Healthy People 2010	Arizona
	<u>Number</u>	<u>Percent or Rate</u>	<u>Number</u>	<u>Percent or Rate</u>	<u>Number</u>	<u>Percent or Rate</u>			<u>U.S.</u>
Low weight births (under 2500 grams) - % of live births	56	7.5%	44	6.2%	68	8.1%	7.0%	5.0%	7.1%
Births to teen mothers - % of live births	121	16.1%	91	12.9%	103	12.3%	11.8%	(-)	12.9%
Infant mortality per 1,000 live births	10	13.3	4	5.7	8	9.6	6.3	4.5	6.5
Total Births	750		705		835		59,000		90,783
									4,091,063

* Please see Appendix A regarding limitations to birth data for cities/towns with fewer than 1,000 births.

**Health Status Indicators for Cities and Towns
2001-2003**

114

Remainder of Maricopa County

Selected Reportable Diseases

	Remainder of Maricopa County						Comparisons			
	2001		2002		2003		Rate per 100,000 Population			
	<u>Number</u>	<u>Rate per 100,000</u>	<u>Number</u>	<u>Rate per 100,000</u>	<u>Number</u>	<u>Rate per 100,000</u>	<u>Maricopa County, 2003</u>	<u>H.P. 2010</u>	<u>Arizona 2002</u>	<u>U.S. 2002</u>
Vaccine Preventable										
H. Flu (Invasive)	0	0.0	0	0.0	0	0.0	1.3	0.0	1.9	0.6
Measles	0	0.0	0	0.0	0	0.0	0.0	0.0	0.0	0.0
Mumps	0	0.0	0	0.0	0	0.0	0.0	0.0	0.0	0.1
Pertussis	2	4.8	0	0.0	3	5.5	3.7	0.0	13.2	3.4
Central Nervous System										
Encephalitis	0	0.0	1	2.1	0	0.0	0.6		0.0	0.1
Meningitis - Aseptic	1	2.4	2	4.1	10	18.3	33.6			
Meningococcal Disease	0	0.0	0	0.0	0	0.0	0.8	1.0	0.6	0.6
Enterics										
Amebiasis	0	0.0	0	0.0	0	0.0	0.8			
Botulism	0	0.0	0	0.0	0	0.0	0.0		0.1	0.0
Campylobacteriosis	5	12.0	2	4.1	4	7.3	13.7	12.3		
Cryptosporidiosis	0	0.0	0	0.0	0	0.0	0.1		0.3	1.0
<i>E. Coli</i> O157:H7	0	0.0	2	4.1	1	1.8	0.8	1.0	0.7	1.3
Giardiasis	2	4.8	1	2.1	2	3.7	5.0		4.9	7.4
Hemolytic Uremic Syndrome	0	0.0	0	0.0	0	0.0	0.0		0.0	0.1
Listeriosis	0	0.0	0	0.0	0	0.0	0.2	0.25	0.3	0.2
Salmonellosis	4	9.6	5	10.3	6	11.0	11.4	6.8	15.2	15.4
Shigellosis	4	9.6	3	6.2	2	3.7	10.0		12.6	8.2
Typhoid	0	0.0	0	0.0	0	0.0	0.0		0.0	0.1
Vibrioses	0	0.0	1	2.1	0	0.0	0.3			
Yersiniosis	0	0.0	0	0.0	0	0.0	0.2			
Mycosis										
Coccidioidomycosis	11	26.5	20	41.1	22	40.2	59.6		57.6	1.7
Zoonoses/Vectorborne										
Brucellosis	0	0.0	0	0.0	0	0.0	0.0		0.1	0.0
Hantavirus Pulmonary Syndrome	0	0.0	1	2.1	0	0.0	0.0		0.1	0.0
Malaria	0	0.0	0	0.0	0	0.0	0.3		0.1	0.5
West Nile Virus	0	0.0	0	0.0	0	0.0	0.2		0.1	1.0
Hepatitides										
Hepatitis A	2	4.8	1	2.1	0	0.0	4.5	4.5	5.6	3.1
Hepatitis B	1	2.4	6	12.3	1	1.8	5.3	2.4-9.0	4.6	2.8
Other										
Legionellosis	0	0.0	0	0.0	1	1.8	0.4		0.3	0.5
Streptococcal Inv. Pneumonia	3	7.2	9	18.5	3	5.5	12.5		0.0	0.9
Streptococcal Inf. Group A	2	4.8	2	4.1	1	1.8	4.4		5.8	1.6
Streptococcal Inf. Group B	2	4.8	0	0.0	0	0.0	0.9	0.5	0.8	
Vancomycin res. <i>Enterococcus</i>	1	2.4	4	8.2	4	7.3	18.4		18.2	

Health Status Indicators for Cities and Towns 2001-2003

115

Remainder of Maricopa County

Selected Causes of Death

Cause of Death	Remainder of Maricopa County						Comparisons			
	2001		2002		2003		Maricopa County, 2003	Healthy People	Arizona	U.S.
	Number	Rate per 100,000	Number	Rate per 100,000	Number	Rate per 100,000		2010		
Tuberculosis	3	6.2	0	0.0	1	1.8	0.1		0.2	0.2
Syphilis	0	0.0	0	0.0	0	0.0	0.0		0.0	0.0
HIV Disease	1	2.1	1	2.1	2	3.7	3.5	0.7	3.1	4.7
Malignant Neoplasms	91	187.2	77	158.4	91	166.3	152.2	159.9	167.9	190.7
Malignant Neoplasm Stomach	3	6.2	4	8.2	1	1.8	2.6		3.1	4.1
Malignant Neoplasm Colon	6	12.3	9	18.5	7	12.8	16.8	13.9	17.7	19.1
Malignant Neoplasm Pancreas	3	6.2	5	10.3	4	7.3	7.9		8.4	10.5
Malig. Neo. Bronchus, Lung	29	59.7	21	43.2	26	47.5	42.7	44.9	47.6	54.2
Malignant Neoplasm Breast	3	6.2	8	16.5	2	3.7	10.7	22.3*	11.9	14.4
Mal. Neo. Uterus, Cervix, Ovary	6	12.3	1	2.1	5	9.1	6.6		2.5	2.4
Malig. Neoplasm Prostate	3	6.2	6	12.3	7	12.8	8.3	28.8*	9.7	10.2
Malignant Neoplasm Urinary	4	8.2	0	0.0	5	9.1	7.2		3.8	4.2
Non-Hodgkins Lymphoma	1	2.1	6	12.3	4	7.3	6.4		6.9	7.3
Leukemia	2	4.1	1	2.1	2	3.7	6.5		6.6	7.3
Other Malignant Neoplasms	31	63.8	16	32.9	28	51.2	36.5			
Diabetes	9	18.5	21	43.2	16	29.2	18.0	7.8	20.0	25.4
Alzheimers	7	14.4	8	16.5	12	21.9	32.5		30.0	21.8
Major Cardiovascular Diseases	125	257.2	127	261.3	145	265.0	230.5		247.7	310.1
Disease of Heart	103	211.9	100	205.7	115	210.2	176.0	166.0	189.2	235.4
Hypertensive Heart Disease	8	16.5	7	14.4	4	7.3	8.8		7.8	9.5
Ischemic Heart Disease	80	164.6	82	168.7	92	168.2	141.7		142.8	164.8
Other Heart Disease	15	30.9	11	22.6	19	34.7	25.6			
Primary Hypertension	2	4.1	1	2.1	0	0.0	6.6		6.0	7.5
Cerebrovascular	17	35.0	18	37.0	26	47.5	38.7	48.0	41.8	54.3
Atherosclerosis	0	0.0	2	4.1	0	0.0	3.4		4.0	4.5
Other Circulatory	3	6.2	6	12.3	4	7.3	5.7			

(continued on next page)

**Health Status Indicators for Cities and Towns
2001-2003**


116

Remainder of Maricopa County


Selected Causes of Death, cont.

Cause of Death	Remainder of Maricopa County						Comparisons			
	2001		2002		2003		Maricopa County, 2003	Healthy People		
	Number	Rate per 100,000	Number	Rate per 100,000	Number	Rate per 100,000		2010	Arizona	U.S.
Influenza & Pneumonia	5	10.3	10	20.6	6	11.0	18.5		22.2	22.3
Chronic Lower Respiratory	25	51.4	26	53.5	38	69.5	40.0		44.8	43.4
Peptic Ulcer	0	0.0	0	0.0	0	0.0	0.9		1.0	1.3
Liver Disease	8	16.5	6	12.3	7	12.8	9.5		11.1	9.4
Nephritis	8	16.5	6	12.3	5	9.1	7.8		9.8	14.6
Pregnancy	0	0.0	0	0.0	0	0.0	0.1		0.1	0.2
Perinatal Conditions	5	10.3	2	4.1	5	9.1	5.1		4.6	4.9
Congenital Malformations	3	6.2	0	0.0	2	3.7	3.7		3.6	3.7
SIDS	0	0.0	0	0.0	0	0.0	0.4			
Symptoms, Signs ex. SIDS	2	4.1	2	4.1	4	7.3	9.3			
All Other Diseases	54	111.1	62	127.6	52	95.0	93.7			
Motor Vehicle Accidents	17	35.0	16	32.9	18	32.9	14.5	9.2	17.9	15.2
All Other Acc. & Adverse Effects	14	28.8	16	32.9	12	21.9	23.8			
Suicide	9	18.5	11	22.6	7	12.8	13.2	5.0	14.3	10.5
Homicide	12	24.7	4	8.2	8	14.6	9.4	3.0	8.5	5.9
All Other External Causes	0	0.0	1	2.1	1	1.8	2.1			
Unknown	8	16.5	9	18.5	5	9.1	6.0			
Total	406	835.3	405	833.3	437	798.8	694.8		760.8	840.4


*HP 2010 goals are breast cancer in females and prostate cancer in males




**Deaths Due to Malignant Neoplasms
Maricopa County, 2003**




**Deaths Due to Malignant Neoplasms of the Trachea, Bronchus and Lung
Maricopa County, 2003**




**Deaths Due to Malignant Neoplasms of the Breast
Maricopa County, 2003**




**Deaths Due to Malignant Neoplasms of the Prostate
Maricopa County, 2003**




**Deaths Due to Cardiovascular Disease
Maricopa County, 2003**




**Deaths Due to Heart Disease
Maricopa County, 2003**




**Deaths Due to Accidents
Maricopa County, 2003**




**Deaths Due to Homicide
Maricopa County, 2003**




**Deaths Due to Suicide
Maricopa County, 2003**




**Low Weight Births
Maricopa County, 2003**




**Births to Teenaged Mothers
Maricopa County, 2003**




**Infant Mortality Rates
Maricopa County, 2003**




**Rate of New Cases of Coccidioidomycosis
Maricopa County, 2003**




**Rate of New Cases of Aseptic Meningitis
Maricopa County, 2003**



**Rate of New Cases of Hepatitis A
Maricopa County, 2003**





Appendix A - Data Notes

Population Statistics

All city, town, Maricopa County, Arizona, and U.S. population data are for calendar years 2001, 2002, and 2003. Cities and towns with populations over 1,000 residents were included in this report.

Population statistics for incorporated cities/towns, Maricopa County, Arizona and the United States were from the U.S. Census Bureau (Census 2000). In other reports produced by the Department of Public Health, (e.g. *Maricopa County's Health Status Report for Board of Supervisors Districts*, July 2003), intercensal estimates from the Department of Economic Security (DES) are used because they are generally closer to real figures than the intercensal estimates of the U.S. Census. However, DES data were not available for many of the cities and towns, so U.S. Census data were used for all categories instead. Maricopa population estimates and distributions are from U.S. Census Bureau, County Population Estimates by Age, Sex, Race and Hispanic Origin for July 1, 2003, released September 30, 2004.

Population statistics for unincorporated cities/towns (New River, Rio Verde, Sun City, Sun City West, and Sun Lakes) are estimates. Year 2000 figures for each town were obtained from the U.S. Census. Then, the Maricopa County growth rate was applied to each city/town's 2000 figures, as follows:

- A 4.0% growth rate was applied to the 2000 figure to obtain the 2001 estimate
- A 7.3% growth rate was applied to the 2000 figure to obtain the 2002 estimate
- A 10.3% growth rate was applied to the 2000 figure to obtain the 2003 estimate

This method assumes that all cities/towns grew at the same rate as did Maricopa County as a whole, which may or may not represent actual growth rates but are reasonable estimates. "Remainder of Maricopa County" population for 2000 was calculated by subtracting year 2000 populations of all cities/towns in this report. Estimates for 2001-2003 were calculated using the method described above for unincorporated cities/towns.

For all cities and towns in this report, the same percentage distribution by age in 2000 was applied to the total population estimate for subsequent years (e.g. if 27% of the population was 65 and older in 2000, it was assumed that 27% of the population was 65 and older in 2001). This method assumes that each age group grew at the same rate in the past year, which may or may not represent actual growth rates.

Dependency Ratio: In this report, the dependency ratio is the number of people in the city/town who are usually outside of the labor force (those younger than 20 or older than 64 years of age), divided by the number of people in the city/town usually in the labor force (those between 20 and 64 years old). Thus, a dependency ratio of .7 means that there are .7 persons in that city/town under 20 or over 64 years old for each person 20-64 years old. Dependency ratios in other publications may be calculated differently.

Health Statistics

The selected reportable diseases for each city for 2001-2003 and for Maricopa County as a whole for 2001-2003 are from the Arizona Department of Health Services' communicable disease database. The comparison rates for Arizona and the U.S. are for the year 2002. The disease rates used for comparison can be found at the website: www.cdc.gov/mmwr/PDF/wk/mm5153.pdf. This was the most recent year for which reliable data could be obtained at the time the report was written.

"Other infectious diseases" includes all reportable diseases not individually listed except gonorrhea, chlamydia, syphilis, and Hansen's disease. For statistics on these four diseases, please contact the Maricopa County Department of Public Health at epidemiology@mail.maricopa.gov. City/towns with at least one death and fewer than five deaths from HIV disease are labeled "<5" to protect confidentiality. For these city/towns, the total number of deaths does not include the HIV deaths.

Healthy People 2010: The Centers for Disease Control and Prevention provide Healthy People 2010 goals for only some diseases. A "-" indicates that no goal has been set for that indicator. In contrast, a "0" indicates that the goal is zero.

For some births, deaths and disease cases, there is no corresponding address information. This makes it impossible to assign the birth, death, or disease case to a city or town. These individuals appear in the Maricopa County total counts, but not in the counts for any particular city or town. They are counted in the "Remainder of Maricopa County" totals.

The database for births (from ADHS) has systematic errors in the assignment of residential cities to individual births due to programming anomalies. Maricopa County will be coding births and deaths by geography in the future so these data will change. The birth data for cities with fewer than 1,000 births are not reliable.

Some health statistics for all of Maricopa County for 2001 may not match the data provided in the *Health Status Report for Board of Supervisors Districts*, July 2003. There are several reasons for the differences. First, the diseases grouped under certain categories may have been different for this report. Second, some databases may have been updated during the time between reports. Third, city/town information was only available for subsets of some diseases.

The comparison Arizona birth information is for 2003 and can be found at the websites: www.azdhs.gov/plan/report/ahs/ahs2003/xls/t1b2.xls and www.azdhs.gov/plan/report/ahs/ahs2003/t2cim.htm. The comparison U.S. birth information is for 2003 and is preliminary. They can be found at the website: http://www.cdc.gov/nchs/data/nvsr/nvsr53/nvsr53_09.pdf. The comparison Arizona and U.S. infant mortality rates are for 2003 and can be found at www.azdhs.gov/plan/report/ahs/ahs2003/xls/t2c1.xls.

The comparison mortality rates for Arizona are for 2003 and can be found at the website: www.azdhs.gov/plan/report/ahs/ahs2003/xls/t2b6.xls. The comparison mortality rates for the U.S. are for 2003 and preliminary. They can be found at the website: www.cdc.gov/nchs/data/nvsr/nvsr53/nvsr53_15.pdf.

Additional Information on Population and Health Statistics

For more information on population characteristics, please visit the following websites:

City/town populations: www.census.gov/popest/cities/SUB-EST2003-states.html

Department of Economic Security: www.de.state.az.us

U.S. population estimates and distributions: www.census.gov/popest/national/asrh/NC-EST2003/NC-EST2003-01.xls

For more information on health statistics, please visit the following websites:

Maricopa County Department of Public Health: www.maricopa.gov/public_health

Arizona Department of Health Services: www.hs.state.az.us

Centers for Disease Control and Prevention, National Center for Health Statistics:
www.cdc.gov/nchs

Published June 2005 M.S./K.M.

File: G:\Common\EPI\APPS2\Health Status Reports City District\city_hsr\City HSR 2005 - Text.doc (word document) and Final Cities0103 (spreadsheet)