


Health Status Report for Cities and Towns in Maricopa County 2002 - 2004



Prepared by the Maricopa County Department of Public Health
Office of Epidemiology and Data Services
May 2006

Maricopa County

Acknowledgements

This report was prepared by the Maricopa County Department of Public Health,
Office of Epidemiology and Data Services

Karen Moffitt, Senior Epidemiologist
Mare Schumacher, Deputy Director
Sarah Santana, Director

The authors wish to thank the following individuals and organizations for contributing numeric data, consultation, and other information used in this report. Their assistance is much appreciated.

Liva Nohre, Alisa Diggs, Vjollca Berisha, Natalie Fuller – Office of
Epidemiology and Data Services
Christopher Mrela - Arizona Department of Health Services

For additional copies of this document, please call the Maricopa County
Department of Public Health, Office of Epidemiology and Data Services at
602.372.2604. This report may also be found at
www.maricopa.gov/public_health/epi/ under “Health Status Reports.”

Table of Contents

Introduction	i
--------------	---

Population and Health Statistics for Cities/Towns

Avondale	1
Buckeye	5
Carefree	9
Cave Creek	13
Chandler	17
El Mirage	21
Fountain Hills	25
Gila Bend	29
Gilbert	33
Glendale	37
Goodyear	41
Guadalupe	45
Litchfield Park	49
Mesa	53
New River	57
Paradise Valley	61
Peoria	65
Phoenix	69
Queen Creek	73
Rio Verde	77
Scottsdale	81
Sun City and Sun City West	85
Sun Lakes	89
Surprise	93
Tempe	97
Tolleson	101
Wickenburg	105
Youngtown	109
Remainder of Maricopa County	113

Comparison Charts

Crude Death Rate	117
Percent of Population 65 Years Old and Older	118
Deaths due to Malignant Neoplasms (Cancer)	119
Deaths due to Malignant Neoplasms of the Trachea, Bronchus and Lung	120
Deaths due to Malignant Neoplasms of the Breast	121
Deaths due to Malignant Neoplasms of the Prostate	122
Deaths due to Cardiovascular Disease	123
Deaths due to Heart Disease	124
Deaths due to Accidents	125
Deaths due to Homicide	126
Deaths due to Suicide	127
Low Weight Births	128

Births to Teenaged Mothers	129
Infant Mortality Rates	130
New Cases of Coccidioidomycosis	131
New Cases of Aseptic Meningitis	132
New Cases of Hepatitis A	133
New Cases of Hepatitis B	134
Appendix A - Data Notes	135

Introduction

This report provides health status information for cities and towns in Maricopa County for the years 2002 to 2004. It includes data for 77 diseases and health indicators as well as information on the size and age distribution of the population.

The first section provides information on disease and health indicators for each city/town. The second section compares cities and Maricopa County on several key indicators, such as death rates, cancer rates, infant mortality rates, and selected communicable diseases. This section includes only cities with more than 50,000 residents or more than 1,000 births.

For each disease or health indicator, the following information is provided:

- Number of cases in the city/town
 - Example: No residents of Avondale were diagnosed with Hepatitis A in 2002. Two residents of Avondale were diagnosed with Hepatitis A in 2003. One resident was diagnosed with Hepatitis A in 2004.
- Rate of cases in the city/town
 - Example: For every 100,000 residents of Avondale, 1.7 were diagnosed with Hepatitis A in 2004.
- Rate for Maricopa County (for comparison purposes)
 - Example: For every 100,000 residents of Maricopa County, 3.4 were diagnosed with Hepatitis A in 2004.
- Rate for Healthy People 2010 (for comparison purposes)
 - The Centers for Disease Control and Prevention issued goals for the year 2010 for some disease and health indicators. Healthy People 2010 (HP 2010) goals are included in this report as “gold standards” or goals for the future. Example: The Healthy People 2010 goal for Hepatitis A is a rate of 4.5 cases of Hepatitis A per 100,000 people in the population. These are provided for comparison with Maricopa County, Arizona, and United States rates – direct comparison of the city/town rate with HP2010 goal is not methodologically sound.
- Rate for Arizona and United States (for comparison purposes)
 - Example: For every 100,000 residents of Arizona, 4.6 were diagnosed with Hepatitis A in 2004.
 - Example: For every 100,000 residents of the United States, 2.7 were diagnosed with Hepatitis A in 2003.

All city, town, and Maricopa County health data in this report are for calendar years 2002, 2003 and 2004. Arizona and United States health data are from other years as outlined in Appendix A.

Health Status Indicators for Cities and Towns 2002-2004

Avondale

Population Statistics

Population in 2000

Estimated Population

2002

2003

2004

Age Distribution 2004

Under 20 years old

20 - 44 years old

45 - 64 years old

65 and older

Dependency ratio

Avondale		Maricopa County		Arizona	U.S.
35,883		3,072,149		5,130,632	281,421,906
Number	% Inc. from 2000	Number	% Inc. from 2000	Number	Number
48,613	35.5%	3,303,876	7.5%	5,438,159	287,984,799
54,746	52.6%	3,389,260	10.3%	5,577,784	290,850,005
59,180	64.9%	3,501,001	14.0%	5,739,879	293,656,842
Number	% Distribution	Number	% Distribution	% Distribution	% Distribution
21,897	37.0%	1,064,304	30.4%	29.9%	27.9%
23,672	40.0%	1,323,378	37.8%	35.7%	36.1%
10,652	18.0%	721,206	20.6%	21.6%	23.6%
2,959	5.0%	392,112	11.2%	12.8%	12.4%
0.72		0.71		0.75	0.68

Infant Health Indicators

Low weight births (under 2500

grams) - % of live births

Births to teen mothers - % of
live births

Infant mortality per 1,000 live
births

Total Births

Avondale						Comparisons		
2002		2003		2004		Maricopa County, 2004	Healthy People 2010	Arizona 2004
Number	Percent or Rate	Number	Percent or Rate	Number	Percent or Rate			U.S. 2003
74	7.4%	100	9.1%	69	5.6%	7.1%	5.0%	7.2%
114	11.4%	128	11.7%	135	10.9%	11.7%	(-)	12.7%
5	5.0	14	12.8	8	6.5	6.5	4.5	6.7
999		1,096		1,235		60,535		93,396
								4,089,950

Health Status Indicators for Cities and Towns 2002-2004

Avondale

Selected Reportable Diseases

	Avondale						Comparisons			
	2002		2003		2004		Rate per 100,000 Population			
	<u>Number</u>	<u>Rate per 100,000</u>	<u>Number</u>	<u>Rate per 100,000</u>	<u>Number</u>	<u>Rate per 100,000</u>	<u>Maricopa County, 2004</u>	<u>H.P. 2010</u>	<u>Arizona 2004</u>	<u>U.S. 2003</u>
Vaccine Preventable										
<i>H. influenzae</i>	0	0.0	0	0.0	1	1.7	1.3	0.0		0.7
Measles	0	0.0	0	0.0	0	0.0	0	0.0	0.0	0.0
Mumps	0	0.0	0	0.0	1	1.7	0.0	0.0	0.0	0.1
Pertussis	0	0.0	8	14.6	0	0.0	3.1	0.0	2.6	4.0
Central Nervous System										
Encephalitis	0	0.0	0	0.0	1	1.7	0.9		0.5	
Meningitis - Aseptic	5	10.3	16	29.2	8	13.5	16.1		12.6	
Meningococcal Disease	0	0.0	0	0.0	0	0.0	0.3	1.0	0.3	0.6
Enterics										
Amebiasis	0	0.0	0	0.0	0	0.0	0.3		0.2	
Botulism	0	0.0	0	0.0	0	0.0	0.0		0.0	0.0
Campylobacteriosis	5	10.3	5	9.1	3	5.1	12.2	12.3	13.6	
Cryptosporidiosis	0	0.0	0	0.0	0	0.0	0.2		0.3	1.2
<i>E. Coli</i> O157:H7	0	0.0	0	0.0	1	1.7	0.6	1.0	0.5	0.9
Giardiasis	2	4.1	2	3.7	0	0.0	3.0		3.0	6.8
Hemolytic Uremic Syndrome	0	0.0	0	0.0	0	0.0	0			0.1
Listeriosis	0	0.0	0	0.0	0	0.0	0.2	0.25	0.2	0.2
Salmonellosis	8	16.5	4	7.3	3	5.1	10.2	6.8	11.9	15.2
Shigellosis	2	4.1	2	3.7	2	3.4	6.5		7.0	8.2
Typhoid	0	0.0	0	0.0	0	0.0	0.1		0.0	0.1
Vibrioses	0	0.0	0	0.0	1	1.7	0.1		0.1	
Yersiniosis	0	0.0	0	0.0	0	0.0	0.1		0.1	
Mycosis										
Coccidioidomycosis	4	8.2	11	20.1	21	35.5	77.2		62.8	1.7
Zoonoses/Vectorborne										
Brucellosis	0	0.0	0	0.0	0	0.0	0		0.0	0.0
Hantavirus Pulmonary Syndrome	0	0.0	0	0.0	0	0.0	0		0.0	0.0
Malaria	2	4.1	0	0.0	0	0.0	0.4		0.3	0.5
West Nile Virus	0	0.0	0	0.0	2	3.4	10.5		6.7	1.0
Hepatitides										
Hepatitis A	0	0.0	2	3.7	1	1.7	3.4	4.5	4.6	2.7
Hepatitis B	*	*	*	*	3	5.1	5.1	2.4-9.0	5.0	2.6
Other										
Legionellosis	0	0.0	0	0.0	0	0.0	0.4		0.4	0.8
Streptococcal Inv. Pneumonia	3	6.2	0	0.0	3	5.1	12.5		11.5	0.1
Streptococcal Inf. Group A	0	0.0	0	0.0	0	0.0	4.3		4.2	2.0
Streptococcal Inf. Group B	0	0.0	1	1.8	0	0.0	1.1	0.5	0.8	
Vancomycin res. <i>Enterococcus</i>	5	10.3	5	9.1	9	15.2	28.3		24.1	

* In 2004, Hepatitis B data were calculated differently from previous years and therefore, are not comparable to 2002 and 2003.

Health Status Indicators for Cities and Towns 2002-2004

Avondale

Selected Causes of Death

Cause of Death	Avondale						Comparisons			
	2002		2003		2004		Maricopa County, 2004	Healthy People		
	Number	Rate per 100,000	Number	Rate per 100,000	Number	Rate per 100,000		2010	Arizona 2004	U.S. 2003
Tuberculosis	0	0.0	0	0.0	0	0.0	0.2		0.2	0.2
Syphilis	0	0.0	0	0.0	0	0.0	0		0.0	0.0
HIV Disease	<5		<5		<5		3.1	0.7	2.7	4.7
Malignant Neoplasms	29	59.7	45	82.2	36	60.8	147.6	159.9	163.0	190.7
Malignant Neoplasm Stomach	1	2.1	1	1.8	2	3.4	3.2		3.2	4.1
Malignant Neoplasm Colon	2	4.1	5	9.1	5	8.4	14.3	13.9	14.9	19.1
Malignant Neoplasm Pancreas	3	6.2	2	3.7	3	5.1	8.5		9.4	10.5
Malig. Neo. Bronchus, Lung	7	14.4	10	18.3	8	13.5	39.2	44.9	45.5	54.2
Malignant Neoplasm Breast	1	2.1	3	5.5	3	5.1	10.8	22.3*	11.4	14.4
Mal. Neo. Uterus, Cervix, Ovary	0	0.0	1	1.8	2	3.4	7.3		7.7	8.7
Malig. Neoplasm Prostate	4	8.2	2	3.7	0	0.0	7.9	28.8*	9.3	10.2
Malignant Neoplasm Urinary	0	0.0	1	1.8	1	1.7	7.9		8.0	8.5
Non-Hodgkins Lymphoma	1	2.1	2	3.7	2	3.4	5.6		6.3	7.4
Leukemia	1	2.1	5	9.1	1	1.7	5.7		6.1	7.4
Other Malignant Neoplasms	9	18.5	13	23.7	9	15.2	37.2		41.2	46.2
Diabetes	7	14.4	6	11.0	14	23.7	17.3	7.8	20.2	25.4
Alzheimers	11	22.6	9	16.4	4	6.8	31.8		28.7	21.8
Major Cardiovascular Diseases	49	100.8	60	109.6	69	116.6	221.1		237.1	310.1
Disease of Heart	39	80.2	39	71.2	52	87.9	165.0	166.0	178.4	235.4
Hypertensive Heart Disease	7	14.4	3	5.5	3	5.1	9.1		7.9	9.5
Ischemic Heart Disease	24	49.4	26	47.5	43	72.7	133.0		134.4	164.8
Other Heart Disease	8	16.5	10	18.3	6	10.1	22.9		36.1	61.1
Primary Hypertension	2	4.1	2	3.7	0	0.0	7.6		6.9	7.5
Cerebrovascular	7	14.4	14	25.6	14	23.7	38.6	48.0	41.4	54.3
Atherosclerosis	0	0.0	1	1.8	1	1.7	3.7		4.0	4.5
Other Circulatory	1	2.1	4	7.3	2	3.4	6.3		6.5	8.4

(continued on next page)

Health Status Indicators for Cities and Towns 2002-2004

Avondale

Selected Causes of Death, cont.

Cause of Death	Avondale						Comparisons			
	2002		2003		2004		Maricopa County, 2004	Healthy People 2010	Arizona 2004	U.S. 2003
	Number	Rate per 100,000	Number	Rate per 100,000	Number	Rate per 100,000				
Influenza & Pneumonia	3	6.2	7	12.8	5	8.4	16.6		19.0	22.3
Chronic Lower Respiratory	11	22.6	7	12.8	10	16.9	37.6		41.0	43.4
Peptic Ulcer	0	0.0	0	0.0	1	1.7	1.0		1.1	1.3
Liver Disease	3	6.2	7	12.8	3	5.1	9.1		10.8	9.4
Nephritis	1	2.1	7	12.8	3	5.1	7.3		10.7	14.6
Pregnancy	0	0.0	0	0.0	0	0.0	0.1		0.0	0.2
Perinatal Conditions	3	6.2	5	9.1	5	8.4	5.6		5.0	4.9
Congenital Malformations	1	2.1	4	7.3	2	3.4	4.1		4.1	3.6
SIDS	1	2.1	0	0.0	0	0.0	0.2			
Symptoms, Signs ex. SIDS	0	0.0	4	7.3	4	6.8	11.8			
All Other Diseases	26	53.5	22	40.2	30	50.7	91.9			
Motor Vehicle Accidents	10	20.6	9	16.4	7	11.8	15.3	9.2	18.2	15.2
All Other Acc. & Adverse Effects	6	12.3	11	20.1	6	10.1	25.9		27.1	21.1
Suicide	9	18.5	8	14.6	5	8.4	13.1	5.0	14.6	10.5
Homicide	3	6.2	7	12.8	2	3.4	8.8	3.0	8.3	5.9
All Other External Causes	0	0.0	0	0.0	0	0.0	1.6			
Unknown	1	2.1	5	9.1	1	1.7	1.0			
Total	170	349.7	220	401.9	206	348.1	672.2		732.8	840.4

*HP 2010 goals are breast cancer in females and prostate cancer in males

Health Status Indicators for Cities and Towns 2002-2004

Buckeye

Population Statistics

Population in 2000

Estimated Population

2002

2003

2004

Age Distribution 2004

Under 20 years old

20 - 44 years old

45 - 64 years old

65 and older

Dependency ratio

Buckeye		Maricopa County		Arizona	U.S.
6,537		3,072,149		5,130,632	281,421,906
Number	% Inc. from 2000	Number	% Inc. from 2000	Number	Number
9,165	40.2%	3,303,876	7.5%	5,438,159	287,984,799
9,211	40.9%	3,389,260	10.3%	5,577,784	290,850,005
9,271	41.8%	3,501,001	14.0%	5,739,879	293,656,842
Number	% Distribution	Number	% Distribution	% Distribution	% Distribution
3,430	37.0%	1,064,304	30.4%	29.9%	27.9%
3,338	36.0%	1,323,378	37.8%	35.7%	36.1%
1,761	19.0%	721,206	20.6%	21.6%	23.6%
742	8.0%	392,112	11.2%	12.8%	12.4%
0.82		0.71		0.75	0.68

Infant Health Indicators

Low weight births (under 2500 grams) - % of live births

Births to teen mothers - % of live births

Infant mortality per 1,000 live births

Total Births

Buckeye						Comparisons		
2002		2003		2004		Maricopa County, 2004	Healthy People 2010	Arizona 2004
Number	Percent or Rate	Number	Percent or Rate	Number	Percent or Rate			U.S. 2003
14	4.3%	6	1.7%	25	6.2%	7.1%	5.0%	7.2%
57	17.6%	58	16.4%	75	18.5%	11.7%	(-)	12.7%
2	6.2	0	0.0	3	7.4	6.5	4.5	6.7
324		354		405		60,535		93,396
								4,089,950

Note: Infant health indicators for cities/towns with fewer than 1,000 births are not reliable.

Health Status Indicators for Cities and Towns 2002-2004

Buckeye

Selected Reportable Diseases

	Buckeye						Comparisons			
	2002		2003		2004		Rate per 100,000 Population			
	<u>Number</u>	<u>Rate per 100,000</u>	<u>Number</u>	<u>Rate per 100,000</u>	<u>Number</u>	<u>Rate per 100,000</u>	<u>Maricopa County, 2004</u>	<u>H.P. 2010</u>	<u>Arizona 2004</u>	<u>U.S. 2003</u>
Vaccine Preventable										
<i>H. influenzae</i>	0	0.0	0	0.0	0	0.0	1.3	0.0		0.7
Measles	0	0.0	0	0.0	0	0.0	0	0.0	0.0	0.0
Mumps	0	0.0	0	0.0	0	0.0	0.0	0.0	0.0	0.1
Pertussis	1	10.9	1	10.9	0	0.0	3.1	0.0	2.6	4.0
Central Nervous System										
Encephalitis	1	10.9	0	0.0	0	0.0	0.9		0.5	
Meningitis - Aseptic	2	21.8	9	97.7	4	43.1	16.1		12.6	
Meningococcal Disease	0	0.0	0	0.0	0	0.0	0.3	1.0	0.3	0.6
Enterics										
Amebiasis	0	0.0	0	0.0	0	0.0	0.3		0.2	
Botulism	0	0.0	0	0.0	0	0.0	0.0		0.0	0.0
Campylobacteriosis	0	0.0	3	32.6	1	10.8	12.2	12.3	13.6	
Cryptosporidiosis	0	0.0	0	0.0	0	0.0	0.2		0.3	1.2
<i>E. Coli</i> O157:H7	0	0.0	0	0.0	0	0.0	0.6	1.0	0.5	0.9
Giardiasis	0	0.0	0	0.0	1	10.8	3.0		3.0	6.8
Hemolytic Uremic Syndrome	0	0.0	0	0.0	0	0.0	0			0.1
Listeriosis	0	0.0	0	0.0	0	0.0	0.2	0.25	0.2	0.2
Salmonellosis	0	0.0	2	21.7	2	21.6	10.2	6.8	11.9	15.2
Shigellosis	3	32.7	2	21.7	1	10.8	6.5		7.0	8.2
Typhoid	0	0.0	0	0.0	0	0.0	0.1		0.0	0.1
Vibrioses	0	0.0	0	0.0	0	0.0	0.1		0.1	
Yersiniosis	0	0.0	0	0.0	0	0.0	0.1		0.1	
Mycosis										
Coccidioidomycosis	5	54.6	1	10.9	5	53.9	77.2		62.8	1.7
Zoonoses/Vectorborne										
Brucellosis	0	0.0	0	0.0	0	0.0	0		0.0	0.0
Hantavirus Pulmonary Syndrome	0	0.0	0	0.0	0	0.0	0		0.0	0.0
Malaria	0	0.0	0	0.0	0	0.0	0.4		0.3	0.5
West Nile Virus	0	0.0	0	0.0	1	10.8	10.5		6.7	1.0
Hepatitides										
Hepatitis A	0	0.0	2	21.7	0	0.0	3.4	4.5	4.6	2.7
Hepatitis B	.	.	.	.	1	10.8	5.1	2.4-9.0	5.0	2.6
Other										
Legionellosis	0	0.0	0	0.0	0	0.0	0.4		0.4	0.8
Streptococcal Inv. Pneumonia	0	0.0	2	21.7	2	21.6	12.5		11.5	0.1
Streptococcal Inf. Group A	2	21.8	1	10.9	0	0.0	4.3		4.2	2.0
Streptococcal Inf. Group B	0	0.0	0	0.0	0	0.0	1.1	0.5	0.8	
Vancomycin res. <i>Enterococcus</i>	3	32.7	3	32.6	6	64.7	28.3		24.1	

* In 2004, Hepatitis B data were calculated differently from previous years and therefore, are not comparable to 2002 and 2003.

Health Status Indicators for Cities and Towns 2002-2004

Buckeye

Selected Causes of Death

Cause of Death	Buckeye						Comparisons			
	2002		2003		2004		Maricopa County, 2004	Healthy People 2010	Arizona 2004	U.S. 2003
	Number	Rate per 100,000	Number	Rate per 100,000	Number	Rate per 100,000				
Tuberculosis	0	0.0	0	0.0	1	10.8	0.2		0.2	0.2
Syphilis	0	0.0	0	0.0	0	0.0	0		0.0	0.0
HIV Disease	0	0.0	0	0.0	0	0.0	3.1	0.7	2.7	4.7
Malignant Neoplasms	34	371.0	29	314.8	30	323.6	147.6	159.9	163.0	190.7
Malignant Neoplasm Stomach	1	10.9	2	21.7	4	43.1	3.2		3.2	4.1
Malignant Neoplasm Colon	6	65.5	3	32.6	2	21.6	14.3	13.9	14.9	19.1
Malignant Neoplasm Pancreas	1	10.9	0	0.0	0	0.0	8.5		9.4	10.5
Malig. Neo. Bronchus, Lung	13	141.8	10	108.6	10	107.9	39.2	44.9	45.5	54.2
Malignant Neoplasm Breast	2	21.8	3	32.6	1	10.8	10.8	22.3*	11.4	14.4
Mal. Neo. Uterus, Cervix, Ovary	1	10.9	0	0.0	0	0.0	7.3		7.7	8.7
Malig. Neoplasm Prostate	0	0.0	1	10.9	0	0.0	7.9	28.8*	9.3	10.2
Malignant Neoplasm Urinary	2	21.8	1	10.9	4	43.1	7.9		8.0	8.5
Non-Hodgkins Lymphoma	0	0.0	0	0.0	0	0.0	5.6		6.3	7.4
Leukemia	3	32.7	0	0.0	1	10.8	5.7		6.1	7.4
Other Malignant Neoplasms	5	54.6	9	97.7	8	86.3	37.2		41.2	46.2
Diabetes	2	21.8	6	65.1	5	53.9	17.3	7.8	20.2	25.4
Alzheimers	2	21.8	7	76.0	8	86.3	31.8		28.7	21.8
Major Cardiovascular Diseases	32	349.2	41	445.1	41	442.2	221.1		237.1	310.1
Disease of Heart	22	240.0	34	369.1	34	366.7	165.0	166.0	178.4	235.4
Hypertensive Heart Disease	4	43.6	3	32.6	2	21.6	9.1		7.9	9.5
Ischemic Heart Disease	15	163.7	25	271.4	27	291.2	133.0		134.4	164.8
Other Heart Disease	3	32.7	6	65.1	5	53.9	22.9		36.1	61.1
Primary Hypertension	4	43.6	1	10.9	0	0.0	7.6		6.9	7.5
Cerebrovascular	6	65.5	5	54.3	6	64.7	38.6	48.0	41.4	54.3
Atherosclerosis	0	0.0	0	0.0	1	10.8	3.7		4.0	4.5
Other Circulatory	0	0.0	1	10.9	0	0.0	6.3		6.5	8.4

(continued on next page)

**Health Status Indicators for Cities and Towns
2002-2004**

Buckeye

Selected Causes of Death, cont.

Cause of Death	Buckeye						Comparisons			
	2002		2003		2004		Maricopa County, 2004	Healthy People 2010	Arizona 2004	U.S. 2003
	Number	Rate per 100,000	Number	Rate per 100,000	Number	Rate per 100,000				
Influenza & Pneumonia	4	43.6	2	21.7	2	21.6	16.6		19.0	22.3
Chronic Lower Respiratory	14	152.8	10	108.6	10	107.9	37.6		41.0	43.4
Peptic Ulcer	0	0.0	0	0.0	0	0.0	1.0		1.1	1.3
Liver Disease	1	10.9	2	21.7	4	43.1	9.1		10.8	9.4
Nephritis	1	10.9	2	21.7	2	21.6	7.3		10.7	14.6
Pregnancy	0	0.0	0	0.0	0	0.0	0.1		0.0	0.2
Perinatal Conditions	1	10.9	0	0.0	2	21.6	5.6		5.0	4.9
Congenital Malformations	0	0.0	1	10.9	1	10.8	4.1		4.1	3.6
SIDS	0	0.0	0	0.0	0	0.0	0.2			
Symptoms, Signs ex. SIDS	1	10.9	1	10.9	1	10.8	11.8			
All Other Diseases	15	163.7	20	217.1	21	226.5	91.9			
Motor Vehicle Accidents	5	54.6	5	54.3	6	64.7	15.3	9.2	18.2	15.2
All Other Acc. & Adverse Effects	7	76.4	4	43.4	2	21.6	25.9		27.1	21.1
Suicide	2	21.8	3	32.6	3	32.4	13.1	5.0	14.6	10.5
Homicide	5	54.6	3	32.6	4	43.1	8.8	3.0	8.3	5.9
All Other External Causes	0	0.0	0	0.0	1	10.8	1.6			
Unknown	0	0.0	1	10.9	0	0.0	1.0			
Total	126	1374.8	137	1487.4	144	1553.2	672.2		732.8	840.4

*HP 2010 goals are breast cancer in females and prostate cancer in males

Health Status Indicators for Cities and Towns 2002-2004

Carefree

Population Statistics

Population in 2000

Estimated Population

2002

2003

2004

Age Distribution 2004

Under 20 years old

20 - 44 years old

45 - 64 years old

65 and older

Dependency ratio

Carefree		Maricopa County		Arizona	U.S.
2,927		3,072,149		5,130,632	281,421,906
Number	% Inc. from 2000	Number	% Inc. from 2000	Number	Number
3,185	8.8%	3,303,876	7.5%	5,438,159	287,984,799
3,350	14.5%	3,389,260	10.3%	5,577,784	290,850,005
3,484	19.0%	3,501,001	14.0%	5,739,879	293,656,842
Number	% Distribution	Number	% Distribution	% Distribution	% Distribution
488	14.0%	1,064,304	30.4%	29.9%	27.9%
557	16.0%	1,323,378	37.8%	35.7%	36.1%
1,428	41.0%	721,206	20.6%	21.6%	23.6%
1,010	29.0%	392,112	11.2%	12.8%	12.4%
0.75		0.71		0.75	0.68

Infant Health Indicators

Low weight births (under 2500 grams) - % of live births

Births to teen mothers - % of live births

Infant mortality per 1,000 live births

Total Births

Carefree						Comparisons		
2002		2003		2004		Maricopa County, 2004	Healthy People 2010	Arizona 2004
Number	Percent or Rate	Number	Percent or Rate	Number	Percent or Rate			U.S. 2003
0	0.0%	0	0.0%	1	10.0%	7.1%	5.0%	7.2%
0	0.0%	0	0.0%	0	0.0%	11.7%	(-)	12.7%
0	0.0	0	0.0	0	0.0	6.5	4.5	6.7
13		11		10		60,535		93,396
								4,089,950

Note: Infant health indicators for cities/towns with fewer than 1,000 births are not reliable.

Health Status Indicators for Cities and Towns 2002-2004

Carefree

Selected Reportable Diseases

	Carefree						Comparisons			
	2002		2003		2004		Rate per 100,000 Population			
	<u>Number</u>	<u>Rate per 100,000</u>	<u>Number</u>	<u>Rate per 100,000</u>	<u>Number</u>	<u>Rate per 100,000</u>	<u>Maricopa County, 2004</u>	<u>H.P. 2010</u>	<u>Arizona 2004</u>	<u>U.S. 2003</u>
Vaccine Preventable										
<i>H. influenzae</i>	0	0.0	0	0.0	0	0.0	1.3	0.0		0.7
Measles	0	0.0	0	0.0	0	0.0	0	0.0	0.0	0.0
Mumps	0	0.0	0	0.0	0	0.0	0.0	0.0	0.0	0.1
Pertussis	0	0.0	0	0.0	0	0.0	3.1	0.0	2.6	4.0
Central Nervous System										
Encephalitis	0	0.0	0	0.0	0	0.0	0.9		0.5	
Meningitis - Aseptic	0	0.0	1	29.9	1	28.7	16.1		12.6	
Meningococcal Disease	0	0.0	0	0.0	0	0.0	0.3	1.0	0.3	0.6
Enterics										
Amebiasis	0	0.0	0	0.0	0	0.0	0.3		0.2	
Botulism	0	0.0	0	0.0	0	0.0	0.0		0.0	0.0
Campylobacteriosis	1	31.4	0	0.0	0	0.0	12.2	12.3	13.6	
Cryptosporidiosis	0	0.0	0	0.0	0	0.0	0.2		0.3	1.2
<i>E. Coli</i> O157:H7	0	0.0	0	0.0	0	0.0	0.6	1.0	0.5	0.9
Giardiasis	0	0.0	0	0.0	0	0.0	3.0		3.0	6.8
Hemolytic Uremic Syndrome	0	0.0	0	0.0	0	0.0	0			0.1
Listeriosis	0	0.0	0	0.0	0	0.0	0.2	0.25	0.2	0.2
Salmonellosis	0	0.0	0	0.0	0	0.0	10.2	6.8	11.9	15.2
Shigellosis	0	0.0	0	0.0	1	28.7	6.5		7.0	8.2
Typhoid	0	0.0	0	0.0	0	0.0	0.1		0.0	0.1
Vibrioses	0	0.0	0	0.0	0	0.0	0.1		0.1	
Yersiniosis	0	0.0	0	0.0	0	0.0	0.1		0.1	
Mycosis										
Coccidioidomycosis	8	251.2	7	209.0	6	172.2	77.2		62.8	1.7
Zoonoses/Vectorborne										
Brucellosis	0	0.0	0	0.0	0	0.0	0		0.0	0.0
Hantavirus Pulmonary Syndrome	0	0.0	0	0.0	0	0.0	0		0.0	0.0
Malaria	0	0.0	0	0.0	0	0.0	0.4		0.3	0.5
West Nile Virus	0	0.0	0	0.0	0	0.0	10.5		6.7	1.0
Hepatitides										
Hepatitis A	0	0.0	0	0.0	0	0.0	3.4	4.5	4.6	2.7
Hepatitis B	*	*	*	*	0	0.0	5.1	2.4-9.0	5.0	2.6
Other										
Legionellosis	0	0.0	0	0.0	0	0.0	0.4		0.4	0.8
Streptococcal Inv. Pneumonia	0	0.0	0	0.0	0	0.0	12.5		11.5	0.1
Streptococcal Inf. Group A	0	0.0	0	0.0	0	0.0	4.3		4.2	2.0
Streptococcal Inf. Group B	0	0.0	0	0.0	0	0.0	1.1	0.5	0.8	
Vancomycin res. <i>Enterococcus</i>	2	62.8	0	0.0	3	86.1	28.3		24.1	

* In 2004, Hepatitis B data were calculated differently from previous years and therefore, are not comparable to 2002 and 2003.

Health Status Indicators for Cities and Towns 2002-2004

Carefree

Selected Causes of Death

Cause of Death	Carefree						Comparisons			
	2002		2003		2004		Maricopa County, 2004	Healthy People 2010	Arizona 2004	U.S. 2003
	Number	Rate per 100,000	Number	Rate per 100,000	Number	Rate per 100,000				
Tuberculosis	0	0.0	0	0.0	0	0.0	0.2		0.2	0.2
Syphilis	0	0.0	0	0.0	0	0.0	0		0.0	0.0
HIV Disease	0	0.0	0	0.0	0	0.0	3.1	0.7	2.7	4.7
Malignant Neoplasms	8	251.2	8	238.8	6	172.2	147.6	159.9	163.0	190.7
Malignant Neoplasm Stomach	0	0.0	0	0.0	0	0.0	3.2		3.2	4.1
Malignant Neoplasm Colon	0	0.0	3	89.6	0	0.0	14.3	13.9	14.9	19.1
Malignant Neoplasm Pancreas	0	0.0	0	0.0	1	28.7	8.5		9.4	10.5
Malig. Neo. Bronchus, Lung	1	31.4	2	59.7	2	57.4	39.2	44.9	45.5	54.2
Malignant Neoplasm Breast	1	31.4	0	0.0	0	0.0	10.8	22.3*	11.4	14.4
Mal. Neo. Uterus, Cervix, Ovary	0	0.0	1	29.9	1	28.7	7.3		7.7	8.7
Malig. Neoplasm Prostate	1	31.4	0	0.0	0	0.0	7.9	28.8*	9.3	10.2
Malignant Neoplasm Urinary	1	31.4	1	29.9	0	0.0	7.9		8.0	8.5
Non-Hodgkins Lymphoma	1	31.4	0	0.0	0	0.0	5.6		6.3	7.4
Leukemia	0	0.0	0	0.0	0	0.0	5.7		6.1	7.4
Other Malignant Neoplasms	3	94.2	1	29.9	2	57.4	37.2		41.2	46.2
Diabetes	1	31.4	1	29.9	1	28.7	17.3	7.8	20.2	25.4
Alzheimers	2	62.8	1	29.9	1	28.7	31.8		28.7	21.8
Major Cardiovascular Diseases	12	376.8	10	298.5	9	258.3	221.1		237.1	310.1
Disease of Heart	9	282.6	7	209.0	6	172.2	165.0	166.0	178.4	235.4
Hypertensive Heart Disease	0	0.0	0	0.0	1	28.7	9.1		7.9	9.5
Ischemic Heart Disease	8	251.2	4	119.4	4	114.8	133.0		134.4	164.8
Other Heart Disease	1	31.4	3	89.6	1	28.7	22.9		36.1	61.1
Primary Hypertension	0	0.0	0	0.0	0	0.0	7.6		6.9	7.5
Cerebrovascular	2	62.8	2	59.7	2	57.4	38.6	48.0	41.4	54.3
Atherosclerosis	0	0.0	0	0.0	0	0.0	3.7		4.0	4.5
Other Circulatory	1	31.4	1	29.9	1	28.7	6.3		6.5	8.4

(continued on next page)

**Health Status Indicators for Cities and Towns
2002-2004**

Carefree

Selected Causes of Death, cont.

Cause of Death	Carefree						Comparisons			
	2002		2003		2004		Maricopa County, 2004	Healthy People 2010	Arizona 2004	U.S. 2003
	Number	Rate per 100,000	Number	Rate per 100,000	Number	Rate per 100,000				
Influenza & Pneumonia	0	0.0	1	29.9	0	0.0	16.6		19.0	22.3
Chronic Lower Respiratory	2	62.8	4	119.4	1	28.7	37.6		41.0	43.4
Peptic Ulcer	0	0.0	0	0.0	0	0.0	1.0		1.1	1.3
Liver Disease	0	0.0	0	0.0	0	0.0	9.1		10.8	9.4
Nephritis	0	0.0	2	59.7	0	0.0	7.3		10.7	14.6
Pregnancy	0	0.0	0	0.0	0	0.0	0.1		0.0	0.2
Perinatal Conditions	0	0.0	0	0.0	0	0.0	5.6		5.0	4.9
Congenital Malformations	0	0.0	0	0.0	0	0.0	4.1		4.1	3.6
SIDS	0	0.0	0	0.0	0	0.0	0.2			
Symptoms, Signs ex. SIDS	0	0.0	0	0.0	1	28.7	11.8			
All Other Diseases	7	219.8	6	179.1	5	143.5	91.9			
Motor Vehicle Accidents	0	0.0	0	0.0	2	57.4	15.3	9.2	18.2	15.2
All Other Acc. & Adverse Effects	0	0.0	2	59.7	1	28.7	25.9		27.1	21.1
Suicide	0	0.0	0	0.0	0	0.0	13.1	5.0	14.6	10.5
Homicide	0	0.0	0	0.0	0	0.0	8.8	3.0	8.3	5.9
All Other External Causes	0	0.0	0	0.0	0	0.0	1.6			
Unknown	0	0.0	1	29.9	1	28.7	1.0			
Total	32	1004.7	36	1074.6	28	803.7	672.2		732.8	840.4

*HP 2010 goals are breast cancer in females and prostate cancer in males

Health Status Indicators for Cities and Towns 2002-2004

Cave Creek

Population Statistics

Population in 2000

Estimated Population

2002

2003

2004

Age Distribution 2004

Under 20 years old

20 - 44 years old

45 - 64 years old

65 and older

Dependency ratio

Cave Creek		Maricopa County		Arizona	U.S.
3,728		3,072,149		5,130,632	281,421,906
Number	% Inc. from 2000	Number	% Inc. from 2000	Number	Number
4,101	10.0%	3,303,876	7.5%	5,438,159	287,984,799
4,271	14.6%	3,389,260	10.3%	5,577,784	290,850,005
4,546	21.9%	3,501,001	14.0%	5,739,879	293,656,842
Number	% Distribution	Number	% Distribution	% Distribution	% Distribution
1,046	23.0%	1,064,304	30.4%	29.9%	27.9%
1,227	27.0%	1,323,378	37.8%	35.7%	36.1%
1,637	36.0%	721,206	20.6%	21.6%	23.6%
591	13.0%	392,112	11.2%	12.8%	12.4%
0.57		0.71		0.75	0.68

Infant Health Indicators

Low weight births (under 2500 grams) - % of live births

Births to teen mothers - % of live births

Infant mortality per 1,000 live births

Total Births

Cave Creek						Comparisons		
2002		2003		2004		Maricopa County, 2004	Healthy People 2010	Arizona 2004
Number	Percent or Rate	Number	Percent or Rate	Number	Percent or Rate			U.S. 2003
22	6.6%	22	5.8%	23	6.3%	7.1%	5.0%	7.2%
7	2.1%	5	1.3%	4	1.1%	11.7%	(-)	12.7%
2	6.0	0	0.0	0	0.0	6.5	4.5	6.7
335		379		367		60,535		93,396
								4,089,950

Note: Infant health indicators for cities/towns with fewer than 1,000 births are not reliable.

Health Status Indicators for Cities and Towns 2002-2004

Cave Creek

Selected Reportable Diseases

	Cave Creek						Comparisons			
	2002		2003		2004		Rate per 100,000 Population			
	Number	Rate per 100,000	Number	Rate per 100,000	Number	Rate per 100,000	Maricopa County, 2004	H.P. 2010	Arizona 2004	U.S. 2003
Vaccine Preventable										
<i>H. influenzae</i>	0	0.0	0	0.0	0	0.0	1.3	0.0		0.7
Measles	0	0.0	0	0.0	0	0.0	0	0.0	0.0	0.0
Mumps	0	0.0	0	0.0	0	0.0	0.0	0.0	0.0	0.1
Pertussis	0	0.0	0	0.0	0	0.0	3.1	0.0	2.6	4.0
Central Nervous System										
Encephalitis	0	0.0	1	23.4	0	0.0	0.9		0.5	
Meningitis - Aseptic	2	48.8	5	117.1	5	110.0	16.1		12.6	
Meningococcal Disease	0	0.0	0	0.0	0	0.0	0.3	1.0	0.3	0.6
Enterics										
Amebiasis	0	0.0	0	0.0	0	0.0	0.3		0.2	
Botulism	0	0.0	0	0.0	1	22.0	0.0		0.0	0.0
Campylobacteriosis	8	195.1	2	46.8	1	22.0	12.2	12.3	13.6	
Cryptosporidiosis	2	48.8	0	0.0	0	0.0	0.2		0.3	1.2
<i>E. Coli</i> O157:H7	0	0.0	1	23.4	0	0.0	0.6	1.0	0.5	0.9
Giardiasis	0	0.0	0	0.0	0	0.0	3.0		3.0	6.8
Hemolytic Uremic Syndrome	0	0.0	0	0.0	0	0.0	0			0.1
Listeriosis	0	0.0	0	0.0	0	0.0	0.2	0.25	0.2	0.2
Salmonellosis	3	73.2	0	0.0	4	88.0	10.2	6.8	11.9	15.2
Shigellosis	3	73.2	2	46.8	0	0.0	6.5		7.0	8.2
Typhoid	0	0.0	0	0.0	0	0.0	0.1		0.0	0.1
Vibrioses	0	0.0	0	0.0	0	0.0	0.1		0.1	
Yersiniosis	0	0.0	0	0.0	0	0.0	0.1		0.1	
Mycosis										
Coccidioidomycosis	19	463.3	14	327.8	34	747.9	77.2		62.8	1.7
Zoonoses/Vectorborne										
Brucellosis	0	0.0	0	0.0	0	0.0	0		0.0	0.0
Hantavirus Pulmonary Syndrome	0	0.0	0	0.0	0	0.0	0		0.0	0.0
Malaria	0	0.0	0	0.0	0	0.0	0.4		0.3	0.5
West Nile Virus	0	0.0	0	0.0	1	22.0	10.5		6.7	1.0
Hepatitides										
Hepatitis A	0	0.0	0	0.0	2	44.0	3.4	4.5	4.6	2.7
Hepatitis B	*	*	*	*	1	22.0	5.1	2.4-9.0	5.0	2.6
Other										
Legionellosis	0	0.0	0	0.0	0	0.0	0.4		0.4	0.8
Streptococcal Inv. Pneumonia	0	0.0	1	23.4	1	22.0	12.5		11.5	0.1
Streptococcal Inf. Group A	1	24.4	2	46.8	1	22.0	4.3		4.2	2.0
Streptococcal Inf. Group B	1	24.4	0	0.0	0	0.0	1.1	0.5	0.8	
Vancomycin res. <i>Enterococcus</i>	0	0.0	1	23.4	5	110.0	28.3		24.1	

* In 2004, Hepatitis B data were calculated differently from previous years and therefore, are not comparable to 2002 and 2003.

Health Status Indicators for Cities and Towns 2002-2004

Cave Creek

Selected Causes of Death

Cause of Death	Cave Creek						Comparisons			
	2002		2003		2004		Maricopa County, 2004	Healthy People 2010	Arizona 2004	U.S. 2003
	Number	Rate per 100,000	Number	Rate per 100,000	Number	Rate per 100,000				
Tuberculosis	0	0.0	0	0.0	0	0.0	0.2		0.2	0.2
Syphilis	0	0.0	0	0.0	0	0.0	0		0.0	0.0
HIV Disease	<5		<5		0	0.0	3.1	0.7	2.7	4.7
Malignant Neoplasms	39	951.0	30	702.4	26	571.9	147.6	159.9	163.0	190.7
Malignant Neoplasm Stomach	0	0.0	0	0.0	0	0.0	3.2		3.2	4.1
Malignant Neoplasm Colon	4	97.5	6	140.5	4	88.0	14.3	13.9	14.9	19.1
Malignant Neoplasm Pancreas	4	97.5	0	0.0	2	44.0	8.5		9.4	10.5
Malig. Neo. Bronchus, Lung	10	243.8	7	163.9	7	154.0	39.2	44.9	45.5	54.2
Malignant Neoplasm Breast	5	121.9	2	46.8	3	66.0	10.8	22.3*	11.4	14.4
Mal. Neo. Uterus, Cervix, Ovary	1	24.4	2	46.8	1	22.0	7.3		7.7	8.7
Malig. Neoplasm Prostate	2	48.8	1	23.4	0	0.0	7.9	28.8*	9.3	10.2
Malignant Neoplasm Urinary	0	0.0	1	23.4	0	0.0	7.9		8.0	8.5
Non-Hodgkins Lymphoma	1	24.4	0	0.0	1	22.0	5.6		6.3	7.4
Leukemia	1	24.4	3	70.2	2	44.0	5.7		6.1	7.4
Other Malignant Neoplasms	11	268.2	8	187.3	6	132.0	37.2		41.2	46.2
Diabetes	2	48.8	3	70.2	3	66.0	17.3	7.8	20.2	25.4
Alzheimers	5	121.9	4	93.7	5	110.0	31.8		28.7	21.8
Major Cardiovascular Diseases	25	609.6	33	772.7	27	593.9	221.1		237.1	310.1
Disease of Heart	21	512.1	28	655.6	22	483.9	165.0	166.0	178.4	235.4
Hypertensive Heart Disease	2	48.8	2	46.8	1	22.0	9.1		7.9	9.5
Ischemic Heart Disease	16	390.1	21	491.7	20	439.9	133.0		134.4	164.8
Other Heart Disease	3	73.2	5	117.1	1	22.0	22.9		36.1	61.1
Primary Hypertension	0	0.0	0	0.0	0	0.0	7.6		6.9	7.5
Cerebrovascular	3	73.2	5	117.1	5	110.0	38.6	48.0	41.4	54.3
Atherosclerosis	0	0.0	0	0.0	0	0.0	3.7		4.0	4.5
Other Circulatory	1	24.4	0	0.0	0	0.0	6.3		6.5	8.4

(continued on next page)

**Health Status Indicators for Cities and Towns
2002-2004**

Cave Creek

Selected Causes of Death, cont.

Cause of Death	Cave Creek						Comparisons			
	2002		2003		2004		Maricopa County, 2004	Healthy People 2010	Arizona 2004	U.S. 2003
	Number	Rate per 100,000	Number	Rate per 100,000	Number	Rate per 100,000				
Influenza & Pneumonia	2	48.8	1	23.4	6	132.0	16.6		19.0	22.3
Chronic Lower Respiratory	2	48.8	6	140.5	5	110.0	37.6		41.0	43.4
Peptic Ulcer	0	0.0	0	0.0	0	0.0	1.0		1.1	1.3
Liver Disease	1	24.4	1	23.4	1	22.0	9.1		10.8	9.4
Nephritis	2	48.8	1	23.4	1	22.0	7.3		10.7	14.6
Pregnancy	0	0.0	0	0.0	0	0.0	0.1		0.0	0.2
Perinatal Conditions	0	0.0	2	46.8	0	0.0	5.6		5.0	4.9
Congenital Malformations	0	0.0	0	0.0	0	0.0	4.1		4.1	3.6
SIDS	0	0.0	0	0.0	0	0.0	0.2			
Symptoms, Signs ex. SIDS	0	0.0	0	0.0	5	110.0	11.8			
All Other Diseases	13	317.0	15	351.2	19	417.9	91.9			
Motor Vehicle Accidents	0	0.0	2	46.8	6	132.0	15.3	9.2	18.2	15.2
All Other Acc. & Adverse Effects	5	121.9	5	117.1	4	88.0	25.9		27.1	21.1
Suicide	1	24.4	3	70.2	3	66.0	13.1	5.0	14.6	10.5
Homicide	0	0.0	0	0.0	1	22.0	8.8	3.0	8.3	5.9
All Other External Causes	1	24.4	0	0.0	0	0.0	1.6			
Unknown	3	73.2	1	23.4	0	0.0	1.0			
Total	101	2462.8	107	2505.3	112	2463.7	672.2		732.8	840.4

*HP 2010 goals are breast cancer in females and prostate cancer in males

Health Status Indicators for Cities and Towns 2002-2004

Chandler

Population Statistics

Population in 2000

Estimated Population

2002

2003

2004

Age Distribution 2004

Under 20 years old

20 - 44 years old

45 - 64 years old

65 and older

Dependency ratio

Chandler		Maricopa County		Arizona	U.S.
176,581		3,072,149		5,130,632	281,421,906
Number	% Inc. from 2000	Number	% Inc. from 2000	Number	Number
201,930	14.4%	3,303,876	7.5%	5,438,159	287,984,799
211,952	20.0%	3,389,260	10.3%	5,577,784	290,850,005
223,991	26.8%	3,501,001	14.0%	5,739,879	293,656,842
Number	% Distribution	Number	% Distribution	% Distribution	% Distribution
71,677	32.0%	1,064,304	30.4%	29.9%	27.9%
98,556	44.0%	1,323,378	37.8%	35.7%	36.1%
40,318	18.0%	721,206	20.6%	21.6%	23.6%
13,439	6.0%	392,112	11.2%	12.8%	12.4%
0.61		0.71		0.75	0.68

Infant Health Indicators

Low weight births (under 2500 grams) - % of live births

Births to teen mothers - % of live births

Infant mortality per 1,000 live births

Total Births

Chandler						Comparisons		
2002		2003		2004		Maricopa County, 2004	Healthy People 2010	Arizona 2004
Number	Percent or Rate	Number	Percent or Rate	Number	Percent or Rate			U.S. 2003
243	6.7%	244	6.3%	242	6.3%	7.1%	5.0%	7.2%
284	7.8%	285	7.4%	293	7.6%	11.7%	(-)	12.7%
14	3.8	17	4.4	24	6.2	6.5	4.5	6.7
3,653		3,858		3,850		60,535		93,396
								4,089,950

Health Status Indicators for Cities and Towns 2002-2004

Chandler

Selected Reportable Diseases

	Chandler						Comparisons			
	2002		2003		2004		Rate per 100,000 Population			
	Number	Rate per 100,000	Number	Rate per 100,000	Number	Rate per 100,000	Maricopa County, 2004	H.P. 2010	Arizona 2004	U.S. 2003
Vaccine Preventable										
<i>H. influenzae</i>	1	0.5	3	1.4	2	0.9	1.3	0.0		0.7
Measles	0	0.0	0	0.0	0	0.0	0	0.0	0.0	0.0
Mumps	0	0.0	0	0.0	0	0.0	0.0	0.0	0.0	0.1
Pertussis	1	0.5	5	2.4	7	3.1	3.1	0.0	2.6	4.0
Central Nervous System										
Encephalitis	0	0.0	1	0.5	1	0.4	0.9		0.5	
Meningitis - Aseptic	13	6.4	62	29.3	26	11.6	16.1		12.6	
Meningococcal Disease	1	0.5	0	0.0	0	0.0	0.3	1.0	0.3	0.6
Enterics										
Amebiasis	0	0.0	2	0.9	0	0.0	0.3		0.2	
Botulism	0	0.0	0	0.0	0	0.0	0.0		0.0	0.0
Campylobacteriosis	21	10.4	14	6.6	15	6.7	12.2	12.3	13.6	
Cryptosporidiosis	0	0.0	0	0.0	1	0.4	0.2		0.3	1.2
<i>E. Coli</i> O157:H7	2	1.0	0	0.0	0	0.0	0.6	1.0	0.5	0.9
Giardiasis	6	3.0	3	1.4	5	2.2	3.0		3.0	6.8
Hemolytic Uremic Syndrome	0	0.0	0	0.0	0	0.0	0			0.1
Listeriosis	0	0.0	1	0.5	1	0.4	0.2	0.25	0.2	0.2
Salmonellosis	20	9.9	15	7.1	17	7.6	10.2	6.8	11.9	15.2
Shigellosis	17	8.4	11	5.2	7	3.1	6.5		7.0	8.2
Typhoid	0	0.0	0	0.0	1	0.4	0.1		0.0	0.1
Vibrioses	0	0.0	0	0.0	1	0.4	0.1		0.1	
Yersiniosis	0	0.0	2	0.9	0	0.0	0.1		0.1	
Mycosis										
Coccidioidomycosis	85	42.1	93	43.9	116	51.8	77.2		62.8	1.7
Zoonoses/Vectorborne										
Brucellosis	0	0.0	1	0.5	0	0.0	0		0.0	0.0
Hantavirus Pulmonary Syndrome	0	0.0	0	0.0	0	0.0	0		0.0	0.0
Malaria	1	0.5	1	0.5	0	0.0	0.4		0.3	0.5
West Nile Virus	0	0.0	1	0.5	29	12.9	10.5		6.7	1.0
Hepatitides										
Hepatitis A	6	3.0	9	4.2	8	3.6	3.4	4.5	4.6	2.7
Hepatitis B	*	*	*	*	8	3.6	5.1	2.4-9.0	5.0	2.6
Other										
Legionellosis	0	0.0	1	0.5	1	0.4	0.4		0.4	0.8
Streptococcal Inv. Pneumonia	11	5.4	12	5.7	15	6.7	12.5		11.5	0.1
Streptococcal Inf. Group A	7	3.5	4	1.9	4	1.8	4.3		4.2	2.0
Streptococcal Inf. Group B	1	0.5	2	0.9	1	0.4	1.1	0.5	0.8	
Vancomycin res. <i>Enterococcus</i>	14	6.9	25	11.8	27	12.1	28.3		24.1	

* In 2004, Hepatitis B data were calculated differently from previous years and therefore, are not comparable to 2002 and 2003.

Health Status Indicators for Cities and Towns 2002-2004

Chandler

Selected Causes of Death

Cause of Death	Chandler						Comparisons			
	2002		2003		2004		Maricopa County, 2004	Healthy People 2010	Arizona 2004	U.S. 2003
	Number	Rate per 100,000	Number	Rate per 100,000	Number	Rate per 100,000				
Tuberculosis	1	0.5	0	0.0	0	0.0	0.2		0.2	0.2
Syphilis	0	0.0	0	0.0	0	0.0	0		0.0	0.0
HIV Disease	<5		<5		<5		3.1	0.7	2.7	4.7
Malignant Neoplasms	185	91.6	200	94.4	226	100.9	147.6	159.9	163.0	190.7
Malignant Neoplasm Stomach	5	2.5	4	1.9	5	2.2	3.2		3.2	4.1
Malignant Neoplasm Colon	20	9.9	21	9.9	21	9.4	14.3	13.9	14.9	19.1
Malignant Neoplasm Pancreas	11	5.4	10	4.7	16	7.1	8.5		9.4	10.5
Malig. Neo. Bronchus, Lung	52	25.8	50	23.6	57	25.4	39.2	44.9	45.5	54.2
Malignant Neoplasm Breast	12	5.9	22	10.4	17	7.6	10.8	22.3*	11.4	14.4
Mal. Neo. Uterus, Cervix, Ovary	8	4.0	4	1.9	13	5.8	7.3		7.7	8.7
Malig. Neoplasm Prostate	9	4.5	9	4.2	9	4.0	7.9	28.8*	9.3	10.2
Malignant Neoplasm Urinary	9	4.5	12	5.7	13	5.8	7.9		8.0	8.5
Non-Hodgkins Lymphoma	7	3.5	9	4.2	9	4.0	5.6		6.3	7.4
Leukemia	7	3.5	10	4.7	12	5.4	5.7		6.1	7.4
Other Malignant Neoplasms	45	22.3	49	23.1	54	24.1	37.2		41.2	46.2
Diabetes	31	15.4	22	10.4	31	13.8	17.3	7.8	20.2	25.4
Alzheimers	42	20.8	42	19.8	38	17.0	31.8		28.7	21.8
Major Cardiovascular Diseases	257	127.3	279	131.6	289	129.0	221.1		237.1	310.1
Disease of Heart	186	92.1	206	97.2	223	99.6	165.0	166.0	178.4	235.4
Hypertensive Heart Disease	13	6.4	13	6.1	12	5.4	9.1		7.9	9.5
Ischemic Heart Disease	142	70.3	168	79.3	173	77.2	133.0		134.4	164.8
Other Heart Disease	31	15.4	25	11.8	38	17.0	22.9		36.1	61.1
Primary Hypertension	8	4.0	19	9.0	10	4.5	7.6		6.9	7.5
Cerebrovascular	45	22.3	45	21.2	44	19.6	38.6	48.0	41.4	54.3
Atherosclerosis	7	3.5	5	2.4	5	2.2	3.7		4.0	4.5
Other Circulatory	11	5.4	4	1.9	7	3.1	6.3		6.5	8.4

(continued on next page)

**Health Status Indicators for Cities and Towns
2002-2004**

Chandler

Selected Causes of Death, cont.

Cause of Death	Chandler						Comparisons			
	2002		2003		2004		Maricopa County, 2004	Healthy People 2010	Arizona 2004	U.S. 2003
	Number	Rate per 100,000	Number	Rate per 100,000	Number	Rate per 100,000				
Influenza & Pneumonia	23	11.4	23	10.9	21	9.4	16.6		19.0	22.3
Chronic Lower Respiratory	41	20.3	46	21.7	51	22.8	37.6		41.0	43.4
Peptic Ulcer	1	0.5	1	0.5	1	0.4	1.0		1.1	1.3
Liver Disease	8	4.0	17	8.0	9	4.0	9.1		10.8	9.4
Nephritis	8	4.0	8	3.8	9	4.0	7.3		10.7	14.6
Pregnancy	0	0.0	0	0.0	0	0.0	0.1		0.0	0.2
Perinatal Conditions	11	5.4	7	3.3	14	6.3	5.6		5.0	4.9
Congenital Malformations	4	2.0	5	2.4	5	2.2	4.1		4.1	3.6
SIDS	0	0.0	0	0.0	1	0.4	0.2			
Symptoms, Signs ex. SIDS	5	2.5	15	7.1	9	4.0	11.8			
All Other Diseases	104	51.5	135	63.7	121	54.0	91.9			
Motor Vehicle Accidents	26	12.9	21	9.9	23	10.3	15.3	9.2	18.2	15.2
All Other Acc. & Adverse Effects	16	7.9	23	10.9	35	15.6	25.9		27.1	21.1
Suicide	20	9.9	18	8.5	24	10.7	13.1	5.0	14.6	10.5
Homicide	13	6.4	5	2.4	8	3.6	8.8	3.0	8.3	5.9
All Other External Causes	1	0.5	4	1.9	2	0.9	1.6			
Unknown	11	5.4	6	2.8	3	1.3	1.0			
Total	808	400.1	877	413.8	920	410.7	672.2		732.8	840.4

*HP 2010 goals are breast cancer in females and prostate cancer in males

Health Status Indicators for Cities and Towns 2002-2004

El Mirage

Population Statistics

Population in 2000

Estimated Population

2002

2003

2004

Age Distribution 2004

Under 20 years old

20 - 44 years old

45 - 64 years old

65 and older

Dependency ratio

El Mirage		Maricopa County		Arizona	U.S.
7,609		3,072,149		5,130,632	281,421,906
Number	% Inc. from 2000	Number	% Inc. from 2000	Number	Number
13,205	73.5%	3,303,876	7.5%	5,438,159	287,984,799
18,247	139.8%	3,389,260	10.3%	5,577,784	290,850,005
20,914	174.9%	3,501,001	14.0%	5,739,879	293,656,842
Number	% Distribution	Number	% Distribution	% Distribution	% Distribution
8,366	40.0%	1,064,304	30.4%	29.9%	27.9%
8,156	39.0%	1,323,378	37.8%	35.7%	36.1%
2,928	14.0%	721,206	20.6%	21.6%	23.6%
1,464	7.0%	392,112	11.2%	12.8%	12.4%
0.89		0.71		0.75	0.68

Infant Health Indicators

Low weight births (under 2500 grams) - % of live births

Births to teen mothers - % of live births

Infant mortality per 1,000 live births

Total Births

El Mirage						Comparisons		
2002		2003		2004		Maricopa County, 2004	Healthy People 2010	Arizona 2004
Number	Percent or Rate	Number	Percent or Rate	Number	Percent or Rate			U.S. 2003
51	7.5%	57	6.8%	70	7.9%	7.1%	5.0%	7.2%
65	9.6%	85	10.1%	83	9.4%	11.7%	(-)	12.7%
2	2.9	3	3.6	5	5.7	6.5	4.5	6.7
679		840		881		60,535		93,396
								4,089,950

Note: Infant health indicators for cities/towns with fewer than 1,000 births are not reliable.

Health Status Indicators for Cities and Towns 2002-2004

El Mirage

Selected Reportable Diseases

	El Mirage						Comparisons			
	2002		2003		2004		Rate per 100,000 Population			
	Number	Rate per 100,000	Number	Rate per 100,000	Number	Rate per 100,000	Maricopa County, 2004	H.P. 2010	Arizona 2004	U.S. 2003
Vaccine Preventable										
<i>H. influenzae</i>	1	7.6	0	0.0	1	4.8	1.3	0.0		0.7
Measles	0	0.0	0	0.0	0	0.0	0	0.0	0.0	0.0
Mumps	0	0.0	0	0.0	0	0.0	0.0	0.0	0.0	0.1
Pertussis	1	7.6	0	0.0	0	0.0	3.1	0.0	2.6	4.0
Central Nervous System										
Encephalitis	0	0.0	0	0.0	0	0.0	0.9		0.5	
Meningitis - Aseptic	9	68.2	27	148.0	6	28.7	16.1		12.6	
Meningococcal Disease	0	0.0	0	0.0	0	0.0	0.3	1.0	0.3	0.6
Enterics										
Amebiasis	0	0.0	0	0.0	0	0.0	0.3		0.2	
Botulism	0	0.0	0	0.0	0	0.0	0.0		0.0	0.0
Campylobacteriosis	5	37.9	1	5.5	2	9.6	12.2	12.3	13.6	
Cryptosporidiosis	1	7.6	0	0.0	0	0.0	0.2		0.3	1.2
<i>E. Coli</i> O157:H7	0	0.0	0	0.0	0	0.0	0.6	1.0	0.5	0.9
Giardiasis	0	0.0	0	0.0	0	0.0	3.0		3.0	6.8
Hemolytic Uremic Syndrome	0	0.0	0	0.0	0	0.0	0			0.1
Listeriosis	0	0.0	0	0.0	0	0.0	0.2	0.25	0.2	0.2
Salmonellosis	3	22.7	5	27.4	1	4.8	10.2	6.8	11.9	15.2
Shigellosis	5	37.9	5	27.4	1	4.8	6.5		7.0	8.2
Typhoid	0	0.0	0	0.0	0	0.0	0.1		0.0	0.1
Vibrioses	0	0.0	0	0.0	0	0.0	0.1		0.1	
Yersiniosis	0	0.0	0	0.0	0	0.0	0.1		0.1	
Mycosis										
Coccidioidomycosis	8	60.6	10	54.8	10	47.8	77.2		62.8	1.7
Zoonoses/Vectorborne										
Brucellosis	0	0.0	0	0.0	0	0.0	0		0.0	0.0
Hantavirus Pulmonary Syndrome	0	0.0	0	0.0	0	0.0	0		0.0	0.0
Malaria	0	0.0	0	0.0	1	4.8	0.4		0.3	0.5
West Nile Virus	0	0.0	0	0.0	3	14.3	10.5		6.7	1.0
Hepatitides										
Hepatitis A	0	0.0	2	11.0	0	0.0	3.4	4.5	4.6	2.7
Hepatitis B	*	*	*	*	0	0.0	5.1	2.4-9.0	5.0	2.6
Other										
Legionellosis	0	0.0	0	0.0	0	0.0	0.4		0.4	0.8
Streptococcal Inv. Pneumonia	2	15.1	4	21.9	5	23.9	12.5		11.5	0.1
Streptococcal Inf. Group A	0	0.0	1	5.5	0	0.0	4.3		4.2	2.0
Streptococcal Inf. Group B	1	7.6	0	0.0	1	4.8	1.1	0.5	0.8	
Vancomycin res. <i>Enterococcus</i>	1	7.6	3	16.4	1	4.8	28.3		24.1	

* In 2004, Hepatitis B data were calculated differently from previous years and therefore, are not comparable to 2002 and 2003.

Health Status Indicators for Cities and Towns 2002-2004

El Mirage

Selected Causes of Death

Cause of Death	El Mirage						Comparisons			
	2002		2003		2004		Maricopa County, 2004	Healthy People 2010	Arizona 2004	U.S. 2003
	Number	Rate per 100,000	Number	Rate per 100,000	Number	Rate per 100,000				
Tuberculosis	0	0.0	0	0.0	0	0.0	0.2		0.2	0.2
Syphilis	0	0.0	0	0.0	0	0.0	0		0.0	0.0
HIV Disease	0	0.0	<5		<5		3.1	0.7	2.7	4.7
Malignant Neoplasms	10	75.7	18	98.6	26	124.3	147.6	159.9	163.0	190.7
Malignant Neoplasm Stomach	0	0.0	0	0.0	0	0.0	3.2		3.2	4.1
Malignant Neoplasm Colon	1	7.6	1	5.5	1	4.8	14.3	13.9	14.9	19.1
Malignant Neoplasm Pancreas	2	15.1	2	11.0	1	4.8	8.5		9.4	10.5
Malig. Neo. Bronchus, Lung	5	37.9	5	27.4	4	19.1	39.2	44.9	45.5	54.2
Malignant Neoplasm Breast	0	0.0	4	21.9	2	9.6	10.8	22.3*	11.4	14.4
Mal. Neo. Uterus, Cervix, Ovary	1	7.6	1	5.5	3	14.3	7.3		7.7	8.7
Malig. Neoplasm Prostate	0	0.0	0	0.0	1	4.8	7.9	28.8*	9.3	10.2
Malignant Neoplasm Urinary	0	0.0	0	0.0	1	4.8	7.9		8.0	8.5
Non-Hodgkins Lymphoma	0	0.0	0	0.0	0	0.0	5.6		6.3	7.4
Leukemia	0	0.0	0	0.0	3	14.3	5.7		6.1	7.4
Other Malignant Neoplasms	1	7.6	5	27.4	10	47.8	37.2		41.2	46.2
Diabetes	8	60.6	6	32.9	3	14.3	17.3	7.8	20.2	25.4
Alzheimers	1	7.6	2	11.0	4	19.1	31.8		28.7	21.8
Major Cardiovascular Diseases	23	174.2	20	109.6	21	100.4	221.1		237.1	310.1
Disease of Heart	17	128.7	16	87.7	15	71.7	165.0	166.0	178.4	235.4
Hypertensive Heart Disease	1	7.6	0	0.0	0	0.0	9.1		7.9	9.5
Ischemic Heart Disease	14	106.0	13	71.2	13	62.2	133.0		134.4	164.8
Other Heart Disease	2	15.1	3	16.4	2	9.6	22.9		36.1	61.1
Primary Hypertension	0	0.0	0	0.0	0	0.0	7.6		6.9	7.5
Cerebrovascular	5	37.9	2	11.0	4	19.1	38.6	48.0	41.4	54.3
Atherosclerosis	1	7.6	1	5.5	0	0.0	3.7		4.0	4.5
Other Circulatory	0	0.0	1	5.5	2	9.6	6.3		6.5	8.4

(continued on next page)

**Health Status Indicators for Cities and Towns
2002-2004**

El Mirage

Selected Causes of Death, cont.

Cause of Death	El Mirage						Comparisons			
	2002		2003		2004		Maricopa County, 2004	Healthy People 2010	Arizona 2004	U.S. 2003
	Number	Rate per 100,000	Number	Rate per 100,000	Number	Rate per 100,000				
Influenza & Pneumonia	1	7.6	2	11.0	2	9.6	16.6		19.0	22.3
Chronic Lower Respiratory	4	30.3	5	27.4	2	9.6	37.6		41.0	43.4
Peptic Ulcer	0	0.0	0	0.0	0	0.0	1.0		1.1	1.3
Liver Disease	1	7.6	6	32.9	2	9.6	9.1		10.8	9.4
Nephritis	0	0.0	2	11.0	1	4.8	7.3		10.7	14.6
Pregnancy	0	0.0	0	0.0	0	0.0	0.1		0.0	0.2
Perinatal Conditions	0	0.0	1	5.5	2	9.6	5.6		5.0	4.9
Congenital Malformations	0	0.0	3	16.4	2	9.6	4.1		4.1	3.6
SIDS	0	0.0	0	0.0	0	0.0	0.2			
Symptoms, Signs ex. SIDS	0	0.0	2	11.0	1	4.8	11.8			
All Other Diseases	10	75.7	7	38.4	6	28.7	91.9			
Motor Vehicle Accidents	6	45.4	5	27.4	6	28.7	15.3	9.2	18.2	15.2
All Other Acc. & Adverse Effects	3	22.7	3	16.4	5	23.9	25.9		27.1	21.1
Suicide	1	7.6	4	21.9	3	14.3	13.1	5.0	14.6	10.5
Homicide	5	37.9	2	11.0	1	4.8	8.8	3.0	8.3	5.9
All Other External Causes	0	0.0	1	5.5	0	0.0	1.6			
Unknown	1	7.6	0	0.0	0	0.0	1.0			
Total	74	560.4	89	487.8	87	416.0	672.2		732.8	840.4

*HP 2010 goals are breast cancer in females and prostate cancer in males

Health Status Indicators for Cities and Towns 2002-2004

Fountain Hills

Population Statistics

	Fountain Hills		Maricopa County		Arizona	U.S.
Population in 2000	20,235		3,072,149		5,130,632	281,421,906
Estimated Population	<u>Number</u>	<u>% Inc. from 2000</u>	<u>Number</u>	<u>% Inc. from 2000</u>	<u>Number</u>	<u>Number</u>
2002	21,956	8.5%	3,303,876	7.5%	5,438,159	287,984,799
2003	22,244	9.9%	3,389,260	10.3%	5,577,784	290,850,005
2004	22,557	11.5%	3,501,001	14.0%	5,739,879	293,656,842
Age Distribution 2004	<u>Number</u>	<u>% Distribution</u>	<u>Number</u>	<u>% Distribution</u>	<u>% Distribution</u>	<u>% Distribution</u>
Under 20 years old	4,511	20.0%	1,064,304	30.4%	29.9%	27.9%
20 - 44 years old	6,316	28.0%	1,323,378	37.8%	35.7%	36.1%
45 - 64 years old	7,444	33.0%	721,206	20.6%	21.6%	23.6%
65 and older	4,286	19.0%	392,112	11.2%	12.8%	12.4%
Dependency ratio	0.64		0.71		0.75	0.68

Infant Health Indicators

	Fountain Hills						Comparisons			
	2002		2003		2004		Maricopa County, 2004	Healthy People	Arizona	U.S.
	<u>Number</u>	<u>Percent or Rate</u>	<u>Number</u>	<u>Percent or Rate</u>	<u>Number</u>	<u>Percent or Rate</u>		<u>2010</u>	<u>2004</u>	<u>2003</u>
Low weight births (under 2500 grams) - % of live births	14	8.4%	19	11.7%	18	10.8%	7.1%	5.0%	7.2%	7.9%
Births to teen mothers - % of live births	4	2.4%	7	4.3%	5	3.0%	11.7%	(-)	12.7%	10.3%
Infant mortality per 1,000 live births	2	12.0	2	12.3	3	18.1	6.5	4.5	6.7	6.9
Total Births	166		162		166		60,535		93,396	4,089,950

Note: Infant health indicators for cities/towns with fewer than 1,000 births are not reliable.

Health Status Indicators for Cities and Towns 2002-2004

Fountain Hills

Selected Reportable Diseases

	Fountain Hills						Comparisons			
	2002		2003		2004		Rate per 100,000 Population			
	Number	Rate per 100,000	Number	Rate per 100,000	Number	Rate per 100,000	Maricopa County, 2004	H.P. 2010	Arizona 2004	U.S. 2003
Vaccine Preventable										
<i>H. influenzae</i>	1	4.6	0	0.0	1	4.4	1.3	0.0		0.7
Measles	0	0.0	0	0.0	0	0.0	0	0.0	0.0	0.0
Mumps	0	0.0	0	0.0	0	0.0	0.0	0.0	0.0	0.1
Pertussis	2	9.1	0	0.0	1	4.4	3.1	0.0	2.6	4.0
Central Nervous System										
Encephalitis	0	0.0	0	0.0	0	0.0	0.9		0.5	
Meningitis - Aseptic	0	0.0	8	36.0	2	8.9	16.1		12.6	
Meningococcal Disease	1	4.6	0	0.0	0	0.0	0.3	1.0	0.3	0.6
Enterics										
Amebiasis	0	0.0	0	0.0	0	0.0	0.3		0.2	
Botulism	0	0.0	0	0.0	0	0.0	0.0		0.0	0.0
Campylobacteriosis	3	13.7	0	0.0	0	0.0	12.2	12.3	13.6	
Cryptosporidiosis	0	0.0	0	0.0	0	0.0	0.2		0.3	1.2
<i>E. Coli</i> O157:H7	0	0.0	1	4.5	0	0.0	0.6	1.0	0.5	0.9
Giardiasis	1	4.6	0	0.0	1	4.4	3.0		3.0	6.8
Hemolytic Uremic Syndrome	0	0.0	0	0.0	0	0.0	0			0.1
Listeriosis	0	0.0	0	0.0	0	0.0	0.2	0.25	0.2	0.2
Salmonellosis	1	4.6	2	9.0	3	13.3	10.2	6.8	11.9	15.2
Shigellosis	0	0.0	0	0.0	0	0.0	6.5		7.0	8.2
Typhoid	0	0.0	0	0.0	0	0.0	0.1		0.0	0.1
Vibrioses	0	0.0	0	0.0	0	0.0	0.1		0.1	
Yersiniosis	0	0.0	0	0.0	1	4.4	0.1		0.1	
Mycosis										
Coccidioidomycosis	23	104.8	22	98.9	45	199.5	77.2		62.8	1.7
Zoonoses/Vectorborne										
Brucellosis	0	0.0	0	0.0	0	0.0	0		0.0	0.0
Hantavirus Pulmonary Syndrome	0	0.0	0	0.0	0	0.0	0		0.0	0.0
Malaria	0	0.0	0	0.0	0	0.0	0.4		0.3	0.5
West Nile Virus	0	0.0	0	0.0	0	0.0	10.5		6.7	1.0
Hepatitides										
Hepatitis A	0	0.0	0	0.0	0	0.0	3.4	4.5	4.6	2.7
Hepatitis B	*	*	*	*	0	0.0	5.1	2.4-9.0	5.0	2.6
Other										
Legionellosis	0	0.0	0	0.0	0	0.0	0.4		0.4	0.8
Streptococcal Inv. Pneumonia	0	0.0	1	4.5	2	8.9	12.5		11.5	0.1
Streptococcal Inf. Group A	0	0.0	1	4.5	0	0.0	4.3		4.2	2.0
Streptococcal Inf. Group B	0	0.0	0	0.0	0	0.0	1.1	0.5	0.8	
Vancomycin res. <i>Enterococcus</i>	4	18.2	9	40.5	15	66.5	28.3		24.1	

* In 2004, Hepatitis B data were calculated differently from previous years and therefore, are not comparable to 2002 and 2003.

**Health Status Indicators for Cities and Towns
2002-2004**

Fountain Hills

Selected Causes of Death

Cause of Death	Fountain Hills						Comparisons			
	2002		2003		2004		Maricopa County, 2004	Healthy People 2010	Arizona 2004	U.S. 2003
	Number	Rate per 100,000	Number	Rate per 100,000	Number	Rate per 100,000				
Tuberculosis	0	0.0	0	0.0	0	0.0	0.2		0.2	0.2
Syphilis	0	0.0	0	0.0	0	0.0	0		0.0	0.0
HIV Disease	<5		0	0.0	0	0.0	3.1	0.7	2.7	4.7
Malignant Neoplasms	52	236.8	47	211.3	61	270.4	147.6	159.9	163.0	190.7
Malignant Neoplasm Stomach	4	18.2	0	0.0	2	8.9	3.2		3.2	4.1
Malignant Neoplasm Colon	6	27.3	6	27.0	5	22.2	14.3	13.9	14.9	19.1
Malignant Neoplasm Pancreas	4	18.2	4	18.0	5	22.2	8.5		9.4	10.5
Malig. Neo. Bronchus, Lung	12	54.7	15	67.4	15	66.5	39.2	44.9	45.5	54.2
Malignant Neoplasm Breast	2	9.1	2	9.0	8	35.5	10.8	22.3*	11.4	14.4
Mal. Neo. Uterus, Cervix, Ovary	2	9.1	1	4.5	3	13.3	7.3		7.7	8.7
Malig. Neoplasm Prostate	2	9.1	1	4.5	4	17.7	7.9	28.8*	9.3	10.2
Malignant Neoplasm Urinary	1	4.6	4	18.0	5	22.2	7.9		8.0	8.5
Non-Hodgkins Lymphoma	5	22.8	0	0.0	2	8.9	5.6		6.3	7.4
Leukemia	3	13.7	2	9.0	2	8.9	5.7		6.1	7.4
Other Malignant Neoplasms	11	50.1	12	53.9	10	44.3	37.2		41.2	46.2
Diabetes	5	22.8	3	13.5	4	17.7	17.3	7.8	20.2	25.4
Alzheimers	12	54.7	16	71.9	10	44.3	31.8		28.7	21.8
Major Cardiovascular Diseases	54	245.9	61	274.2	55	243.8	221.1		237.1	310.1
Disease of Heart	40	182.2	55	247.3	36	159.6	165.0	166.0	178.4	235.4
Hypertensive Heart Disease	5	22.8	1	4.5	1	4.4	9.1		7.9	9.5
Ischemic Heart Disease	29	132.1	42	188.8	30	133.0	133.0		134.4	164.8
Other Heart Disease	6	27.3	12	53.9	5	22.2	22.9		36.1	61.1
Primary Hypertension	1	4.6	0	0.0	3	13.3	7.6		6.9	7.5
Cerebrovascular	11	50.1	3	13.5	13	57.6	38.6	48.0	41.4	54.3
Atherosclerosis	0	0.0	2	9.0	1	4.4	3.7		4.0	4.5
Other Circulatory	2	9.1	1	4.5	2	8.9	6.3		6.5	8.4

(continued on next page)

Health Status Indicators for Cities and Towns 2002-2004

Fountain Hills

Selected Causes of Death, cont.

Cause of Death	Fountain Hills						Comparisons			
	2002		2003		2004		Maricopa County, 2004	Healthy People 2010	Arizona 2004	U.S. 2003
	Number	Rate per 100,000	Number	Rate per 100,000	Number	Rate per 100,000				
Influenza & Pneumonia	4	18.2	4	18.0	4	17.7	16.6		19.0	22.3
Chronic Lower Respiratory	11	50.1	11	49.5	6	26.6	37.6		41.0	43.4
Peptic Ulcer	0	0.0	0	0.0	0	0.0	1.0		1.1	1.3
Liver Disease	1	4.6	1	4.5	3	13.3	9.1		10.8	9.4
Nephritis	1	4.6	1	4.5	0	0.0	7.3		10.7	14.6
Pregnancy	0	0.0	1	4.5	0	0.0	0.1		0.0	0.2
Perinatal Conditions	1	4.6	1	4.5	1	4.4	5.6		5.0	4.9
Congenital Malformations	1	4.6	0	0.0	2	8.9	4.1		4.1	3.6
SIDS	0	0.0	0	0.0	1	4.4	0.2			
Symptoms, Signs ex. SIDS	2	9.1	1	4.5	0	0.0	11.8			
All Other Diseases	24	109.3	23	103.4	30	133.0	91.9			
Motor Vehicle Accidents	2	9.1	1	4.5	2	8.9	15.3	9.2	18.2	15.2
All Other Acc. & Adverse Effects	3	13.7	4	18.0	6	26.6	25.9		27.1	21.1
Suicide	3	13.7	1	4.5	5	22.2	13.1	5.0	14.6	10.5
Homicide	0	0.0	0	0.0	1	4.4	8.8	3.0	8.3	5.9
All Other External Causes	0	0.0	0	0.0	1	4.4	1.6			
Unknown	2	9.1	0	0.0	0	0.0	1.0			
Total	178	810.7	176	791.2	192	851.2	672.2		732.8	840.4

*HP 2010 goals are breast cancer in females and prostate cancer in males

Health Status Indicators for Cities and Towns 2002-2004

Gila Bend

Population Statistics

Population in 2000

Estimated Population

2002

2003

2004

Age Distribution 2004

Under 20 years old

20 - 44 years old

45 - 64 years old

65 and older

Dependency ratio

Gila Bend		Maricopa County		Arizona	U.S.
1,980		3,072,149		5,130,632	281,421,906
Number	% Inc. from 2000	Number	% Inc. from 2000	Number	Number
2,033	2.7%	3,303,876	7.5%	5,438,159	287,984,799
2,040	3.0%	3,389,260	10.3%	5,577,784	290,850,005
2,048	3.4%	3,501,001	14.0%	5,739,879	293,656,842
Number	% Distribution	Number	% Distribution	% Distribution	% Distribution
758	37.0%	1,064,304	30.4%	29.9%	27.9%
512	25.0%	1,323,378	37.8%	35.7%	36.1%
410	20.0%	721,206	20.6%	21.6%	23.6%
164	8.0%	392,112	11.2%	12.8%	12.4%
1.00		0.71		0.75	0.68

Infant Health Indicators

Low weight births (under 2500 grams) - % of live births

Births to teen mothers - % of live births

Infant mortality per 1,000 live births

Total Births

Gila Bend						Comparisons		
2002		2003		2004		Maricopa County, 2004	Healthy People 2010	Arizona 2004
Number	Percent or Rate	Number	Percent or Rate	Number	Percent or Rate			U.S. 2003
0	0.0%	5	6.7%	1	1.7%	7.1%	5.0%	7.2%
10	17.5%	13	17.3%	11	18.6%	11.7%	(-)	12.7%
1	17.5	1	13.3	1	16.9	6.5	4.5	6.7
57		75		59		60,535		93,396
								4,089,950

Note: Infant health indicators for cities/towns with fewer than 1,000 births are not reliable.

Health Status Indicators for Cities and Towns 2002-2004

Gila Bend

Selected Reportable Diseases

	Gila Bend						Comparisons			
	2002		2003		2004		Rate per 100,000 Population			
	<u>Number</u>	<u>Rate per 100,000</u>	<u>Number</u>	<u>Rate per 100,000</u>	<u>Number</u>	<u>Rate per 100,000</u>	<u>Maricopa County, 2004</u>	<u>H.P. 2010</u>	<u>Arizona 2004</u>	<u>U.S. 2003</u>
Vaccine Preventable										
<i>H. influenzae</i>	0	0.0	0	0.0	0	0.0	1.3	0.0		0.7
Measles	0	0.0	0	0.0	0	0.0	0	0.0	0.0	0.0
Mumps	0	0.0	0	0.0	0	0.0	0.0	0.0	0.0	0.1
Pertussis	1	49.2	0	0.0	0	0.0	3.1	0.0	2.6	4.0
Central Nervous System										
Encephalitis	0	0.0	0	0.0	0	0.0	0.9		0.5	
Meningitis - Aseptic	1	49.2	0	0.0	0	0.0	16.1		12.6	
Meningococcal Disease	0	0.0	0	0.0	0	0.0	0.3	1.0	0.3	0.6
Enterics										
Amebiasis	0	0.0	1	49.0	0	0.0	0.3		0.2	
Botulism	0	0.0	0	0.0	0	0.0	0.0		0.0	0.0
Campylobacteriosis	0	0.0	2	98.0	0	0.0	12.2	12.3	13.6	
Cryptosporidiosis	0	0.0	0	0.0	0	0.0	0.2		0.3	1.2
<i>E. Coli</i> O157:H7	0	0.0	0	0.0	0	0.0	0.6	1.0	0.5	0.9
Giardiasis	0	0.0	0	0.0	0	0.0	3.0		3.0	6.8
Hemolytic Uremic Syndrome	0	0.0	0	0.0	0	0.0	0			0.1
Listeriosis	0	0.0	0	0.0	0	0.0	0.2	0.25	0.2	0.2
Salmonellosis	0	0.0	0	0.0	0	0.0	10.2	6.8	11.9	15.2
Shigellosis	1	49.2	1	49.0	0	0.0	6.5		7.0	8.2
Typhoid	0	0.0	0	0.0	0	0.0	0.1		0.0	0.1
Vibrioses	0	0.0	0	0.0	0	0.0	0.1		0.1	
Yersiniosis	0	0.0	0	0.0	0	0.0	0.1		0.1	
Mycosis										
Coccidioidomycosis	1	49.2	2	98.0	2	97.7	77.2		62.8	1.7
Zoonoses/Vectorborne										
Brucellosis	0	0.0	0	0.0	0	0.0	0		0.0	0.0
Hantavirus Pulmonary Syndrome	0	0.0	0	0.0	0	0.0	0		0.0	0.0
Malaria	0	0.0	0	0.0	0	0.0	0.4		0.3	0.5
West Nile Virus	0	0.0	0	0.0	0	0.0	10.5		6.7	1.0
Hepatitides										
Hepatitis A	2	98.4	1	49.0	0	0.0	3.4	4.5	4.6	2.7
Hepatitis B	*	*	*	*	1	48.8	5.1	2.4-9.0	5.0	2.6
Other										
Legionellosis	0	0.0	0	0.0	0	0.0	0.4		0.4	0.8
Streptococcal Inv. Pneumonia	1	49.2	2	98.0	1	48.8	12.5		11.5	0.1
Streptococcal Inf. Group A	2	98.4	3	147.1	0	0.0	4.3		4.2	2.0
Streptococcal Inf. Group B	0	0.0	0	0.0	0	0.0	1.1	0.5	0.8	
Vancomycin res. <i>Enterococcus</i>	0	0.0	2	98.0	0	0.0	28.3		24.1	

* In 2004, Hepatitis B data were calculated differently from previous years and therefore, are not comparable to 2002 and 2003.

Health Status Indicators for Cities and Towns 2002-2004

Gila Bend

Selected Causes of Death

Cause of Death	Gila Bend						Comparisons			
	2002		2003		2004		Maricopa County, 2004	Healthy People 2010	Arizona 2004	U.S. 2003
	Number	Rate per 100,000	Number	Rate per 100,000	Number	Rate per 100,000				
Tuberculosis	0	0.0	0	0.0	0	0.0	0.2		0.2	0.2
Syphilis	0	0.0	0	0.0	0	0.0	0		0.0	0.0
HIV Disease	0	0.0	0	0.0	0	0.0	3.1	0.7	2.7	4.7
Malignant Neoplasms	3	147.6	4	196.1	5	244.1	147.6	159.9	163.0	190.7
Malignant Neoplasm Stomach	0	0.0	0	0.0	0	0.0	3.2		3.2	4.1
Malignant Neoplasm Colon	1	49.2	1	49.0	1	48.8	14.3	13.9	14.9	19.1
Malignant Neoplasm Pancreas	0	0.0	0	0.0	0	0.0	8.5		9.4	10.5
Malig. Neo. Bronchus, Lung	0	0.0	0	0.0	2	97.7	39.2	44.9	45.5	54.2
Malignant Neoplasm Breast	1	49.2	0	0.0	0	0.0	10.8	22.3*	11.4	14.4
Mal. Neo. Uterus, Cervix, Ovary	0	0.0	0	0.0	0	0.0	7.3		7.7	8.7
Malig. Neoplasm Prostate	0	0.0	0	0.0	0	0.0	7.9	28.8*	9.3	10.2
Malignant Neoplasm Urinary	0	0.0	1	49.0	0	0.0	7.9		8.0	8.5
Non-Hodgkins Lymphoma	0	0.0	0	0.0	0	0.0	5.6		6.3	7.4
Leukemia	1	49.2	0	0.0	1	48.8	5.7		6.1	7.4
Other Malignant Neoplasms	0	0.0	2	98.0	1	48.8	37.2		41.2	46.2
Diabetes	2	98.4	0	0.0	1	48.8	17.3	7.8	20.2	25.4
Alzheimers	0	0.0	0	0.0	2	97.7	31.8		28.7	21.8
Major Cardiovascular Diseases	11	541.1	10	490.2	4	195.3	221.1		237.1	310.1
Disease of Heart	6	295.1	9	441.2	2	97.7	165.0	166.0	178.4	235.4
Hypertensive Heart Disease	0	0.0	1	49.0	0	0.0	9.1		7.9	9.5
Ischemic Heart Disease	5	245.9	5	245.1	2	97.7	133.0		134.4	164.8
Other Heart Disease	1	49.2	3	147.1	0	0.0	22.9		36.1	61.1
Primary Hypertension	2	98.4	0	0.0	1	48.8	7.6		6.9	7.5
Cerebrovascular	3	147.6	0	0.0	1	48.8	38.6	48.0	41.4	54.3
Atherosclerosis	0	0.0	0	0.0	0	0.0	3.7		4.0	4.5
Other Circulatory	0	0.0	1	49.0	0	0.0	6.3		6.5	8.4

(continued on next page)

**Health Status Indicators for Cities and Towns
2002-2004**

Gila Bend

Selected Causes of Death, cont.

Cause of Death	Gila Bend						Comparisons			
	2002		2003		2004		Maricopa County, 2004	Healthy People 2010	Arizona 2004	U.S. 2003
	Number	Rate per 100,000	Number	Rate per 100,000	Number	Rate per 100,000				
Influenza & Pneumonia	1	49.2	0	0.0	2	97.7	16.6		19.0	22.3
Chronic Lower Respiratory	2	98.4	1	49.0	1	48.8	37.6		41.0	43.4
Peptic Ulcer	0	0.0	0	0.0	0	0.0	1.0		1.1	1.3
Liver Disease	3	147.6	1	49.0	0	0.0	9.1		10.8	9.4
Nephritis	2	98.4	0	0.0	0	0.0	7.3		10.7	14.6
Pregnancy	0	0.0	0	0.0	0	0.0	0.1		0.0	0.2
Perinatal Conditions	0	0.0	1	49.0	0	0.0	5.6		5.0	4.9
Congenital Malformations	0	0.0	0	0.0	0	0.0	4.1		4.1	3.6
SIDS	1	49.2	0	0.0	0	0.0	0.2			
Symptoms, Signs ex. SIDS	0	0.0	0	0.0	5	244.1	11.8			
All Other Diseases	1	49.2	4	196.1	3	146.5	91.9			
Motor Vehicle Accidents	0	0.0	0	0.0	2	97.7	15.3	9.2	18.2	15.2
All Other Acc. & Adverse Effects	2	98.4	4	196.1	1	48.8	25.9		27.1	21.1
Suicide	0	0.0	1	49.0	0	0.0	13.1	5.0	14.6	10.5
Homicide	0	0.0	0	0.0	1	48.8	8.8	3.0	8.3	5.9
All Other External Causes	0	0.0	0	0.0	0	0.0	1.6			
Unknown	0	0.0	1	49.0	0	0.0	1.0			
Total	28	1377.3	27	1323.5	27	1318.4	672.2		732.8	840.4

*HP 2010 goals are breast cancer in females and prostate cancer in males

Health Status Indicators for Cities and Towns 2002-2004

Gilbert

Population Statistics

Population in 2000

Estimated Population

2002

2003

2004

Age Distribution 2004

Under 20 years old

20 - 44 years old

45 - 64 years old

65 and older

Dependency ratio

Gilbert		Maricopa County		Arizona	U.S.
109,697		3,072,149		5,130,632	281,421,906
Number	% Inc. from 2000	Number	% Inc. from 2000	Number	Number
134,943	23.0%	3,303,876	7.5%	5,438,159	287,984,799
145,686	32.8%	3,389,260	10.3%	5,577,784	290,850,005
156,917	43.0%	3,501,001	14.0%	5,739,879	293,656,842
Number	% Distribution	Number	% Distribution	% Distribution	% Distribution
58,059	37.0%	1,064,304	30.4%	29.9%	27.9%
67,474	43.0%	1,323,378	37.8%	35.7%	36.1%
26,676	17.0%	721,206	20.6%	21.6%	23.6%
6,277	4.0%	392,112	11.2%	12.8%	12.4%
0.68		0.71		0.75	0.68

Infant Health Indicators

Low weight births (under 2500 grams) - % of live births

Births to teen mothers - % of live births

Infant mortality per 1,000 live births

Total Births

Gilbert						Comparisons		
2002		2003		2004		Maricopa County, 2004	Healthy People 2010	Arizona 2004
Number	Percent or Rate	Number	Percent or Rate	Number	Percent or Rate			U.S. 2003
164	6.3%	169	6.4%	184	6.6%	7.1%	5.0%	7.2%
99	3.8%	92	3.5%	86	3.1%	11.7%	(-)	12.7%
16	6.1	11	4.1	18	6.4	6.5	4.5	6.7
2,617		2,660		2,801		60,535		93,396
								4,089,950

Health Status Indicators for Cities and Towns 2002-2004

Gilbert

Selected Reportable Diseases

	Gilbert						Comparisons			
	2002		2003		2004		Rate per 100,000 Population			
	Number	Rate per 100,000	Number	Rate per 100,000	Number	Rate per 100,000	Maricopa County, 2004	H.P. 2010	Arizona 2004	U.S. 2003
Vaccine Preventable										
<i>H. influenzae</i>	0	0.0	2	1.4	0	0.0	1.3	0.0		0.7
Measles	0	0.0	0	0.0	0	0.0	0	0.0	0.0	0.0
Mumps	0	0.0	0	0.0	0	0.0	0.0	0.0	0.0	0.1
Pertussis	3	2.2	0	0.0	15	9.6	3.1	0.0	2.6	4.0
Central Nervous System										
Encephalitis	0	0.0	1	0.7	2	1.3	0.9		0.5	
Meningitis - Aseptic	1	0.7	25	17.2	13	8.3	16.1		12.6	
Meningococcal Disease	1	0.7	1	0.7	0	0.0	0.3	1.0	0.3	0.6
Enterics										
Amebiasis	0	0.0	0	0.0	0	0.0	0.3		0.2	
Botulism	1	0.7	0	0.0	0	0.0	0.0		0.0	0.0
Campylobacteriosis	9	6.7	13	8.9	19	12.1	12.2	12.3	13.6	
Cryptosporidiosis	0	0.0	0	0.0	0	0.0	0.2		0.3	1.2
<i>E. Coli</i> O157:H7	2	1.5	2	1.4	1	0.6	0.6	1.0	0.5	0.9
Giardiasis	1	0.7	2	1.4	3	1.9	3.0		3.0	6.8
Hemolytic Uremic Syndrome	0	0.0	0	0.0	0	0.0	0			0.1
Listeriosis	1	0.7	0	0.0	0	0.0	0.2	0.25	0.2	0.2
Salmonellosis	8	5.9	9	6.2	18	11.5	10.2	6.8	11.9	15.2
Shigellosis	6	4.4	5	3.4	3	1.9	6.5		7.0	8.2
Typhoid	0	0.0	0	0.0	0	0.0	0.1		0.0	0.1
Vibrioses	0	0.0	1	0.7	0	0.0	0.1		0.1	
Yersiniosis	0	0.0	0	0.0	0	0.0	0.1		0.1	
Mycosis										
Coccidioidomycosis	67	49.7	70	48.0	82	52.3	77.2		62.8	1.7
Zoonoses/Vectorborne										
Brucellosis	0	0.0	0	0.0	0	0.0	0		0.0	0.0
Hantavirus Pulmonary Syndrome	0	0.0	0	0.0	0	0.0	0		0.0	0.0
Malaria	0	0.0	1	0.7	0	0.0	0.4		0.3	0.5
West Nile Virus	0	0.0	0	0.0	12	7.6	10.5		6.7	1.0
Hepatitides										
Hepatitis A	4	3.0	0	0.0	4	2.5	3.4	4.5	4.6	2.7
Hepatitis B	*	*	*	*	8	5.1	5.1	2.4-9.0	5.0	2.6
Other										
Legionellosis	0	0.0	1	0.7	0	0.0	0.4		0.4	0.8
Streptococcal Inv. Pneumonia	5	3.7	4	2.7	7	4.5	12.5		11.5	0.1
Streptococcal Inf. Group A	3	2.2	7	4.8	3	1.9	4.3		4.2	2.0
Streptococcal Inf. Group B	1	0.7	1	0.7	1	0.6	1.1	0.5	0.8	
Vancomycin res. <i>Enterococcus</i>	13	9.6	2	1.4	17	10.8	28.3		24.1	

* In 2004, Hepatitis B data were calculated differently from previous years and therefore, are not comparable to 2002 and 2003.

Health Status Indicators for Cities and Towns 2002-2004

Gilbert

Selected Causes of Death

Cause of Death	Gilbert						Comparisons			
	2002		2003		2004		Maricopa County, 2004	Healthy People 2010	Arizona 2004	U.S. 2003
	Number	Rate per 100,000	Number	Rate per 100,000	Number	Rate per 100,000				
Tuberculosis	0	0.0	0	0.0	0	0.0	0.2		0.2	0.2
Syphilis	0	0.0	0	0.0	0	0.0	0		0.0	0.0
HIV Disease	0	0.0	<5		<5		3.1	0.7	2.7	4.7
Malignant Neoplasms	107	79.3	114	78.3	104	66.3	147.6	159.9	163.0	190.7
Malignant Neoplasm Stomach	3	2.2	2	1.4	0	0.0	3.2		3.2	4.1
Malignant Neoplasm Colon	18	13.3	15	10.3	15	9.6	14.3	13.9	14.9	19.1
Malignant Neoplasm Pancreas	5	3.7	6	4.1	9	5.7	8.5		9.4	10.5
Malig. Neo. Bronchus, Lung	25	18.5	26	17.8	28	17.8	39.2	44.9	45.5	54.2
Malignant Neoplasm Breast	14	10.4	12	8.2	5	3.2	10.8	22.3*	11.4	14.4
Mal. Neo. Uterus, Cervix, Ovary	4	3.0	4	2.7	6	3.8	7.3		7.7	8.7
Malig. Neoplasm Prostate	5	3.7	8	5.5	3	1.9	7.9	28.8*	9.3	10.2
Malignant Neoplasm Urinary	5	3.7	2	1.4	1	0.6	7.9		8.0	8.5
Non-Hodgkins Lymphoma	7	5.2	7	4.8	1	0.6	5.6		6.3	7.4
Leukemia	1	0.7	3	2.1	7	4.5	5.7		6.1	7.4
Other Malignant Neoplasms	20	14.8	29	19.9	29	18.5	37.2		41.2	46.2
Diabetes	17	12.6	9	6.2	11	7.0	17.3	7.8	20.2	25.4
Alzheimers	20	14.8	20	13.7	22	14.0	31.8		28.7	21.8
Major Cardiovascular Diseases	116	86.0	130	89.2	150	95.6	221.1		237.1	310.1
Disease of Heart	88	65.2	86	59.0	116	73.9	165.0	166.0	178.4	235.4
Hypertensive Heart Disease	3	2.2	4	2.7	8	5.1	9.1		7.9	9.5
Ischemic Heart Disease	63	46.7	63	43.2	90	57.4	133.0		134.4	164.8
Other Heart Disease	22	16.3	19	13.0	18	11.5	22.9		36.1	61.1
Primary Hypertension	3	2.2	7	4.8	5	3.2	7.6		6.9	7.5
Cerebrovascular	20	14.8	33	22.7	25	15.9	38.6	48.0	41.4	54.3
Atherosclerosis	3	2.2	2	1.4	1	0.6	3.7		4.0	4.5
Other Circulatory	2	1.5	2	1.4	3	1.9	6.3		6.5	8.4

(continued on next page)

**Health Status Indicators for Cities and Towns
2002-2004**

Gilbert

Selected Causes of Death, cont.

Cause of Death	Gilbert						Comparisons			
	2002		2003		2004		Maricopa County, 2004	Healthy People 2010	Arizona 2004	U.S. 2003
	Number	Rate per 100,000	Number	Rate per 100,000	Number	Rate per 100,000				
Influenza & Pneumonia	13	9.6	7	4.8	10	6.4	16.6		19.0	22.3
Chronic Lower Respiratory	19	14.1	18	12.4	15	9.6	37.6		41.0	43.4
Peptic Ulcer	0	0.0	1	0.7	0	0.0	1.0		1.1	1.3
Liver Disease	2	1.5	2	1.4	7	4.5	9.1		10.8	9.4
Nephritis	5	3.7	3	2.1	5	3.2	7.3		10.7	14.6
Pregnancy	0	0.0	0	0.0	0	0.0	0.1		0.0	0.2
Perinatal Conditions	11	8.2	7	4.8	9	5.7	5.6		5.0	4.9
Congenital Malformations	4	3.0	4	2.7	8	5.1	4.1		4.1	3.6
SIDS	0	0.0	0	0.0	0	0.0	0.2			
Symptoms, Signs ex. SIDS	1	0.7	4	2.7	4	2.5	11.8			
All Other Diseases	48	35.6	54	37.1	55	35.1	91.9			
Motor Vehicle Accidents	5	3.7	14	9.6	11	7.0	15.3	9.2	18.2	15.2
All Other Acc. & Adverse Effects	10	7.4	0	0.0	24	15.3	25.9		27.1	21.1
Suicide	8	5.9	11	7.6	13	8.3	13.1	5.0	14.6	10.5
Homicide	3	2.2	17	11.7	3	1.9	8.8	3.0	8.3	5.9
All Other External Causes	1	0.7	4	2.7	0	0.0	1.6			
Unknown	4	3.0	3	2.1	0	0.0	1.0			
Total	394	292.0	422	289.7	451	287.4	672.2		732.8	840.4

*HP 2010 goals are breast cancer in females and prostate cancer in males

Health Status Indicators for Cities and Towns 2002-2004

Glendale

Population Statistics

Population in 2000

Estimated Population

2002

2003

2004

Age Distribution 2004

Under 20 years old

20 - 44 years old

45 - 64 years old

65 and older

Dependency ratio

Glendale		Maricopa County		Arizona	U.S.
218,812		3,072,149		5,130,632	281,421,906
Number	% Inc. from 2000	Number	% Inc. from 2000	Number	Number
229,855	5.0%	3,303,876	7.5%	5,438,159	287,984,799
232,793	6.4%	3,389,260	10.3%	5,577,784	290,850,005
235,591	7.7%	3,501,001	14.0%	5,739,879	293,656,842
Number	% Distribution	Number	% Distribution	% Distribution	% Distribution
77,745	33.0%	1,064,304	30.4%	29.9%	27.9%
91,880	39.0%	1,323,378	37.8%	35.7%	36.1%
47,118	20.0%	721,206	20.6%	21.6%	23.6%
16,491	7.0%	392,112	11.2%	12.8%	12.4%
0.68		0.71		0.75	0.68

Infant Health Indicators

Low weight births (under 2500 grams) - % of live births

Births to teen mothers - % of live births

Infant mortality per 1,000 live births

Total Births

Glendale			Comparisons			
2002	2003	2004	Maricopa County, 2004	Healthy People 2010	Arizona 2004	U.S. 2003
Number Percent or Rate	Number Percent or Rate	Number Percent or Rate				
323 6.8%	365 7.4%	377 7.8%	7.1%	5.0%	7.2%	7.9%
593 12.5%	656 13.4%	646 13.3%	11.7%	(-)	12.7%	10.3%
32 6.8	26 5.3	33 6.8	6.5	4.5	6.7	6.9
4,728	4,902	4,843	60,535		93,396	4,089,950

Health Status Indicators for Cities and Towns 2002-2004

Glendale

Selected Reportable Diseases

	Glendale						Comparisons			
	2002		2003		2004		Rate per 100,000 Population			
	Number	Rate per 100,000	Number	Rate per 100,000	Number	Rate per 100,000	Maricopa County, 2004	H.P. 2010	Arizona 2004	U.S. 2003
Vaccine Preventable										
<i>H. influenzae</i>	2	0.9	2	0.9	4	1.7	1.3	0.0		0.7
Measles	0	0.0	0	0.0	0	0.0	0	0.0	0.0	0.0
Mumps	0	0.0	0	0.0	0	0.0	0.0	0.0	0.0	0.1
Pertussis	28	12.2	11	4.7	6	2.5	3.1	0.0	2.6	4.0
Central Nervous System										
Encephalitis	0	0.0	1	0.4	2	0.8	0.9		0.5	
Meningitis - Aseptic	47	20.4	157	67.4	64	27.2	16.1		12.6	
Meningococcal Disease	1	0.4	4	1.7	0	0.0	0.3	1.0	0.3	0.6
Enterics										
Amebiasis	3	1.3	0	0.0	1	0.4	0.3		0.2	
Botulism	0	0.0	0	0.0	0	0.0	0.0		0.0	0.0
Campylobacteriosis	24	10.4	35	15.0	39	16.6	12.2	12.3	13.6	
Cryptosporidiosis	0	0.0	0	0.0	1	0.4	0.2		0.3	1.2
<i>E. Coli</i> O157:H7	1	0.4	1	0.4	3	1.3	0.6	1.0	0.5	0.9
Giardiasis	16	7.0	20	8.6	6	2.5	3.0		3.0	6.8
Hemolytic Uremic Syndrome	1	0.4	0	0.0	0	0.0	0			0.1
Listeriosis	0	0.0	0	0.0	0	0.0	0.2	0.25	0.2	0.2
Salmonellosis	25	10.9	21	9.0	29	12.3	10.2	6.8	11.9	15.2
Shigellosis	19	8.3	14	6.0	13	5.5	6.5		7.0	8.2
Typhoid	0	0.0	1	0.4	0	0.0	0.1		0.0	0.1
Vibrioses	0	0.0	0	0.0	1	0.4	0.1		0.1	
Yersiniosis	0	0.0	0	0.0	0	0.0	0.1		0.1	
Mycosis										
Coccidioidomycosis	184	80.1	130	55.8	147	62.4	77.2		62.8	1.7
Zoonoses/Vectorborne										
Brucellosis	0	0.0	0	0.0	0	0.0	0		0.0	0.0
Hantavirus Pulmonary Syndrome	0	0.0	0	0.0	0	0.0	0		0.0	0.0
Malaria	3	1.3	0	0.0	2	0.8	0.4		0.3	0.5
West Nile Virus	0	0.0	0	0.0	30	12.7	10.5		6.7	1.0
Hepatitides										
Hepatitis A	6	2.6	10	4.3	9	3.8	3.4	4.5	4.6	2.7
Hepatitis B	*	*	*	*	8	3.4	5.1	2.4-9.0	5.0	2.6
Other										
Legionellosis	1	0.4	0	0.0		0.0	0.4		0.4	0.8
Streptococcal Inv. Pneumonia	39	17.0	26	11.2	28	11.9	12.5		11.5	0.1
Streptococcal Inf. Group A	6	2.6	7	3.0	13	5.5	4.3		4.2	2.0
Streptococcal Inf. Group B	1	0.4	2	0.9	1	0.4	1.1	0.5	0.8	
Vancomycin res. <i>Enterococcus</i>	32	13.9	29	12.5	39	16.6	28.3		24.1	

* In 2004, Hepatitis B data were calculated differently from previous years and therefore, are not comparable to 2002 and 2003.

Health Status Indicators for Cities and Towns 2002-2004

Glendale

Selected Causes of Death

Cause of Death	Glendale						Comparisons			
	2002		2003		2004		Maricopa County, 2004	Healthy People 2010	Arizona 2004	U.S. 2003
	Number	Rate per 100,000	Number	Rate per 100,000	Number	Rate per 100,000				
Tuberculosis	0	0.0	0	0.0	1	0.4	0.2		0.2	0.2
Syphilis	0	0.0	0	0.0	0	0.0	0		0.0	0.0
HIV Disease	7	3.0	6	2.6	6	2.5	3.1	0.7	2.7	4.7
Malignant Neoplasms	367	159.7	374	160.7	393	166.8	147.6	159.9	163.0	190.7
Malignant Neoplasm Stomach	12	5.2	9	3.9	8	3.4	3.2		3.2	4.1
Malignant Neoplasm Colon	44	19.1	44	18.9	35	14.9	14.3	13.9	14.9	19.1
Malignant Neoplasm Pancreas	20	8.7	20	8.6	19	8.1	8.5		9.4	10.5
Malig. Neo. Bronchus, Lung	117	50.9	119	51.1	108	45.8	39.2	44.9	45.5	54.2
Malignant Neoplasm Breast	31	13.5	23	9.9	32	13.6	10.8	22.3*	11.4	14.4
Mal. Neo. Uterus, Cervix, Ovary	16	7.0	16	6.9	18	7.6	7.3		7.7	8.7
Malig. Neoplasm Prostate	14	6.1	16	6.9	21	8.9	7.9	28.8*	9.3	10.2
Malignant Neoplasm Urinary	13	5.7	12	5.2	20	8.5	7.9		8.0	8.5
Non-Hodgkins Lymphoma	7	3.0	9	3.9	14	5.9	5.6		6.3	7.4
Leukemia	15	6.5	16	6.9	14	5.9	5.7		6.1	7.4
Other Malignant Neoplasms	78	33.9	90	38.7	104	44.1	37.2		41.2	46.2
Diabetes	62	27.0	44	18.9	47	19.9	17.3	7.8	20.2	25.4
Alzheimers	67	29.1	95	40.8	85	36.1	31.8		28.7	21.8
Major Cardiovascular Diseases	550	239.3	546	234.5	598	253.8	221.1		237.1	310.1
Disease of Heart	415	180.5	410	176.1	443	188.0	165.0	166.0	178.4	235.4
Hypertensive Heart Disease	24	10.4	27	11.6	28	11.9	9.1		7.9	9.5
Ischemic Heart Disease	341	148.4	321	137.9	340	144.3	133.0		134.4	164.8
Other Heart Disease	50	21.8	62	26.6	75	31.8	22.9		36.1	61.1
Primary Hypertension	23	10.0	16	6.9	20	8.5	7.6		6.9	7.5
Cerebrovascular	85	37.0	101	43.4	113	48.0	38.6	48.0	41.4	54.3
Atherosclerosis	5	2.2	6	2.6	7	3.0	3.7		4.0	4.5
Other Circulatory	22	9.6	13	5.6	15	6.4	6.3		6.5	8.4

(continued on next page)

**Health Status Indicators for Cities and Towns
2002-2004**

Glendale

Selected Causes of Death, cont.

Cause of Death	Glendale						Comparisons			
	2002		2003		2004		Maricopa County, 2004	Healthy People 2010	Arizona 2004	U.S. 2003
	Number	Rate per 100,000	Number	Rate per 100,000	Number	Rate per 100,000				
Influenza & Pneumonia	46	20.0	40	17.2	41	17.4	16.6		19.0	22.3
Chronic Lower Respiratory	94	40.9	104	44.7	82	34.8	37.6		41.0	43.4
Peptic Ulcer	0	0.0	1	0.4	6	2.5	1.0		1.1	1.3
Liver Disease	23	10.0	25	10.7	18	7.6	9.1		10.8	9.4
Nephritis	24	10.4	18	7.7	14	5.9	7.3		10.7	14.6
Pregnancy	0	0.0	0	0.0	0	0.0	0.1		0.0	0.2
Perinatal Conditions	11	4.8	11	4.7	20	8.5	5.6		5.0	4.9
Congenital Malformations	10	4.4	10	4.3	12	5.1	4.1		4.1	3.6
SIDS	1	0.4	0	0.0	0	0.0	0.2			
Symptoms, Signs ex. SIDS	11	4.8	25	10.7	32	13.6	11.8			
All Other Diseases	265	115.3	221	94.9	271	115.0	91.9			
Motor Vehicle Accidents	40	17.4	55	23.6	44	18.7	15.3	9.2	18.2	15.2
All Other Acc. & Adverse Effects	62	27.0	62	26.6	64	27.2	25.9		27.1	21.1
Suicide	29	12.6	41	17.6	43	18.3	13.1	5.0	14.6	10.5
Homicide	16	7.0	19	8.2	31	13.2	8.8	3.0	8.3	5.9
All Other External Causes	4	1.7	8	3.4	3	1.3	1.6			
Unknown	9	3.9	13	5.6	2	0.8	1.0			
Total	1,698	738.7	1,718	738.0	1,813	769.6	672.2		732.8	840.4

*HP 2010 goals are breast cancer in females and prostate cancer in males

Health Status Indicators for Cities and Towns 2002-2004

Goodyear

Population Statistics

Population in 2000

Estimated Population

2002

2003

2004

Age Distribution 2004

Under 20 years old

20 - 44 years old

45 - 64 years old

65 and older

Dependency ratio

Goodyear		Maricopa County		Arizona	U.S.
18,911		3,072,149		5,130,632	281,421,906
Number	% Inc. from 2000	Number	% Inc. from 2000	Number	Number
27,727	46.6%	3,303,876	7.5%	5,438,159	287,984,799
32,067	69.6%	3,389,260	10.3%	5,577,784	290,850,005
37,496	98.3%	3,501,001	14.0%	5,739,879	293,656,842
Number	% Distribution	Number	% Distribution	% Distribution	% Distribution
8,999	24.0%	1,064,304	30.4%	29.9%	27.9%
15,373	41.0%	1,323,378	37.8%	35.7%	36.1%
9,374	25.0%	721,206	20.6%	21.6%	23.6%
3,750	10.0%	392,112	11.2%	12.8%	12.4%
0.52		0.71		0.75	0.68

Infant Health Indicators

Low weight births (under 2500 grams) - % of live births

Births to teen mothers - % of live births

Infant mortality per 1,000 live births

Total Births

Goodyear						Comparisons		
2002		2003		2004		Maricopa County, 2004	Healthy People 2010	Arizona 2004
Number	Percent or Rate	Number	Percent or Rate	Number	Percent or Rate			U.S. 2003
16	3.3%	31	5.2%	38	6.1%	7.1%	5.0%	7.2%
34	7.0%	31	5.2%	34	5.5%	11.7%	(-)	12.7%
3	6.1	5	8.4	5	8.1	6.5	4.5	6.7
488		594		620		60,535		93,396
								4,089,950

Note: Infant health indicators for cities/towns with fewer than 1,000 births are not reliable.

Health Status Indicators for Cities and Towns 2002-2004

Goodyear

Selected Reportable Diseases

	Goodyear						Comparisons			
	2002		2003		2004		Rate per 100,000 Population			
	<u>Number</u>	<u>Rate per 100,000</u>	<u>Number</u>	<u>Rate per 100,000</u>	<u>Number</u>	<u>Rate per 100,000</u>	<u>Maricopa County, 2004</u>	<u>H.P. 2010</u>	<u>Arizona 2004</u>	<u>U.S. 2003</u>
Vaccine Preventable										
<i>H. influenzae</i>	0	0.0	0	0.0	0	0.0	1.3	0.0		0.7
Measles	0	0.0	0	0.0	0	0.0	0	0.0	0.0	0.0
Mumps	0	0.0	0	0.0	0	0.0	0.0	0.0	0.0	0.1
Pertussis	0	0.0	0	0.0	0	0.0	3.1	0.0	2.6	4.0
Central Nervous System										
Encephalitis	0	0.0	0	0.0	0	0.0	0.9		0.5	
Meningitis - Aseptic	1	3.6	10	31.2	2	5.3	16.1		12.6	
Meningococcal Disease	1	3.6	0	0.0	1	2.7	0.3	1.0	0.3	0.6
Enterics										
Amebiasis	0	0.0	0	0.0	0	0.0	0.3		0.2	
Botulism	0	0.0	0	0.0	0	0.0	0.0		0.0	0.0
Campylobacteriosis	1	3.6	2	6.2	1	2.7	12.2	12.3	13.6	
Cryptosporidiosis	0	0.0	0	0.0	0	0.0	0.2		0.3	1.2
<i>E. Coli</i> O157:H7	0	0.0	0	0.0	0	0.0	0.6	1.0	0.5	0.9
Giardiasis	1	3.6	0	0.0	1	2.7	3.0		3.0	6.8
Hemolytic Uremic Syndrome	0	0.0	0	0.0	0	0.0	0			0.1
Listeriosis	0	0.0	0	0.0	0	0.0	0.2	0.25	0.2	0.2
Salmonellosis	1	3.6	5	15.6	2	5.3	10.2	6.8	11.9	15.2
Shigellosis	0	0.0	2	6.2	3	8.0	6.5		7.0	8.2
Typhoid	0	0.0	0	0.0	0	0.0	0.1		0.0	0.1
Vibrioses	0	0.0	0	0.0	0	0.0	0.1		0.1	
Yersiniosis	0	0.0	0	0.0	0	0.0	0.1		0.1	
Mycosis										
Coccidioidomycosis	21	75.7	16	49.9	27	72.0	77.2		62.8	1.7
Zoonoses/Vectorborne										
Brucellosis	0	0.0	0	0.0	0	0.0	0		0.0	0.0
Hantavirus Pulmonary Syndrome	0	0.0	0	0.0	0	0.0	0		0.0	0.0
Malaria	0	0.0	0	0.0	0	0.0	0.4		0.3	0.5
West Nile Virus	0	0.0	0	0.0	4	10.7	10.5		6.7	1.0
Hepatitides										
Hepatitis A	1	3.6	0	0.0	1	2.7	3.4	4.5	4.6	2.7
Hepatitis B	*	*	*	*	2	5.3	5.1	2.4-9.0	5.0	2.6
Other										
Legionellosis	0	0.0	0	0.0	0	0.0	0.4		0.4	0.8
Streptococcal Inv. Pneumonia	1	3.6	1	3.1	2	5.3	12.5		11.5	0.1
Streptococcal Inf. Group A	1	3.6	0	0.0	0	0.0	4.3		4.2	2.0
Streptococcal Inf. Group B	0	0.0	0	0.0	0	0.0	1.1	0.5	0.8	
Vancomycin res. <i>Enterococcus</i>	5	18.0	4	12.5	7	18.7	28.3		24.1	

* In 2004, Hepatitis B data were calculated differently from previous years and therefore, are not comparable to 2002 and 2003.

**Health Status Indicators for Cities and Towns
2002-2004**

Goodyear

Selected Causes of Death

Cause of Death	Goodyear						Comparisons			
	2002		2003		2004		Maricopa County, 2004	Healthy People 2010	Arizona 2004	U.S. 2003
	Number	Rate per 100,000	Number	Rate per 100,000	Number	Rate per 100,000				
Tuberculosis	0	0.0	0	0.0	0	0.0	0.2		0.2	0.2
Syphilis	0	0.0	0	0.0	0	0.0	0		0.0	0.0
HIV Disease	<5		0	0.0	0	0.0	3.1	0.7	2.7	4.7
Malignant Neoplasms	36	129.8	40	124.7	50	133.3	147.6	159.9	163.0	190.7
Malignant Neoplasm Stomach	2	7.2	0	0.0	2	5.3	3.2		3.2	4.1
Malignant Neoplasm Colon	4	14.4	3	9.4	4	10.7	14.3	13.9	14.9	19.1
Malignant Neoplasm Pancreas	0	0.0	3	9.4	6	16.0	8.5		9.4	10.5
Malig. Neo. Bronchus, Lung	9	32.5	9	28.1	12	32.0	39.2	44.9	45.5	54.2
Malignant Neoplasm Breast	2	7.2	5	15.6	2	5.3	10.8	22.3*	11.4	14.4
Mal. Neo. Uterus, Cervix, Ovary	0	0.0	2	6.2	4	10.7	7.3		7.7	8.7
Malig. Neoplasm Prostate	1	3.6	2	6.2	3	8.0	7.9	28.8*	9.3	10.2
Malignant Neoplasm Urinary	3	10.8	4	12.5	3	8.0	7.9		8.0	8.5
Non-Hodgkins Lymphoma	0	0.0	1	3.1	2	5.3	5.6		6.3	7.4
Leukemia	1	3.6	2	6.2	0	0.0	5.7		6.1	7.4
Other Malignant Neoplasms	14	50.5	9	28.1	12	32.0	37.2		41.2	46.2
Diabetes	6	21.6	1	3.1	3	8.0	17.3	7.8	20.2	25.4
Alzheimers	4	14.4	4	12.5	7	18.7	31.8		28.7	21.8
Major Cardiovascular Diseases	47	169.5	48	149.7	54	144.0	221.1		237.1	310.1
Disease of Heart	35	126.2	35	109.1	40	106.7	165.0	166.0	178.4	235.4
Hypertensive Heart Disease	2	7.2	3	9.4	3	8.0	9.1		7.9	9.5
Ischemic Heart Disease	28	101.0	26	81.1	34	90.7	133.0		134.4	164.8
Other Heart Disease	5	18.0	6	18.7	3	8.0	22.9		36.1	61.1
Primary Hypertension	3	10.8	4	12.5	3	8.0	7.6		6.9	7.5
Cerebrovascular	6	21.6	9	28.1	9	24.0	38.6	48.0	41.4	54.3
Atherosclerosis	2	7.2	0	0.0	1	2.7	3.7		4.0	4.5
Other Circulatory	1	3.6	0	0.0	1	2.7	6.3		6.5	8.4

(continued on next page)

**Health Status Indicators for Cities and Towns
2002-2004**

Goodyear

Selected Causes of Death, cont.

Cause of Death	Goodyear						Comparisons			
	2002		2003		2004		Maricopa County, 2004	Healthy People 2010	Arizona 2004	U.S. 2003
	Number	Rate per 100,000	Number	Rate per 100,000	Number	Rate per 100,000				
Influenza & Pneumonia	7	25.2	3	9.4	4	10.7	16.6		19.0	22.3
Chronic Lower Respiratory	7	25.2	10	31.2	11	29.3	37.6		41.0	43.4
Peptic Ulcer	0	0.0	0	0.0	0	0.0	1.0		1.1	1.3
Liver Disease	2	7.2	3	9.4	0	0.0	9.1		10.8	9.4
Nephritis	2	7.2	1	3.1	2	5.3	7.3		10.7	14.6
Pregnancy	0	0.0	0	0.0	0	0.0	0.1		0.0	0.2
Perinatal Conditions	1	3.6	1	3.1	4	10.7	5.6		5.0	4.9
Congenital Malformations	0	0.0	0	0.0	1	2.7	4.1		4.1	3.6
SIDS	0	0.0	1	3.1	0	0.0	0.2			
Symptoms, Signs ex. SIDS	0	0.0	0	0.0	1	2.7	11.8			
All Other Diseases	21	75.7	20	62.4	23	61.3	91.9			
Motor Vehicle Accidents	6	21.6	7	21.8	9	24.0	15.3	9.2	18.2	15.2
All Other Acc. & Adverse Effects	3	10.8	2	6.2	5	13.3	25.9		27.1	21.1
Suicide	2	7.2	0	0.0	6	16.0	13.1	5.0	14.6	10.5
Homicide	2	7.2	1	3.1	0	0.0	8.8	3.0	8.3	5.9
All Other External Causes	0	0.0	1	3.1	0	0.0	1.6			
Unknown	3	10.8	3	9.4	0	0.0	1.0			
Total	149	537.4	146	455.3	180	480.1	672.2		732.8	840.4

*HP 2010 goals are breast cancer in females and prostate cancer in males

Health Status Indicators for Cities and Towns 2002-2004

Guadalupe

Population Statistics

	Guadalupe		Maricopa County		Arizona	U.S.
Population in 2000	5,228		3,072,149		5,130,632	281,421,906
Estimated Population	<u>Number</u>	<u>% Inc. from 2000</u>	<u>Number</u>	<u>% Inc. from 2000</u>	<u>Number</u>	<u>Number</u>
2002	5,215	-0.2%	3,303,876	7.5%	5,438,159	287,984,799
2003	5,211	-0.3%	3,389,260	10.3%	5,577,784	290,850,005
2004	5,254	0.5%	3,501,001	14.0%	5,739,879	293,656,842
Age Distribution 2004	<u>Number</u>	<u>% Distribution</u>	<u>Number</u>	<u>% Distribution</u>	<u>% Distribution</u>	<u>% Distribution</u>
Under 20 years old	2,154	41.0%	1,064,304	30.4%	29.9%	27.9%
20 - 44 years old	1,891	36.0%	1,323,378	37.8%	35.7%	36.1%
45 - 64 years old	841	16.0%	721,206	20.6%	21.6%	23.6%
65 and older	368	7.0%	392,112	11.2%	12.8%	12.4%
Dependency ratio	0.92		0.71		0.75	0.68

Infant Health Indicators

	Guadalupe						Comparisons			
	2002		2003		2004		Maricopa County, 2004	Healthy People	Arizona	U.S.
	<u>Number</u>	<u>Percent or Rate</u>	<u>Number</u>	<u>Percent or Rate</u>	<u>Number</u>	<u>Percent or Rate</u>		<u>2010</u>	<u>2004</u>	<u>2003</u>
Low weight births (under 2500 grams) - % of live births	0	0.0%	8	20.5%	12	9.7%	7.1%	5.0%	7.2%	7.9%
Births to teen mothers - % of live births	4	17.4%	1	2.6%	28	22.6%	11.7%	(-)	12.7%	10.3%
Infant mortality per 1,000 live births	0	0.0	3	76.9	1	8.1	6.5	4.5	6.7	6.9
Total Births	23		39		124		60,535		93,396	4,089,950

Note: Infant health indicators for cities/towns with fewer than 1,000 births are not reliable.

Note: 2004 infant health indicators for Guadalupe are not comparable to 2002 and 2003 data because geocoding was not available for 2002 and 2003.

The 2004 infant health indicators are the most accurate.

Health Status Indicators for Cities and Towns 2002-2004

Guadalupe

Selected Reportable Diseases

	Guadalupe						Comparisons			
	2002		2003		2004		Rate per 100,000 Population			
	<u>Number</u>	<u>Rate per 100,000</u>	<u>Number</u>	<u>Rate per 100,000</u>	<u>Number</u>	<u>Rate per 100,000</u>	<u>Maricopa County, 2004</u>	<u>H.P. 2010</u>	<u>Arizona 2004</u>	<u>U.S. 2003</u>
Vaccine Preventable										
<i>H. influenzae</i>	0	0.0	0	0.0	0	0.0	1.3	0.0		0.7
Measles	0	0.0	0	0.0	0	0.0	0	0.0	0.0	0.0
Mumps	0	0.0	0	0.0	0	0.0	0.0	0.0	0.0	0.1
Pertussis	0	0.0	0	0.0	0	0.0	3.1	0.0	2.6	4.0
Central Nervous System										
Encephalitis	0	0.0	0	0.0	0	0.0	0.9		0.5	
Meningitis - Aseptic	0	0.0	0	0.0	0	0.0	16.1		12.6	
Meningococcal Disease	0	0.0	0	0.0	0	0.0	0.3	1.0	0.3	0.6
Enterics										
Amebiasis	0	0.0	0	0.0	0	0.0	0.3		0.2	
Botulism	0	0.0	0	0.0	0	0.0	0.0		0.0	0.0
Campylobacteriosis	1	19.2	4	76.8	0	0.0	12.2	12.3	13.6	
Cryptosporidiosis	0	0.0	0	0.0	0	0.0	0.2		0.3	1.2
<i>E. Coli</i> O157:H7	0	0.0	0	0.0	0	0.0	0.6	1.0	0.5	0.9
Giardiasis	1	19.2	0	0.0	0	0.0	3.0		3.0	6.8
Hemolytic Uremic Syndrome	0	0.0	0	0.0	0	0.0	0			0.1
Listeriosis	0	0.0	0	0.0	0	0.0	0.2	0.25	0.2	0.2
Salmonellosis	2	38.4	2	38.4	0	0.0	10.2	6.8	11.9	15.2
Shigellosis	2	38.4	3	57.6	0	0.0	6.5		7.0	8.2
Typhoid	0	0.0	0	0.0	0	0.0	0.1		0.0	0.1
Vibrioses	0	0.0	0	0.0	0	0.0	0.1		0.1	
Yersiniosis	0	0.0	0	0.0	0	0.0	0.1		0.1	
Mycosis										
Coccidioidomycosis	0	0.0	0	0.0	1	19.0	77.2		62.8	1.7
Zoonoses/Vectorborne										
Brucellosis	0	0.0	0	0.0	0	0.0	0		0.0	0.0
Hantavirus Pulmonary Syndrome	0	0.0	0	0.0	0	0.0	0		0.0	0.0
Malaria	0	0.0	0	0.0	0	0.0	0.4		0.3	0.5
West Nile Virus	0	0.0	0	0.0	0	0.0	10.5		6.7	1.0
Hepatitides										
Hepatitis A	0	0.0	1	19.2	0	0.0	3.4	4.5	4.6	2.7
Hepatitis B	*	*	*	*	1	19.0	5.1	2.4-9.0	5.0	2.6
Other										
Legionellosis	0	0.0	0	0.0	0	0.0	0.4		0.4	0.8
Streptococcal Inv. Pneumonia	3	57.5	0	0.0	0	0.0	12.5		11.5	0.1
Streptococcal Inf. Group A	0	0.0	0	0.0	1	19.0	4.3		4.2	2.0
Streptococcal Inf. Group B	0	0.0	0	0.0	0	0.0	1.1	0.5	0.8	
Vancomycin res. <i>Enterococcus</i>	1	19.2	0	0.0	1	19.0	28.3		24.1	

* In 2004, Hepatitis B data were calculated differently from previous years and therefore, are not comparable to 2002 and 2003.

Health Status Indicators for Cities and Towns 2002-2004

Guadalupe

Selected Causes of Death

Cause of Death	Guadalupe						Comparisons			
	2002		2003		2004		Maricopa County, 2004	Healthy People 2010	Arizona 2004	U.S. 2003
	Number	Rate per 100,000	Number	Rate per 100,000	Number	Rate per 100,000				
Tuberculosis	0	0.0	0	0.0	0	0.0	0.2		0.2	0.2
Syphilis	0	0.0	0	0.0	0	0.0	0		0.0	0.0
HIV Disease	0	0.0	0	0.0	0	0.0	3.1	0.7	2.7	4.7
Malignant Neoplasms	7	134.2	2	38.4	7	133.2	147.6	159.9	163.0	190.7
Malignant Neoplasm Stomach	0	0.0	0	0.0	1	19.0	3.2		3.2	4.1
Malignant Neoplasm Colon	0	0.0	1	19.2	0	0.0	14.3	13.9	14.9	19.1
Malignant Neoplasm Pancreas	0	0.0	0	0.0	1	19.0	8.5		9.4	10.5
Malig. Neo. Bronchus, Lung	2	38.4	0	0.0	3	57.1	39.2	44.9	45.5	54.2
Malignant Neoplasm Breast	0	0.0	0	0.0	0	0.0	10.8	22.3*	11.4	14.4
Mal. Neo. Uterus, Cervix, Ovary	0	0.0	0	0.0	1	19.0	7.3		7.7	8.7
Malig. Neoplasm Prostate	0	0.0	0	0.0	1	19.0	7.9	28.8*	9.3	10.2
Malignant Neoplasm Urinary	0	0.0	1	19.2	0	0.0	7.9		8.0	8.5
Non-Hodgkins Lymphoma	2	38.4	0	0.0	0	0.0	5.6		6.3	7.4
Leukemia	0	0.0	0	0.0	0	0.0	5.7		6.1	7.4
Other Malignant Neoplasms	3	57.5	0	0.0	0	0.0	37.2		41.2	46.2
Diabetes	5	95.9	4	76.8	5	95.2	17.3	7.8	20.2	25.4
Alzheimers	0	0.0	0	0.0	0	0.0	31.8		28.7	21.8
Major Cardiovascular Diseases	14	268.5	10	191.9	14	266.5	221.1		237.1	310.1
Disease of Heart	9	172.6	9	172.7	10	190.3	165.0	166.0	178.4	235.4
Hypertensive Heart Disease	0	0.0	0	0.0	0	0.0	9.1		7.9	9.5
Ischemic Heart Disease	8	153.4	7	134.3	8	152.3	133.0		134.4	164.8
Other Heart Disease	1	19.2	2	38.4	2	38.1	22.9		36.1	61.1
Primary Hypertension	0	0.0	0	0.0	2	38.1	7.6		6.9	7.5
Cerebrovascular	4	76.7	1	19.2	1	19.0	38.6	48.0	41.4	54.3
Atherosclerosis	1	19.2	0	0.0	1	19.0	3.7		4.0	4.5
Other Circulatory	0	0.0	0	0.0	0	0.0	6.3		6.5	8.4

(continued on next page)

**Health Status Indicators for Cities and Towns
2002-2004**

Guadalupe

Selected Causes of Death, cont.

Cause of Death	Guadalupe						Comparisons			
	2002		2003		2004		Maricopa County, 2004	Healthy People 2010	Arizona 2004	U.S. 2003
	Number	Rate per 100,000	Number	Rate per 100,000	Number	Rate per 100,000				
Influenza & Pneumonia	1	19.2	3	57.6	1	19.0	16.6		19.0	22.3
Chronic Lower Respiratory	0	0.0	1	19.2	0	0.0	37.6		41.0	43.4
Peptic Ulcer	1	19.2	0	0.0	0	0.0	1.0		1.1	1.3
Liver Disease	4	76.7	0	0.0	1	19.0	9.1		10.8	9.4
Nephritis	1	19.2	0	0.0	3	57.1	7.3		10.7	14.6
Pregnancy	0	0.0	0	0.0	0	0.0	0.1		0.0	0.2
Perinatal Conditions	0	0.0	2	38.4	1	19.0	5.6		5.0	4.9
Congenital Malformations	0	0.0	0	0.0	0	0.0	4.1		4.1	3.6
SIDS	0	0.0	1	19.2	0	0.0	0.2			
Symptoms, Signs ex. SIDS	1	19.2	1	19.2	0	0.0	11.8			
All Other Diseases	10	191.8	4	76.8	11	209.4	91.9			
Motor Vehicle Accidents	1	19.2	3	57.6	4	76.1	15.3	9.2	18.2	15.2
All Other Acc. & Adverse Effects	4	76.7	1	19.2	2	38.1	25.9		27.1	21.1
Suicide	0	0.0	0	0.0	0	0.0	13.1	5.0	14.6	10.5
Homicide	2	38.4	0	0.0	0	0.0	8.8	3.0	8.3	5.9
All Other External Causes	0	0.0	0	0.0	0	0.0	1.6			
Unknown	0	0.0	0	0.0	0	0.0	1.0			
Total	51	977.9	32	614.1	49	932.6	672.2		732.8	840.4

*HP 2010 goals are breast cancer in females and prostate cancer in males

Health Status Indicators for Cities and Towns 2002-2004

Litchfield Park

Population Statistics

Population in 2000

Estimated Population

2002

2003

2004

Age Distribution 2004

Under 20 years old

20 - 44 years old

45 - 64 years old

65 and older

Dependency ratio

Litchfield Park		Maricopa County		Arizona	U.S.
3,810		3,072,149		5,130,632	281,421,906
Number	% Inc. from 2000	Number	% Inc. from 2000	Number	Number
3,904	2.5%	3,303,876	7.5%	5,438,159	287,984,799
3,937	3.3%	3,389,260	10.3%	5,577,784	290,850,005
4,001	5.0%	3,501,001	14.0%	5,739,879	293,656,842
Number	% Distribution	Number	% Distribution	% Distribution	% Distribution
1,040	26.0%	1,064,304	30.4%	29.9%	27.9%
1,000	25.0%	1,323,378	37.8%	35.7%	36.1%
1,120	28.0%	721,206	20.6%	21.6%	23.6%
880	22.0%	392,112	11.2%	12.8%	12.4%
0.91		0.71		0.75	0.68

Infant Health Indicators

Low weight births (under 2500 grams) - % of live births

Births to teen mothers - % of live births

Infant mortality per 1,000 live births

Total Births

Litchfield Park						Comparisons		
2002		2003		2004		Maricopa County, 2004	Healthy People 2010	Arizona 2004
Number	Percent or Rate	Number	Percent or Rate	Number	Percent or Rate			U.S. 2003
6	4.6%	17	5.8%	26	6.5%	7.1%	5.0%	7.2%
11	8.4%	11	3.8%	23	5.8%	11.7%	(-)	12.7%
0	0.0	0	0.0	1	2.5	6.5	4.5	6.7
131		291		397		60,535		93,396
								4,089,950

Note: Infant health indicators for cities/towns with fewer than 1,000 births are not reliable.

Health Status Indicators for Cities and Towns 2002-2004

Litchfield Park

Selected Reportable Diseases

	Litchfield Park						Comparisons			
	2002		2003		2004		Rate per 100,000 Population			
	<u>Number</u>	<u>Rate per 100,000</u>	<u>Number</u>	<u>Rate per 100,000</u>	<u>Number</u>	<u>Rate per 100,000</u>	<u>Maricopa County, 2004</u>	<u>H.P. 2010</u>	<u>Arizona 2004</u>	<u>U.S. 2003</u>
Vaccine Preventable										
<i>H. influenzae</i>	0	0.0	0	0.0	0	0.0	1.3	0.0		0.7
Measles	0	0.0	0	0.0	0	0.0	0	0.0	0.0	0.0
Mumps	0	0.0	0	0.0	0	0.0	0.0	0.0	0.0	0.1
Pertussis	1	25.6	0	0.0	0	0.0	3.1	0.0	2.6	4.0
Central Nervous System										
Encephalitis	0	0.0	0	0.0	0	0.0	0.9		0.5	
Meningitis - Aseptic	0	0.0	5	127.0	3	75.0	16.1		12.6	
Meningococcal Disease	0	0.0	0	0.0	0	0.0	0.3	1.0	0.3	0.6
Enterics										
Amebiasis	0	0.0	0	0.0	0	0.0	0.3		0.2	
Botulism	0	0.0	0	0.0	0	0.0	0.0		0.0	0.0
Campylobacteriosis	1	25.6	3	76.2	1	25.0	12.2	12.3	13.6	
Cryptosporidiosis	0	0.0	0	0.0	0	0.0	0.2		0.3	1.2
<i>E. Coli</i> O157:H7	0	0.0	0	0.0	0	0.0	0.6	1.0	0.5	0.9
Giardiasis	0	0.0	0	0.0	0	0.0	3.0		3.0	6.8
Hemolytic Uremic Syndrome	0	0.0	0	0.0	0	0.0	0			0.1
Listeriosis	0	0.0	0	0.0	0	0.0	0.2	0.25	0.2	0.2
Salmonellosis	0	0.0	3	76.2	1	25.0	10.2	6.8	11.9	15.2
Shigellosis	1	25.6	1	25.4	2	50.0	6.5		7.0	8.2
Typhoid	0	0.0	0	0.0	0	0.0	0.1		0.0	0.1
Vibrioses	0	0.0	0	0.0	0	0.0	0.1		0.1	
Yersiniosis	0	0.0	0	0.0	0	0.0	0.1		0.1	
Mycosis										
Coccidioidomycosis	3	76.8	6	152.4	14	349.9	77.2		62.8	1.7
Zoonoses/Vectorborne										
Brucellosis	0	0.0	0	0.0	0	0.0	0		0.0	0.0
Hantavirus Pulmonary Syndrome	0	0.0	0	0.0	0	0.0	0		0.0	0.0
Malaria	0	0.0	0	0.0	0	0.0	0.4		0.3	0.5
West Nile Virus	0	0.0	0	0.0	0	0.0	10.5		6.7	1.0
Hepatitides										
Hepatitis A	0	0.0	1	25.4	0	0.0	3.4	4.5	4.6	2.7
Hepatitis B	*	*	*	*	0	0.0	5.1	2.4-9.0	5.0	2.6
Other										
Legionellosis	0	0.0	0	0.0	0	0.0	0.4		0.4	0.8
Streptococcal Inv. Pneumonia	0	0.0	2	50.8	1	25.0	12.5		11.5	0.1
Streptococcal Inf. Group A	1	25.6	0	0.0	0	0.0	4.3		4.2	2.0
Streptococcal Inf. Group B	0	0.0	0	0.0	0	0.0	1.1	0.5	0.8	
Vancomycin res. <i>Enterococcus</i>	1	25.6	2	50.8	3	75.0	28.3		24.1	

* In 2004, Hepatitis B data were calculated differently from previous years and therefore, are not comparable to 2002 and 2003.

Health Status Indicators for Cities and Towns 2002-2004

Litchfield Park

Selected Causes of Death

Cause of Death	Litchfield Park						Comparisons			
	2002		2003		2004		Maricopa County, 2004	Healthy People 2010	Arizona 2004	U.S. 2003
	Number	Rate per 100,000	Number	Rate per 100,000	Number	Rate per 100,000				
Tuberculosis	0	0.0	0	0.0	0	0.0	0.2		0.2	0.2
Syphilis	0	0.0	0	0.0	0	0.0	0		0.0	0.0
HIV Disease	0	0.0	0	0.0	<5		3.1	0.7	2.7	4.7
Malignant Neoplasms	25	640.4	15	381.0	25	624.8	147.6	159.9	163.0	190.7
Malignant Neoplasm Stomach	0	0.0	1	25.4	0	0.0	3.2		3.2	4.1
Malignant Neoplasm Colon	5	128.1	0	0.0	3	75.0	14.3	13.9	14.9	19.1
Malignant Neoplasm Pancreas	0	0.0	3	76.2	2	50.0	8.5		9.4	10.5
Malig. Neo. Bronchus, Lung	6	153.7	5	127.0	7	175.0	39.2	44.9	45.5	54.2
Malignant Neoplasm Breast	2	51.2	3	76.2	0	0.0	10.8	22.3*	11.4	14.4
Mal. Neo. Uterus, Cervix, Ovary	1	25.6	1	25.4	1	25.0	7.3		7.7	8.7
Malig. Neoplasm Prostate	3	76.8	0	0.0	2	50.0	7.9	28.8*	9.3	10.2
Malignant Neoplasm Urinary	1	25.6	0	0.0	2	50.0	7.9		8.0	8.5
Non-Hodgkins Lymphoma	0	0.0	0	0.0	0	0.0	5.6		6.3	7.4
Leukemia	1	25.6	1	25.4	4	100.0	5.7		6.1	7.4
Other Malignant Neoplasms	6	153.7	1	25.4	4	100.0	37.2		41.2	46.2
Diabetes	0	0.0	2	50.8	5	125.0	17.3	7.8	20.2	25.4
Alzheimers	1	25.6	3	76.2	2	50.0	31.8		28.7	21.8
Major Cardiovascular Diseases	21	537.9	19	482.6	18	449.9	221.1		237.1	310.1
Disease of Heart	20	512.3	14	355.6	16	399.9	165.0	166.0	178.4	235.4
Hypertensive Heart Disease	2	51.2	2	50.8	0	0.0	9.1		7.9	9.5
Ischemic Heart Disease	15	384.2	11	279.4	14	349.9	133.0		134.4	164.8
Other Heart Disease	3	76.8	1	25.4	2	50.0	22.9		36.1	61.1
Primary Hypertension	0	0.0	1	25.4	0	0.0	7.6		6.9	7.5
Cerebrovascular	0	0.0	4	101.6	2	50.0	38.6	48.0	41.4	54.3
Atherosclerosis	0	0.0	0	0.0	0	0.0	3.7		4.0	4.5
Other Circulatory	1	25.6	0	0.0	0	0.0	6.3		6.5	8.4

(continued on next page)

**Health Status Indicators for Cities and Towns
2002-2004**

Litchfield Park

Selected Causes of Death, cont.

Cause of Death	Litchfield Park						Comparisons			
	2002		2003		2004		Maricopa County, 2004	Healthy People 2010	Arizona 2004	U.S. 2003
	Number	Rate per 100,000	Number	Rate per 100,000	Number	Rate per 100,000				
Influenza & Pneumonia	2	51.2	1	25.4	0	0.0	16.6		19.0	22.3
Chronic Lower Respiratory	4	102.5	8	203.2	2	50.0	37.6		41.0	43.4
Peptic Ulcer	1	25.6	0	0.0	0	0.0	1.0		1.1	1.3
Liver Disease	2	51.2	3	76.2	3	75.0	9.1		10.8	9.4
Nephritis	1	25.6	0	0.0	0	0.0	7.3		10.7	14.6
Pregnancy	0	0.0	0	0.0	0	0.0	0.1		0.0	0.2
Perinatal Conditions	0	0.0	0	0.0	1	25.0	5.6		5.0	4.9
Congenital Malformations	0	0.0	0	0.0	0	0.0	4.1		4.1	3.6
SIDS	0	0.0	0	0.0	0	0.0	0.2			
Symptoms, Signs ex. SIDS	0	0.0	0	0.0	0	0.0	11.8			
All Other Diseases	8	204.9	8	203.2	11	274.9	91.9			
Motor Vehicle Accidents	1	25.6	3	76.2	5	125.0	15.3	9.2	18.2	15.2
All Other Acc. & Adverse Effects	1	25.6	0	0.0	4	100.0	25.9		27.1	21.1
Suicide	0	0.0	1	25.4	2	50.0	13.1	5.0	14.6	10.5
Homicide	0	0.0	0	0.0	0	0.0	8.8	3.0	8.3	5.9
All Other External Causes	0	0.0	0	0.0	0	0.0	1.6			
Unknown	1	25.6	0	0.0	0	0.0	1.0			
Total	68	1741.8	63	1600.2	78	1949.5	672.2		732.8	840.4

*HP 2010 goals are breast cancer in females and prostate cancer in males

Health Status Indicators for Cities and Towns 2002-2004

Mesa

Population Statistics

Population in 2000

Estimated Population

2002

2003

2004

Age Distribution 2004

Under 20 years old

20 - 44 years old

45 - 64 years old

65 and older

Dependency ratio

Mesa		Maricopa County		Arizona	U.S.
396,375		3,072,149		5,130,632	281,421,906
Number	% Inc. from 2000	Number	% Inc. from 2000	Number	Number
424,809	7.2%	3,303,876	7.5%	5,438,159	287,984,799
431,260	8.8%	3,389,260	10.3%	5,577,784	290,850,005
437,454	10.4%	3,501,001	14.0%	5,739,879	293,656,842
Number	% Distribution	Number	% Distribution	% Distribution	% Distribution
131,236	30.0%	1,064,304	30.4%	29.9%	27.9%
166,233	38.0%	1,323,378	37.8%	35.7%	36.1%
78,742	18.0%	721,206	20.6%	21.6%	23.6%
56,869	13.0%	392,112	11.2%	12.8%	12.4%
0.77		0.71		0.75	0.68

Infant Health Indicators

Low weight births (under 2500 grams) - % of live births

Births to teen mothers - % of live births

Infant mortality per 1,000 live births

Total Births

Mesa						Comparisons		
2002		2003		2004		Maricopa County, 2004	Healthy People 2010	Arizona 2004
Number	Percent or Rate	Number	Percent or Rate	Number	Percent or Rate			U.S. 2003
533	6.6%	527	6.3%	561	6.7%	7.1%	5.0%	7.2%
875	10.8%	896	10.6%	837	10.0%	11.7%	(-)	12.7%
42	5.2	51	6.1	56	6.7	6.5	4.5	6.7
8,082		8,426		8,407		60,535		93,396
								4,089,950

Health Status Indicators for Cities and Towns 2002-2004

Mesa

Selected Reportable Diseases

	Mesa						Comparisons			
	2002		2003		2004		Rate per 100,000 Population			
	Number	Rate per 100,000	Number	Rate per 100,000	Number	Rate per 100,000	Maricopa County, 2004	H.P. 2010	Arizona 2004	U.S. 2003
Vaccine Preventable										
<i>H. influenzae</i>	9	2.1	5	1.2	6	1.4	1.3	0.0		0.7
Measles	0	0.0	0	0.0	0	0.0	0	0.0	0.0	0.0
Mumps	0	0.0	1	0.2	0	0.0	0.0	0.0	0.0	0.1
Pertussis	17	4.0	14	3.2	23	5.3	3.1	0.0	2.6	4.0
Central Nervous System										
Encephalitis	5	1.2	1	0.2	4	0.9	0.9		0.5	
Meningitis - Aseptic	14	3.3	100	23.2	55	12.6	16.1		12.6	
Meningococcal Disease	2	0.5	5	1.2	2	0.5	0.3	1.0	0.3	0.6
Enterics										
Amebiasis	1	0.2	2	0.5	2	0.5	0.3		0.2	
Botulism	1	0.2	0	0.0	0	0.0	0.0		0.0	0.0
Campylobacteriosis	29	6.8	61	14.1	43	9.8	12.2	12.3	13.6	
Cryptosporidiosis	1	0.2	2	0.5	0	0.0	0.2		0.3	1.2
<i>E. Coli</i> O157:H7	5	1.2	2	0.5	1	0.2	0.6	1.0	0.5	0.9
Giardiasis	11	2.6	23	5.3	11	2.5	3.0		3.0	6.8
Hemolytic Uremic Syndrome	1	0.2	0	0.0	0	0.0	0			0.1
Listeriosis	0	0.0	0	0.0	1	0.2	0.2	0.25	0.2	0.2
Salmonellosis	37	8.7	27	6.3	34	7.8	10.2	6.8	11.9	15.2
Shigellosis	36	8.5	30	7.0	32	7.3	6.5		7.0	8.2
Typhoid	0	0.0	0	0.0	0	0.0	0.1		0.0	0.1
Vibrioses	0	0.0	0	0.0	0	0.0	0.1		0.1	
Yersiniosis	0	0.0	0	0.0	0	0.0	0.1		0.1	
Mycosis										
Coccidioidomycosis	325	76.5	235	54.5	286	65.4	77.2		62.8	1.7
Zoonoses/Vectorborne										
Brucellosis	0	0.0	0	0.0	0	0.0	0		0.0	0.0
Hantavirus Pulmonary Syndrome	0	0.0	0	0.0	0	0.0	0		0.0	0.0
Malaria	0	0.0	2	0.5	3	0.7	0.4		0.3	0.5
West Nile Virus	1	0.2	2	0.5	53	12.1	10.5		6.7	1.0
Hepatitides										
Hepatitis A	19	4.5	22	5.1	23	5.3	3.4	4.5	4.6	2.7
Hepatitis B	*	*	*	*	13	3.0	5.1	2.4-9.0	5.0	2.6
Other										
Legionellosis	1	0.2	4	0.9		0.0	0.4		0.4	0.8
Streptococcal Inv. Pneumonia	62	14.6	48	11.1	48	11.0	12.5		11.5	0.1
Streptococcal Inf. Group A	29	6.8	18	4.2	19	4.3	4.3		4.2	2.0
Streptococcal Inf. Group B	0	0.0	2	0.5	4	0.9	1.1	0.5	0.8	
Vancomycin res. <i>Enterococcus</i>	157	37.0	73	16.9	102	23.3	28.3		24.1	

* In 2004, Hepatitis B data were calculated differently from previous years and therefore, are not comparable to 2002 and 2003.

Health Status Indicators for Cities and Towns 2002-2004

Mesa

Selected Causes of Death

Cause of Death	Mesa						Comparisons			
	2002		2003		2004		Maricopa County, 2004	Healthy People 2010	Arizona 2004	U.S. 2003
	Number	Rate per 100,000	Number	Rate per 100,000	Number	Rate per 100,000				
Tuberculosis	1	0.2	2	0.5	0	0.0	0.2		0.2	0.2
Syphilis	0	0.0	0	0.0	0	0.0	0		0.0	0.0
HIV Disease	10	2.4	5	1.2	14	3.2	3.1	0.7	2.7	4.7
Malignant Neoplasms	704	165.7	809	187.6	801	183.1	147.6	159.9	163.0	190.7
Malignant Neoplasm Stomach	6	1.4	13	3.0	13	3.0	3.2		3.2	4.1
Malignant Neoplasm Colon	69	16.2	82	19.0	72	16.5	14.3	13.9	14.9	19.1
Malignant Neoplasm Pancreas	28	6.6	50	11.6	38	8.7	8.5		9.4	10.5
Malig. Neo. Bronchus, Lung	177	41.7	212	49.2	204	46.6	39.2	44.9	45.5	54.2
Malignant Neoplasm Breast	64	15.1	66	15.3	70	16.0	10.8	22.3*	11.4	14.4
Mal. Neo. Uterus, Cervix, Ovary	29	6.8	37	8.6	41	9.4	7.3		7.7	8.7
Malig. Neoplasm Prostate	40	9.4	44	10.2	49	11.2	7.9	28.8*	9.3	10.2
Malignant Neoplasm Urinary	21	4.9	40	9.3	34	7.8	7.9		8.0	8.5
Non-Hodgkins Lymphoma	43	10.1	32	7.4	36	8.2	5.6		6.3	7.4
Leukemia	36	8.5	32	7.4	28	6.4	5.7		6.1	7.4
Other Malignant Neoplasms	191	45.0	201	46.6	216	49.4	37.2		41.2	46.2
Diabetes	119	28.0	110	25.5	92	21.0	17.3	7.8	20.2	25.4
Alzheimers	130	30.6	180	41.7	216	49.4	31.8		28.7	21.8
Major Cardiovascular Diseases	1,322	311.2	1,327	307.7	1,349	308.4	221.1		237.1	310.1
Disease of Heart	991	233.3	988	229.1	977	223.3	165.0	166.0	178.4	235.4
Hypertensive Heart Disease	50	11.8	47	10.9	56	12.8	9.1		7.9	9.5
Ischemic Heart Disease	803	189.0	802	186.0	780	178.3	133.0		134.4	164.8
Other Heart Disease	138	32.5	139	32.2	141	32.2	22.9		36.1	61.1
Primary Hypertension	33	7.8	41	9.5	55	12.6	7.6		6.9	7.5
Cerebrovascular	231	54.4	242	56.1	247	56.5	38.6	48.0	41.4	54.3
Atherosclerosis	18	4.2	28	6.5	30	6.9	3.7		4.0	4.5
Other Circulatory	49	11.5	28	6.5	40	9.1	6.3		6.5	8.4

(continued on next page)

**Health Status Indicators for Cities and Towns
2002-2004**

Mesa

Selected Causes of Death, cont.

Cause of Death	Mesa						Comparisons			
	2002		2003		2004		Maricopa County, 2004	Healthy People 2010	Arizona 2004	U.S. 2003
	Number	Rate per 100,000	Number	Rate per 100,000	Number	Rate per 100,000				
Influenza & Pneumonia	107	25.2	101	23.4	79	18.1	16.6		19.0	22.3
Chronic Lower Respiratory	207	48.7	250	58.0	227	51.9	37.6		41.0	43.4
Peptic Ulcer	6	1.4	9	2.1	8	1.8	1.0		1.1	1.3
Liver Disease	50	11.8	40	9.3	50	11.4	9.1		10.8	9.4
Nephritis	54	12.7	41	9.5	37	8.5	7.3		10.7	14.6
Pregnancy	1	0.2	0	0.0	0	0.0	0.1		0.0	0.2
Perinatal Conditions	24	5.6	19	4.4	28	6.4	5.6		5.0	4.9
Congenital Malformations	20	4.7	15	3.5	25	5.7	4.1		4.1	3.6
SIDS	3	0.7	2	0.5	2	0.5	0.2			
Symptoms, Signs ex. SIDS	34	8.0	45	10.4	41	9.4	11.8			
All Other Diseases	519	122.2	501	116.2	447	102.2	91.9			
Motor Vehicle Accidents	55	12.9	57	13.2	64	14.6	15.3	9.2	18.2	15.2
All Other Acc. & Adverse Effects	127	29.9	93	21.6	143	32.7	25.9		27.1	21.1
Suicide	72	16.9	58	13.4	73	16.7	13.1	5.0	14.6	10.5
Homicide	25	5.9	27	6.3	25	5.7	8.8	3.0	8.3	5.9
All Other External Causes	7	1.6	5	1.2	11	2.5	1.6			
Unknown	48	11.3	28	6.5	2	0.5	1.0			
Total	3,645	858.0	3,724	863.5	3,734	853.6	672.2		732.8	840.4

*HP 2010 goals are breast cancer in females and prostate cancer in males

Health Status Indicators for Cities and Towns 2002-2004

New River

Population Statistics

	New River		Maricopa County		Arizona	U.S.
Population in 2000	10,740		3,072,149		5,130,632	281,421,906
Estimated Population	<u>Number</u>	<u>% Inc. from 2000</u>	<u>Number</u>	<u>% Inc. from 2000</u>	<u>Number</u>	<u>Number</u>
2002	11,513	7.2%	3,303,876	7.5%	5,438,159	287,984,799
2003	11,846	10.3%	3,389,260	10.3%	5,577,784	290,850,005
2004	12,244	14.0%	3,501,001	14.0%	5,739,879	293,656,842
Age Distribution 2004	<u>Number</u>	<u>% Distribution</u>	<u>Number</u>	<u>% Distribution</u>	<u>% Distribution</u>	<u>% Distribution</u>
Under 20 years old	3,428	28.0%	1,064,304	30.4%	29.9%	27.9%
20 - 44 years old	4,408	36.0%	1,323,378	37.8%	35.7%	36.1%
45 - 64 years old	3,551	29.0%	721,206	20.6%	21.6%	23.6%
65 and older	857	7.0%	392,112	11.2%	12.8%	12.4%
Dependency ratio	0.54		0.71		0.75	0.68

Infant Health Indicators

	New River				Comparisons			
	2002		2003		2004	Healthy People		
	<u>Number</u>	<u>Percent or Rate</u>	<u>Number</u>	<u>Percent or Rate</u>	<u>Number</u>	<u>Percent or Rate</u>	<u>Number</u>	<u>Percent or Rate</u>
Low weight births (under 2500 grams) - % of live births	1	3.1%	2	9.1%	4	11.1%	7.1%	5.0%
Births to teen mothers - % of live births	1	3.1%	0	0.0%	4	11.1%	11.7%	(-)
Infant mortality per 1,000 live births	0	0.0	0	0.0	0	0.0	6.5	4.5
Total Births	32		22		36		60,535	93,396
								4,089,950

Note: Infant health indicators for cities/towns with fewer than 1,000 births are not reliable.

Health Status Indicators for Cities and Towns 2002-2004

New River

Selected Reportable Diseases

	New River						Comparisons			
	2002		2003		2004		Rate per 100,000 Population			
	<u>Number</u>	<u>Rate per 100,000</u>	<u>Number</u>	<u>Rate per 100,000</u>	<u>Number</u>	<u>Rate per 100,000</u>	<u>Maricopa County, 2004</u>	<u>H.P. 2010</u>	<u>Arizona 2004</u>	<u>U.S. 2003</u>
Vaccine Preventable										
<i>H. influenzae</i>	0	0.0	0	0.0	0	0.0	1.3	0.0		0.7
Measles	0	0.0	0	0.0	0	0.0	0	0.0	0.0	0.0
Mumps	0	0.0	0	0.0	0	0.0	0.0	0.0	0.0	0.1
Pertussis	0	0.0	0	0.0	0	0.0	3.1	0.0	2.6	4.0
Central Nervous System										
Encephalitis	0	0.0	0	0.0	0	0.0	0.9		0.5	
Meningitis - Aseptic	0	0.0	0	0.0	2	16.3	16.1		12.6	
Meningococcal Disease	0	0.0	0	0.0	0	0.0	0.3	1.0	0.3	0.6
Enterics										
Amebiasis	0	0.0	0	0.0	0	0.0	0.3		0.2	
Botulism	0	0.0	0	0.0	0	0.0	0.0		0.0	0.0
Campylobacteriosis	1	8.7	0	0.0	1	8.2	12.2	12.3	13.6	
Cryptosporidiosis	0	0.0	0	0.0	0	0.0	0.2		0.3	1.2
<i>E. Coli</i> O157:H7	0	0.0	0	0.0	0	0.0	0.6	1.0	0.5	0.9
Giardiasis	0	0.0	0	0.0	0	0.0	3.0		3.0	6.8
Hemolytic Uremic Syndrome	0	0.0	0	0.0	0	0.0	0			0.1
Listeriosis	0	0.0	0	0.0	0	0.0	0.2	0.25	0.2	0.2
Salmonellosis	0	0.0	1	8.4	0	0.0	10.2	6.8	11.9	15.2
Shigellosis	0	0.0	0	0.0	0	0.0	6.5		7.0	8.2
Typhoid	0	0.0	0	0.0	0	0.0	0.1		0.0	0.1
Vibrioses	0	0.0	0	0.0	0	0.0	0.1		0.1	
Yersiniosis	0	0.0	0	0.0	0	0.0	0.1		0.1	
Mycosis										
Coccidioidomycosis	5	43.4	0	0.0	7	57.2	77.2		62.8	1.7
Zoonoses/Vectorborne										
Brucellosis	0	0.0	0	0.0	0	0.0	0		0.0	0.0
Hantavirus Pulmonary Syndrome	0	0.0	0	0.0	0	0.0	0		0.0	0.0
Malaria	0	0.0	0	0.0	0	0.0	0.4		0.3	0.5
West Nile Virus	0	0.0	0	0.0	1	8.2	10.5		6.7	1.0
Hepatitides										
Hepatitis A	0	0.0	1	8.4	0	0.0	3.4	4.5	4.6	2.7
Hepatitis B	*	*	*	*	1	8.2	5.1	2.4-9.0	5.0	2.6
Other										
Legionellosis	0	0.0	0	0.0	0	0.0	0.4		0.4	0.8
Streptococcal Inv. Pneumonia	1	8.7	1	8.4	0	0.0	12.5		11.5	0.1
Streptococcal Inf. Group A	0	0.0	0	0.0	0	0.0	4.3		4.2	2.0
Streptococcal Inf. Group B	0	0.0	0	0.0	0	0.0	1.1	0.5	0.8	
Vancomycin res. <i>Enterococcus</i>	0	0.0	0	0.0	0	0.0	28.3		24.1	

* In 2004, Hepatitis B data were calculated differently from previous years and therefore, are not comparable to 2002 and 2003.

Health Status Indicators for Cities and Towns 2002-2004

New River

Selected Causes of Death

Cause of Death	New River						Comparisons			
	2002		2003		2004		Maricopa County, 2004	Healthy People 2010	Arizona 2004	U.S. 2003
	Number	Rate per 100,000	Number	Rate per 100,000	Number	Rate per 100,000				
Tuberculosis	0	0.0	0	0.0	0	0.0	0.2		0.2	0.2
Syphilis	0	0.0	0	0.0	0	0.0	0		0.0	0.0
HIV Disease	0	0.0	0	0.0	0	0.0	3.1	0.7	2.7	4.7
Malignant Neoplasms	6	52.1	4	33.8	5	40.8	147.6	159.9	163.0	190.7
Malignant Neoplasm Stomach	0	0.0	0	0.0	0	0.0	3.2		3.2	4.1
Malignant Neoplasm Colon	0	0.0	1	8.4	0	0.0	14.3	13.9	14.9	19.1
Malignant Neoplasm Pancreas	0	0.0	0	0.0	0	0.0	8.5		9.4	10.5
Malig. Neo. Bronchus, Lung	3	26.1	2	16.9	1	8.2	39.2	44.9	45.5	54.2
Malignant Neoplasm Breast	0	0.0	0	0.0	0	0.0	10.8	22.3*	11.4	14.4
Mal. Neo. Uterus, Cervix, Ovary	1	8.7	0	0.0	0	0.0	7.3		7.7	8.7
Malig. Neoplasm Prostate	0	0.0	0	0.0	1	8.2	7.9	28.8*	9.3	10.2
Malignant Neoplasm Urinary	0	0.0	0	0.0	0	0.0	7.9		8.0	8.5
Non-Hodgkins Lymphoma	1	8.7	0	0.0	1	8.2	5.6		6.3	7.4
Leukemia	0	0.0	0	0.0	1	8.2	5.7		6.1	7.4
Other Malignant Neoplasms	1	8.7	1	8.4	1	8.2	37.2		41.2	46.2
Diabetes	1	8.7	0	0.0	1	8.2	17.3	7.8	20.2	25.4
Alzheimers	0	0.0	2	16.9	1	8.2	31.8		28.7	21.8
Major Cardiovascular Diseases	6	52.1	9	76.0	3	24.5	221.1		237.1	310.1
Disease of Heart	4	34.7	7	59.1	3	24.5	165.0	166.0	178.4	235.4
Hypertensive Heart Disease	0	0.0	0	0.0	0	0.0	9.1		7.9	9.5
Ischemic Heart Disease	3	26.1	5	42.2	2	16.3	133.0		134.4	164.8
Other Heart Disease	1	8.7	2	16.9	1	8.2	22.9		36.1	61.1
Primary Hypertension	0	0.0	0	0.0	0	0.0	7.6		6.9	7.5
Cerebrovascular	1	8.7	2	16.9	0	0.0	38.6	48.0	41.4	54.3
Atherosclerosis	1	8.7	0	0.0	0	0.0	3.7		4.0	4.5
Other Circulatory	0	0.0	0	0.0	0	0.0	6.3		6.5	8.4

(continued on next page)

**Health Status Indicators for Cities and Towns
2002-2004**

New River

Selected Causes of Death, cont.

Cause of Death	New River						Comparisons			
	2002		2003		2004		Maricopa County, 2004	Healthy People 2010	Arizona 2004	U.S. 2003
	Number	Rate per 100,000	Number	Rate per 100,000	Number	Rate per 100,000				
Influenza & Pneumonia	0	0.0	1	8.4	0	0.0	16.6		19.0	22.3
Chronic Lower Respiratory	1	8.7	3	25.3	2	16.3	37.6		41.0	43.4
Peptic Ulcer	0	0.0	0	0.0	0	0.0	1.0		1.1	1.3
Liver Disease	0	0.0	0	0.0	0	0.0	9.1		10.8	9.4
Nephritis	0	0.0	1	8.4	0	0.0	7.3		10.7	14.6
Pregnancy	0	0.0	0	0.0	0	0.0	0.1		0.0	0.2
Perinatal Conditions	0	0.0	0	0.0	0	0.0	5.6		5.0	4.9
Congenital Malformations	0	0.0	0	0.0	0	0.0	4.1		4.1	3.6
SIDS	0	0.0	0	0.0	0	0.0	0.2			
Symptoms, Signs ex. SIDS	0	0.0	0	0.0	0	0.0	11.8			
All Other Diseases	2	17.4	5	42.2	5	40.8	91.9			
Motor Vehicle Accidents	0	0.0	1	8.4	0	0.0	15.3	9.2	18.2	15.2
All Other Acc. & Adverse Effects	1	8.7	0	0.0	1	8.2	25.9		27.1	21.1
Suicide	0	0.0	2	16.9	1	8.2	13.1	5.0	14.6	10.5
Homicide	0	0.0	0	0.0	0	0.0	8.8	3.0	8.3	5.9
All Other External Causes	0	0.0	0	0.0	0	0.0	1.6			
Unknown	1	8.7	0	0.0	0	0.0	1.0			
Total	18	156.3	28	236.4	19	155.2	672.2		732.8	840.4

*HP 2010 goals are breast cancer in females and prostate cancer in males

Health Status Indicators for Cities and Towns 2002-2004

Paradise Valley

Population Statistics

	Paradise Valley		Maricopa County		Arizona	U.S.
Population in 2000	13,664		3,072,149		5,130,632	281,421,906
Estimated Population	<u>Number</u>	<u>% Inc. from 2000</u>	<u>Number</u>	<u>% Inc. from 2000</u>	<u>Number</u>	<u>Number</u>
2002	14,067	2.9%	3,303,876	7.5%	5,438,159	287,984,799
2003	14,179	3.8%	3,389,260	10.3%	5,577,784	290,850,005
2004	14,330	4.9%	3,501,001	14.0%	5,739,879	293,656,842
Age Distribution 2004	<u>Number</u>	<u>% Distribution</u>	<u>Number</u>	<u>% Distribution</u>	<u>% Distribution</u>	<u>% Distribution</u>
Under 20 years old	3,869	27.0%	1,064,304	30.4%	29.9%	27.9%
20 - 44 years old	3,009	21.0%	1,323,378	37.8%	35.7%	36.1%
45 - 64 years old	5,159	36.0%	721,206	20.6%	21.6%	23.6%
65 and older	2,293	16.0%	392,112	11.2%	12.8%	12.4%
Dependency ratio	0.75		0.71		0.75	0.68

Infant Health Indicators

	Paradise Valley						Comparisons		
	2002		2003		2004		Maricopa County, 2004	Healthy People 2010	Arizona 2004
	<u>Number</u>	<u>Percent or Rate</u>	<u>Number</u>	<u>Percent or Rate</u>	<u>Number</u>	<u>Percent or Rate</u>			<u>U.S. 2003</u>
Low weight births (under 2500 grams) - % of live births	5	5.3%	12	12.6%	12	10.1%	7.1%	5.0%	7.2%
Births to teen mothers - % of live births	1	1.1%	0	0.0%	0	0.0%	11.7%	(-)	12.7%
Infant mortality per 1,000 live births	0	0.0	0	0.0	0	0.0	6.5	4.5	6.7
Total Births	95		95		119		60,535		93,396
									4,089,950

Note: Infant health indicators for cities/towns with fewer than 1,000 births are not reliable.

Health Status Indicators for Cities and Towns 2002-2004

Paradise Valley

Selected Reportable Diseases

	Paradise Valley						Comparisons			
	2002		2003		2004		Rate per 100,000 Population			
	<u>Number</u>	<u>Rate per 100,000</u>	<u>Number</u>	<u>Rate per 100,000</u>	<u>Number</u>	<u>Rate per 100,000</u>	<u>Maricopa County, 2004</u>	<u>H.P. 2010</u>	<u>Arizona 2004</u>	<u>U.S. 2003</u>
Vaccine Preventable										
<i>H. influenzae</i>	0	0.0	0	0.0	0	0.0	1.3	0.0		0.7
Measles	0	0.0	0	0.0	0	0.0	0	0.0	0.0	0.0
Mumps	0	0.0	0	0.0	0	0.0	0.0	0.0	0.0	0.1
Pertussis	0	0.0	0	0.0	1	7.0	3.1	0.0	2.6	4.0
Central Nervous System										
Encephalitis	0	0.0	0	0.0	0	0.0	0.9		0.5	
Meningitis - Aseptic	1	7.1	3	21.2	3	20.9	16.1		12.6	
Meningococcal Disease	0	0.0	0	0.0	0	0.0	0.3	1.0	0.3	0.6
Enterics										
Amebiasis	0	0.0	0	0.0	0	0.0	0.3		0.2	
Botulism	0	0.0	0	0.0	0	0.0	0.0		0.0	0.0
Campylobacteriosis	2	14.2	3	21.2	3	20.9	12.2	12.3	13.6	
Cryptosporidiosis	0	0.0	0	0.0	1	7.0	0.2		0.3	1.2
<i>E. Coli</i> O157:H7	0	0.0	1	7.1	0	0.0	0.6	1.0	0.5	0.9
Giardiasis	2	14.2	1	7.1	1	7.0	3.0		3.0	6.8
Hemolytic Uremic Syndrome	0	0.0	0	0.0	0	0.0	0			0.1
Listeriosis	0	0.0	0	0.0	1	7.0	0.2	0.25	0.2	0.2
Salmonellosis	3	21.3	0	0.0	0	0.0	10.2	6.8	11.9	15.2
Shigellosis	0	0.0	1	7.1	1	7.0	6.5		7.0	8.2
Typhoid	0	0.0	0	0.0	0	0.0	0.1		0.0	0.1
Vibrioses	0	0.0	0	0.0	0	0.0	0.1		0.1	
Yersiniosis	0	0.0	0	0.0	0	0.0	0.1		0.1	
Mycosis										
Coccidioidomycosis	11	78.2	9	63.5	12	83.7	77.2		62.8	1.7
Zoonoses/Vectorborne										
Brucellosis	0	0.0	0	0.0	0	0.0	0		0.0	0.0
Hantavirus Pulmonary Syndrome	0	0.0	0	0.0	0	0.0	0		0.0	0.0
Malaria	0	0.0	0	0.0	0	0.0	0.4		0.3	0.5
West Nile Virus	0	0.0	0	0.0	2	14.0	10.5		6.7	1.0
Hepatitides										
Hepatitis A	0	0.0	0	0.0	0	0.0	3.4	4.5	4.6	2.7
Hepatitis B	*	*	*	*	0	0.0	5.1	2.4-9.0	5.0	2.6
Other										
Legionellosis	0	0.0	0	0.0	0	0.0	0.4		0.4	0.8
Streptococcal Inv. Pneumonia	1	7.1	2	14.1	1	7.0	12.5		11.5	0.1
Streptococcal Inf. Group A	1	7.1	0	0.0	0	0.0	4.3		4.2	2.0
Streptococcal Inf. Group B	0	0.0	0	0.0	0	0.0	1.1	0.5	0.8	
Vancomycin res. <i>Enterococcus</i>	9	64.0	2	14.1	8	55.8	28.3		24.1	

* In 2004, Hepatitis B data were calculated differently from previous years and therefore, are not comparable to 2002 and 2003.

Health Status Indicators for Cities and Towns 2002-2004

Paradise Valley

Selected Causes of Death

Cause of Death	Paradise Valley						Comparisons			
	2002		2003		2004		Maricopa County, 2004	Healthy People 2010	Arizona 2004	U.S. 2003
	Number	Rate per 100,000	Number	Rate per 100,000	Number	Rate per 100,000				
Tuberculosis	0	0.0	0	0.0	0	0.0	0.2		0.2	0.2
Syphilis	0	0.0	0	0.0	0	0.0	0		0.0	0.0
HIV Disease	0	0.0	0	0.0	0	0.0	3.1	0.7	2.7	4.7
Malignant Neoplasms	28	199.0	28	197.5	18	125.6	147.6	159.9	163.0	190.7
Malignant Neoplasm Stomach	0	0.0	0	0.0	1	7.0	3.2		3.2	4.1
Malignant Neoplasm Colon	3	21.3	3	21.2	2	14.0	14.3	13.9	14.9	19.1
Malignant Neoplasm Pancreas	1	7.1	2	14.1	0	0.0	8.5		9.4	10.5
Malig. Neo. Bronchus, Lung	3	21.3	7	49.4	2	14.0	39.2	44.9	45.5	54.2
Malignant Neoplasm Breast	0	0.0	1	7.1	2	14.0	10.8	22.3*	11.4	14.4
Mal. Neo. Uterus, Cervix, Ovary	1	7.1	1	7.1	3	20.9	7.3		7.7	8.7
Malig. Neoplasm Prostate	3	21.3	3	21.2	4	27.9	7.9	28.8*	9.3	10.2
Malignant Neoplasm Urinary	1	7.1	0	0.0	0	0.0	7.9		8.0	8.5
Non-Hodgkins Lymphoma	2	14.2	2	14.1	0	0.0	5.6		6.3	7.4
Leukemia	1	7.1	2	14.1	1	7.0	5.7		6.1	7.4
Other Malignant Neoplasms	13	92.4	7	49.4	3	20.9	37.2		41.2	46.2
Diabetes	2	14.2	2	14.1	7	48.8	17.3	7.8	20.2	25.4
Alzheimers	4	28.4	7	49.4	11	76.8	31.8		28.7	21.8
Major Cardiovascular Diseases	28	199.0	22	155.2	36	251.2	221.1		237.1	310.1
Disease of Heart	23	163.5	15	105.8	29	202.4	165.0	166.0	178.4	235.4
Hypertensive Heart Disease	0	0.0	2	14.1	1	7.0	9.1		7.9	9.5
Ischemic Heart Disease	19	135.1	10	70.5	21	146.5	133.0		134.4	164.8
Other Heart Disease	4	28.4	3	21.2	7	48.8	22.9		36.1	61.1
Primary Hypertension	1	7.1	0	0.0	0	0.0	7.6		6.9	7.5
Cerebrovascular	3	21.3	5	35.3	3	20.9	38.6	48.0	41.4	54.3
Atherosclerosis	1	7.1	1	7.1	1	7.0	3.7		4.0	4.5
Other Circulatory	0	0.0	1	7.1	3	20.9	6.3		6.5	8.4

(continued on next page)

**Health Status Indicators for Cities and Towns
2002-2004**

Paradise Valley

Selected Causes of Death, cont.

Cause of Death	Paradise Valley						Comparisons			
	2002		2003		2004		Maricopa County, 2004	Healthy People 2010	Arizona 2004	U.S. 2003
	Number	Rate per 100,000	Number	Rate per 100,000	Number	Rate per 100,000				
Influenza & Pneumonia	8	56.9	1	7.1	3	20.9	16.6		19.0	22.3
Chronic Lower Respiratory	3	21.3	5	35.3	4	27.9	37.6		41.0	43.4
Peptic Ulcer	0	0.0	0	0.0	0	0.0	1.0		1.1	1.3
Liver Disease	0	0.0	4	28.2	1	7.0	9.1		10.8	9.4
Nephritis	0	0.0	1	7.1	0	0.0	7.3		10.7	14.6
Pregnancy	0	0.0	0	0.0	0	0.0	0.1		0.0	0.2
Perinatal Conditions	0	0.0	0	0.0	0	0.0	5.6		5.0	4.9
Congenital Malformations	0	0.0	0	0.0	0	0.0	4.1		4.1	3.6
SIDS	0	0.0	0	0.0	0	0.0	0.2			
Symptoms, Signs ex. SIDS	2	14.2	0	0.0	4	27.9	11.8			
All Other Diseases	14	99.5	12	84.6	14	97.7	91.9			
Motor Vehicle Accidents	0	0.0	1	7.1	0	0.0	15.3	9.2	18.2	15.2
All Other Acc. & Adverse Effects	6	42.7	7	49.4	3	20.9	25.9		27.1	21.1
Suicide	1	7.1	2	14.1	0	0.0	13.1	5.0	14.6	10.5
Homicide	1	7.1	0	0.0	0	0.0	8.8	3.0	8.3	5.9
All Other External Causes	1	7.1	0	0.0	0	0.0	1.6			
Unknown	0	0.0	0	0.0	1	7.0	1.0			
Total	98	696.7	92	648.8	102	711.8	672.2		732.8	840.4

*HP 2010 goals are breast cancer in females and prostate cancer in males

Health Status Indicators for Cities and Towns 2002-2004

Peoria

Population Statistics

Population in 2000

Estimated Population

2002

2003

2004

Age Distribution 2004

Under 20 years old

20 - 44 years old

45 - 64 years old

65 and older

Dependency ratio

Peoria		Maricopa County		Arizona	U.S.
108,363		3,072,149		5,130,632	281,421,906
Number	% Inc. from 2000	Number	% Inc. from 2000	Number	Number
123,174	13.7%	3,303,876	7.5%	5,438,159	287,984,799
127,911	18.0%	3,389,260	10.3%	5,577,784	290,850,005
132,266	22.1%	3,501,001	14.0%	5,739,879	293,656,842
Number	% Distribution	Number	% Distribution	% Distribution	% Distribution
41,002	31.0%	1,064,304	30.4%	29.9%	27.9%
46,293	35.0%	1,323,378	37.8%	35.7%	36.1%
26,453	20.0%	721,206	20.6%	21.6%	23.6%
18,517	14.0%	392,112	11.2%	12.8%	12.4%
0.82		0.71		0.75	0.68

Infant Health Indicators

Low weight births (under 2500 grams) - % of live births

Births to teen mothers - % of live births

Infant mortality per 1,000 live births

Total Births

Peoria						Comparisons		
2002		2003		2004		Maricopa County, 2004	Healthy People 2010	Arizona 2004
Number	Percent or Rate	Number	Percent or Rate	Number	Percent or Rate			U.S. 2003
122	6.7%	117	6.4%	153	8.0%	7.1%	5.0%	7.2%
190	10.5%	171	9.3%	161	8.4%	11.7%	(-)	12.7%
22	12.1	14	7.7	6	3.1	6.5	4.5	6.7
1,817		1,830		1,919		60,535		93,396
								4,089,950

Health Status Indicators for Cities and Towns 2002-2004

Peoria

Selected Reportable Diseases

	Peoria						Comparisons			
	2002		2003		2004		Rate per 100,000 Population			
	Number	Rate per 100,000	Number	Rate per 100,000	Number	Rate per 100,000	Maricopa County, 2004	H.P. 2010	Arizona 2004	U.S. 2003
Vaccine Preventable										
<i>H. influenzae</i>	1	0.8	1	0.8	3	2.3	1.3	0.0		0.7
Measles	0	0.0	1	0.8	0	0.0	0	0.0	0.0	0.0
Mumps	0	0.0	0	0.0	0	0.0	0.0	0.0	0.0	0.1
Pertussis	5	4.1	9	7.0	8	6.0	3.1	0.0	2.6	4.0
Central Nervous System										
Encephalitis	0	0.0	0	0.0	0	0.0	0.9		0.5	
Meningitis - Aseptic	17	13.8	73	57.1	40	30.2	16.1		12.6	
Meningococcal Disease	0	0.0	0	0.0	0	0.0	0.3	1.0	0.3	0.6
Enterics										
Amebiasis	0	0.0	0	0.0	0	0.0	0.3		0.2	
Botulism	0	0.0	0	0.0	0	0.0	0.0		0.0	0.0
Campylobacteriosis	7	5.7	7	5.5	11	8.3	12.2	12.3	13.6	
Cryptosporidiosis	0	0.0	0	0.0	0	0.0	0.2		0.3	1.2
<i>E. Coli</i> O157:H7	1	0.8	0	0.0	0	0.0	0.6	1.0	0.5	0.9
Giardiasis	1	0.8	4	3.1	2	1.5	3.0		3.0	6.8
Hemolytic Uremic Syndrome	0	0.0	0	0.0	0	0.0	0			0.1
Listeriosis	0	0.0	0	0.0	0	0.0	0.2	0.25	0.2	0.2
Salmonellosis	8	6.5	9	7.0	14	10.6	10.2	6.8	11.9	15.2
Shigellosis	7	5.7	8	6.3	5	3.8	6.5		7.0	8.2
Typhoid	0	0.0	0	0.0	0	0.0	0.1		0.0	0.1
Vibrioses	0	0.0	2	1.6	0	0.0	0.1		0.1	
Yersiniosis	0	0.0	0	0.0	0	0.0	0.1		0.1	
Mycosis										
Coccidioidomycosis	76	61.7	80	62.5	76	57.5	77.2		62.8	1.7
Zoonoses/Vectorborne										
Brucellosis	0	0.0	0	0.0	0	0.0	0		0.0	0.0
Hantavirus Pulmonary Syndrome	0	0.0	0	0.0	0	0.0	0		0.0	0.0
Malaria	0	0.0	0	0.0	1	0.8	0.4		0.3	0.5
West Nile Virus	0	0.0	1	0.8	10	7.6	10.5		6.7	1.0
Hepatitides										
Hepatitis A	1	0.8	0	0.0	1	0.8	3.4	4.5	4.6	2.7
Hepatitis B	*	*	*	*	5	3.8	5.1	2.4-9.0	5.0	2.6
Other										
Legionellosis	0	0.0	0	0.0	1	0.8	0.4		0.4	0.8
Streptococcal Inv. Pneumonia	11	8.9	12	9.4	14	10.6	12.5		11.5	0.1
Streptococcal Inf. Group A	5	4.1	2	1.6	4	3.0	4.3		4.2	2.0
Streptococcal Inf. Group B	0	0.0	1	0.8	1	0.8	1.1	0.5	0.8	
Vancomycin res. <i>Enterococcus</i>	15	12.2	20	15.6	28	21.2	28.3		24.1	

* In 2004, Hepatitis B data were calculated differently from previous years and therefore, are not comparable to 2002 and 2003.

Health Status Indicators for Cities and Towns 2002-2004

Peoria

Selected Causes of Death

Cause of Death	Peoria						Comparisons			
	2002		2003		2004		Maricopa County, 2004	Healthy People 2010	Arizona 2004	U.S. 2003
	Number	Rate per 100,000	Number	Rate per 100,000	Number	Rate per 100,000				
Tuberculosis	1	0.8	0	0.0	0	0.0	0.2		0.2	0.2
Syphilis	0	0.0	0	0.0	0	0.0	0		0.0	0.0
HIV Disease	<5		<5		0	0.0	3.1	0.7	2.7	4.7
Malignant Neoplasms	235	190.8	245	191.5	224	169.4	147.6	159.9	163.0	190.7
Malignant Neoplasm Stomach	4	3.2	2	1.6	4	3.0	3.2		3.2	4.1
Malignant Neoplasm Colon	27	21.9	21	16.4	24	18.1	14.3	13.9	14.9	19.1
Malignant Neoplasm Pancreas	13	10.6	9	7.0	16	12.1	8.5		9.4	10.5
Malig. Neo. Bronchus, Lung	74	60.1	80	62.5	62	46.9	39.2	44.9	45.5	54.2
Malignant Neoplasm Breast	16	13.0	15	11.7	18	13.6	10.8	22.3*	11.4	14.4
Mal. Neo. Uterus, Cervix, Ovary	9	7.3	10	7.8	7	5.3	7.3		7.7	8.7
Malig. Neoplasm Prostate	18	14.6	18	14.1	14	10.6	7.9	28.8*	9.3	10.2
Malignant Neoplasm Urinary	12	9.7	10	7.8	13	9.8	7.9		8.0	8.5
Non-Hodgkins Lymphoma	11	8.9	8	6.3	9	6.8	5.6		6.3	7.4
Leukemia	8	6.5	16	12.5	5	3.8	5.7		6.1	7.4
Other Malignant Neoplasms	43	34.9	56	43.8	52	39.3	37.2		41.2	46.2
Diabetes	26	21.1	24	18.8	32	24.2	17.3	7.8	20.2	25.4
Alzheimers	65	52.8	86	67.2	89	67.3	31.8		28.7	21.8
Major Cardiovascular Diseases	408	331.2	454	354.9	381	288.1	221.1		237.1	310.1
Disease of Heart	312	253.3	337	263.5	277	209.4	165.0	166.0	178.4	235.4
Hypertensive Heart Disease	11	8.9	20	15.6	22	16.6	9.1		7.9	9.5
Ischemic Heart Disease	259	210.3	274	214.2	216	163.3	133.0		134.4	164.8
Other Heart Disease	42	34.1	43	33.6	39	29.5	22.9		36.1	61.1
Primary Hypertension	9	7.3	13	10.2	14	10.6	7.6		6.9	7.5
Cerebrovascular	66	53.6	87	68.0	77	58.2	38.6	48.0	41.4	54.3
Atherosclerosis	7	5.7	6	4.7	6	4.5	3.7		4.0	4.5
Other Circulatory	14	11.4	11	8.6	7	5.3	6.3		6.5	8.4

(continued on next page)

**Health Status Indicators for Cities and Towns
2002-2004**

Peoria

Selected Causes of Death, cont.

Cause of Death	Peoria						Comparisons			
	2002		2003		2004		Maricopa County, 2004	Healthy People 2010	Arizona 2004	U.S. 2003
	Number	Rate per 100,000	Number	Rate per 100,000	Number	Rate per 100,000				
Influenza & Pneumonia	44	35.7	45	35.2	39	29.5	16.6		19.0	22.3
Chronic Lower Respiratory	82	66.6	84	65.7	66	49.9	37.6		41.0	43.4
Peptic Ulcer	3	2.4	2	1.6	2	1.5	1.0		1.1	1.3
Liver Disease	8	6.5	12	9.4	9	6.8	9.1		10.8	9.4
Nephritis	13	10.6	10	7.8	22	16.6	7.3		10.7	14.6
Pregnancy	0	0.0	0	0.0	0	0.0	0.1		0.0	0.2
Perinatal Conditions	10	8.1	6	4.7	1	0.8	5.6		5.0	4.9
Congenital Malformations	8	6.5	6	4.7	5	3.8	4.1		4.1	3.6
SIDS	2	1.6	0	0.0	0	0.0	0.2			
Symptoms, Signs ex. SIDS	6	4.9	28	21.9	25	18.9	11.8			
All Other Diseases	143	116.1	160	125.1	182	137.6	91.9			
Motor Vehicle Accidents	9	7.3	23	18.0	12	9.1	15.3	9.2	18.2	15.2
All Other Acc. & Adverse Effects	34	27.6	46	36.0	37	28.0	25.9		27.1	21.1
Suicide	18	14.6	18	14.1	12	9.1	13.1	5.0	14.6	10.5
Homicide	2	1.6	5	3.9	12	9.1	8.8	3.0	8.3	5.9
All Other External Causes	0	0.0	3	2.3	1	0.8	1.6			
Unknown	12	9.7	9	7.0	3	2.3	1.0			
Total	1,129	916.6	1,266	989.8	1,154	872.5	672.2		732.8	840.4

*HP 2010 goals are breast cancer in females and prostate cancer in males

Health Status Indicators for Cities and Towns 2002-2004

Phoenix

Population Statistics

	Phoenix		Maricopa County		Arizona	U.S.
Population in 2000	1,321,045		3,072,149		5,130,632	281,421,906
Estimated Population	<u>Number</u>	<u>% Inc. from 2000</u>	<u>Number</u>	<u>% Inc. from 2000</u>	<u>Number</u>	<u>Number</u>
2002	1,367,837	3.5%	3,303,876	7.5%	5,438,159	287,984,799
2003	1,388,215	5.1%	3,389,260	10.3%	5,577,784	290,850,005
2004	1,418,041	7.3%	3,501,001	14.0%	5,739,879	293,656,842
Age Distribution 2004	<u>Number</u>	<u>% Distribution</u>	<u>Number</u>	<u>% Distribution</u>	<u>% Distribution</u>	<u>% Distribution</u>
Under 20 years old	453,773	32.0%	1,064,304	30.4%	29.9%	27.9%
20 - 44 years old	581,397	41.0%	1,323,378	37.8%	35.7%	36.1%
45 - 64 years old	269,428	19.0%	721,206	20.6%	21.6%	23.6%
65 and older	113,443	8.0%	392,112	11.2%	12.8%	12.4%
Dependency ratio	0.67		0.71		0.75	0.68

Infant Health Indicators

	Phoenix				Comparisons			
	2002		2003		2004	Healthy People 2010		
	<u>Number</u>	<u>Percent or Rate</u>	<u>Number</u>	<u>Percent or Rate</u>	<u>Number</u>	<u>Maricopa County, 2004</u>	<u>Arizona 2004</u>	<u>U.S. 2003</u>
Low weight births (under 2500 grams) - % of live births	1,719	6.8%	1,848	7.2%	1,867	7.1%	5.0%	7.2%
Births to teen mothers - % of live births	3,917	15.6%	3,899	15.1%	4,026	11.7%	(-)	10.3%
Infant mortality per 1,000 live births	166	6.6	173	6.7	186	6.5	4.5	6.7
Total Births	25,153		25,748		25,937	60,535	93,396	4,089,950

Note: 2004 infant health indicators for Phoenix are not comparable to 2002 and 2003 data because geocoding was not available for 2002 and 2003. The 2004 infant health indicators are the most accurate.

Health Status Indicators for Cities and Towns 2002-2004

Phoenix

Selected Reportable Diseases

	Phoenix						Comparisons			
	2002		2003		2004		Rate per 100,000 Population			
	Number	Rate per 100,000	Number	Rate per 100,000	Number	Rate per 100,000	Maricopa County, 2004	H.P. 2010	Arizona 2004	U.S. 2003
Vaccine Preventable										
<i>H. influenzae</i>	33	2.4	23	1.7	21	1.5	1.3	0.0		0.7
Measles	0	0.0	0	0.0	0	0.0	0	0.0	0.0	0.0
Mumps	0	0.0	0	0.0	0	0.0	0.0	0.0	0.0	0.1
Pertussis	44	3.2	49	3.5	40	2.8	3.1	0.0	2.6	4.0
Central Nervous System										
Encephalitis	5	0.4	8	0.6	11	0.8	0.9		0.5	
Meningitis - Aseptic	90	6.6	510	36.7	236	16.6	16.1		12.6	
Meningococcal Disease	12	0.9	13	0.9	6	0.4	0.3	1.0	0.3	0.6
Enterics										
Amebiasis	10	0.7	20	1.4	6	0.4	0.3		0.2	
Botulism	0	0.0	0	0.0	0	0.0	0.0		0.0	0.0
Campylobacteriosis	192	14.0	240	17.3	203	14.3	12.2	12.3	13.6	
Cryptosporidiosis	9	0.7	2	0.1	3	0.2	0.2		0.3	1.2
<i>E. Coli</i> O157:H7	5	0.4	9	0.6	10	0.7	0.6	1.0	0.5	0.9
Giardiasis	87	6.4	97	7.0	63	4.4	3.0		3.0	6.8
Hemolytic Uremic Syndrome	1	0.1	0	0.0	0	0.0	0			0.1
Listeriosis	6	0.4	5	0.4	2	0.1	0.2	0.25	0.2	0.2
Salmonellosis	220	16.1	211	15.2	156	11.0	10.2	6.8	11.9	15.2
Shigellosis	227	16.6	218	15.7	132	9.3	6.5		7.0	8.2
Typhoid	0	0.0	0	0.0	1	0.1	0.1		0.0	0.1
Vibrioses	4	0.3	4	0.3	2	0.1	0.1		0.1	
Yersiniosis	4	0.3	3	0.2	3	0.2	0.1		0.1	
Mycosis										
Coccidioidomycosis	827	60.5	740	53.3	1075	75.8	77.2		62.8	1.7
Zoonoses/Vectorborne										
Brucellosis	5	0.4	0	0.0	0	0.0	0		0.0	0.0
Hantavirus Pulmonary Syndrome	0	0.0	0	0.0	0	0.0	0		0.0	0.0
Malaria	6	0.4	5	0.4	5	0.4	0.4		0.3	0.5
West Nile Virus	1	0.1	2	0.1	131	9.2	10.5		6.7	1.0
Hepatitides										
Hepatitis A	107	7.8	85	6.1	53	3.7	3.4	4.5	4.6	2.7
Hepatitis B	*	*	*	*	105	7.4	5.1	2.4-9.0	5.0	2.6
Other										
Legionellosis	3	0.2	4	0.3	4	0.3	0.4		0.4	0.8
Streptococcal Inv. Pneumonia	290	21.2	249	17.9	251	17.7	12.5		11.5	0.1
Streptococcal Inf. Group A	98	7.2	76	5.5	86	6.1	4.3		4.2	2.0
Streptococcal Inf. Group B	13	1.0	20	1.4	24	1.7	1.1	0.5	0.8	
Vancomycin res. <i>Enterococcus</i>	328	24.0	275	19.8	428	30.2	28.3		24.1	

* In 2004, Hepatitis B data were calculated differently from previous years and therefore, are not comparable to 2002 and 2003.

Health Status Indicators for Cities and Towns 2002-2004

Phoenix

Selected Causes of Death

Cause of Death	Phoenix						Comparisons			
	2002		2003		2004		Maricopa County, 2004	Healthy People 2010	Arizona 2004	U.S. 2003
	Number	Rate per 100,000	Number	Rate per 100,000	Number	Rate per 100,000				
Tuberculosis	5	0.4	2	0.1	5	0.4	0.2		0.2	0.2
Syphilis	1	0.1	0	0.0	0	0.0	0		0.0	0.0
HIV Disease	68	5.0	85	6.1	69	4.9	3.1	0.7	2.7	4.7
Malignant Neoplasms	1,715	125.4	1,627	117.2	1,617	114.0	147.6	159.9	163.0	190.7
Malignant Neoplasm Stomach	32	2.3	32	2.3	40	2.8	3.2		3.2	4.1
Malignant Neoplasm Colon	173	12.6	171	12.3	163	11.5	14.3	13.9	14.9	19.1
Malignant Neoplasm Pancreas	90	6.6	72	5.2	87	6.1	8.5		9.4	10.5
Malig. Neo. Bronchus, Lung	497	36.3	475	34.2	437	30.8	39.2	44.9	45.5	54.2
Malignant Neoplasm Breast	139	10.2	115	8.3	119	8.4	10.8	22.3*	11.4	14.4
Mal. Neo. Uterus, Cervix, Ovary	78	5.7	67	4.8	76	5.4	7.3		7.7	8.7
Malig. Neoplasm Prostate	91	6.7	89	6.4	80	5.6	7.9	28.8*	9.3	10.2
Malignant Neoplasm Urinary	86	6.3	69	5.0	88	6.2	7.9		8.0	8.5
Non-Hodgkins Lymphoma	60	4.4	70	5.0	52	3.7	5.6		6.3	7.4
Leukemia	66	4.8	69	5.0	53	3.7	5.7		6.1	7.4
Other Malignant Neoplasms	403	29.5	398	28.7	422	29.8	37.2		41.2	46.2
Diabetes	252	18.4	224	16.1	207	14.6	17.3	7.8	20.2	25.4
Alzheimers	264	19.3	283	20.4	289	20.4	31.8		28.7	21.8
Major Cardiovascular Diseases	2,541	185.8	2,510	180.8	2,414	170.2	221.1		237.1	310.1
Disease of Heart	1,957	143.1	1,994	143.6	1,824	128.6	165.0	166.0	178.4	235.4
Hypertensive Heart Disease	99	7.2	94	6.8	100	7.1	9.1		7.9	9.5
Ischemic Heart Disease	1,562	114.2	1,621	116.8	1,493	105.3	133.0		134.4	164.8
Other Heart Disease	296	21.6	279	20.1	231	16.3	22.9		36.1	61.1
Primary Hypertension	57	4.2	65	4.7	86	6.1	7.6		6.9	7.5
Cerebrovascular	429	31.4	357	25.7	401	28.3	38.6	48.0	41.4	54.3
Atherosclerosis	35	2.6	27	1.9	37	2.6	3.7		4.0	4.5
Other Circulatory	63	4.6	67	4.8	66	4.7	6.3		6.5	8.4

(continued on next page)

**Health Status Indicators for Cities and Towns
2002-2004**

Phoenix

Selected Causes of Death, cont.

Cause of Death	Phoenix						Comparisons			
	2002		2003		2004		Maricopa County, 2004	Healthy People 2010	Arizona 2004	U.S. 2003
	Number	Rate per 100,000	Number	Rate per 100,000	Number	Rate per 100,000				
Influenza & Pneumonia	211	15.4	207	14.9	195	13.8	16.6		19.0	22.3
Chronic Lower Respiratory	502	36.7	436	31.4	453	31.9	37.6		41.0	43.4
Peptic Ulcer	17	1.2	8	0.6	9	0.6	1.0		1.1	1.3
Liver Disease	159	11.6	133	9.6	160	11.3	9.1		10.8	9.4
Nephritis	94	6.9	90	6.5	80	5.6	7.3		10.7	14.6
Pregnancy	2	0.1	1	0.1	2	0.1	0.1		0.0	0.2
Perinatal Conditions	91	6.7	84	6.1	91	6.4	5.6		5.0	4.9
Congenital Malformations	54	3.9	54	3.9	62	4.4	4.1		4.1	3.6
SIDS	9	0.7	7	0.5	2	0.1	0.2			
Symptoms, Signs ex. SIDS	55	4.0	107	7.7	142	10.0	11.8			
All Other Diseases	1,067	78.0	1,015	73.1	1,076	75.9	91.9			
Motor Vehicle Accidents	248	18.1	203	14.6	243	17.1	15.3	9.2	18.2	15.2
All Other Acc. & Adverse Effects	325	23.8	312	22.5	328	23.1	25.9		27.1	21.1
Suicide	189	13.8	171	12.3	172	12.1	13.1	5.0	14.6	10.5
Homicide	198	14.5	211	15.2	188	13.3	8.8	3.0	8.3	5.9
All Other External Causes	30	2.2	34	2.4	26	1.8	1.6			
Unknown	73	5.3	81	5.8	10	0.7	1.0			
Total	8,170	597.3	7,885	568.0	7,840	552.9	672.2		732.8	840.4

*HP 2010 goals are breast cancer in females and prostate cancer in males

Health Status Indicators for Cities and Towns 2002-2004

Queen Creek

Population Statistics

Population in 2000

Estimated Population

2002

2003

2004

Age Distribution 2004

Under 20 years old

20 - 44 years old

45 - 64 years old

65 and older

Dependency ratio

Queen Creek		Maricopa County		Arizona	U.S.
4,197		3,072,149		5,130,632	281,421,906
Number	% Inc. from 2000	Number	% Inc. from 2000	Number	Number
5,231	24.6%	3,303,876	7.5%	5,438,159	287,984,799
7,176	71.0%	3,389,260	10.3%	5,577,784	290,850,005
13,130	212.8%	3,501,001	14.0%	5,739,879	293,656,842
Number	% Distribution	Number	% Distribution	% Distribution	% Distribution
5,121	39.0%	1,064,304	30.4%	29.9%	27.9%
4,596	35.0%	1,323,378	37.8%	35.7%	36.1%
2,757	21.0%	721,206	20.6%	21.6%	23.6%
657	5.0%	392,112	11.2%	12.8%	12.4%
0.79		0.71		0.75	0.68

Infant Health Indicators

Low weight births (under 2500 grams) - % of live births

Births to teen mothers - % of live births

Infant mortality per 1,000 live births

Total Births

Queen Creek						Comparisons		
2002		2003		2004		Maricopa County, 2004	Healthy People 2010	Arizona 2004
Number	Percent or Rate	Number	Percent or Rate	Number	Percent or Rate			U.S. 2003
16	4.4%	22	4.4%	40	5.2%	7.1%	5.0%	7.2%
25	6.9%	33	6.5%	38	4.9%	11.7%	(-)	12.7%
1	2.8	0	0.0	2	2.6	6.5	4.5	6.7
360		504		773		60,535		93,396
								4,089,950

Note: Infant health indicators for cities/towns with fewer than 1,000 births are not reliable.

Health Status Indicators for Cities and Towns 2002-2004

Queen Creek

Selected Reportable Diseases

	Queen Creek						Comparisons			
	2002		2003		2004		Rate per 100,000 Population			
	Number	Rate per 100,000	Number	Rate per 100,000	Number	Rate per 100,000	Maricopa County, 2004	H.P. 2010	Arizona 2004	U.S. 2003
Vaccine Preventable										
<i>H. influenzae</i>	1	19.1	0	0.0	1	7.6	1.3	0.0		0.7
Measles	0	0.0	0	0.0	0	0.0	0	0.0	0.0	0.0
Mumps	0	0.0	0	0.0	0	0.0	0.0	0.0	0.0	0.1
Pertussis	0	0.0	3	41.8	1	7.6	3.1	0.0	2.6	4.0
Central Nervous System										
Encephalitis	0	0.0	0	0.0	0	0.0	0.9		0.5	
Meningitis - Aseptic	0	0.0	4	55.7	7	53.3	16.1		12.6	
Meningococcal Disease	0	0.0	1	13.9	0	0.0	0.3	1.0	0.3	0.6
Enterics										
Amebiasis	0	0.0	0	0.0	0	0.0	0.3		0.2	
Botulism	0	0.0	0	0.0	0	0.0	0.0		0.0	0.0
Campylobacteriosis	2	38.2	1	13.9	7	53.3	12.2	12.3	13.6	
Cryptosporidiosis	0	0.0	0	0.0	0	0.0	0.2		0.3	1.2
<i>E. Coli</i> O157:H7	0	0.0	1	13.9	0	0.0	0.6	1.0	0.5	0.9
Giardiasis	1	19.1	3	41.8	0	0.0	3.0		3.0	6.8
Hemolytic Uremic Syndrome	0	0.0	0	0.0	0	0.0	0			0.1
Listeriosis	0	0.0	0	0.0	0	0.0	0.2	0.25	0.2	0.2
Salmonellosis	1	19.1	3	41.8	2	15.2	10.2	6.8	11.9	15.2
Shigellosis	2	38.2	2	27.9	4	30.5	6.5		7.0	8.2
Typhoid	0	0.0	0	0.0	0	0.0	0.1		0.0	0.1
Vibrioses	0	0.0	0	0.0	0	0.0	0.1		0.1	
Yersiniosis	0	0.0	0	0.0	0	0.0	0.1		0.1	
Mycosis										
Coccidioidomycosis	9	172.1	6	83.6	19	144.7	77.2		62.8	1.7
Zoonoses/Vectorborne										
Brucellosis	0	0.0	0	0.0	0	0.0	0		0.0	0.0
Hantavirus Pulmonary Syndrome	0	0.0	0	0.0	0	0.0	0		0.0	0.0
Malaria	0	0.0	0	0.0	0	0.0	0.4		0.3	0.5
West Nile Virus	0	0.0	0	0.0	3	22.8	10.5		6.7	1.0
Hepatitides										
Hepatitis A	0	0.0	1	13.9	1	7.6	3.4	4.5	4.6	2.7
Hepatitis B	*	*	*	*	1	7.6	5.1	2.4-9.0	5.0	2.6
Other										
Legionellosis	0	0.0	0	0.0	0	0.0	0.4		0.4	0.8
Streptococcal Inv. Pneumonia	0	0.0	1	13.9	6	45.7	12.5		11.5	0.1
Streptococcal Inf. Group A	0	0.0	2	27.9	1	7.6	4.3		4.2	2.0
Streptococcal Inf. Group B	0	0.0	0	0.0	0	0.0	1.1	0.5	0.8	
Vancomycin res. <i>Enterococcus</i>	3	57.4	3	41.8	4	30.5	28.3		24.1	

* In 2004, Hepatitis B data were calculated differently from previous years and therefore, are not comparable to 2002 and 2003.

Health Status Indicators for Cities and Towns 2002-2004

Queen Creek

Selected Causes of Death

Cause of Death	Queen Creek						Comparisons			
	2002		2003		2004		Maricopa County, 2004	Healthy People 2010	Arizona 2004	U.S. 2003
	Number	Rate per 100,000	Number	Rate per 100,000	Number	Rate per 100,000				
Tuberculosis	0	0.0	0	0.0	0	0.0	0.2		0.2	0.2
Syphilis	0	0.0	0	0.0	0	0.0	0		0.0	0.0
HIV Disease	<5		0	0.0	0	0.0	3.1	0.7	2.7	4.7
Malignant Neoplasms	11	210.3	7	97.5	14	106.6	147.6	159.9	163.0	190.7
Malignant Neoplasm Stomach	0	0.0	0	0.0	1	7.6	3.2		3.2	4.1
Malignant Neoplasm Colon	1	19.1	1	13.9	0	0.0	14.3	13.9	14.9	19.1
Malignant Neoplasm Pancreas	1	19.1	1	13.9	0	0.0	8.5		9.4	10.5
Malig. Neo. Bronchus, Lung	4	76.5	4	55.7	5	38.1	39.2	44.9	45.5	54.2
Malignant Neoplasm Breast	0	0.0	0	0.0	2	15.2	10.8	22.3*	11.4	14.4
Mal. Neo. Uterus, Cervix, Ovary	0	0.0	0	0.0	2	15.2	7.3		7.7	8.7
Malig. Neoplasm Prostate	0	0.0	0	0.0	2	15.2	7.9	28.8*	9.3	10.2
Malignant Neoplasm Urinary	2	38.2	0	0.0	0	0.0	7.9		8.0	8.5
Non-Hodgkins Lymphoma	0	0.0	0	0.0	0	0.0	5.6		6.3	7.4
Leukemia	1	19.1	0	0.0	0	0.0	5.7		6.1	7.4
Other Malignant Neoplasms	2	38.2	1	13.9	2	15.2	37.2		41.2	46.2
Diabetes	4	76.5	2	27.9	1	7.6	17.3	7.8	20.2	25.4
Alzheimers	1	19.1	1	13.9	2	15.2	31.8		28.7	21.8
Major Cardiovascular Diseases	9	172.1	18	250.8	12	91.4	221.1		237.1	310.1
Disease of Heart	8	152.9	17	236.9	9	68.5	165.0	166.0	178.4	235.4
Hypertensive Heart Disease	0	0.0	1	13.9	0	0.0	9.1		7.9	9.5
Ischemic Heart Disease	7	133.8	14	195.1	9	68.5	133.0		134.4	164.8
Other Heart Disease	1	19.1	2	27.9	0	0.0	22.9		36.1	61.1
Primary Hypertension	0	0.0	0	0.0	2	15.2	7.6		6.9	7.5
Cerebrovascular	1	19.1	1	13.9	1	7.6	38.6	48.0	41.4	54.3
Atherosclerosis	0	0.0	0	0.0	0	0.0	3.7		4.0	4.5
Other Circulatory	0	0.0	0	0.0	0	0.0	6.3		6.5	8.4

(continued on next page)

**Health Status Indicators for Cities and Towns
2002-2004**

Queen Creek

Selected Causes of Death, cont.

Cause of Death	Queen Creek						Comparisons			
	2002		2003		2004		Maricopa County, 2004	Healthy People 2010	Arizona 2004	U.S. 2003
	Number	Rate per 100,000	Number	Rate per 100,000	Number	Rate per 100,000				
Influenza & Pneumonia	1	19.1	3	41.8	2	15.2	16.6		19.0	22.3
Chronic Lower Respiratory	0	0.0	2	27.9	4	30.5	37.6		41.0	43.4
Peptic Ulcer	0	0.0	0	0.0	0	0.0	1.0		1.1	1.3
Liver Disease	1	19.1	1	13.9	1	7.6	9.1		10.8	9.4
Nephritis	0	0.0	1	13.9	0	0.0	7.3		10.7	14.6
Pregnancy	0	0.0	0	0.0	0	0.0	0.1		0.0	0.2
Perinatal Conditions	1	19.1	0	0.0	1	7.6	5.6		5.0	4.9
Congenital Malformations	1	19.1	0	0.0	0	0.0	4.1		4.1	3.6
SIDS	0	0.0	0	0.0	0	0.0	0.2			
Symptoms, Signs ex. SIDS	0	0.0	0	0.0	1	7.6	11.8			
All Other Diseases	3	57.4	5	69.7	5	38.1	91.9			
Motor Vehicle Accidents	2	38.2	3	41.8	3	22.8	15.3	9.2	18.2	15.2
All Other Acc. & Adverse Effects	2	38.2	2	27.9	3	22.8	25.9		27.1	21.1
Suicide	0	0.0	2	27.9	2	15.2	13.1	5.0	14.6	10.5
Homicide	1	19.1	2	27.9	2	15.2	8.8	3.0	8.3	5.9
All Other External Causes	0	0.0	0	0.0	1	7.6	1.6			
Unknown	0	0.0	0	0.0	0	0.0	1.0			
Total	37	707.3	49	682.8	54	411.3	672.2		732.8	840.4

*HP 2010 goals are breast cancer in females and prostate cancer in males

Health Status Indicators for Cities and Towns 2002-2004

Rio Verde

Population Statistics

Population in 2000

Estimated Population

2002

2003

2004

Age Distribution 2004

Under 20 years old

20 - 44 years old

45 - 64 years old

65 and older

Dependency ratio

Rio Verde		Maricopa County		Arizona	U.S.
1,419		3,072,149		5,130,632	281,421,906
Number	% Inc. from 2000	Number	% Inc. from 2000	Number	Number
1,521	7.2%	3,303,876	7.5%	5,438,159	287,984,799
1,565	10.3%	3,389,260	10.3%	5,577,784	290,850,005
1,618	14.0%	3,501,001	14.0%	5,739,879	293,656,842
Number	% Distribution	Number	% Distribution	% Distribution	% Distribution
0	0.0%	1,064,304	30.4%	29.9%	27.9%
16	1.0%	1,323,378	37.8%	35.7%	36.1%
582	36.0%	721,206	20.6%	21.6%	23.6%
1,003	62.0%	392,112	11.2%	12.8%	12.4%
1.68		0.71		0.75	0.68

Infant Health Indicators

Low weight births (under 2500 grams) - % of live births

Births to teen mothers - % of live births

Infant mortality per 1,000 live births

Total Births

Rio Verde						Comparisons		
2002		2003		2004		Maricopa County, 2004	Healthy People 2010	Arizona 2004
Number	Percent or Rate	Number	Percent or Rate	Number	Percent or Rate			U.S. 2003
0	0.0%	0	0.0%	0	0.0%	7.1%	5.0%	7.2%
0	0.0%	0	0.0%	0	0.0%	11.7%	(-)	12.7%
0	0.0	0	0.0	0	0.0	6.5	4.5	6.7
2		1		2		60,535		93,396

4,089,950

Note: Infant health indicators for cities/towns with fewer than 1,000 births are not reliable.

Health Status Indicators for Cities and Towns 2002-2004

Rio Verde

Selected Reportable Diseases

	Rio Verde						Comparisons			
	2002		2003		2004		Rate per 100,000 Population			
	<u>Number</u>	<u>Rate per 100,000</u>	<u>Number</u>	<u>Rate per 100,000</u>	<u>Number</u>	<u>Rate per 100,000</u>	<u>Maricopa County, 2004</u>	<u>H.P. 2010</u>	<u>Arizona 2004</u>	<u>U.S. 2003</u>
Vaccine Preventable										
<i>H. influenzae</i>	0	0.0	0	0.0	0	0.0	1.3	0.0		0.7
Measles	0	0.0	0	0.0	0	0.0	0	0.0	0.0	0.0
Mumps	0	0.0	0	0.0	0	0.0	0.0	0.0	0.0	0.1
Pertussis	0	0.0	0	0.0	0	0.0	3.1	0.0	2.6	4.0
Central Nervous System										
Encephalitis	0	0.0	0	0.0	0	0.0	0.9		0.5	
Meningitis - Aseptic	0	0.0	0	0.0	1	61.8	16.1		12.6	
Meningococcal Disease	0	0.0	0	0.0	0	0.0	0.3	1.0	0.3	0.6
Enterics										
Amebiasis	0	0.0	0	0.0	0	0.0	0.3		0.2	
Botulism	0	0.0	0	0.0	0	0.0	0.0		0.0	0.0
Campylobacteriosis	0	0.0	0	0.0	0	0.0	12.2	12.3	13.6	
Cryptosporidiosis	0	0.0	0	0.0	0	0.0	0.2		0.3	1.2
<i>E. Coli</i> O157:H7	0	0.0	0	0.0	0	0.0	0.6	1.0	0.5	0.9
Giardiasis	0	0.0	0	0.0	0	0.0	3.0		3.0	6.8
Hemolytic Uremic Syndrome	0	0.0	0	0.0	0	0.0	0			0.1
Listeriosis	0	0.0	0	0.0	0	0.0	0.2	0.25	0.2	0.2
Salmonellosis	0	0.0	0	0.0	0	0.0	10.2	6.8	11.9	15.2
Shigellosis	0	0.0	0	0.0	0	0.0	6.5		7.0	8.2
Typhoid	0	0.0	0	0.0	0	0.0	0.1		0.0	0.1
Vibrioses	0	0.0	0	0.0	0	0.0	0.1		0.1	
Yersiniosis	0	0.0	0	0.0	0	0.0	0.1		0.1	
Mycosis										
Coccidioidomycosis	1	65.7	1	63.9	5	309.1	77.2		62.8	1.7
Zoonoses/Vectorborne										
Brucellosis	0	0.0	0	0.0	0	0.0	0		0.0	0.0
Hantavirus Pulmonary Syndrome	0	0.0	0	0.0	0	0.0	0		0.0	0.0
Malaria	0	0.0	0	0.0	0	0.0	0.4		0.3	0.5
West Nile Virus	0	0.0	0	0.0	0	0.0	10.5		6.7	1.0
Hepatitides										
Hepatitis A	0	0.0	0	0.0	0	0.0	3.4	4.5	4.6	2.7
Hepatitis B	*	*	*	*	0	0.0	5.1	2.4-9.0	5.0	2.6
Other										
Legionellosis	0	0.0	0	0.0	0	0.0	0.4		0.4	0.8
Streptococcal Inv. Pneumonia	0	0.0	0	0.0	0	0.0	12.5		11.5	0.1
Streptococcal Inf. Group A	0	0.0	0	0.0	0	0.0	4.3		4.2	2.0
Streptococcal Inf. Group B	0	0.0	0	0.0	0	0.0	1.1	0.5	0.8	
Vancomycin res. <i>Enterococcus</i>	0	0.0	0	0.0	1	61.8	28.3		24.1	

* In 2004, Hepatitis B data were calculated differently from previous years and therefore, are not comparable to 2002 and 2003.

Health Status Indicators for Cities and Towns 2002-2004

Rio Verde

Selected Causes of Death

Cause of Death	Rio Verde						Comparisons			
	2002		2003		2004		Maricopa County, 2004	Healthy People 2010	Arizona 2004	U.S. 2003
	Number	Rate per 100,000	Number	Rate per 100,000	Number	Rate per 100,000				
Tuberculosis	0	0.0	0	0.0	0	0.0	0.2		0.2	0.2
Syphilis	0	0.0	0	0.0	0	0.0	0		0.0	0.0
HIV Disease	0	0.0	0	0.0	0	0.0	3.1	0.7	2.7	4.7
Malignant Neoplasms	6	394.4	4	255.6	7	432.7	147.6	159.9	163.0	190.7
Malignant Neoplasm Stomach	0	0.0	0	0.0	0	0.0	3.2		3.2	4.1
Malignant Neoplasm Colon	0	0.0	1	63.9	0	0.0	14.3	13.9	14.9	19.1
Malignant Neoplasm Pancreas	1	65.7	1	63.9	0	0.0	8.5		9.4	10.5
Malig. Neo. Bronchus, Lung	1	65.7	1	63.9	4	247.3	39.2	44.9	45.5	54.2
Malignant Neoplasm Breast	0	0.0	1	63.9	0	0.0	10.8	22.3*	11.4	14.4
Mal. Neo. Uterus, Cervix, Ovary	0	0.0	0	0.0	1	61.8	7.3		7.7	8.7
Malig. Neoplasm Prostate	0	0.0	0	0.0	1	61.8	7.9	28.8*	9.3	10.2
Malignant Neoplasm Urinary	0	0.0	0	0.0	0	0.0	7.9		8.0	8.5
Non-Hodgkins Lymphoma	1	65.7	0	0.0	1	61.8	5.6		6.3	7.4
Leukemia	0	0.0	0	0.0	0	0.0	5.7		6.1	7.4
Other Malignant Neoplasms	3	197.2	0	0.0	0	0.0	37.2		41.2	46.2
Diabetes	0	0.0	0	0.0	0	0.0	17.3	7.8	20.2	25.4
Alzheimers	0	0.0	0	0.0	1	61.8	31.8		28.7	21.8
Major Cardiovascular Diseases	4	263.0	0	0.0	5	309.1	221.1		237.1	310.1
Disease of Heart	1	65.7	0	0.0	4	247.3	165.0	166.0	178.4	235.4
Hypertensive Heart Disease	0	0.0	0	0.0	0	0.0	9.1		7.9	9.5
Ischemic Heart Disease	0	0.0	0	0.0	2	123.6	133.0		134.4	164.8
Other Heart Disease	1	65.7	0	0.0	2	123.6	22.9		36.1	61.1
Primary Hypertension	0	0.0	0	0.0	0	0.0	7.6		6.9	7.5
Cerebrovascular	2	131.5	0	0.0	1	61.8	38.6	48.0	41.4	54.3
Atherosclerosis	0	0.0	0	0.0	0	0.0	3.7		4.0	4.5
Other Circulatory	1	65.7	0	0.0	0	0.0	6.3		6.5	8.4

(continued on next page)

**Health Status Indicators for Cities and Towns
2002-2004**

Rio Verde

Selected Causes of Death, cont.

Cause of Death	Rio Verde						Comparisons			
	2002		2003		2004		Maricopa County, 2004	Healthy People 2010	Arizona 2004	U.S. 2003
	Number	Rate per 100,000	Number	Rate per 100,000	Number	Rate per 100,000				
Influenza & Pneumonia	0	0.0	1	63.9	0	0.0	16.6		19.0	22.3
Chronic Lower Respiratory	1	65.7	0	0.0	2	123.6	37.6		41.0	43.4
Peptic Ulcer	1	65.7	0	0.0	0	0.0	1.0		1.1	1.3
Liver Disease	0	0.0	0	0.0	0	0.0	9.1		10.8	9.4
Nephritis	0	0.0	0	0.0	0	0.0	7.3		10.7	14.6
Pregnancy	0	0.0	0	0.0	0	0.0	0.1		0.0	0.2
Perinatal Conditions	0	0.0	0	0.0	0	0.0	5.6		5.0	4.9
Congenital Malformations	0	0.0	0	0.0	0	0.0	4.1		4.1	3.6
SIDS	0	0.0	0	0.0	0	0.0	0.2			
Symptoms, Signs ex. SIDS	0	0.0	0	0.0	0	0.0	11.8			
All Other Diseases	2	131.5	2	127.8	1	61.8	91.9			
Motor Vehicle Accidents	0	0.0	0	0.0	0	0.0	15.3	9.2	18.2	15.2
All Other Acc. & Adverse Effects	1	65.7	1	63.9	1	61.8	25.9		27.1	21.1
Suicide	0	0.0	0	0.0	0	0.0	13.1	5.0	14.6	10.5
Homicide	0	0.0	0	0.0	0	0.0	8.8	3.0	8.3	5.9
All Other External Causes	0	0.0	0	0.0	0	0.0	1.6			
Unknown	1	65.7	0	0.0	0	0.0	1.0			
Total	16	1051.8	8	511.1	17	1050.9	672.2		732.8	840.4

*HP 2010 goals are breast cancer in females and prostate cancer in males

Health Status Indicators for Cities and Towns 2002-2004

Scottsdale

Population Statistics

Population in 2000

Estimated Population

2002

2003

2004

Age Distribution 2004

Under 20 years old

20 - 44 years old

45 - 64 years old

65 and older

Dependency ratio

Scottsdale		Maricopa County		Arizona	U.S.
202,705		3,072,149		5,130,632	281,421,906
Number	% Inc. from 2000	Number	% Inc. from 2000	Number	Number
215,303	6.2%	3,303,876	7.5%	5,438,159	287,984,799
218,439	7.8%	3,389,260	10.3%	5,577,784	290,850,005
221,792	9.4%	3,501,001	14.0%	5,739,879	293,656,842
Number	% Distribution	Number	% Distribution	% Distribution	% Distribution
46,576	21.0%	1,064,304	30.4%	29.9%	27.9%
77,627	35.0%	1,323,378	37.8%	35.7%	36.1%
59,884	27.0%	721,206	20.6%	21.6%	23.6%
37,705	17.0%	392,112	11.2%	12.8%	12.4%
0.61		0.71		0.75	0.68

Infant Health Indicators

Low weight births (under 2500 grams) - % of live births

Births to teen mothers - % of live births

Infant mortality per 1,000 live births

Total Births

Scottsdale						Comparisons		
2002		2003		2004		Maricopa County, 2004	Healthy People 2010	Arizona 2004
Number	Percent or Rate	Number	Percent or Rate	Number	Percent or Rate			U.S. 2003
178	6.4%	211	7.6%	202	7.4%	7.1%	5.0%	7.2%
140	5.0%	148	5.3%	125	4.6%	11.7%	(-)	12.7%
22	7.9	17	6.1	14	5.1	6.5	4.5	6.7
2,787		2,792		2,729		60,535		93,396
								4,089,950

Health Status Indicators for Cities and Towns 2002-2004

Scottsdale

Selected Reportable Diseases

	Scottsdale						Comparisons			
	2002		2003		2004		Rate per 100,000 Population			
	Number	Rate per 100,000	Number	Rate per 100,000	Number	Rate per 100,000	Maricopa County, 2004	H.P. 2010	Arizona 2004	U.S. 2003
Vaccine Preventable										
<i>H. influenzae</i>	4	1.9	4	1.8	2	0.9	1.3	0.0		0.7
Measles	0	0.0	0	0.0	0	0.0	0	0.0	0.0	0.0
Mumps	0	0.0	0	0.0	0	0.0	0.0	0.0	0.0	0.1
Pertussis	4	1.9	9	4.1	2	0.9	3.1	0.0	2.6	4.0
Central Nervous System										
Encephalitis	0	0.0	4	1.8	5	2.3	0.9		0.5	
Meningitis - Aseptic	4	1.9	52	23.8	48	21.6	16.1		12.6	
Meningococcal Disease	2	0.9	0	0.0	0	0.0	0.3	1.0	0.3	0.6
Enterics										
Amebiasis	1	0.5	1	0.5	0	0.0	0.3		0.2	
Botulism	0	0.0	0	0.0	0	0.0	0.0		0.0	0.0
Campylobacteriosis	31	14.4	29	13.3	41	18.5	12.2	12.3	13.6	
Cryptosporidiosis	1	0.5	0	0.0	1	0.5	0.2		0.3	1.2
<i>E. Coli</i> O157:H7	6	2.8	4	1.8	1	0.5	0.6	1.0	0.5	0.9
Giardiasis	5	2.3	5	2.3	5	2.3	3.0		3.0	6.8
Hemolytic Uremic Syndrome	0	0.0	0	0.0	0	0.0	0			0.1
Listeriosis	3	1.4	2	0.9	1	0.5	0.2	0.25	0.2	0.2
Salmonellosis	26	12.1	25	11.4	37	16.7	10.2	6.8	11.9	15.2
Shigellosis	9	4.2	11	5.0	5	2.3	6.5		7.0	8.2
Typhoid	0	0.0	0	0.0	0	0.0	0.1		0.0	0.1
Vibrioses	0	0.0	1	0.5	0	0.0	0.1		0.1	
Yersiniosis	1	0.5	2	0.9	0	0.0	0.1		0.1	
Mycosis										
Coccidioidomycosis	238	110.5	159	72.8	261	117.7	77.2		62.8	1.7
Zoonoses/Vectorborne										
Brucellosis	0	0.0	0	0.0	0	0.0	0		0.0	0.0
Hantavirus Pulmonary Syndrome	0	0.0	0	0.0	0	0.0	0		0.0	0.0
Malaria	2	0.9	0	0.0	1	0.5	0.4		0.3	0.5
West Nile Virus	0	0.0	0	0.0	54	24.3	10.5		6.7	1.0
Hepatitides										
Hepatitis A	22	10.2	7	3.2	5	2.3	3.4	4.5	4.6	2.7
Hepatitis B	*	*	*	*	10	4.5	5.1	2.4-9.0	5.0	2.6
Other										
Legionellosis	0	0.0	1	0.5	2	0.9	0.4		0.4	0.8
Streptococcal Inv. Pneumonia	23	10.7	29	13.3	23	10.4	12.5		11.5	0.1
Streptococcal Inf. Group A	12	5.6	11	5.0	12	5.4	4.3		4.2	2.0
Streptococcal Inf. Group B	1	0.5	0	0.0	0	0.0	1.1	0.5	0.8	
Vancomycin res. <i>Enterococcus</i>	80	37.2	94	43.0	167	75.3	28.3		24.1	

* In 2004, Hepatitis B data were calculated differently from previous years and therefore, are not comparable to 2002 and 2003.

Health Status Indicators for Cities and Towns 2002-2004

Scottsdale

Selected Causes of Death

Cause of Death	Scottsdale						Comparisons			
	2002		2003		2004		Maricopa County, 2004	Healthy People 2010	Arizona 2004	U.S. 2003
	Number	Rate per 100,000	Number	Rate per 100,000	Number	Rate per 100,000				
Tuberculosis	0	0.0	0	0.0	0	0.0	0.2		0.2	0.2
Syphilis	0	0.0	0	0.0	0	0.0	0		0.0	0.0
HIV Disease	<5		<5		<5		3.1	0.7	2.7	4.7
Malignant Neoplasms	460	213.7	499	228.4	498	224.5	147.6	159.9	163.0	190.7
Malignant Neoplasm Stomach	4	1.9	4	1.8	10	4.5	3.2		3.2	4.1
Malignant Neoplasm Colon	33	15.3	70	32.0	46	20.7	14.3	13.9	14.9	19.1
Malignant Neoplasm Pancreas	37	17.2	28	12.8	27	12.2	8.5		9.4	10.5
Malig. Neo. Bronchus, Lung	136	63.2	126	57.7	131	59.1	39.2	44.9	45.5	54.2
Malignant Neoplasm Breast	39	18.1	30	13.7	32	14.4	10.8	22.3*	11.4	14.4
Mal. Neo. Uterus, Cervix, Ovary	22	10.2	24	11.0	31	14.0	7.3		7.7	8.7
Malig. Neoplasm Prostate	34	15.8	27	12.4	28	12.6	7.9	28.8*	9.3	10.2
Malignant Neoplasm Urinary	20	9.3	22	10.1	39	17.6	7.9		8.0	8.5
Non-Hodgkins Lymphoma	22	10.2	33	15.1	20	9.0	5.6		6.3	7.4
Leukemia	16	7.4	15	6.9	13	5.9	5.7		6.1	7.4
Other Malignant Neoplasms	97	45.1	120	54.9	121	54.6	37.2		41.2	46.2
Diabetes	51	23.7	53	24.3	33	14.9	17.3	7.8	20.2	25.4
Alzheimers	107	49.7	124	56.8	124	55.9	31.8		28.7	21.8
Major Cardiovascular Diseases	718	333.5	691	316.3	699	315.2	221.1		237.1	310.1
Disease of Heart	525	243.8	511	233.9	494	222.7	165.0	166.0	178.4	235.4
Hypertensive Heart Disease	23	10.7	23	10.5	34	15.3	9.1		7.9	9.5
Ischemic Heart Disease	416	193.2	413	189.1	377	170.0	133.0		134.4	164.8
Other Heart Disease	86	39.9	75	34.3	83	37.4	22.9		36.1	61.1
Primary Hypertension	10	4.6	14	6.4	23	10.4	7.6		6.9	7.5
Cerebrovascular	142	66.0	129	59.1	134	60.4	38.6	48.0	41.4	54.3
Atherosclerosis	16	7.4	19	8.7	19	8.6	3.7		4.0	4.5
Other Circulatory	25	11.6	18	8.2	29	13.1	6.3		6.5	8.4

(continued on next page)

**Health Status Indicators for Cities and Towns
2002-2004**

Scottsdale

Selected Causes of Death, cont.

Cause of Death	Scottsdale						Comparisons			
	2002		2003		2004		Maricopa County, 2004	Healthy People 2010	Arizona 2004	U.S. 2003
	Number	Rate per 100,000	Number	Rate per 100,000	Number	Rate per 100,000				
Influenza & Pneumonia	76	35.3	51	23.3	60	27.1	16.6		19.0	22.3
Chronic Lower Respiratory	122	56.7	88	40.3	120	54.1	37.6		41.0	43.4
Peptic Ulcer	0	0.0	1	0.5	3	1.4	1.0		1.1	1.3
Liver Disease	24	11.1	26	11.9	17	7.7	9.1		10.8	9.4
Nephritis	15	7.0	25	11.4	23	10.4	7.3		10.7	14.6
Pregnancy	0	0.0	0	0.0	0	0.0	0.1		0.0	0.2
Perinatal Conditions	9	4.2	8	3.7	7	3.2	5.6		5.0	4.9
Congenital Malformations	7	3.3	13	6.0	5	2.3	4.1		4.1	3.6
SIDS	0	0.0	2	0.9	1	0.5	0.2			
Symptoms, Signs ex. SIDS	7	3.3	19	8.7	58	26.2	11.8			
All Other Diseases	285	132.4	320	146.5	288	129.9	91.9			
Motor Vehicle Accidents	31	14.4	28	12.8	28	12.6	15.3	9.2	18.2	15.2
All Other Acc. & Adverse Effects	68	31.6	65	29.8	70	31.6	25.9		27.1	21.1
Suicide	42	19.5	38	17.4	30	13.5	13.1	5.0	14.6	10.5
Homicide	8	3.7	8	3.7	7	3.2	8.8	3.0	8.3	5.9
All Other External Causes	7	3.3	6	2.7	3	1.4	1.6			
Unknown	27	12.5	21	9.6	4	1.8	1.0			
Total	2,064	958.6	2,086	955.0	2,078	936.9	672.2		732.8	840.4

*HP 2010 goals are breast cancer in females and prostate cancer in males

Health Status Indicators for Cities and Towns 2002-2004

Sun City and Sun City West

Population Statistics

	Sun City and Sun City West		Maricopa County		Arizona	U.S.
Population in 2000	64,653		3,072,149		5,130,632	281,421,906
Estimated Population	<u>Number</u>	<u>% Inc. from 2000</u>	<u>Number</u>	<u>% Inc. from 2000</u>	<u>Number</u>	<u>Number</u>
2002	69,308	7.2%	3,303,876	7.5%	5,438,159	287,984,799
2003	71,118	10.0%	3,389,260	10.3%	5,577,784	290,850,005
2004	73,704	14.0%	3,501,001	14.0%	5,739,879	293,656,842
Age Distribution 2004	<u>Number</u>	<u>% Distribution</u>	<u>Number</u>	<u>% Distribution</u>	<u>% Distribution</u>	<u>% Distribution</u>
Under 20 years old	0	0.0%	1,064,304	30.4%	29.9%	27.9%
20 - 44 years old	1,474	2.0%	1,323,378	37.8%	35.7%	36.1%
45 - 64 years old	12,530	17.0%	721,206	20.6%	21.6%	23.6%
65 and older	59,701	81.0%	392,112	11.2%	12.8%	12.4%
Dependency ratio	4.26		0.71		0.75	0.68

Infant Health Indicators

	Sun City and Sun City West						Comparisons			
	2002		2003		2004		Maricopa County, 2004	Healthy People	Arizona	U.S.
	<u>Number</u>	<u>Percent or Rate</u>	<u>Number</u>	<u>Percent or Rate</u>	<u>Number</u>	<u>Percent or Rate</u>		<u>2010</u>	<u>2004</u>	<u>2003</u>
Low weight births (under 2500 grams) - % of live births	5	8.3%	6	13.3%	5	9.3%	7.1%	5.0%	7.2%	7.9%
Births to teen mothers - % of live births	4	6.7%	4	8.9%	4	7.4%	11.7%	(-)	12.7%	10.3%
Infant mortality per 1,000 live births	0	0.0	0	0.0	1	18.5	6.5	4.5	6.7	6.9
Total Births	60		45		54		60,535		93,396	4,089,950

Note: Infant health indicators for cities/towns with fewer than 1,000 births are not reliable.
Birth data for 2004 are for Sun City only.

Health Status Indicators for Cities and Towns 2002-2004
Sun City and Sun City West

Selected Reportable Diseases

	Sun City and Sun City West						Comparisons			
	2002		2003		2004		Rate per 100,000 Population			
	<u>Number</u>	<u>Rate per 100,000</u>	<u>Number</u>	<u>Rate per 100,000</u>	<u>Number</u>	<u>Rate per 100,000</u>	<u>Maricopa County, 2004</u>	<u>H.P. 2010</u>	<u>Arizona 2004</u>	<u>U.S. 2003</u>
Vaccine Preventable										
<i>H. influenzae</i>	3	4.3	1	1.4	0	0.0	1.3	0.0		0.7
Measles	0	0.0	0	0.0	0	0.0	0	0.0	0.0	0.0
Mumps	0	0.0	0	0.0	0	0.0	0.0	0.0	0.0	0.1
Pertussis	0	0.0	1	1.4	0	0.0	3.1	0.0	2.6	4.0
Central Nervous System										
Encephalitis	0	0.0	1	1.4	2	2.7	0.9		0.5	
Meningitis - Aseptic	3	4.3	4	5.6	8	10.9	16.1		12.6	
Meningococcal Disease	0	0.0	2	2.8	0	0.0	0.3	1.0	0.3	0.6
Enterics										
Amebiasis	0	0.0	1	1.4	0	0.0	0.3		0.2	
Botulism	0	0.0	0	0.0	0	0.0	0.0		0.0	0.0
Campylobacteriosis	6	8.7	1	1.4	6	8.1	12.2	12.3	13.6	
Cryptosporidiosis	0	0.0	0	0.0	0	0.0	0.2		0.3	1.2
<i>E. Coli</i> O157:H7	0	0.0	1	1.4	0	0.0	0.6	1.0	0.5	0.9
Giardiasis	0	0.0	0	0.0	1	1.4	3.0		3.0	6.8
Hemolytic Uremic Syndrome	0	0.0	0	0.0	0	0.0	0			0.1
Listeriosis	0	0.0	0	0.0	0	0.0	0.2	0.25	0.2	0.2
Salmonellosis	5	7.2	10	14.1	4	5.4	10.2	6.8	11.9	15.2
Shigellosis	1	1.4	0	0.0	0	0.0	6.5		7.0	8.2
Typhoid	0	0.0	0	0.0	0	0.0	0.1		0.0	0.1
Vibrioses	1	1.4	1	1.4	0	0.0	0.1		0.1	
Yersiniosis	0	0.0	0	0.0	0	0.0	0.1		0.1	
Mycosis										
Coccidioidomycosis	189	272.7	184	258.7	182	246.9	77.2		62.8	1.7
Zoonoses/Vectorborne										
Brucellosis	0	0.0	0	0.0	0	0.0	0		0.0	0.0
Hantavirus Pulmonary Syndrome	0	0.0	0	0.0	0	0.0	0		0.0	0.0
Malaria	0	0.0	0	0.0	0	0.0	0.4		0.3	0.5
West Nile Virus	0	0.0	1	1.4	2	2.7	10.5		6.7	1.0
Hepatitides										
Hepatitis A	6	8.7	0	0.0	3	4.1	3.4	4.5	4.6	2.7
Hepatitis B	*	*	*	*	2	2.7	5.1	2.4-9.0	5.0	2.6
Other										
Legionellosis	2	2.9	0	0.0	3	4.1	0.4		0.4	0.8
Streptococcal Inv. Pneumonia	16	23.1	8	11.2	11	14.9	12.5		11.5	0.1
Streptococcal Inf. Group A	11	15.9	2	2.8	1	1.4	4.3		4.2	2.0
Streptococcal Inf. Group B	0	0.0	0	0.0	0	0.0	1.1	0.5	0.8	
Vancomycin res. <i>Enterococcus</i>	28	40.4	33	46.4	44	59.7	28.3		24.1	

* In 2004, Hepatitis B data were calculated differently from previous years and therefore, are not comparable to 2002 and 2003.

Health Status Indicators for Cities and Towns 2002-2004

Sun City and Sun City West

Selected Causes of Death

Cause of Death	Sun City and Sun City West						Comparisons			
	2002		2003		2004		Maricopa County, 2004	Healthy People 2010	Arizona 2004	U.S. 2003
	Number	Rate per 100,000	Number	Rate per 100,000	Number	Rate per 100,000				
Tuberculosis	2	2.9	0	0.0	0	0.0	0.2		0.2	0.2
Syphilis	0	0.0	0	0.0	0	0.0	0		0.0	0.0
HIV Disease	<5		<5		<5		3.1	0.7	2.7	4.7
Malignant Neoplasms	519	748.8	501	704.5	460	624.1	147.6	159.9	163.0	190.7
Malignant Neoplasm Stomach	8	11.5	11	15.5	6	8.1	3.2		3.2	4.1
Malignant Neoplasm Colon	38	54.8	60	84.4	43	58.3	14.3	13.9	14.9	19.1
Malignant Neoplasm Pancreas	29	41.8	26	36.6	32	43.4	8.5		9.4	10.5
Malig. Neo. Bronchus, Lung	128	184.7	129	181.4	125	169.6	39.2	44.9	45.5	54.2
Malignant Neoplasm Breast	29	41.8	32	45.0	30	40.7	10.8	22.3*	11.4	14.4
Mal. Neo. Uterus, Cervix, Ovary	28	40.4	23	32.3	23	31.2	7.3		7.7	8.7
Malig. Neoplasm Prostate	48	69.3	28	39.4	27	36.6	7.9	28.8*	9.3	10.2
Malignant Neoplasm Urinary	43	62.0	37	52.0	23	31.2	7.9		8.0	8.5
Non-Hodgkins Lymphoma	35	50.5	28	39.4	25	33.9	5.6		6.3	7.4
Leukemia	22	31.7	23	32.3	29	39.3	5.7		6.1	7.4
Other Malignant Neoplasms	111	160.2	104	146.2	97	131.6	37.2		41.2	46.2
Diabetes	30	43.3	36	50.6	46	62.4	17.3	7.8	20.2	25.4
Alzheimers	111	160.2	131	184.2	82	111.3	31.8		28.7	21.8
Major Cardiovascular Diseases	887	1279.8	803	1129.1	760	1031.1	221.1		237.1	310.1
Disease of Heart	644	929.2	610	857.7	571	774.7	165.0	166.0	178.4	235.4
Hypertensive Heart Disease	36	51.9	28	39.4	23	31.2	9.1		7.9	9.5
Ischemic Heart Disease	523	754.6	508	714.3	480	651.2	133.0		134.4	164.8
Other Heart Disease	85	122.6	74	104.1	68	92.3	22.9		36.1	61.1
Primary Hypertension	32	46.2	25	35.2	19	25.8	7.6		6.9	7.5
Cerebrovascular	178	256.8	137	192.6	141	191.3	38.6	48.0	41.4	54.3
Atherosclerosis	12	17.3	8	11.2	7	9.5	3.7		4.0	4.5
Other Circulatory	21	30.3	23	32.3	22	29.8	6.3		6.5	8.4

(continued on next page)

**Health Status Indicators for Cities and Towns
2002-2004**

Sun City and Sun City West

Selected Causes of Death, cont.

Cause of Death	Sun City and Sun City West						Comparisons			
	2002		2003		2004		Maricopa County, 2004	Healthy	Arizona	U.S.
	Number	Rate per 100,000	Number	Rate per 100,000	Number	Rate per 100,000		People 2010	2004	2003
Influenza & Pneumonia	85	122.6	70	98.4	50	67.8	16.6		19.0	22.3
Chronic Lower Respiratory	132	190.5	116	163.1	125	169.6	37.6		41.0	43.4
Peptic Ulcer	5	7.2	2	2.8	2	2.7	1.0		1.1	1.3
Liver Disease	19	27.4	11	15.5	10	13.6	9.1		10.8	9.4
Nephritis	21	30.3	22	30.9	26	35.3	7.3		10.7	14.6
Pregnancy	0	0.0	0	0.0	0	0.0	0.1		0.0	0.2
Perinatal Conditions	0	0.0	0	0.0	1	1.4	5.6		5.0	4.9
Congenital Malformations	0	0.0	2	2.8	0	0.0	4.1		4.1	3.6
SIDS	0	0.0	0	0.0	0	0.0	0.2			
Symptoms, Signs ex. SIDS	13	18.8	39	54.8	42	57.0	11.8			
All Other Diseases	249	359.3	310	435.9	312	423.3	91.9			
Motor Vehicle Accidents	12	17.3	12	16.9	6	8.1	15.3	9.2	18.2	15.2
All Other Acc. & Adverse Effects	51	73.6	75	105.5	62	84.1	25.9		27.1	21.1
Suicide	18	26.0	15	21.1	13	17.6	13.1	5.0	14.6	10.5
Homicide	1	1.4	3	4.2	0	0.0	8.8	3.0	8.3	5.9
All Other External Causes	2	2.9	3	4.2	4	5.4	1.6			
Unknown	40	57.7	8	11.2	6	8.1	1.0			
Total	2,197	3169.9	2,159	3035.8	2,007	2723.0	672.2		732.8	840.4

*HP 2010 goals are breast cancer in females and prostate cancer in males

Health Status Indicators for Cities and Towns 2002-2004

Sun Lakes

Population Statistics

Population in 2000

Estimated Population

2002

2003

2004

Age Distribution 2004

Under 20 years old

20 - 44 years old

45 - 64 years old

65 and older

Dependency ratio

Sun Lakes		Maricopa County		Arizona	U.S.
11,936		3,072,149		5,130,632	281,421,906
Number	% Inc. from 2000	Number	% Inc. from 2000	Number	Number
12,795	7.2%	3,303,876	7.5%	5,438,159	287,984,799
13,130	10.0%	3,389,260	10.3%	5,577,784	290,850,005
13,607	14.0%	3,501,001	14.0%	5,739,879	293,656,842
Number	% Distribution	Number	% Distribution	% Distribution	% Distribution
0	0.0%	1,064,304	30.4%	29.9%	27.9%
272	2.0%	1,323,378	37.8%	35.7%	36.1%
4,218	31.0%	721,206	20.6%	21.6%	23.6%
8,981	66.0%	392,112	11.2%	12.8%	12.4%
2.00		0.71		0.75	0.68

Infant Health Indicators

Low weight births (under 2500 grams) - % of live births

Births to teen mothers - % of live births

Infant mortality per 1,000 live births

Total Births

Sun Lakes						Comparisons		
2002		2003		2004		Maricopa County, 2004	Healthy People 2010	Arizona 2004
Number	Percent or Rate	Number	Percent or Rate	Number	Percent or Rate			U.S. 2003
0	n/a	0	0.0%	0	0.0%	7.1%	5.0%	7.2%
0	n/a	0	0.0%	0	0.0%	11.7%	(-)	12.7%
0	n/a	0	0.0	0	0.0	6.5	4.5	6.7
0		1		3		60,535		93,396

4,089,950

Note: Infant health indicators for cities/towns with fewer than 1,000 births are not reliable.

Health Status Indicators for Cities and Towns 2002-2004

Sun Lakes

Selected Reportable Diseases

	Sun Lakes						Comparisons			
	2002		2003		2004		Rate per 100,000 Population			
	Number	Rate per 100,000	Number	Rate per 100,000	Number	Rate per 100,000	Maricopa County, 2004	H.P. 2010	Arizona 2004	U.S. 2003
Vaccine Preventable										
<i>H. influenzae</i>	0	0.0	1	7.6	0	0.0	1.3	0.0		0.7
Measles	0	0.0	0	0.0	0	0.0	0	0.0	0.0	0.0
Mumps	0	0.0	0	0.0	0	0.0	0.0	0.0	0.0	0.1
Pertussis	0	0.0	0	0.0	0	0.0	3.1	0.0	2.6	4.0
Central Nervous System										
Encephalitis	0	0.0	0	0.0	0	0.0	0.9		0.5	
Meningitis - Aseptic	0	0.0	0	0.0	1	7.3	16.1		12.6	
Meningococcal Disease	0	0.0	0	0.0	0	0.0	0.3	1.0	0.3	0.6
Enterics										
Amebiasis	0	0.0	0	0.0	0	0.0	0.3		0.2	
Botulism	0	0.0	0	0.0	0	0.0	0.0		0.0	0.0
Campylobacteriosis	0	0.0	2	15.2	0	0.0	12.2	12.3	13.6	
Cryptosporidiosis	0	0.0	0	0.0	0	0.0	0.2		0.3	1.2
<i>E. Coli</i> O157:H7	0	0.0	0	0.0	0	0.0	0.6	1.0	0.5	0.9
Giardiasis	0	0.0	0	0.0	0	0.0	3.0		3.0	6.8
Hemolytic Uremic Syndrome	0	0.0	0	0.0	0	0.0	0			0.1
Listeriosis	0	0.0	0	0.0	0	0.0	0.2	0.25	0.2	0.2
Salmonellosis	1	7.8	1	7.6	0	0.0	10.2	6.8	11.9	15.2
Shigellosis	0	0.0	0	0.0	0	0.0	6.5		7.0	8.2
Typhoid	0	0.0	0	0.0	0	0.0	0.1		0.0	0.1
Vibrioses	0	0.0	0	0.0	0	0.0	0.1		0.1	
Yersiniosis	0	0.0	0	0.0	0	0.0	0.1		0.1	
Mycosis										
Coccidioidomycosis	10	78.2	12	91.4	12	88.2	77.2		62.8	1.7
Zoonoses/Vectorborne										
Brucellosis	0	0.0	0	0.0	0	0.0	0		0.0	0.0
Hantavirus Pulmonary Syndrome	0	0.0	0	0.0	0	0.0	0		0.0	0.0
Malaria	0	0.0	0	0.0	0	0.0	0.4		0.3	0.5
West Nile Virus	0	0.0	0	0.0	0	0.0	10.5		6.7	1.0
Hepatitides										
Hepatitis A	0	0.0	0	0.0	0	0.0	3.4	4.5	4.6	2.7
Hepatitis B	*	*	*	*	0	0.0	5.1	2.4-9.0	5.0	2.6
Other										
Legionellosis	0	0.0	0	0.0	0	0.0	0.4		0.4	0.8
Streptococcal Inv. Pneumonia	1	7.8	1	7.6	1	7.3	12.5		11.5	0.1
Streptococcal Inf. Group A	0	0.0	1	7.6	0	0.0	4.3		4.2	2.0
Streptococcal Inf. Group B	0	0.0	0	0.0	0	0.0	1.1	0.5	0.8	
Vancomycin res. <i>Enterococcus</i>	3	23.4	4	30.5	10	73.5	28.3		24.1	

* In 2004, Hepatitis B data were calculated differently from previous years and therefore, are not comparable to 2002 and 2003.

Health Status Indicators for Cities and Towns 2002-2004

Sun Lakes

Selected Causes of Death

Cause of Death	Sun Lakes						Comparisons			
	2002		2003		2004		Maricopa County, 2004	Healthy People 2010	Arizona 2004	U.S. 2003
	Number	Rate per 100,000	Number	Rate per 100,000	Number	Rate per 100,000				
Tuberculosis	0	0.0	0	0.0	0	0.0	0.2		0.2	0.2
Syphilis	0	0.0	0	0.0	0	0.0	0		0.0	0.0
HIV Disease	0	0.0	0	0.0	0	0.0	3.1	0.7	2.7	4.7
Malignant Neoplasms	84	656.5	70	533.1	84	617.3	147.6	159.9	163.0	190.7
Malignant Neoplasm Stomach	0	0.0	0	0.0	4	29.4	3.2		3.2	4.1
Malignant Neoplasm Colon	10	78.2	5	38.1	6	44.1	14.3	13.9	14.9	19.1
Malignant Neoplasm Pancreas	5	39.1	7	53.3	3	22.0	8.5		9.4	10.5
Malig. Neo. Bronchus, Lung	27	211.0	21	159.9	21	154.3	39.2	44.9	45.5	54.2
Malignant Neoplasm Breast	6	46.9	3	22.8	3	22.0	10.8	22.3*	11.4	14.4
Mal. Neo. Uterus, Cervix, Ovary	4	31.3	4	30.5	4	29.4	7.3		7.7	8.7
Malig. Neoplasm Prostate	5	39.1	4	30.5	10	73.5	7.9	28.8*	9.3	10.2
Malignant Neoplasm Urinary	3	23.4	2	15.2	5	36.7	7.9		8.0	8.5
Non-Hodgkins Lymphoma	7	54.7	5	38.1	5	36.7	5.6		6.3	7.4
Leukemia	2	15.6	6	45.7	3	22.0	5.7		6.1	7.4
Other Malignant Neoplasms	15	117.2	13	99.0	20	147.0	37.2		41.2	46.2
Diabetes	4	31.3	2	15.2	7	51.4	17.3	7.8	20.2	25.4
Alzheimers	14	109.4	9	68.5	14	102.9	31.8		28.7	21.8
Major Cardiovascular Diseases	94	734.6	87	662.6	103	757.0	221.1		237.1	310.1
Disease of Heart	80	625.2	66	502.7	83	610.0	165.0	166.0	178.4	235.4
Hypertensive Heart Disease	0	0.0	0	0.0	2	14.7	9.1		7.9	9.5
Ischemic Heart Disease	73	570.5	54	411.3	74	543.8	133.0		134.4	164.8
Other Heart Disease	7	54.7	12	91.4	7	51.4	22.9		36.1	61.1
Primary Hypertension	1	7.8	1	7.6	2	14.7	7.6		6.9	7.5
Cerebrovascular	13	101.6	15	114.2	14	102.9	38.6	48.0	41.4	54.3
Atherosclerosis	0	0.0	3	22.8	0	0.0	3.7		4.0	4.5
Other Circulatory	0	0.0	2	15.2	4	29.4	6.3		6.5	8.4

(continued on next page)

**Health Status Indicators for Cities and Towns
2002-2004**

Sun Lakes

Selected Causes of Death, cont.

Cause of Death	Sun Lakes						Comparisons			
	2002		2003		2004		Maricopa County, 2004	Healthy People 2010	Arizona 2004	U.S. 2003
	Number	Rate per 100,000	Number	Rate per 100,000	Number	Rate per 100,000				
Influenza & Pneumonia	9	70.3	6	45.7	5	36.7	16.6		19.0	22.3
Chronic Lower Respiratory	15	117.2	16	121.9	15	110.2	37.6		41.0	43.4
Peptic Ulcer	0	0.0	1	7.6	1	7.3	1.0		1.1	1.3
Liver Disease	5	39.1	2	15.2	2	14.7	9.1		10.8	9.4
Nephritis	4	31.3	1	7.6	2	14.7	7.3		10.7	14.6
Pregnancy	0	0.0	0	0.0	0	0.0	0.1		0.0	0.2
Perinatal Conditions	0	0.0	0	0.0	0	0.0	5.6		5.0	4.9
Congenital Malformations	1	7.8	0	0.0	0	0.0	4.1		4.1	3.6
SIDS	0	0.0	0	0.0	0	0.0	0.2			
Symptoms, Signs ex. SIDS	1	7.8	0	0.0	1	7.3	11.8			
All Other Diseases	35	273.5	36	274.2	29	213.1	91.9			
Motor Vehicle Accidents	2	15.6	0	0.0	1	7.3	15.3	9.2	18.2	15.2
All Other Acc. & Adverse Effects	7	54.7	6	45.7	8	58.8	25.9		27.1	21.1
Suicide	3	23.4	0	0.0	3	22.0	13.1	5.0	14.6	10.5
Homicide	0	0.0	0	0.0	0	0.0	8.8	3.0	8.3	5.9
All Other External Causes	1	7.8	0	0.0	0	0.0	1.6			
Unknown	7	54.7	2	15.2	0	0.0	1.0			
Total	286	2235.2	238	1812.7	275	2021.0	672.2		732.8	840.4

*HP 2010 goals are breast cancer in females and prostate cancer in males

Health Status Indicators for Cities and Towns 2002-2004

Surprise

Population Statistics

Population in 2000

Estimated Population

2002

2003

2004

Age Distribution 2004

Under 20 years old

20 - 44 years old

45 - 64 years old

65 and older

Dependency ratio

Surprise		Maricopa County		Arizona	U.S.
30,848		3,072,149		5,130,632	281,421,906
Number	% Inc. from 2000	Number	% Inc. from 2000	Number	Number
44,777	45.2%	3,303,876	7.5%	5,438,159	287,984,799
50,927	65.1%	3,389,260	10.3%	5,577,784	290,850,005
60,686	96.7%	3,501,001	14.0%	5,739,879	293,656,842
Number	% Distribution	Number	% Distribution	% Distribution	% Distribution
12,744	21.0%	1,064,304	30.4%	29.9%	27.9%
16,992	28.0%	1,323,378	37.8%	35.7%	36.1%
15,172	25.0%	721,206	20.6%	21.6%	23.6%
15,172	25.0%	392,112	11.2%	12.8%	12.4%
0.87		0.71		0.75	0.68

Infant Health Indicators

Low weight births (under 2500 grams) - % of live births

Births to teen mothers - % of live births

Infant mortality per 1,000 live births

Total Births

Surprise						Comparisons		
2002		2003		2004		Maricopa County, 2004	Healthy People 2010	Arizona 2004
Number	Percent or Rate	Number	Percent or Rate	Number	Percent or Rate			U.S. 2003
60	6.8%	81	8.0%	71	5.8%	7.1%	5.0%	7.2%
61	6.9%	74	7.3%	90	7.4%	11.7%	(-)	12.7%
5	5.6	7	6.9	6	4.9	6.5	4.5	6.7
886		1,012		1,214		60,535		93,396
								4,089,950

Health Status Indicators for Cities and Towns 2002-2004

Surprise

Selected Reportable Diseases

	Surprise						Comparisons			
	2002		2003		2004		Rate per 100,000 Population			
	Number	Rate per 100,000	Number	Rate per 100,000	Number	Rate per 100,000	Maricopa County, 2004	H.P. 2010	Arizona 2004	U.S. 2003
Vaccine Preventable										
<i>H. influenzae</i>	0	0.0	1	2.0	0	0.0	1.3	0.0		0.7
Measles	0	0.0	0	0.0	0	0.0	0	0.0	0.0	0.0
Mumps	0	0.0	0	0.0	0	0.0	0.0	0.0	0.0	0.1
Pertussis	0	0.0	0	0.0	0	0.0	3.1	0.0	2.6	4.0
Central Nervous System										
Encephalitis	0	0.0	2	3.9	0	0.0	0.9		0.5	
Meningitis - Aseptic	5	11.2	20	39.3	9	14.8	16.1		12.6	
Meningococcal Disease	0	0.0	0	0.0	0	0.0	0.3	1.0	0.3	0.6
Enterics										
Amebiasis	1	2.2	0	0.0	0	0.0	0.3		0.2	
Botulism	0	0.0	0	0.0	0	0.0	0.0		0.0	0.0
Campylobacteriosis	1	2.2	4	7.9	5	8.2	12.2	12.3	13.6	
Cryptosporidiosis	1	2.2	0	0.0	0	0.0	0.2		0.3	1.2
<i>E. Coli</i> O157:H7	0	0.0	0	0.0	1	1.6	0.6	1.0	0.5	0.9
Giardiasis	1	2.2	0	0.0	2	3.3	3.0		3.0	6.8
Hemolytic Uremic Syndrome	0	0.0	0	0.0	0	0.0	0			0.1
Listeriosis	0	0.0	0	0.0	0	0.0	0.2	0.25	0.2	0.2
Salmonellosis	1	2.2	2	3.9	4	6.6	10.2	6.8	11.9	15.2
Shigellosis	1	2.2	4	7.9	0	0.0	6.5		7.0	8.2
Typhoid	0	0.0	0	0.0	0	0.0	0.1		0.0	0.1
Vibrioses	0	0.0	0	0.0	0	0.0	0.1		0.1	
Yersiniosis	1	2.2	0	0.0	0	0.0	0.1		0.1	
Mycosis										
Coccidioidomycosis	59	131.8	94	184.6	107	176.3	77.2		62.8	1.7
Zoonoses/Vectorborne										
Brucellosis	0	0.0	0	0.0	0	0.0	0		0.0	0.0
Hantavirus Pulmonary Syndrome	1	2.2	0	0.0	0	0.0	0		0.0	0.0
Malaria	0	0.0	0	0.0	0	0.0	0.4		0.3	0.5
West Nile Virus	0	0.0	0	0.0	0	0.0	10.5		6.7	1.0
Hepatitides										
Hepatitis A	0	0.0	1	2.0	1	1.6	3.4	4.5	4.6	2.7
Hepatitis B	*	*	*	*	0	0.0	5.1	2.4-9.0	5.0	2.6
Other										
Legionellosis	0	0.0	0	0.0	2	3.3	0.4		0.4	0.8
Streptococcal Inv. Pneumonia	3	6.7	2	3.9	3	4.9	12.5		11.5	0.1
Streptococcal Inf. Group A	3	6.7	3	5.9	2	3.3	4.3		4.2	2.0
Streptococcal Inf. Group B	0	0.0	0	0.0	0	0.0	1.1	0.5	0.8	
Vancomycin res. <i>Enterococcus</i>	1	2.2	7	13.7	11	18.1	28.3		24.1	

* In 2004, Hepatitis B data were calculated differently from previous years and therefore, are not comparable to 2002 and 2003.

Health Status Indicators for Cities and Towns 2002-2004

Surprise

Selected Causes of Death

Cause of Death	Surprise						Comparisons			
	2002		2003		2004		Maricopa County, 2004	Healthy	Arizona	U.S.
	Number	Rate per 100,000	Number	Rate per 100,000	Number	Rate per 100,000		People 2010	2004	2003
Tuberculosis	0	0.0	0	0.0	0	0.0	0.2		0.2	0.2
Syphilis	0	0.0	0	0.0	0	0.0	0		0.0	0.0
HIV Disease	<5		0	0.0	<5		3.1	0.7	2.7	4.7
Malignant Neoplasms	83	185.4	107	210.1	139	229.0	147.6	159.9	163.0	190.7
Malignant Neoplasm Stomach	1	2.2	3	5.9	3	4.9	3.2		3.2	4.1
Malignant Neoplasm Colon	10	22.3	17	33.4	20	33.0	14.3	13.9	14.9	19.1
Malignant Neoplasm Pancreas	5	11.2	5	9.8	7	11.5	8.5		9.4	10.5
Malig. Neo. Bronchus, Lung	19	42.4	34	66.8	38	62.6	39.2	44.9	45.5	54.2
Malignant Neoplasm Breast	6	13.4	6	11.8	9	14.8	10.8	22.3*	11.4	14.4
Mal. Neo. Uterus, Cervix, Ovary	8	17.9	7	13.7	2	3.3	7.3		7.7	8.7
Malig. Neoplasm Prostate	4	8.9	1	2.0	5	8.2	7.9	28.8*	9.3	10.2
Malignant Neoplasm Urinary	3	6.7	8	15.7	9	14.8	7.9		8.0	8.5
Non-Hodgkins Lymphoma	5	11.2	2	3.9	3	4.9	5.6		6.3	7.4
Leukemia	1	2.2	3	5.9	7	11.5	5.7		6.1	7.4
Other Malignant Neoplasms	21	46.9	21	41.2	36	59.3	37.2		41.2	46.2
Diabetes	9	20.1	10	19.6	7	11.5	17.3	7.8	20.2	25.4
Alzheimers	16	35.7	11	21.6	16	26.4	31.8		28.7	21.8
Major Cardiovascular Diseases	131	292.6	138	271.0	151	248.8	221.1		237.1	310.1
Disease of Heart	87	194.3	101	198.3	123	202.7	165.0	166.0	178.4	235.4
Hypertensive Heart Disease	4	8.9	6	11.8	5	8.2	9.1		7.9	9.5
Ischemic Heart Disease	69	154.1	75	147.3	109	179.6	133.0		134.4	164.8
Other Heart Disease	14	31.3	20	39.3	9	14.8	22.9		36.1	61.1
Primary Hypertension	8	17.9	7	13.7	3	4.9	7.6		6.9	7.5
Cerebrovascular	29	64.8	23	45.2	19	31.3	38.6	48.0	41.4	54.3
Atherosclerosis	4	8.9	3	5.9	1	1.6	3.7		4.0	4.5
Other Circulatory	3	6.7	4	7.9	5	8.2	6.3		6.5	8.4

(continued on next page)

**Health Status Indicators for Cities and Towns
2002-2004**

Surprise

Selected Causes of Death, cont.

Cause of Death	Surprise						Comparisons			
	2002		2003		2004		Maricopa County, 2004	Healthy People 2010	Arizona 2004	U.S. 2003
	Number	Rate per 100,000	Number	Rate per 100,000	Number	Rate per 100,000				
Influenza & Pneumonia	11	24.6	9	17.7	13	21.4	16.6		19.0	22.3
Chronic Lower Respiratory	16	35.7	23	45.2	27	44.5	37.6		41.0	43.4
Peptic Ulcer	0	0.0	0	0.0	1	1.6	1.0		1.1	1.3
Liver Disease	4	8.9	8	15.7	5	8.2	9.1		10.8	9.4
Nephritis	2	4.5	4	7.9	8	13.2	7.3		10.7	14.6
Pregnancy	0	0.0	0	0.0	0	0.0	0.1		0.0	0.2
Perinatal Conditions	5	11.2	5	9.8	3	4.9	5.6		5.0	4.9
Congenital Malformations	0	0.0	1	2.0	4	6.6	4.1		4.1	3.6
SIDS	0	0.0	1	2.0	0	0.0	0.2			
Symptoms, Signs ex. SIDS	6	13.4	3	5.9	3	4.9	11.8			
All Other Diseases	38	84.9	50	98.2	66	108.8	91.9			
Motor Vehicle Accidents	6	13.4	3	5.9	9	14.8	15.3	9.2	18.2	15.2
All Other Acc. & Adverse Effects	8	17.9	14	27.5	23	37.9	25.9		27.1	21.1
Suicide	5	11.2	5	9.8	12	19.8	13.1	5.0	14.6	10.5
Homicide	1	2.2	2	3.9	4	6.6	8.8	3.0	8.3	5.9
All Other External Causes	0	0.0	1	2.0	0	0.0	1.6			
Unknown	3	6.7	2	3.9	1	1.6	1.0			
Total	344	768.3	397	779.5	492	810.7	672.2		732.8	840.4

*HP 2010 goals are breast cancer in females and prostate cancer in males

Health Status Indicators for Cities and Towns 2002-2004

Tempe

Population Statistics

Population in 2000

Estimated Population

2002

2003

2004

Age Distribution 2004

Under 20 years old

20 - 44 years old

45 - 64 years old

65 and older

Dependency ratio

Tempe		Maricopa County		Arizona	U.S.
158,625		3,072,149		5,130,632	281,421,906
Number	% Inc. from 2000	Number	% Inc. from 2000	Number	Number
158,996	0.2%	3,303,876	7.5%	5,438,159	287,984,799
158,815	0.1%	3,389,260	10.3%	5,577,784	290,850,005
160,676	1.3%	3,501,001	14.0%	5,739,879	293,656,842
Number	% Distribution	Number	% Distribution	% Distribution	% Distribution
41,776	26.0%	1,064,304	30.4%	29.9%	27.9%
78,731	49.0%	1,323,378	37.8%	35.7%	36.1%
28,922	18.0%	721,206	20.6%	21.6%	23.6%
11,247	7.0%	392,112	11.2%	12.8%	12.4%
0.49		0.71		0.75	0.68

Infant Health Indicators

Low weight births (under 2500 grams) - % of live births

Births to teen mothers - % of live births

Infant mortality per 1,000 live births

Total Births

Tempe						Comparisons		
2002		2003		2004		Maricopa County, 2004	Healthy People 2010	Arizona 2004
Number	Percent or Rate	Number	Percent or Rate	Number	Percent or Rate			U.S. 2003
165	7.7%	149	7.3%	156	7.8%	7.1%	5.0%	7.2%
208	9.7%	217	10.6%	211	10.5%	11.7%	(-)	12.7%
18	8.4	14	6.8	10	5.0	6.5	4.5	6.7
2,136		2,044		2,003		60,535		93,396
								4,089,950

Health Status Indicators for Cities and Towns 2002-2004

Tempe

Selected Reportable Diseases

	Tempe						Comparisons			
	2002		2003		2004		Rate per 100,000 Population			
	<u>Number</u>	<u>Rate per 100,000</u>	<u>Number</u>	<u>Rate per 100,000</u>	<u>Number</u>	<u>Rate per 100,000</u>	<u>Maricopa County, 2004</u>	<u>H.P. 2010</u>	<u>Arizona 2004</u>	<u>U.S. 2003</u>
Vaccine Preventable										
<i>H. influenzae</i>	0	0.0	1	0.6	1	0.6	1.3	0.0		0.7
Measles	0	0.0	0	0.0	0	0.0	0	0.0	0.0	0.0
Mumps	0	0.0	0	0.0	0	0.0	0.0	0.0	0.0	0.1
Pertussis	2	1.3	12	7.6	2	1.2	3.1	0.0	2.6	4.0
Central Nervous System										
Encephalitis	0	0.0	0	0.0	1	0.6	0.9		0.5	
Meningitis - Aseptic	11	6.9	32	20.1	9	5.6	16.1		12.6	
Meningococcal Disease	0	0.0	0	0.0	0	0.0	0.3	1.0	0.3	0.6
Enterics										
Amebiasis	1	0.6	1	0.6	0	0.0	0.3		0.2	
Botulism	0	0.0	0	0.0	0	0.0	0.0		0.0	0.0
Campylobacteriosis	11	6.9	20	12.6	18	11.2	12.2	12.3	13.6	
Cryptosporidiosis	0	0.0	1	0.6	0	0.0	0.2		0.3	1.2
<i>E. Coli</i> O157:H7	1	0.6	1	0.6	1	0.6	0.6	1.0	0.5	0.9
Giardiasis	22	13.8	6	3.8	2	1.2	3.0		3.0	6.8
Hemolytic Uremic Syndrome	0	0.0	0	0.0	0	0.0	0			0.1
Listeriosis	0	0.0	0	0.0	0	0.0	0.2	0.25	0.2	0.2
Salmonellosis	14	8.8	15	9.4	18	11.2	10.2	6.8	11.9	15.2
Shigellosis	23	14.5	10	6.3	9	5.6	6.5		7.0	8.2
Typhoid	0	0.0	0	0.0	0	0.0	0.1		0.0	0.1
Vibrioses	1	0.6	0	0.0	0	0.0	0.1		0.1	
Yersiniosis	0	0.0	0	0.0	1	0.6	0.1		0.1	
Mycosis										
Coccidioidomycosis	119	74.8	75	47.2	91	56.6	77.2		62.8	1.7
Zoonoses/Vectorborne										
Brucellosis	0	0.0	0	0.0	0	0.0	0		0.0	0.0
Hantavirus Pulmonary Syndrome	0	0.0	0	0.0	0	0.0	0		0.0	0.0
Malaria	1	0.6	0	0.0	0	0.0	0.4		0.3	0.5
West Nile Virus	0	0.0	0	0.0	0	0.0	10.5		6.7	1.0
Hepatitides										
Hepatitis A	7	4.4	2	1.3	7	4.4	3.4	4.5	4.6	2.7
Hepatitis B	*	*	*	*	8	5.0	5.1	2.4-9.0	5.0	2.6
Other										
Legionellosis	1	0.6	0	0.0	0	0.0	0.4		0.4	0.8
Streptococcal Inv. Pneumonia	10	6.3	6	3.8	5	3.1	12.5		11.5	0.1
Streptococcal Inf. Group A	6	3.8	6	3.8	2	1.2	4.3		4.2	2.0
Streptococcal Inf. Group B	0	0.0	0	0.0	2	1.2	1.1	0.5	0.8	
Vancomycin res. <i>Enterococcus</i>	20	12.6	21	13.2	32	19.9	28.3		24.1	

* In 2004, Hepatitis B data were calculated differently from previous years and therefore, are not comparable to 2002 and 2003.

Health Status Indicators for Cities and Towns 2002-2004

Tempe

Selected Causes of Death

Cause of Death	Tempe						Comparisons			
	2002		2003		2004		Maricopa County, 2004	Healthy People 2010	Arizona 2004	U.S. 2003
	Number	Rate per 100,000	Number	Rate per 100,000	Number	Rate per 100,000				
Tuberculosis	0	0.0	0	0.0	0	0.0	0.2		0.2	0.2
Syphilis	0	0.0	0	0.0	0	0.0	0		0.0	0.0
HIV Disease	<5		7	4.4	6	3.7	3.1	0.7	2.7	4.7
Malignant Neoplasms	195	122.6	184	115.9	173	107.7	147.6	159.9	163.0	190.7
Malignant Neoplasm Stomach	5	3.1	1	0.6	4	2.5	3.2		3.2	4.1
Malignant Neoplasm Colon	15	9.4	14	8.8	19	11.8	14.3	13.9	14.9	19.1
Malignant Neoplasm Pancreas	12	7.5	10	6.3	10	6.2	8.5		9.4	10.5
Malig. Neo. Bronchus, Lung	51	32.1	54	34.0	40	24.9	39.2	44.9	45.5	54.2
Malignant Neoplasm Breast	11	6.9	9	5.7	13	8.1	10.8	22.3*	11.4	14.4
Mal. Neo. Uterus, Cervix, Ovary	10	6.3	10	6.3	8	5.0	7.3		7.7	8.7
Malig. Neoplasm Prostate	6	3.8	20	12.6	7	4.4	7.9	28.8*	9.3	10.2
Malignant Neoplasm Urinary	6	3.8	9	5.7	10	6.2	7.9		8.0	8.5
Non-Hodgkins Lymphoma	8	5.0	3	1.9	5	3.1	5.6		6.3	7.4
Leukemia	13	8.2	8	5.0	10	6.2	5.7		6.1	7.4
Other Malignant Neoplasms	58	36.5	46	29.0	47	29.3	37.2		41.2	46.2
Diabetes	16	10.1	20	12.6	17	10.6	17.3	7.8	20.2	25.4
Alzheimers	35	22.0	38	23.9	43	26.8	31.8		28.7	21.8
Major Cardiovascular Diseases	286	179.9	245	154.3	255	158.7	221.1		237.1	310.1
Disease of Heart	218	137.1	185	116.5	193	120.1	165.0	166.0	178.4	235.4
Hypertensive Heart Disease	12	7.5	6	3.8	11	6.8	9.1		7.9	9.5
Ischemic Heart Disease	158	99.4	150	94.4	150	93.4	133.0		134.4	164.8
Other Heart Disease	48	30.2	29	18.3	32	19.9	22.9		36.1	61.1
Primary Hypertension	7	4.4	5	3.1	5	3.1	7.6		6.9	7.5
Cerebrovascular	48	30.2	46	29.0	45	28.0	38.6	48.0	41.4	54.3
Atherosclerosis	5	3.1	4	2.5	5	3.1	3.7		4.0	4.5
Other Circulatory	8	5.0	5	3.1	7	4.4	6.3		6.5	8.4

(continued on next page)

**Health Status Indicators for Cities and Towns
2002-2004**

Tempe

Selected Causes of Death, cont.

Cause of Death	Tempe						Comparisons			
	2002		2003		2004		Maricopa County, 2004	Healthy People 2010	Arizona 2004	U.S. 2003
	Number	Rate per 100,000	Number	Rate per 100,000	Number	Rate per 100,000				
Influenza & Pneumonia	36	22.6	22	13.9	22	13.7	16.6		19.0	22.3
Chronic Lower Respiratory	40	25.2	46	29.0	40	24.9	37.6		41.0	43.4
Peptic Ulcer	0	0.0	3	1.9	2	1.2	1.0		1.1	1.3
Liver Disease	14	8.8	8	5.0	6	3.7	9.1		10.8	9.4
Nephritis	11	6.9	11	6.9	4	2.5	7.3		10.7	14.6
Pregnancy	0	0.0	0	0.0	0	0.0	0.1		0.0	0.2
Perinatal Conditions	8	5.0	7	4.4	2	1.2	5.6		5.0	4.9
Congenital Malformations	1	0.6	3	1.9	6	3.7	4.1		4.1	3.6
SIDS	3	1.9	0	0.0	0	0.0	0.2			
Symptoms, Signs ex. SIDS	9	5.7	14	8.8	17	10.6	11.8			
All Other Diseases	139	87.4	135	85.0	92	57.3	91.9			
Motor Vehicle Accidents	17	10.7	14	8.8	19	11.8	15.3	9.2	18.2	15.2
All Other Acc. & Adverse Effects	33	20.8	30	18.9	39	24.3	25.9		27.1	21.1
Suicide	16	10.1	22	13.9	18	11.2	13.1	5.0	14.6	10.5
Homicide	6	3.8	8	5.0	8	5.0	8.8	3.0	8.3	5.9
All Other External Causes	4	2.5	2	1.3	0	0.0	1.6			
Unknown	8	5.0	8	5.0	0	0.0	1.0			
Total	877	551.6	827	520.7	769	478.6	672.2		732.8	840.4

*HP 2010 goals are breast cancer in females and prostate cancer in males

Health Status Indicators for Cities and Towns 2002-2004

Tolleson

Population Statistics

Population in 2000

Estimated Population

2002

2003

2004

Age Distribution 2003

Under 20 years old

20 - 44 years old

45 - 64 years old

65 and older

Dependency ratio

Tolleson		Maricopa County		Arizona	U.S.
4,974		3,072,149		5,130,632	281,421,906
Number	% Inc. from 2000	Number	% Inc. from 2000	Number	Number
5,093	2.4%	3,303,876	7.5%	5,438,159	287,984,799
5,835	17.3%	3,389,260	10.3%	5,577,784	290,850,005
5,948	19.6%	3,501,001	14.0%	5,739,879	293,656,842
Number	% Distribution	Number	% Distribution	% Distribution	% Distribution
2,141	36.0%	1,064,304	30.4%	29.9%	27.9%
2,082	35.0%	1,323,378	37.8%	35.7%	36.1%
1,130	19.0%	721,206	20.6%	21.6%	23.6%
595	10.0%	392,112	11.2%	12.8%	12.4%
0.85		0.71		0.75	0.68

Infant Health Indicators

Low weight births (under 2500 grams) - % of live births

Births to teen mothers - % of live births

Infant mortality per 1,000 live births

Total Births

Tolleson						Comparisons		
2002		2003		2004		Maricopa County, 2004	Healthy People 2010	Arizona 2004
Number	Percent or Rate	Number	Percent or Rate	Number	Percent or Rate			U.S. 2003
13	7.8%	19	7.4%	18	5.2%	7.1%	5.0%	7.2%
22	13.2%	30	11.7%	40	11.6%	11.7%	(-)	12.7%
2	12.0	3	11.7	0	0.0	6.5	4.5	6.7
167		257		346		60,535		93,396
								4,089,950

Note: Infant health indicators for cities/towns with fewer than 1,000 births are not reliable.

Health Status Indicators for Cities and Towns 2002-2004

Tolleson

Selected Reportable Diseases

	Tolleson						Comparisons			
	2002		2003		2004		Rate per 100,000 Population			
	Number	Rate per 100,000	Number	Rate per 100,000	Number	Rate per 100,000	Maricopa County, 2004	H.P. 2010	Arizona 2004	U.S. 2003
Vaccine Preventable										
<i>H. influenzae</i>	0	0.0	0	0.0	0	0.0	1.3	0.0		0.7
Measles	0	0.0	0	0.0	0	0.0	0	0.0	0.0	0.0
Mumps	0	0.0	0	0.0	0	0.0	0.0	0.0	0.0	0.1
Pertussis	0	0.0	0	0.0	3	50.4	3.1	0.0	2.6	4.0
Central Nervous System										
Encephalitis	0	0.0	0	0.0	0	0.0	0.9		0.5	
Meningitis - Aseptic	2	39.3	2	34.3	2	33.6	16.1		12.6	
Meningococcal Disease	0	0.0	0	0.0	0	0.0	0.3	1.0	0.3	0.6
Enterics										
Amebiasis	0	0.0	0	0.0	1	16.8	0.3		0.2	
Botulism	0	0.0	0	0.0	0	0.0	0.0		0.0	0.0
Campylobacteriosis	3	58.9	1	17.1	0	0.0	12.2	12.3	13.6	
Cryptosporidiosis	0	0.0	0	0.0	0	0.0	0.2		0.3	1.2
<i>E. Coli</i> O157:H7	0	0.0	0	0.0	0	0.0	0.6	1.0	0.5	0.9
Giardiasis	0	0.0	0	0.0	0	0.0	3.0		3.0	6.8
Hemolytic Uremic Syndrome	0	0.0	0	0.0	0	0.0	0			0.1
Listeriosis	0	0.0	0	0.0	0	0.0	0.2	0.25	0.2	0.2
Salmonellosis	1	19.6	1	17.1	0	0.0	10.2	6.8	11.9	15.2
Shigellosis	1	19.6	2	34.3	3	50.4	6.5		7.0	8.2
Typhoid	0	0.0	0	0.0	0	0.0	0.1		0.0	0.1
Vibrioses	0	0.0	0	0.0	0	0.0	0.1		0.1	
Yersiniosis	0	0.0	0	0.0	0	0.0	0.1		0.1	
Mycosis										
Coccidioidomycosis	1	19.6	1	17.1	6	100.9	77.2		62.8	1.7
Zoonoses/Vectorborne										
Brucellosis	0	0.0	0	0.0	0	0.0	0		0.0	0.0
Hantavirus Pulmonary Syndrome	0	0.0	0	0.0	0	0.0	0		0.0	0.0
Malaria	0	0.0	0	0.0	0	0.0	0.4		0.3	0.5
West Nile Virus	0	0.0	0	0.0	5	84.1	10.5		6.7	1.0
Hepatitides										
Hepatitis A	0	0.0	0	0.0	0	0.0	3.4	4.5	4.6	2.7
Hepatitis B	*	*	*	*	0	0.0	5.1	2.4-9.0	5.0	2.6
Other										
Legionellosis	0	0.0	0	0.0	0	0.0	0.4		0.4	0.8
Streptococcal Inv. Pneumonia	0	0.0	1	17.1	2	33.6	12.5		11.5	0.1
Streptococcal Inf. Group A	0	0.0	0	0.0	0	0.0	4.3		4.2	2.0
Streptococcal Inf. Group B	0	0.0	0	0.0	0	0.0	1.1	0.5	0.8	
Vancomycin res. <i>Enterococcus</i>	2	39.3	0	0.0	1	16.8	28.3		24.1	

* In 2004, Hepatitis B data were calculated differently from previous years and therefore, are not comparable to 2002 and 2003.

Health Status Indicators for Cities and Towns 2002-2004

Tolleson

Selected Causes of Death

Cause of Death	Tolleson						Comparisons			
	2002		2003		2004		Maricopa County, 2004	Healthy People 2010	Arizona 2004	U.S. 2003
	Number	Rate per 100,000	Number	Rate per 100,000	Number	Rate per 100,000				
Tuberculosis	0	0.0	0	0.0	0	0.0	0.2		0.2	0.2
Syphilis	0	0.0	0	0.0	0	0.0	0		0.0	0.0
HIV Disease	0	0.0	0	0.0	0	0.0	3.1	0.7	2.7	4.7
Malignant Neoplasms	7	137.4	10	171.4	6	100.9	147.6	159.9	163.0	190.7
Malignant Neoplasm Stomach	0	0.0	0	0.0	1	16.8	3.2		3.2	4.1
Malignant Neoplasm Colon	0	0.0	1	17.1	0	0.0	14.3	13.9	14.9	19.1
Malignant Neoplasm Pancreas	1	19.6	0	0.0	1	16.8	8.5		9.4	10.5
Malig. Neo. Bronchus, Lung	3	58.9	3	51.4	1	16.8	39.2	44.9	45.5	54.2
Malignant Neoplasm Breast	1	19.6	2	34.3	0	0.0	10.8	22.3*	11.4	14.4
Mal. Neo. Uterus, Cervix, Ovary	1	19.6	2	34.3	1	16.8	7.3		7.7	8.7
Malig. Neoplasm Prostate	0	0.0	0	0.0	0	0.0	7.9	28.8*	9.3	10.2
Malignant Neoplasm Urinary	0	0.0	0	0.0	0	0.0	7.9		8.0	8.5
Non-Hodgkins Lymphoma	0	0.0	0	0.0	0	0.0	5.6		6.3	7.4
Leukemia	0	0.0	0	0.0	0	0.0	5.7		6.1	7.4
Other Malignant Neoplasms	1	19.6	2	34.3	2	33.6	37.2		41.2	46.2
Diabetes	3	58.9	1	17.1	1	16.8	17.3	7.8	20.2	25.4
Alzheimers	1	19.6	1	17.1	4	67.2	31.8		28.7	21.8
Major Cardiovascular Diseases	18	353.4	13	222.8	22	369.9	221.1		237.1	310.1
Disease of Heart	14	274.9	10	171.4	18	302.6	165.0	166.0	178.4	235.4
Hypertensive Heart Disease	0	0.0	2	34.3	0	0.0	9.1		7.9	9.5
Ischemic Heart Disease	11	216.0	6	102.8	12	201.7	133.0		134.4	164.8
Other Heart Disease	3	58.9	2	34.3	6	100.9	22.9		36.1	61.1
Primary Hypertension	0	0.0	0	0.0	0	0.0	7.6		6.9	7.5
Cerebrovascular	3	58.9	3	51.4	2	33.6	38.6	48.0	41.4	54.3
Atherosclerosis	0	0.0	0	0.0	0	0.0	3.7		4.0	4.5
Other Circulatory	1	19.6	0	0.0	2	33.6	6.3		6.5	8.4

(continued on next page)

**Health Status Indicators for Cities and Towns
2002-2004**

Tolleson

Selected Causes of Death, cont.

Cause of Death	Tolleson						Comparisons			
	2002		2003		2004		Maricopa County, 2004	Healthy People 2010	Arizona 2004	U.S. 2003
	Number	Rate per 100,000	Number	Rate per 100,000	Number	Rate per 100,000				
Influenza & Pneumonia	0	0.0	2	34.3	0	0.0	16.6		19.0	22.3
Chronic Lower Respiratory	2	39.3	1	17.1	1	16.8	37.6		41.0	43.4
Peptic Ulcer	0	0.0	0	0.0	0	0.0	1.0		1.1	1.3
Liver Disease	3	58.9	1	17.1	2	33.6	9.1		10.8	9.4
Nephritis	1	19.6	1	17.1	1	16.8	7.3		10.7	14.6
Pregnancy	1	19.6	0	0.0	0	0.0	0.1		0.0	0.2
Perinatal Conditions	2	39.3	2	34.3	0	0.0	5.6		5.0	4.9
Congenital Malformations	0	0.0	1	17.1	0	0.0	4.1		4.1	3.6
SIDS	0	0.0	0	0.0	0	0.0	0.2			
Symptoms, Signs ex. SIDS	0	0.0	1	17.1	1	16.8	11.8			
All Other Diseases	8	157.1	7	120.0	14	235.4	91.9			
Motor Vehicle Accidents	0	0.0	2	34.3	5	84.1	15.3	9.2	18.2	15.2
All Other Acc. & Adverse Effects	0	0.0	4	68.6	3	50.4	25.9		27.1	21.1
Suicide	1	19.6	2	34.3	2	33.6	13.1	5.0	14.6	10.5
Homicide	1	19.6	2	34.3	0	0.0	8.8	3.0	8.3	5.9
All Other External Causes	0	0.0	1	17.1	0	0.0	1.6			
Unknown	0	0.0	2	34.3	0	0.0	1.0			
Total	48	942.5	54	925.4	62	1042.4	672.2		732.8	840.4

*HP 2010 goals are breast cancer in females and prostate cancer in males

Health Status Indicators for Cities and Towns 2002-2004

Wickenburg

Population Statistics

Population in 2000

Estimated Population

2002

2003

2004

Age Distribution 2004

Under 20 years old

20 - 44 years old

45 - 64 years old

65 and older

Dependency ratio

Wickenburg		Maricopa County		Arizona	U.S.
5,082		3,072,149		5,130,632	281,421,906
Number	% Inc. from 2000	Number	% Inc. from 2000	Number	Number
5,313	4.5%	3,303,876	7.5%	5,438,159	287,984,799
5,369	5.6%	3,389,260	10.3%	5,577,784	290,850,005
5,550	9.2%	3,501,001	14.0%	5,739,879	293,656,842
Number	% Distribution	Number	% Distribution	% Distribution	% Distribution
1,221	22.0%	1,064,304	30.4%	29.9%	27.9%
1,388	25.0%	1,323,378	37.8%	35.7%	36.1%
1,388	25.0%	721,206	20.6%	21.6%	23.6%
1,610	29.0%	392,112	11.2%	12.8%	12.4%
1.02		0.71		0.75	0.68

Infant Health Indicators

Low weight births (under 2500 grams) - % of live births

Births to teen mothers - % of live births

Infant mortality per 1,000 live births

Total Births

Wickenburg						Comparisons		
2002		2003		2004		Maricopa County, 2004	Healthy People 2010	Arizona 2004
Number	Percent or Rate	Number	Percent or Rate	Number	Percent or Rate			U.S. 2003
8	11.0%	4	4.7%	9	9.5%	7.1%	5.0%	7.2%
10	13.7%	10	11.8%	15	15.8%	11.7%	(-)	12.7%
0	0.0	0	0.0	2	21.1	6.5	4.5	6.7
73		85		95		60,535		93,396
								4,089,950

Note: Infant health indicators for cities/towns with fewer than 1,000 births are not reliable.

Health Status Indicators for Cities and Towns 2002-2004

Wickenburg

Selected Reportable Diseases

	Wickenburg						Comparisons			
	2002		2003		2004		Rate per 100,000 Population			
	Number	Rate per 100,000	Number	Rate per 100,000	Number	Rate per 100,000	Maricopa County, 2004	H.P. 2010	Arizona 2004	U.S. 2003
Vaccine Preventable										
<i>H. influenzae</i>	0	0.0	0	0.0	0	0.0	1.3	0.0		0.7
Measles	0	0.0	0	0.0	0	0.0	0	0.0	0.0	0.0
Mumps	0	0.0	0	0.0	0	0.0	0.0	0.0	0.0	0.1
Pertussis	0	0.0	0	0.0	0	0.0	3.1	0.0	2.6	4.0
Central Nervous System										
Encephalitis	0	0.0	0	0.0	1	18.0	0.9		0.5	
Meningitis - Aseptic	0	0.0	0	0.0	1	18.0	16.1		12.6	
Meningococcal Disease	0	0.0	0	0.0	0	0.0	0.3	1.0	0.3	0.6
Enterics										
Amebiasis	0	0.0	0	0.0	0	0.0	0.3		0.2	
Botulism	0	0.0	0	0.0	0	0.0	0.0		0.0	0.0
Campylobacteriosis	0	0.0	0	0.0	1	18.0	12.2	12.3	13.6	
Cryptosporidiosis	0	0.0	0	0.0	0	0.0	0.2		0.3	1.2
<i>E. Coli</i> O157:H7	0	0.0	2	37.3	0	0.0	0.6	1.0	0.5	0.9
Giardiasis	0	0.0	0	0.0	0	0.0	3.0		3.0	6.8
Hemolytic Uremic Syndrome	0	0.0	0	0.0	0	0.0	0			0.1
Listeriosis	0	0.0	0	0.0	0	0.0	0.2	0.25	0.2	0.2
Salmonellosis	1	18.8	0	0.0	0	0.0	10.2	6.8	11.9	15.2
Shigellosis	1	18.8	0	0.0	0	0.0	6.5		7.0	8.2
Typhoid	0	0.0	0	0.0	0	0.0	0.1		0.0	0.1
Vibrioses	0	0.0	0	0.0	0	0.0	0.1		0.1	
Yersiniosis	0	0.0	0	0.0	0	0.0	0.1		0.1	
Mycosis										
Coccidioidomycosis	14	263.5	14	260.8	19	342.3	77.2		62.8	1.7
Zoonoses/Vectorborne										
Brucellosis	0	0.0	0	0.0	0	0.0	0		0.0	0.0
Hantavirus Pulmonary Syndrome	0	0.0	0	0.0	0	0.0	0		0.0	0.0
Malaria	0	0.0	0	0.0	0	0.0	0.4		0.3	0.5
West Nile Virus	0	0.0	0	0.0	0	0.0	10.5		6.7	1.0
Hepatitides										
Hepatitis A	0	0.0	1	18.6	0	0.0	3.4	4.5	4.6	2.7
Hepatitis B	*	*	*	*	1	18.0	5.1	2.4-9.0	5.0	2.6
Other										
Legionellosis	0	0.0	0	0.0	0	0.0	0.4		0.4	0.8
Streptococcal Inv. Pneumonia	1	18.8	2	37.3	1	18.0	12.5		11.5	0.1
Streptococcal Inf. Group A	0	0.0	0	0.0	0	0.0	4.3		4.2	2.0
Streptococcal Inf. Group B	1	18.8	0	0.0	0	0.0	1.1	0.5	0.8	
Vancomycin res. <i>Enterococcus</i>	0	0.0	0	0.0	2	36.0	28.3		24.1	

* In 2004, Hepatitis B data were calculated differently from previous years and therefore, are not comparable to 2002 and 2003.

Health Status Indicators for Cities and Towns 2002-2004

Wickenburg

Selected Causes of Death

Cause of Death	Wickenburg						Comparisons			
	2002		2003		2004		Maricopa County, 2004	Healthy People 2010	Arizona 2004	U.S. 2003
	Number	Rate per 100,000	Number	Rate per 100,000	Number	Rate per 100,000				
Tuberculosis	1	18.8	0	0.0	0	0.0	0.2		0.2	0.2
Syphilis	0	0.0	0	0.0	0	0.0	0		0.0	0.0
HIV Disease	0	0.0	0	0.0	0	0.0	3.1	0.7	2.7	4.7
Malignant Neoplasms	23	432.9	26	484.3	34	612.6	147.6	159.9	163.0	190.7
Malignant Neoplasm Stomach	2	37.6	1	18.6	1	18.0	3.2		3.2	4.1
Malignant Neoplasm Colon	2	37.6	4	74.5	0	0.0	14.3	13.9	14.9	19.1
Malignant Neoplasm Pancreas	0	0.0	2	37.3	2	36.0	8.5		9.4	10.5
Malig. Neo. Bronchus, Lung	9	169.4	11	204.9	13	234.2	39.2	44.9	45.5	54.2
Malignant Neoplasm Breast	3	56.5	0	0.0	0	0.0	10.8	22.3*	11.4	14.4
Mal. Neo. Uterus, Cervix, Ovary	0	0.0	1	18.6	3	54.1	7.3		7.7	8.7
Malig. Neoplasm Prostate	3	56.5	2	37.3	3	54.1	7.9	28.8*	9.3	10.2
Malignant Neoplasm Urinary	0	0.0	0	0.0	2	36.0	7.9		8.0	8.5
Non-Hodgkins Lymphoma	1	18.8	0	0.0	1	18.0	5.6		6.3	7.4
Leukemia	0	0.0	1	18.6	3	54.1	5.7		6.1	7.4
Other Malignant Neoplasms	3	56.5	4	74.5	6	108.1	37.2		41.2	46.2
Diabetes	1	18.8	2	37.3	2	36.0	17.3	7.8	20.2	25.4
Alzheimers	6	112.9	6	111.8	5	90.1	31.8		28.7	21.8
Major Cardiovascular Diseases	48	903.4	42	782.3	28	504.5	221.1		237.1	310.1
Disease of Heart	31	583.5	29	540.1	22	396.4	165.0	166.0	178.4	235.4
Hypertensive Heart Disease	1	18.8	0	0.0	0	0.0	9.1		7.9	9.5
Ischemic Heart Disease	26	489.4	23	428.4	19	342.3	133.0		134.4	164.8
Other Heart Disease	4	75.3	6	111.8	3	54.1	22.9		36.1	61.1
Primary Hypertension	2	37.6	2	37.3	2	36.0	7.6		6.9	7.5
Cerebrovascular	14	263.5	9	167.6	2	36.0	38.6	48.0	41.4	54.3
Atherosclerosis	0	0.0	0	0.0	2	36.0	3.7		4.0	4.5
Other Circulatory	1	18.8	2	37.3	0	0.0	6.3		6.5	8.4

(continued on next page)

Health Status Indicators for Cities and Towns
2002-2004
Wickenburg

Selected Causes of Death, cont.

Cause of Death	Wickenburg						Comparisons			
	2002		2003		2004		Maricopa County, 2004	Healthy People 2010	Arizona 2004	U.S. 2003
	<u>Number</u>	<u>Rate per 100,000</u>	<u>Number</u>	<u>Rate per 100,000</u>	<u>Number</u>	<u>Rate per 100,000</u>				
Influenza & Pneumonia	0	0.0	3	55.9	3	54.1	16.6		19.0	22.3
Chronic Lower Respiratory	11	207.0	10	186.3	12	216.2	37.6		41.0	43.4
Peptic Ulcer	0	0.0	0	0.0	0	0.0	1.0		1.1	1.3
Liver Disease	4	75.3	2	37.3	2	36.0	9.1		10.8	9.4
Nephritis	0	0.0	1	18.6	2	36.0	7.3		10.7	14.6
Pregnancy	0	0.0	0	0.0	0	0.0	0.1		0.0	0.2
Perinatal Conditions	0	0.0	0	0.0	2	36.0	5.6		5.0	4.9
Congenital Malformations	0	0.0	0	0.0	0	0.0	4.1		4.1	3.6
SIDS	0	0.0	0	0.0	0	0.0	0.2			
Symptoms, Signs ex. SIDS	1	18.8	1	18.6	4	72.1	11.8			
All Other Diseases	14	263.5	16	298.0	13	234.2	91.9			
Motor Vehicle Accidents	2	37.6	4	74.5	3	54.1	15.3	9.2	18.2	15.2
All Other Acc. & Adverse Effects	4	75.3	8	149.0	2	36.0	25.9		27.1	21.1
Suicide	4	75.3	5	93.1	2	36.0	13.1	5.0	14.6	10.5
Homicide	1	18.8	2	37.3	2	36.0	8.8	3.0	8.3	5.9
All Other External Causes	0	0.0	0	0.0	0	0.0	1.6			
Unknown	1	18.8	1	18.6	0	0.0	1.0			
Total	121	2277.4	129	2402.7	116	2090.1	672.2		732.8	840.4

*HP 2010 goals are breast cancer in females and prostate cancer in males

Health Status Indicators for Cities and Towns 2002-2004

Youngtown

Population Statistics

Population in 2000

Estimated Population

2002

2003

2004

Age Distribution 2004

Under 20 years old

20 - 44 years old

45 - 64 years old

65 and older

Dependency ratio

Youngtown		Maricopa County		Arizona	U.S.
3,010		3,072,149		5,130,632	281,421,906
Number	% Inc. from 2000	Number	% Inc. from 2000	Number	Number
2,998	-0.4%	3,303,876	7.5%	5,438,159	287,984,799
2,989	-0.7%	3,389,260	10.3%	5,577,784	290,850,005
3,348	11.2%	3,501,001	14.0%	5,739,879	293,656,842
Number	% Distribution	Number	% Distribution	% Distribution	% Distribution
368	11.0%	1,064,304	30.4%	29.9%	27.9%
502	15.0%	1,323,378	37.8%	35.7%	36.1%
770	23.0%	721,206	20.6%	21.6%	23.6%
1,674	50.0%	392,112	11.2%	12.8%	12.4%
1.61		0.71		0.75	0.68

Infant Health Indicators

Low weight births (under 2500 grams) - % of live births

Births to teen mothers - % of live births

Infant mortality per 1,000 live births

Total Births

Youngtown						Comparisons		
2002		2003		2004		Maricopa County, 2004	Healthy People 2010	Arizona 2004
Number	Percent or Rate	Number	Percent or Rate	Number	Percent or Rate			U.S. 2003
4	8.9%	4	9.3%	8	11.6%	7.1%	5.0%	7.2%
7	15.6%	11	25.6%	6	8.7%	11.7%	(-)	12.7%
0	0.0	0	0.0	0	0.0	6.5	4.5	6.7
45		43		69		60,535		93,396
								4,089,950

Note: Infant health indicators for cities/towns with fewer than 1,000 births are not reliable.

Health Status Indicators for Cities and Towns 2002-2004

Youngtown

Selected Reportable Diseases

	Youngtown						Comparisons			
	2002		2003		2004		Rate per 100,000 Population			
	<u>Number</u>	<u>Rate per 100,000</u>	<u>Number</u>	<u>Rate per 100,000</u>	<u>Number</u>	<u>Rate per 100,000</u>	<u>Maricopa County, 2004</u>	<u>H.P. 2010</u>	<u>Arizona 2004</u>	<u>U.S. 2003</u>
Vaccine Preventable										
<i>H. influenzae</i>	0	0.0	0	0.0	0	0.0	1.3	0.0		0.7
Measles	0	0.0	0	0.0	0	0.0	0	0.0	0.0	0.0
Mumps	0	0.0	0	0.0	0	0.0	0.0	0.0	0.0	0.1
Pertussis	0	0.0	0	0.0	0	0.0	3.1	0.0	2.6	4.0
Central Nervous System										
Encephalitis	0	0.0	0	0.0	0	0.0	0.9		0.5	
Meningitis - Aseptic	1	33.4	1	33.5	1	29.9	16.1		12.6	
Meningococcal Disease	0	0.0	0	0.0	0	0.0	0.3	1.0	0.3	0.6
Enterics										
Amebiasis	0	0.0	0	0.0	0	0.0	0.3		0.2	
Botulism	0	0.0	0	0.0	0	0.0	0.0		0.0	0.0
Campylobacteriosis	0	0.0	0	0.0	0	0.0	12.2	12.3	13.6	
Cryptosporidiosis	0	0.0	0	0.0	0	0.0	0.2		0.3	1.2
<i>E. Coli</i> O157:H7	0	0.0	0	0.0	0	0.0	0.6	1.0	0.5	0.9
Giardiasis	0	0.0	0	0.0	0	0.0	3.0		3.0	6.8
Hemolytic Uremic Syndrome	0	0.0	0	0.0	0	0.0	0			0.1
Listeriosis	0	0.0	0	0.0	0	0.0	0.2	0.25	0.2	0.2
Salmonellosis	2	66.7	0	0.0	0	0.0	10.2	6.8	11.9	15.2
Shigellosis	0	0.0	0	0.0	1	29.9	6.5		7.0	8.2
Typhoid	0	0.0	0	0.0	0	0.0	0.1		0.0	0.1
Vibrioses	0	0.0	0	0.0	0	0.0	0.1		0.1	
Yersiniosis	0	0.0	0	0.0	0	0.0	0.1		0.1	
Mycosis										
Coccidioidomycosis	1	33.4	5	167.3	5	149.3	77.2		62.8	1.7
Zoonoses/Vectorborne										
Brucellosis	0	0.0	0	0.0	0	0.0	0		0.0	0.0
Hantavirus Pulmonary Syndrome	0	0.0	0	0.0	0	0.0	0		0.0	0.0
Malaria	0	0.0	0	0.0	0	0.0	0.4		0.3	0.5
West Nile Virus	0	0.0	0	0.0	0	0.0	10.5		6.7	1.0
Hepatitides										
Hepatitis A	0	0.0	0	0.0	0	0.0	3.4	4.5	4.6	2.7
Hepatitis B	*	*	*	*	0	0.0	5.1	2.4-9.0	5.0	2.6
Other										
Legionellosis	0	0.0	0	0.0	0	0.0	0.4		0.4	0.8
Streptococcal Inv. Pneumonia	1	33.4	1	33.5	0	0.0	12.5		11.5	0.1
Streptococcal Inf. Group A	0	0.0	0	0.0	1	29.9	4.3		4.2	2.0
Streptococcal Inf. Group B	0	0.0	0	0.0	0	0.0	1.1	0.5	0.8	
Vancomycin res. <i>Enterococcus</i>	1	33.4	0	0.0	0	0.0	28.3		24.1	

* In 2004, Hepatitis B data were calculated differently from previous years and therefore, are not comparable to 2002 and 2003.

Health Status Indicators for Cities and Towns 2002-2004

Youngtown

Selected Causes of Death

Cause of Death	Youngtown						Comparisons			
	2002		2003		2004		Maricopa County, 2004	Healthy People 2010	Arizona 2004	U.S. 2003
	Number	Rate per 100,000	Number	Rate per 100,000	Number	Rate per 100,000				
Tuberculosis	0	0.0	0	0.0	0	0.0	0.2		0.2	0.2
Syphilis	0	0.0	0	0.0	0	0.0	0		0.0	0.0
HIV Disease	0	0.0	0	0.0	0	0.0	3.1	0.7	2.7	4.7
Malignant Neoplasms	11	366.9	22	736.0	17	507.8	147.6	159.9	163.0	190.7
Malignant Neoplasm Stomach	0	0.0	0	0.0	0	0.0	3.2		3.2	4.1
Malignant Neoplasm Colon	1	33.4	3	100.4	3	89.6	14.3	13.9	14.9	19.1
Malignant Neoplasm Pancreas	0	0.0	0	0.0	2	59.7	8.5		9.4	10.5
Malig. Neo. Bronchus, Lung	4	133.4	5	167.3	7	209.1	39.2	44.9	45.5	54.2
Malignant Neoplasm Breast	0	0.0	3	100.4	1	29.9	10.8	22.3*	11.4	14.4
Mal. Neo. Uterus, Cervix, Ovary	0	0.0	1	33.5	0	0.0	7.3		7.7	8.7
Malig. Neoplasm Prostate	2	66.7	0	0.0	0	0.0	7.9	28.8*	9.3	10.2
Malignant Neoplasm Urinary	0	0.0	2	66.9	0	0.0	7.9		8.0	8.5
Non-Hodgkins Lymphoma	0	0.0	1	33.5	1	29.9	5.6		6.3	7.4
Leukemia	0	0.0	1	33.5	0	0.0	5.7		6.1	7.4
Other Malignant Neoplasms	4	133.4	6	200.7	3	89.6	37.2		41.2	46.2
Diabetes	4	133.4	2	66.9	3	89.6	17.3	7.8	20.2	25.4
Alzheimers	7	233.5	9	301.1	14	418.2	31.8		28.7	21.8
Major Cardiovascular Diseases	54	1801.2	41	1371.7	38	1135.0	221.1		237.1	310.1
Disease of Heart	40	1334.2	33	1104.0	28	836.3	165.0	166.0	178.4	235.4
Hypertensive Heart Disease	1	33.4	5	167.3	1	29.9	9.1		7.9	9.5
Ischemic Heart Disease	33	1100.7	22	736.0	25	746.7	133.0		134.4	164.8
Other Heart Disease	6	200.1	6	200.7	2	59.7	22.9		36.1	61.1
Primary Hypertension	2	66.7	1	33.5	2	59.7	7.6		6.9	7.5
Cerebrovascular	10	333.6	7	234.2	7	209.1	38.6	48.0	41.4	54.3
Atherosclerosis	2	66.7	0	0.0	0	0.0	3.7		4.0	4.5
Other Circulatory	0	0.0	0	0.0	1	29.9	6.3		6.5	8.4

(continued on next page)

**Health Status Indicators for Cities and Towns
2002-2004**

Youngtown

Selected Causes of Death, cont.

Cause of Death	Youngtown						Comparisons			
	2002		2003		2004		Maricopa County, 2004	Healthy People 2010	Arizona 2004	U.S. 2003
	Number	Rate per 100,000	Number	Rate per 100,000	Number	Rate per 100,000				
Influenza & Pneumonia	4	133.4	4	133.8	3	89.6	16.6		19.0	22.3
Chronic Lower Respiratory	14	467.0	9	301.1	6	179.2	37.6		41.0	43.4
Peptic Ulcer	0	0.0	0	0.0	0	0.0	1.0		1.1	1.3
Liver Disease	2	66.7	0	0.0	2	59.7	9.1		10.8	9.4
Nephritis	1	33.4	0	0.0	1	29.9	7.3		10.7	14.6
Pregnancy	0	0.0	0	0.0	0	0.0	0.1		0.0	0.2
Perinatal Conditions	0	0.0	0	0.0	0	0.0	5.6		5.0	4.9
Congenital Malformations	1	33.4	0	0.0	0	0.0	4.1		4.1	3.6
SIDS	0	0.0	0	0.0	0	0.0	0.2			
Symptoms, Signs ex. SIDS	2	66.7	1	33.5	2	59.7	11.8			
All Other Diseases	18	600.4	19	635.7	9	268.8	91.9			
Motor Vehicle Accidents	0	0.0	0	0.0	0	0.0	15.3	9.2	18.2	15.2
All Other Acc. & Adverse Effects	5	166.8	2	66.9	2	59.7	25.9		27.1	21.1
Suicide	0	0.0	2	66.9	0	0.0	13.1	5.0	14.6	10.5
Homicide	0	0.0	0	0.0	0	0.0	8.8	3.0	8.3	5.9
All Other External Causes	0	0.0	0	0.0	0	0.0	1.6			
Unknown	1	33.4	0	0.0	1	29.9	1.0			
Total	124	4136.1	111	3713.6	98	2927.1	672.2		732.8	840.4

*HP 2010 goals are breast cancer in females and prostate cancer in males

Health Status Indicators for Cities and Towns 2002-2004

Remainder of Maricopa County

Population Statistics

Population in 2000

Estimated Population

2002

2003

2004

Age Distribution 2004

Under 20 years old

20 - 44 years old

45 - 64 years old

65 and older

Dependency ratio

Rem. Maricopa County		Maricopa County		Arizona	U.S.
122,575		3,072,149		5,130,632	281,421,906
Number	% Inc. from 2000	Number	% Inc. from 2000	Number	Number
135,308	10.4%	3,303,876	7.5%	5,438,159	287,984,799
134,731	9.9%	3,389,260	10.3%	5,577,784	290,850,005
141,357	15.3%	3,501,001	14.0%	5,739,879	293,656,842
Number	% Distribution	Number	% Distribution	% Distribution	% Distribution
20,256	37.0%	1,064,304	30.4%	29.9%	27.9%
21,898	40.0%	1,323,378	37.8%	35.7%	36.1%
9,854	18.0%	721,206	20.6%	21.6%	23.6%
2,737	5.0%	392,112	11.2%	12.8%	12.4%
0.72		0.71		0.75	0.68

Infant Health Indicators

Low weight births (under 2500 grams) - % of live births

Births to teen mothers - % of live births

Infant mortality per 1,000 live births

Total Births

Remainder of Maricopa County						Comparisons		
2002		2003		2004		Maricopa County, 2004	Healthy People 2010	Arizona 2004
Number	Percent or Rate	Number	Percent or Rate	Number	Percent or Rate			U.S. 2003
44	6.2%	68	8.2%	83	7.7%	7.1%	5.0%	7.2%
96	13.6%	103	12.4%	102	9.5%	11.7%	(-)	12.7%
4	5.7	7	8.4	11	10.3	6.5	4.5	6.7
705		834		1,071		60,535		93,396
								4,089,950

Note: Infant health indicators for cities/towns with fewer than 1,000 births are not reliable.

Health Status Indicators for Cities and Towns 2002-2004
Remainder of Maricopa County

Selected Reportable Diseases

	Remainder of Maricopa County						Comparisons			
	2002		2003		2004		Rate per 100,000 Population			
	<u>Number</u>	<u>Rate per 100,000</u>	<u>Number</u>	<u>Rate per 100,000</u>	<u>Number</u>	<u>Rate per 100,000</u>	<u>Maricopa County, 2004</u>	<u>H.P. 2010</u>	<u>Arizona 2004</u>	<u>U.S. 2003</u>
Vaccine Preventable										
<i>H. influenzae</i>	0	0.0	0	0.0	1	0.7	1.3	0.0		0.7
Measles	0	0.0	0	0.0	0	0.0	0	0.0	0.0	0.0
Mumps	0	0.0	0	0.0	0	0.0	0.0	0.0	0.0	0.1
Pertussis	0	0.0	3	2.2	0	0.0	3.1	0.0	2.6	4.0
Central Nervous System										
Encephalitis	1	0.7	0	0.0	1	0.7	0.9		0.5	
Meningitis - Aseptic	2	1.5	10	7.4	5	3.5	16.1		12.6	
Meningococcal Disease	0	0.0	0	0.0	0	0.0	0.3	1.0	0.3	0.6
Enterics										
Amebiasis	0	0.0	0	0.0	0	0.0	0.3		0.2	
Botulism	0	0.0	0	0.0	0	0.0	0.0		0.0	0.0
Campylobacteriosis	2	1.5	4	3.0	6	4.2	12.2	12.3	13.6	
Cryptosporidiosis	0	0.0	0	0.0	0	0.0	0.2		0.3	1.2
<i>E. Coli</i> O157:H7	2	1.5	1	0.7	1	0.7	0.6	1.0	0.5	0.9
Giardiasis	1	0.7	2	1.5	1	0.7	3.0		3.0	6.8
Hemolytic Uremic Syndrome	0	0.0	0	0.0	0	0.0	0			0.1
Listeriosis	0	0.0	0	0.0	0	0.0	0.2	0.25	0.2	0.2
Salmonellosis	5	3.7	6	4.5	7	5.0	10.2	6.8	11.9	15.2
Shigellosis	3	2.2	2	1.5	4	2.8	6.5		7.0	8.2
Typhoid	0	0.0	0	0.0	0	0.0	0.1		0.0	0.1
Vibrioses	1	0.7	0	0.0	0	0.0	0.1		0.1	
Yersiniosis	0	0.0	0	0.0	0	0.0	0.1		0.1	
Mycosis										
Coccidioidomycosis	20	14.8	22	16.3	29	20.5	77.2		62.8	1.7
Zoonoses/Vectorborne										
Brucellosis	0	0.0	0	0.0	0	0.0	0		0.0	0.0
Hantavirus Pulmonary Syndrome	1	0.7	0	0.0	0	0.0	0		0.0	0.0
Malaria	0	0.0	0	0.0	0	0.0	0.4		0.3	0.5
West Nile Virus	0	0.0	0	0.0	23	16.3	10.5		6.7	1.0
Hepatitides										
Hepatitis A	1	0.7	0	0.0	1	0.7	3.4	4.5	4.6	2.7
Hepatitis B	*	*	*	*	1	0.7	5.1	2.4-9.0	5.0	2.6
Other										
Legionellosis	0	0.0	1	0.7	0	0.0	0.4		0.4	0.8
Streptococcal Inv. Pneumonia	9	6.7	3	2.2	4	2.8	12.5		11.5	0.1
Streptococcal Inf. Group A	2	1.5	1	0.7	2	1.4	4.3		4.2	2.0
Streptococcal Inf. Group B	0	0.0	0	0.0	2	1.4	1.1	0.5	0.8	
Vancomycin res. <i>Enterococcus</i>	4	3.0	4	3.0	20	14.1	28.3		24.1	

* In 2004, Hepatitis B data were calculated differently from previous years and therefore, are not comparable to 2002 and 2003.

**Health Status Indicators for Cities and Towns
2002-2004**

Remainder of Maricopa County

Selected Causes of Death

Cause of Death	Rem. Maricopa County						Comparisons			
	2002		2003		2004		Maricopa County, 2004	Healthy	Arizona	U.S.
	Number	Rate per 100,000	Number	Rate per 100,000	Number	Rate per 100,000		People 2010	2004	2003
Tuberculosis	0	0.0	1	0.7	0	0.0	0.2		0.2	0.2
Syphilis	0	0.0	0	0.0	0	0.0	0		0.0	0.0
HIV Disease	<5		<5		0	0.0	3.1	0.7	2.7	4.7
Malignant Neoplasms	77	56.9	91	67.5	76	53.8	147.6	159.9	163.0	190.7
Malignant Neoplasm Stomach	4	3.0	1	0.7	1	0.7	3.2		3.2	4.1
Malignant Neoplasm Colon	9	6.7	7	5.2	6	4.2	14.3	13.9	14.9	19.1
Malignant Neoplasm Pancreas	5	3.7	4	3.0	8	5.7	8.5		9.4	10.5
Malig. Neo. Bronchus, Lung	21	15.5	26	19.3	17	12.0	39.2	44.9	45.5	54.2
Malignant Neoplasm Breast	8	5.9	2	1.5	7	5.0	10.8	22.3*	11.4	14.4
Mal. Neo. Uterus, Cervix, Ovary	1	0.7	5	3.7	2	1.4	7.3		7.7	8.7
Malig. Neoplasm Prostate	6	4.4	7	5.2	1	0.7	7.9	28.8*	9.3	10.2
Malignant Neoplasm Urinary	0	0.0	5	3.7	2	1.4	7.9		8.0	8.5
Non-Hodgkins Lymphoma	6	4.4	4	3.0	5	3.5	5.6		6.3	7.4
Leukemia	1	0.7	2	1.5	1	0.7	5.7		6.1	7.4
Other Malignant Neoplasms	16	11.8	28	20.8	26	18.4	37.2		41.2	46.2
Diabetes	21	15.5	16	11.9	15	10.6	17.3	7.8	20.2	25.4
Alzheimers	8	5.9	12	8.9	14	9.9	31.8		28.7	21.8
Major Cardiovascular Diseases	127	93.9	145	107.6	133	94.1	221.1		237.1	310.1
Disease of Heart	100	73.9	115	85.4	105	74.3	165.0	166.0	178.4	235.4
Hypertensive Heart Disease	7	5.2	4	3.0	4	2.8	9.1		7.9	9.5
Ischemic Heart Disease	82	60.6	92	68.3	88	62.3	133.0		134.4	164.8
Other Heart Disease	11	8.1	19	14.1	13	9.2	22.9		36.1	61.1
Primary Hypertension	1	0.7	0	0.0	8	5.7	7.6		6.9	7.5
Cerebrovascular	18	13.3	26	19.3	17	12.0	38.6	48.0	41.4	54.3
Atherosclerosis	2	1.5	0	0.0	2	1.4	3.7		4.0	4.5
Other Circulatory	6	4.4	4	3.0	1	0.7	6.3		6.5	8.4

(continued on next page)

**Health Status Indicators for Cities and Towns
2002-2004**


Remainder of Maricopa County

Selected Causes of Death, cont.


Cause of Death	Rem. Maricopa County						Comparisons			
	2002		2003		2004		Maricopa County, 2004	Healthy	Arizona 2004	U.S. 2003
	Number	Rate per 100,000	Number	Rate per 100,000	Number	Rate per 100,000		People 2010		
Influenza & Pneumonia	10	7.4	6	4.5	10	7.1	16.6		19.0	22.3
Chronic Lower Respiratory	26	19.2	38	28.2	18	12.7	37.6		41.0	43.4
Peptic Ulcer	0	0.0	0	0.0	0	0.0	1.0		1.1	1.3
Liver Disease	6	4.4	7	5.2	2	1.4	9.1		10.8	9.4
Nephritis	6	4.4	5	3.7	11	7.8	7.3		10.7	14.6
Pregnancy	0	0.0	0	0.0	0	0.0	0.1		0.0	0.2
Perinatal Conditions	2	1.5	5	3.7	1	0.7	5.6		5.0	4.9
Congenital Malformations	0	0.0	2	1.5	4	2.8	4.1		4.1	3.6
SIDS	0	0.0	0	0.0	1	0.7	0.2			
Symptoms, Signs ex. SIDS	2	1.5	4	3.0	8	5.7	11.8			
All Other Diseases	62	45.8	52	38.6	60	42.4	91.9			
Motor Vehicle Accidents	16	11.8	18	13.4	17	12.0	15.3	9.2	18.2	15.2
All Other Acc. & Adverse Effects	16	11.8	12	8.9	23	16.3	25.9		27.1	21.1
Suicide	11	8.1	7	5.2	11	7.8	13.1	5.0	14.6	10.5
Homicide	4	3.0	8	5.9	7	5.0	8.8	3.0	8.3	5.9
All Other External Causes	1	0.7	1	0.7	3	2.1	1.6			
Unknown	9	6.7	5	3.7	1	0.7	1.0			
Total	404	298.6	435	322.9	415	293.6	672.2		732.8	840.4

*HP 2010 goals are breast cancer in females and prostate cancer in males


***Crude Death Rate
Maricopa County and Selected Cities, 2004***




**Percent of Population 65 Years Old and Older
Maricopa County and Selected Cities, 2004**




***Deaths Due to Malignant Neoplasms (Cancer)
Maricopa County and Selected Cities, 2004***




***Deaths Due to Malignant Neoplasms of the Trachea, Bronchus and Lung
Maricopa County and Selected Cities, 2004***




***Deaths Due to Malignant Neoplasms of the Breast
Maricopa County and Selected Cities, 2004***




***Deaths Due to Malignant Neoplasms of the Prostate
Maricopa County and Selected Cities, 2004***




***Deaths Due to Cardiovascular Disease
Maricopa County and Selected Cities, 2004***




***Deaths Due to Heart Disease
Maricopa County and Selected Cities, 2004***




***Deaths Due to Unintentional Injuries (Accidents)
Maricopa County and Selected Cities, 2004***




***Deaths Due to Homicide
Maricopa County and Selected Cities, 2004***




***Deaths Due to Suicide
Maricopa County and Selected Cities, 2004***




***Low Weight Births
Maricopa County and Selected Cities, 2004***




***Births to Teenaged Mothers
Maricopa County and Selected Cities, 2004***




***Infant Mortality Rates
Maricopa County and Selected Cities, 2004***




***New Cases of Coccidioidomycosis (Valley Fever)
Maricopa County and Selected Cities, 2004***




***New Cases of Aseptic (Viral) Meningitis
Maricopa County and Selected Cities, 2004***



***New Cases of Hepatitis A
Maricopa County and Selected Cities, 2004***



***New Cases of Hepatitis B
Maricopa County and Selected Cities, 2004***



Appendix A - Data Notes

Population Statistics

All city, town, Maricopa County, Arizona, and U.S. population data are for calendar years 2002, 2003, and 2004. Cities and towns with populations over 1,000 residents were included in this report.

Population statistics for incorporated cities/towns, Maricopa County, Arizona and the United States were obtained directly from the U.S. Census Bureau for each year included in the report (2002, 2003, 2004). In other reports produced by the Department of Public Health, (e.g. *Maricopa County's Health Status Report for Board of Supervisors Districts*, July 2003), intercensal estimates from the Department of Economic Security (DES) are used because they are generally closer to real figures than the intercensal estimates of the U.S. Census. However, DES data were not available for many of the cities and towns, so U.S. Census data were used for all cities/towns instead. Maricopa population estimates and distributions are from U.S. Census Bureau, County Population Estimates by Age, Sex, Race and Hispanic Origin for July 1, 2004.

Population statistics for unincorporated cities/towns (New River, Rio Verde, Sun City, Sun City West, and Sun Lakes) are not available from the U.S. Census for 2002, 2003, and 2004. Therefore, population statistics for these cities/towns were estimated using the following method. Year 2000 figures for each town were obtained from the U.S. Census. Then, the Maricopa County growth rate was applied to each city/town's 2000 figures, as follows:

- A 7.2% growth rate was applied to the 2000 figure to obtain the 2002 estimate
- A 10.3% growth rate was applied to the 2000 figure to obtain the 2003 estimate
- A 14.0% growth rate was applied to the 2000 figure to obtain the 2004 estimate

This method assumes that all cities/towns grew at the same rate as did Maricopa County as a whole, which may or may not represent actual growth rates but are reasonable estimates. "Remainder of Maricopa County" populations for 2000, 2002, 2003, 2004 were calculated by subtracting the combined populations of all cities/towns in this report from the total population figure for Maricopa County. "Remainder of Maricopa County" includes towns/areas not included in this report and residents whose addresses could not be identified.

For all (incorporated and unincorporated) cities and towns, there are no data on age groups available from the U.S. Census for the years 2002, 2003, 2004. However, there are age distributions for the year 2000. Therefore, in this report, the same percentage distribution by age in 2000 was applied to the total population estimate for subsequent years (e.g. if 27% of the population was 65 and older in 2000, it was assumed that 27% of the population was 65 and older in 2001). This method assumes that each age group grew at the same rate in the past year, which may or may not represent actual growth rates.

Dependency Ratio: In this report, the dependency ratio is the number of people in the city/town who are usually outside of the labor force (those younger than 20 or older than 64 years of age), divided by the number of people in the city/town usually in the labor force (those between 20 and 64 years old, inclusive). Thus, a dependency ratio of .7 means that

there are .7 persons in that city/town under 20 or over 64 years old for each person 20-64 years old. Dependency ratios in other publications may be calculated differently.

Health Statistics

The selected reportable diseases (except West Nile Virus) for each city for 2002-2004 and for Maricopa County as a whole for 2002-2004 are from the Arizona Department of Health Services' communicable disease database. West Nile Virus data are from the Maricopa County Department of Public Health communicable disease database. Hepatitis B data include acute and chronic cases. Communicable disease data provided in this report are for confirmed cases only. The comparison rates for Arizona are also from 2004; however the U.S. rates are for the year 2003. The disease rates used for comparison can be found at the website: <http://www.cdc.gov/mmwr/preview/mmwrhtml/mm5254a1.htm>. This was the most recent year for which reliable data could be obtained at the time the report was written.

City/towns with at least one death and fewer than five deaths from HIV disease are labeled "<5" to protect confidentiality. For these city/towns, the total number of deaths does not include the HIV deaths.

For some births, deaths and disease cases, there is no corresponding address information. This makes it impossible to assign the birth, death, or disease case to a city or town. These individuals appear in the Maricopa County total counts, but not in the counts for any particular city or town. They are counted in the "Remainder of Maricopa County" totals.

Infant health indicators are from ADHS. Data for 2004 use ADHS' method for assigning cities while previous years use the MCDPH method. This means that 2004 data and other years may not be comparable. The results of the methodological differences are particularly pronounced in Guadalupe and Phoenix. The database for births for 2002 and 2003 (from ADHS) has systematic errors in the assignment of residential cities to individual births due to programming anomalies. The birth data for cities with fewer than 1,000 births are not reliable

The comparison Arizona birth and infant mortality information is for 2004 and can be found at the website: <http://www.azdhs.gov/plan/report/ahs/ahs2004/toc04.htm>

The comparison U.S. birth information is for 2003 and is preliminary. They can be found at the website: http://www.cdc.gov/nchs/data/nvsr/nvsr53/nvsr53_09.pdf. The comparison U.S. infant mortality rates are for 2003 and can be found at www.azdhs.gov/plan/report/ahs/ahs2004/xls/t2c1.xls.

The comparison mortality rates for Arizona are for 2003 and can be found at the website: www.azdhs.gov/plan/report/ahs/ahs2004/xls/t5e13.xls. The comparison mortality rates for the U.S. are for 2003 and preliminary. They can be found at the website: www.cdc.gov/nchs/data/nvsr/nvsr53/nvsr53_15.pdf.

Healthy People 2010: The Centers for Disease Control and Prevention provide Healthy People 2010 goals for only some diseases. A "-" indicates that no goal has been set for that indicator. In contrast, a "0" indicates that the goal is zero.

Additional Information on Population and Health Statistics

For more information on population characteristics, please visit the following websites:

City/town populations: www.census.gov/popest/cities/SUB-EST2003-states.html
Department of Economic Security: www.de.state.az.us
U.S. population estimates and distributions: www.census.gov/popest/national/asrh/NC-EST2003/NC-EST2003-01.xls

For more information on health statistics, please visit the following websites:

Maricopa County Department of Public Health: www.maricopa.gov/public_health
Arizona Department of Health Services: www.hs.state.az.us
Centers for Disease Control and Prevention, National Center for Health Statistics:
www.cdc.gov/nchs

Published May 2006 M.S./K.M.

File: G:\Common\EPI\Health Status Reports\Health Status Reports City District\City HSRs\City HSR '02-'04\City HSR 2006 - Text.doc (word document) and Finalcities0204nohiv (spreadsheet).

