


Health Status Report for Cities and Towns in Maricopa County 2003 - 2005



Prepared by the Maricopa County Department of Public Health
Office of Epidemiology and Data Services
April 2007

Maricopa County

Acknowledgements

This report was prepared by the Maricopa County Department of Public Health,
Office of Epidemiology and Data Services

Alana Shacter, Epidemiologist
Liva Nohre, Sr. Epidemiologist
Sarah Santana, Director

The authors wish to thank the following individuals and organizations for
contributing numeric data, consultation, and other information used in this report.
Their assistance is much appreciated.

Mare Schumacher, Alisa Diggs, Vjollca Berisha, Natalie Fuller – Office of
Epidemiology and Data Services
Christopher Mrela - Arizona Department of Health Services

For additional copies of this document, please call the Maricopa County
Department of Public Health, Office of Epidemiology and Data Services at
602.372.2604. This report may also be found at
www.maricopa.gov/public_health/epi/ under “Health Statistics and Reports.”

Table of Contents

Introduction	i
--------------	---

Population and Health Statistics Tables for Cities/Towns

Avondale	1
Buckeye	5
Carefree	9
Cave Creek	13
Chandler	17
El Mirage	21
Fountain Hills	25
Gila Bend	29
Gilbert	33
Glendale	37
Goodyear	41
Guadalupe	45
Litchfield Park	49
Mesa	53
New River	57
Paradise Valley	61
Peoria	65
Phoenix	69
Queen Creek	73
Rio Verde	77
Scottsdale	81
Sun City and Sun City West	85
Sun Lakes	89
Surprise	93
Tempe	97
Tolleson	101
Wickenburg	105
Youngtown	109
Remainder of Maricopa County	113

Comparison Charts of Cities with Populations over 50,000 or More Than 1,000 Births

Crude Death Rate	117
Percent of Population 65 Years Old and Older	118
Deaths due to Malignant Neoplasms (Cancer)	119
Deaths due to Malignant Neoplasms of the Trachea, Bronchus and Lung	120
Deaths due to Malignant Neoplasms of the Breast	121
Deaths due to Malignant Neoplasms of the Prostate	122
Deaths due to Cardiovascular Disease	123
Deaths due to Heart Disease	124
Deaths due to Accidents	125
Deaths due to Homicide	126
Deaths due to Suicide	127
Low Weight Births	128

Births to Teenaged Mothers	129
Infant Mortality Rates	130
New Cases of Coccidioidomycosis	131
New Cases of Aseptic Meningitis	132
New Cases of Hepatitis A	133
New Cases of Hepatitis B	134
Appendix A - Data Notes	135

Introduction

This report provides health status information for the years 2003 to 2005 for cities and towns in Maricopa County recognized by the U.S. Census Bureau. This includes both incorporated and unincorporated cities and towns with a population of at least 1,000 people at the time of the 2000 U.S. Census. It includes data for 77 diseases and health indicators as well as information on the size and age distribution of the population.

The first section of this report provides tabulated information on disease and health indicators for each city/town in Maricopa County, as designated by the U.S. Census Bureau.

For each disease or health indicator, the following information is provided:

- Number of cases in the city/town
 - Example: Seven residents of Avondale were diagnosed with Pertussis (whooping cough) in 2003. No residents of Avondale were diagnosed with Pertussis in 2004. Four residents were diagnosed with Pertussis in 2005.
- Rate of cases in the city/town
 - Example: For every 100,000 residents of Avondale, 6.0 were diagnosed with Pertussis in 2005.
- Rate for Maricopa County (for comparison purposes)
 - Example: For every 100,000 residents of Maricopa County, 6.8 were diagnosed with Pertussis in 2005.
- Rate for Healthy People 2010 (for comparison purposes)
 - The Centers for Disease Control and Prevention issued goals for the year 2010 for some disease and health indicators. Healthy People 2010 (HP 2010) goals are included in this report as “gold standards” or goals for the future. Example: The Healthy People 2010 goal for Pertussis is a rate of 0.0 cases of Pertussis per 100,000 people in the population. These are provided for comparison with Maricopa County, Arizona, and United States rates – direct comparison of the city/town rate with the HP2010 goal may not be methodologically sound as the HP2010 goals were formulated using ICD-9 codes, while the tabulated data are coded using ICD-10 codes.
- Rate for Arizona and United States (for comparison purposes)
 - Example: For every 100,000 residents of Arizona, 8.0 were diagnosed with Pertussis in 2005.
 - Example: For every 100,000 residents of the United States, 8.9 were diagnosed with Pertussis in 2004.

All city, town, Maricopa County and Arizona health data in this report are for calendar years 2003, 2004 and 2005. United States health data are from other years as outlined in Appendix A.

The second section of this report provides graphs comparing cities and Maricopa County on several key indicators, such as death rates, cancer rates, infant mortality rates, and selected communicable diseases. The graphs in this section include only cities with more than 50,000 residents at the time of the 2000 U.S. Census or more than 1,000 births per year for the natality (birth) graphs.

Information on data sources and methodology are in Appendix A – Data Notes.

Health Status Indicators for Cities and Towns 2003-2005

Avondale

Population Statistics

Population in 2000

Estimated Population

2003

2004

2005

Age Distribution 2005

Under 20 years old

20 - 44 years old

45 - 64 years old

65 and older

Dependency ratio

Avondale		Maricopa County		Arizona	U.S.
35,883		3,072,149		5,130,632	281,421,906
Number	% Inc. from 2000	Number	% Inc. from 2000	Number	Number
54,746	52.6%	3,388,711	10.3%	5,577,784	290,850,005
59,139	64.8%	3,498,587	13.9%	5,739,879	293,656,842
66,706	85.9%	3,635,528	18.3%	5,939,292	296,410,404
Number	% Distribution	Number	% Distribution	% Distribution	% Distribution
24,681	37.0%	1,090,113	30.0%	29.3%	27.6%
26,682	40.0%	1,352,420	37.2%	35.4%	35.4%
12,007	18.0%	789,942	21.7%	22.5%	24.6%
3,335	5.0%	403,053	11.1%	12.8%	12.4%
0.72		0.70		0.73	0.67

Infant Health Indicators

Low weight births (under 2500

grams) - % of live births

Births to teen mothers - % of
live births

Infant mortality per 1,000 live
births

Total Births

Avondale						Comparisons			
2003		2004		2005		Maricopa County, 2005	Healthy People 2010	Arizona 2005	U.S. 2004
Number	Percent or Rate	Number	Percent or Rate	Number	Percent or Rate				
100	9.1%	69	5.6%	91	6.8%	6.8%	5.0%	6.9%	8.1%
128	11.7%	135	10.9%	177	13.3%	11.6%	(-)	12.5%	10.3%
14	12.8	8	6.5	8	6.0	6.1	4.5	6.8	6.8
1,096		1,236		1,334		62,223		95,798	4,112,052

Health Status Indicators for Cities and Towns 2003-2005

Avondale

Selected Reportable Diseases

	Avondale						Comparisons			
	2003		2004		2005		Rate per 100,000 Population			
	<u>Number</u>	<u>Rate per 100,000</u>	<u>Number</u>	<u>Rate per 100,000</u>	<u>Number</u>	<u>Rate per 100,000</u>	<u>Maricopa County, 2005</u>	<u>H.P. 2010</u>	<u>Arizona 2005</u>	<u>U.S. 2004</u>
Vaccine Preventable										
<i>H. influenzae</i>	0	0.0	1	1.7	0	0.0	1.7	0.0		0.7
Measles	0	0.0	0	0.0	0	0.0	0	0.0	0.0	0.0
Mumps	0	0.0	1	1.7	0	0.0	0.0	0.0	0.0	0.1
Pertussis	7	12.8	0	0.0	4	6.0	6.8	0.0	8.0	8.9
Central Nervous System										
Encephalitis	0	0.0	1	1.7	0	0.0	0.6		0.4	
Meningitis - Aseptic	16	29.2	8	13.5	9	13.5	19.9		13.8	
Meningococcal Disease	0	0.0	0	0.0	0	0.0	0.6	1.0	0.6	0.5
Enterics										
Amebiasis	0	0.0	0	0.0	0	0.0	0.3		0.3	
Botulism	0	0.0	0	0.0	0	0.0	0.0		0.0	0.0
Campylobacteriosis	5	9.1	3	5.1	8	12.0	13.8	12.3	14.3	
Cryptosporidiosis	0	0.0	0	0.0	0	0.0	0.2		0.2	1.2
<i>E. Coli</i> O157:H7	0	0.0	1	1.7	0	0.0	0.8	1.0	0.6	0.9
Giardiasis	2	3.7	0	0.0	1	1.5	3.3		3.0	8.3
Hemolytic Uremic Syndrome	0	0.0	0	0.0	0	0.0	0.1			0.1
Listeriosis	0	0.0	0	0.0	0	0.0	0.2	0.25	0.2	0.3
Salmonellosis	4	7.3	3	5.1	8	12.0	10.4	6.8	12.2	14.5
Shigellosis	2	3.7	2	3.4	3	4.5	6.8		9.0	5.0
Typhoid	0	0.0	0	0.0	0	0.0	0.1		0.1	0.1
Vibrioses	0	0.0	1	1.7	0	0.0	0.4		0.3	
Yersiniosis	0	0.0	0	0.0	0	0.0	0.0		0.1	
Mycosis										
Coccidioidomycosis	11	20.1	21	35.5	7	10.5	67.7		58.1	4.1
Zoonoses/Vectorborne										
Brucellosis	0	0.0	0	0.0	0	0.0	0.1		0.1	0.0
Hantavirus Pulmonary Syndrome	0	0.0	0	0.0	0	0.0	0		0.1	0.0
Malaria	0	0.0	0	0.0	0	0.0	0.4		0.3	0.5
West Nile Virus	0	0.0	2	3.4	1	1.5	2.2		1.8	0.4
Hepatitides										
Hepatitis A	2	3.7	1	1.7	0	0.0	1.9	4.5	3.2	1.9
Hepatitis B	3	5.5	3	5.1	7	10.5	6.6	2.4-9.0	6.2	2.1
Other										
Legionellosis	0	0.0	0	0.0	0	0.0	0.4		0.4	0.7
Streptococcal Inv. Pneumonia	0	0.0	3	5.1	4	6.0	13.0		12.0	0.6
Streptococcal Inf. Group A	0	0.0	0	0.0	2	3.0	4.6		5.0	1.8
Streptococcal Inf. Group B***	1	0.9	0	0.0	0	0.0	0.5	0.5	0.5	
Vancomycin res. <i>Enterococcus</i>	5	9.1	9	15.2	3	4.5	37.5		32.4	

***Streptococcal Inf. Group B rates are per 1,000 live births

Health Status Indicators for Cities and Towns 2003-2005

Avondale

Selected Causes of Death

Cause of Death	Avondale						Comparisons			
	2003		2004		2005		Maricopa County, 2005	Healthy People		
	<u>Number</u>	<u>Rate per 100,000</u>	<u>Number</u>	<u>Rate per 100,000</u>	<u>Number</u>	<u>Rate per 100,000</u>		<u>2010</u>	<u>Arizona 2005</u>	<u>U.S. 2004</u>
Tuberculosis	0	0.0	0	0.0	0	0.0	0.2		0.3	0.2
Syphilis	0	0.0	0	0.0	0	0.0	0		0.0	0.0
HIV Disease	<5		<5		0	0.0	2.6	0.7	2.2	4.4
Malignant Neoplasms	45	82.2	36	60.9	40	60.0	142.4	159.9	160.0	187.4
Malignant Neoplasm Stomach	1	1.8	2	3.4	1	1.5	3.0		3.3	4.0
Malignant Neoplasm Colon	5	9.1	5	8.5	9	13.5	14.1	13.9	15.1	18.3
Malignant Neoplasm Pancreas	2	3.7	3	5.1	5	7.5	8.8		9.6	10.7
Malig. Neo. Bronchus, Lung	10	18.3	8	13.5	4	6.0	37.2	44.9	43.1	53.5
Malignant Neoplasm Breast	3	5.5	3	5.1	4	6.0	9.8	22.3*	11.2	13.9
Mal. Neo. Uterus, Cervix, Ovary	1	1.8	2	3.4	2	3.0	6.8		7.7	8.7
Malig. Neoplasm Prostate	2	3.7	0	0.0	2	3.0	8.1	28.8*	9.3	9.8
Malignant Neoplasm Urinary	1	1.8	1	1.7	1	1.5	7.6		8.1	8.5
Non-Hodgkins Lymphoma	2	3.7	2	3.4	1	1.5	6.1		6.3	7.1
Leukemia	5	9.1	1	1.7	1	1.5	5.7		6.1	7.3
Other Malignant Neoplasms	13	23.7	9	15.2	10	15.0	35.3		40.2	45.6
Diabetes	6	11.0	14	23.7	10	15.0	16.4	7.8	19.8	24.8
Alzheimers	9	16.4	4	6.8	9	13.5	34.3		30.0	22.4
Major Cardiovascular Diseases	60	109.6	69	116.7	53	79.5	217.7		234.0	293.8
Disease of Heart	39	71.2	52	87.9	44	66.0	165.3	166.0	178.3	222.7
Hypertensive Heart Disease	3	5.5	3	5.1	2	3.0	9.5		8.1	9.6
Ischemic Heart Disease	26	47.5	43	72.7	36	54.0	133.4		133.3	154.0
Other Heart Disease	10	18.3	6	10.1	6	9.0	22.5		35.4	57.0
Primary Hypertension	2	3.7	0	0.0	2	3.0	7.3		6.5	7.8
Cerebrovascular	14	25.6	14	23.7	3	4.5	34.9	48.0	38.5	51.1
Atherosclerosis	1	1.8	1	1.7	3	4.5	4.7		4.6	4.1
Other Circulatory	4	7.3	2	3.4	1	1.5	5.5		6.1	8.1

(continued on next page)

Health Status Indicators for Cities and Towns 2003-2005

Avondale

Selected Causes of Death, cont.

Cause of Death	Avondale						Comparisons			
	2003		2004		2005		Maricopa County, 2005	Healthy People 2010	Arizona 2005	U.S. 2004
	<u>Number</u>	<u>Rate per 100,000</u>	<u>Number</u>	<u>Rate per 100,000</u>	<u>Number</u>	<u>Rate per 100,000</u>				
Influenza & Pneumonia	7	12.8	5	8.5	1	1.5	19.7		21.2	20.9
Chronic Lower Respiratory	7	12.8	10	16.9	15	22.5	41.4		46.0	42.2
Peptic Ulcer	0	0.0	1	1.7	0	0.0	1.2		1.1	1.3
Liver Disease	7	12.8	3	5.1	4	6.0	10.4		12.4	9.0
Nephritis	7	12.8	3	5.1	3	4.5	5.8		10.0	14.6
Pregnancy	0	0.0	0	0.0	0	0.0	0.2		0.1	0.2
Perinatal Conditions	5	9.1	5	8.5	5	7.5	5.0		4.9	4.8
Congenital Malformations	4	7.3	2	3.4	2	3.0	3.4		3.8	3.6
SIDS	0	0.0	0	0.0	0	0.0	0.4			
Symptoms, Signs ex. SIDS	4	7.3	4	6.8	5	7.5	14.1			
All Other Diseases	22	40.2	30	50.7	31	46.5	98.3			
Motor Vehicle Accidents	9	16.4	7	11.8	9	13.5	16.1	9.2	18.8	15.0
All Other Acc. & Adverse Effects	11	20.1	6	10.1	11	16.5	30.2		30.9	22.0
Suicide	8	14.6	5	8.5	4	6.0	13.4	5.0	15.1	10.8
Homicide	7	12.8	2	3.4	4	6.0	9.1	3.0	8.3	5.7
All Other External Causes	0	0.0	0	0.0	0	0.0	2.5			
Unknown	5	9.1	1	1.7	0	0.0	0.2			
Total	223	407.3	207	350.0	206	308.8	684.8		746.3	816.7

*HP 2010 goals are breast cancer in females and prostate cancer in males

Health Status Indicators for Cities and Towns 2003-2005

Buckeye

Population Statistics

Population in 2000

Estimated Population

2003

2004

2005

Age Distribution 2005

Under 20 years old

20 - 44 years old

45 - 64 years old

65 and older

Dependency ratio

Buckeye		Maricopa County		Arizona	U.S.
6,537		3,072,149		5,130,632	281,421,906
Number	% Inc. from 2000	Number	% Inc. from 2000	Number	Number
9,474	44.9%	3,388,711	10.3%	5,577,784	290,850,005
9,529	45.8%	3,498,587	13.9%	5,739,879	293,656,842
9,619	47.1%	3,635,528	18.3%	5,939,292	296,410,404
Number	% Distribution	Number	% Distribution	% Distribution	% Distribution
3,559	37.0%	1,090,113	30.0%	29.3%	27.6%
3,463	36.0%	1,352,420	37.2%	35.4%	35.4%
1,828	19.0%	789,942	21.7%	22.5%	24.6%
770	8.0%	403,053	11.1%	12.8%	12.4%
0.82		0.70		0.73	0.67

Infant Health Indicators

Low weight births (under 2500 grams) - % of live births

Births to teen mothers - % of live births

Infant mortality per 1,000 live births

Total Births

Buckeye						Comparisons		
2003		2004		2005		Maricopa County, 2005	Healthy People 2010	Arizona 2005
Number	Percent or Rate	Number	Percent or Rate	Number	Percent or Rate			U.S. 2004
6	1.7%	25	6.2%	39	6.3%	6.8%	5.0%	6.9%
58	16.4%	75	18.5%	78	12.6%	11.6%	(-)	12.5%
0	0.0	3	7.4	2	3.2	6.1	4.5	6.8
354		405		620		62,223		95,798
								4,112,052

Note: Infant health indicators for cities/towns with fewer than 1,000 births are not reliable.

Health Status Indicators for Cities and Towns 2003-2005

Buckeye

Selected Reportable Diseases

	Buckeye						Comparisons			
	2003		2004		2005		Rate per 100,000 Population			
	<u>Number</u>	<u>Rate per 100,000</u>	<u>Number</u>	<u>Rate per 100,000</u>	<u>Number</u>	<u>Rate per 100,000</u>	<u>Maricopa County, 2005</u>	<u>H.P. 2010</u>	<u>Arizona 2005</u>	<u>U.S. 2004</u>
Vaccine Preventable										
<i>H. influenzae</i>	0	0.0	0	0.0	1	10.4	1.7	0.0		0.7
Measles	0	0.0	0	0.0	0	0.0	0	0.0	0.0	0.0
Mumps	0	0.0	0	0.0	0	0.0	0.0	0.0	0.0	0.1
Pertussis	0	0.0	0	0.0	4	41.6	6.8	0.0	8.0	8.9
Central Nervous System										
Encephalitis	0	0.0	0	0.0	0	0.0	0.6		0.4	
Meningitis - Aseptic	9	95.0	4	42.0	5	52.0	19.9		13.8	
Meningococcal Disease	0	0.0	0	0.0	0	0.0	0.6	1.0	0.6	0.5
Enterics										
Amebiasis	0	0.0	0	0.0	0	0.0	0.3		0.3	
Botulism	0	0.0	0	0.0	0	0.0	0.0		0.0	0.0
Campylobacteriosis	3	31.7	1	10.5	3	31.2	13.8	12.3	14.3	
Cryptosporidiosis	0	0.0	0	0.0	0	0.0	0.2		0.2	1.2
<i>E. Coli</i> O157:H7	0	0.0	0	0.0	1	10.4	0.8	1.0	0.6	0.9
Giardiasis	0	0.0	1	10.5	0	0.0	3.3		3.0	8.3
Hemolytic Uremic Syndrome	0	0.0	0	0.0	0	0.0	0.1			0.1
Listeriosis	0	0.0	0	0.0	0	0.0	0.2	0.25	0.2	0.3
Salmonellosis	2	21.1	2	21.0	2	20.8	10.4	6.8	12.2	14.5
Shigellosis	2	21.1	1	10.5	2	20.8	6.8		9.0	5.0
Typhoid	0	0.0	0	0.0	0	0.0	0.1		0.1	0.1
Vibrioses	0	0.0	0	0.0	0	0.0	0.4		0.3	
Yersiniosis	0	0.0	0	0.0	0	0.0	0.0		0.1	
Mycosis						0.0				
Coccidioidomycosis	1	10.6	5	52.5	8	83.2	67.7		58.1	4.1
Zoonoses/Vectorborne						0.0				
Brucellosis	0	0.0	0	0.0	0	0.0	0.1		0.1	0.0
Hantavirus Pulmonary Syndrome	0	0.0	0	0.0	0	0.0	0		0.1	0.0
Malaria	0	0.0	0	0.0	0	0.0	0.4		0.3	0.5
West Nile Virus	0	0.0	1	10.5	4	41.6	2.2		1.8	0.4
Hepatitides										
Hepatitis A	2	21.1	0	0.0	0	0.0	1.9	4.5	3.2	1.9
Hepatitis B	2	21.1	1	10.5	3	31.2	6.6	2.4-9.0	6.2	2.1
Other						0.0				
Legionellosis	0	0.0	0	0.0	1	10.4	0.4		0.4	0.7
Streptococcal Inv. Pneumonia	2	21.1	2	21.0	1	10.4	13.0		12.0	0.6
Streptococcal Inf. Group A	1	10.6	0	0.0	1	10.4	4.6		5.0	1.8
Streptococcal Inf. Group B***	0	0.0	0	0.0	0	0.0	0.5	0.5	0.5	
Vancomycin res. <i>Enterococcus</i>	3	31.7	6	63.0	4	41.6	37.5		32.4	

***Streptococcal Inf. Group B rates are per 1,000 live births

Health Status Indicators for Cities and Towns 2003-2005

Buckeye

Selected Causes of Death

Cause of Death	Buckeye						Comparisons			
	2003		2004		2005		Maricopa County, 2005	Healthy People 2010	Arizona 2005	U.S. 2004
	Number	Rate per 100,000	Number	Rate per 100,000	Number	Rate per 100,000				
Tuberculosis	0	0.0	1	10.5	0	0.0	0.2		0.3	0.2
Syphilis	0	0.0	0	0.0	0	0.0	0		0.0	0.0
HIV Disease	0	0.0	0	0.0	0	0.0	2.6	0.7	2.2	4.4
Malignant Neoplasms	29	306.1	30	314.8	21	218.3	142.4	159.9	160.0	187.4
Malignant Neoplasm Stomach	2	21.1	4	42.0	0	0.0	3.0		3.3	4.0
Malignant Neoplasm Colon	3	31.7	2	21.0	3	31.2	14.1	13.9	15.1	18.3
Malignant Neoplasm Pancreas	0	0.0	0	0.0	1	10.4	8.8		9.6	10.7
Malig. Neo. Bronchus, Lung	10	105.6	10	104.9	5	52.0	37.2	44.9	43.1	53.5
Malignant Neoplasm Breast	3	31.7	1	10.5	2	20.8	9.8	22.3*	11.2	13.9
Mal. Neo. Uterus, Cervix, Ovary	0	0.0	0	0.0	0	0.0	6.8		7.7	8.7
Malig. Neoplasm Prostate	1	10.6	0	0.0	1	10.4	8.1	28.8*	9.3	9.8
Malignant Neoplasm Urinary	1	10.6	4	42.0	1	10.4	7.6		8.1	8.5
Non-Hodgkins Lymphoma	0	0.0	0	0.0	3	31.2	6.1		6.3	7.1
Leukemia	0	0.0	1	10.5	1	10.4	5.7		6.1	7.3
Other Malignant Neoplasms	9	95.0	8	84.0	4	41.6	35.3		40.2	45.6
Diabetes	6	63.3	5	52.5	3	31.2	16.4	7.8	19.8	24.8
Alzheimers	7	73.9	8	84.0	4	41.6	34.3		30.0	22.4
Major Cardiovascular Diseases	41	432.8	41	430.3	55	571.8	217.7		234.0	293.8
Disease of Heart	34	358.9	34	356.8	46	478.2	165.3	166.0	178.3	222.7
Hypertensive Heart Disease	3	31.7	2	21.0	2	20.8	9.5		8.1	9.6
Ischemic Heart Disease	25	263.9	27	283.3	41	426.2	133.4		133.3	154.0
Other Heart Disease	6	63.3	5	52.5	3	31.2	22.5		35.4	57.0
Primary Hypertension	1	10.6	0	0.0	0	0.0	7.3		6.5	7.8
Cerebrovascular	5	52.8	6	63.0	7	72.8	34.9	48.0	38.5	51.1
Atherosclerosis	0	0.0	1	10.5	0	0.0	4.7		4.6	4.1
Other Circulatory	1	10.6	0	0.0	2	20.8	5.5		6.1	8.1

(continued on next page)

Health Status Indicators for Cities and Towns 2003-2005

Buckeye

Selected Causes of Death, cont.

Cause of Death	Buckeye						Comparisons			
	2003		2004		2005		Maricopa County, 2005	Healthy People 2010	Arizona 2005	U.S. 2004
	<u>Number</u>	<u>Rate per 100,000</u>	<u>Number</u>	<u>Rate per 100,000</u>	<u>Number</u>	<u>Rate per 100,000</u>				
Influenza & Pneumonia	2	21.1	2	21.0	4	41.6	19.7		21.2	20.9
Chronic Lower Respiratory	10	105.6	10	104.9	12	124.8	41.4		46.0	42.2
Peptic Ulcer	0	0.0	0	0.0	0	0.0	1.2		1.1	1.3
Liver Disease	2	21.1	4	42.0	3	31.2	10.4		12.4	9.0
Nephritis	2	21.1	2	21.0	3	31.2	5.8		10.0	14.6
Pregnancy	0	0.0	0	0.0	0	0.0	0.2		0.1	0.2
Perinatal Conditions	0	0.0	2	21.0	2	20.8	5.0		4.9	4.8
Congenital Malformations	1	10.6	1	10.5	0	0.0	3.4		3.8	3.6
SIDS	0	0.0	0	0.0	0	0.0	0.4			
Symptoms, Signs ex. SIDS	1	10.6	1	10.5	2	20.8	14.1			
All Other Diseases	20	211.1	21	220.4	16	166.3	98.3			
Motor Vehicle Accidents	5	52.8	6	63.0	8	83.2	16.1	9.2	18.8	15.0
All Other Acc. & Adverse Effects	4	42.2	2	21.0	12	124.8	30.2		30.9	22.0
Suicide	3	31.7	3	31.5	3	31.2	13.4	5.0	15.1	10.8
Homicide	3	31.7	4	42.0	3	31.2	9.1	3.0	8.3	5.7
All Other External Causes	0	0.0	1	10.5	0	0.0	2.5			
Unknown	1	10.6	0	0.0	1	10.4	0.2			
Total	137	1446.1	144	1511.2	152	1580.2	684.8		746.3	816.7

*HP 2010 goals are breast cancer in females and prostate cancer in males

Health Status Indicators for Cities and Towns 2003-2005

Carefree

Population Statistics

Population in 2000

Estimated Population

2003

2004

2005

Age Distribution 2005

Under 20 years old

20 - 44 years old

45 - 64 years old

65 and older

Dependency ratio

Carefree		Maricopa County		Arizona	U.S.
2,927		3,072,149		5,130,632	281,421,906
Number	% Inc. from 2000	Number	% Inc. from 2000	Number	Number
3,350	14.5%	3,388,711	10.3%	5,577,784	290,850,005
3,482	19.0%	3,498,587	13.9%	5,739,879	293,656,842
3,706	26.6%	3,635,528	18.3%	5,939,292	296,410,404
Number	% Distribution	Number	% Distribution	% Distribution	% Distribution
519	14.0%	1,090,113	30.0%	29.3%	27.6%
593	16.0%	1,352,420	37.2%	35.4%	35.4%
1,519	41.0%	789,942	21.7%	22.5%	24.6%
1,075	29.0%	403,053	11.1%	12.8%	12.4%
0.75		0.70		0.73	0.67

Infant Health Indicators

Low weight births (under 2500 grams) - % of live births

Births to teen mothers - % of live births

Infant mortality per 1,000 live births

Total Births

Carefree						Comparisons		
2003		2004		2005		Maricopa County, 2005	Healthy People 2010	Arizona 2005
Number	Percent or Rate	Number	Percent or Rate	Number	Percent or Rate			U.S. 2004
0	0.0%	<5		0	0.0%	6.8%	5.0%	6.9%
0	0.0%	0	0.0%	0	0.0%	11.6%	(-)	12.5%
0	0.0	0	0.0	0	0.0	6.1	4.5	6.8
11		10		11		62,223		95,798
								4,112,052

Note: Infant health indicators for cities/towns with fewer than 1,000 births are not reliable.

Health Status Indicators for Cities and Towns 2003-2005

Carefree

Selected Reportable Diseases

	Carefree						Comparisons			
	2003		2004		2005		Rate per 100,000 Population			
	<u>Number</u>	<u>Rate per 100,000</u>	<u>Number</u>	<u>Rate per 100,000</u>	<u>Number</u>	<u>Rate per 100,000</u>	<u>Maricopa County, 2005</u>	<u>H.P. 2010</u>	<u>Arizona 2005</u>	<u>U.S. 2004</u>
Vaccine Preventable										
<i>H. influenzae</i>	0	0.0	0	0.0	0	0.0	1.7	0.0		0.7
Measles	0	0.0	0	0.0	0	0.0	0	0.0	0.0	0.0
Mumps	0	0.0	0	0.0	0	0.0	0.0	0.0	0.0	0.1
Pertussis	0	0.0	0	0.0	0	0.0	6.8	0.0	8.0	8.9
Central Nervous System										
Encephalitis	0	0.0	0	0.0	0	0.0	0.6		0.4	
Meningitis - Aseptic	1	29.9	1	28.7	0	0.0	19.9		13.8	
Meningococcal Disease	0	0.0	0	0.0	0	0.0	0.6	1.0	0.6	0.5
Enterics										
Amebiasis	0	0.0	0	0.0	0	0.0	0.3		0.3	
Botulism	0	0.0	0	0.0	0	0.0	0.0		0.0	0.0
Campylobacteriosis	0	0.0	0	0.0	4	107.9	13.8	12.3	14.3	
Cryptosporidiosis	0	0.0	0	0.0	0	0.0	0.2		0.2	1.2
<i>E. Coli</i> O157:H7	0	0.0	0	0.0	0	0.0	0.8	1.0	0.6	0.9
Giardiasis	0	0.0	0	0.0	1	27.0	3.3		3.0	8.3
Hemolytic Uremic Syndrome	0	0.0	0	0.0	0	0.0	0.1			0.1
Listeriosis	0	0.0	0	0.0	0	0.0	0.2	0.25	0.2	0.3
Salmonellosis	0	0.0	0	0.0	0	0.0	10.4	6.8	12.2	14.5
Shigellosis	0	0.0	1	28.7	0	0.0	6.8		9.0	5.0
Typhoid	0	0.0	0	0.0	0	0.0	0.1		0.1	0.1
Vibrioses	0	0.0	0	0.0	0	0.0	0.4		0.3	
Yersiniosis	0	0.0	0	0.0	0	0.0	0.0		0.1	
Mycosis										
Coccidioidomycosis	7	209.0	6	172.3	5	134.9	67.7		58.1	4.1
Zoonoses/Vectorborne										
Brucellosis	0	0.0	0	0.0	0	0.0	0.1		0.1	0.0
Hantavirus Pulmonary Syndrome	0	0.0	0	0.0	0	0.0	0		0.1	0.0
Malaria	0	0.0	0	0.0	0	0.0	0.4		0.3	0.5
West Nile Virus	0	0.0	0	0.0	0	0.0	2.2		1.8	0.4
Hepatitides										
Hepatitis A	0	0.0	0	0.0	0	0.0	1.9	4.5	3.2	1.9
Hepatitis B	0	0.0	0	0.0	0	0.0	6.6	2.4-9.0	6.2	2.1
Other										
Legionellosis	0	0.0	0	0.0	0	0.0	0.4		0.4	0.7
Streptococcal Inv. Pneumonia	0	0.0	0	0.0	0	0.0	13.0		12.0	0.6
Streptococcal Inf. Group A	0	0.0	0	0.0	0	0.0	4.6		5.0	1.8
Streptococcal Inf. Group B***	0	0.0	0	0.0	0	0.0	0.5	0.5	0.5	
Vancomycin res. <i>Enterococcus</i>	0	0.0	3	86.2	2	54.0	37.5		32.4	

***Streptococcal Inf. Group B rates are per 1,000 live births

Health Status Indicators for Cities and Towns 2003-2005

Carefree

Selected Causes of Death

Cause of Death	Carefree						Comparisons			
	2003		2004		2005		Maricopa County, 2005	Healthy People 2010	Arizona 2005	U.S. 2004
	Number	Rate per 100,000	Number	Rate per 100,000	Number	Rate per 100,000				
Tuberculosis	0	0.0	0	0.0	0	0.0	0.2		0.3	0.2
Syphilis	0	0.0	0	0.0	0	0.0	0		0.0	0.0
HIV Disease	0	0.0	0	0.0	0	0.0	2.6	0.7	2.2	4.4
Malignant Neoplasms	8	238.8	6	172.3	7	188.9	142.4	159.9	160.0	187.4
Malignant Neoplasm Stomach	0	0.0	0	0.0	1	27.0	3.0		3.3	4.0
Malignant Neoplasm Colon	3	89.6	0	0.0	1	27.0	14.1	13.9	15.1	18.3
Malignant Neoplasm Pancreas	0	0.0	1	28.7	0	0.0	8.8		9.6	10.7
Malig. Neo. Bronchus, Lung	2	59.7	2	57.4	2	54.0	37.2	44.9	43.1	53.5
Malignant Neoplasm Breast	0	0.0	0	0.0	1	27.0	9.8	22.3*	11.2	13.9
Mal. Neo. Uterus, Cervix, Ovary	1	29.9	1	28.7	1	27.0	6.8		7.7	8.7
Malig. Neoplasm Prostate	0	0.0	0	0.0	0	0.0	8.1	28.8*	9.3	9.8
Malignant Neoplasm Urinary	1	29.9	0	0.0	0	0.0	7.6		8.1	8.5
Non-Hodgkins Lymphoma	0	0.0	0	0.0	0	0.0	6.1		6.3	7.1
Leukemia	0	0.0	0	0.0	0	0.0	5.7		6.1	7.3
Other Malignant Neoplasms	1	29.9	2	57.4	1	27.0	35.3		40.2	45.6
Diabetes	1	29.9	1	28.7	1	27.0	16.4	7.8	19.8	24.8
Alzheimers	1	29.9	1	28.7	2	54.0	34.3		30.0	22.4
Major Cardiovascular Diseases	10	298.5	9	258.5	10	269.8	217.7		234.0	293.8
Disease of Heart	7	209.0	6	172.3	9	242.8	165.3	166.0	178.3	222.7
Hypertensive Heart Disease	0	0.0	1	28.7	1	27.0	9.5		8.1	9.6
Ischemic Heart Disease	4	119.4	4	114.9	5	134.9	133.4		133.3	154.0
Other Heart Disease	3	89.6	1	28.7	3	80.9	22.5		35.4	57.0
Primary Hypertension	0	0.0	0	0.0	0	0.0	7.3		6.5	7.8
Cerebrovascular	2	59.7	2	57.4	0	0.0	34.9	48.0	38.5	51.1
Atherosclerosis	0	0.0	0	0.0	0	0.0	4.7		4.6	4.1
Other Circulatory	1	29.9	1	28.7	1	27.0	5.5		6.1	8.1

(continued on next page)

Health Status Indicators for Cities and Towns 2003-2005

Carefree

Selected Causes of Death, cont.

Cause of Death	Carefree						Comparisons			
	2003		2004		2005		Maricopa County, 2005	Healthy People 2010	Arizona 2005	U.S. 2004
	<u>Number</u>	<u>Rate per 100,000</u>	<u>Number</u>	<u>Rate per 100,000</u>	<u>Number</u>	<u>Rate per 100,000</u>				
Influenza & Pneumonia	1	29.9	0	0.0	0	0.0	19.7		21.2	20.9
Chronic Lower Respiratory	4	119.4	1	28.7	2	54.0	41.4		46.0	42.2
Peptic Ulcer	0	0.0	0	0.0	0	0.0	1.2		1.1	1.3
Liver Disease	0	0.0	0	0.0	0	0.0	10.4		12.4	9.0
Nephritis	2	59.7	0	0.0	2	54.0	5.8		10.0	14.6
Pregnancy	0	0.0	0	0.0	0	0.0	0.2		0.1	0.2
Perinatal Conditions	0	0.0	0	0.0	0	0.0	5.0		4.9	4.8
Congenital Malformations	0	0.0	0	0.0	0	0.0	3.4		3.8	3.6
SIDS	0	0.0	0	0.0	0	0.0	0.4			
Symptoms, Signs ex. SIDS	0	0.0	1	28.7	2	54.0	14.1			
All Other Diseases	7	209.0	5	143.6	7	188.9	98.3			
Motor Vehicle Accidents	0	0.0	2	57.4	2	54.0	16.1	9.2	18.8	15.0
All Other Acc. & Adverse Effects	2	59.7	1	28.7	0	0.0	30.2		30.9	22.0
Suicide	0	0.0	0	0.0	1	27.0	13.4	5.0	15.1	10.8
Homicide	0	0.0	0	0.0	0	0.0	9.1	3.0	8.3	5.7
All Other External Causes	0	0.0	0	0.0	0	0.0	2.5			
Unknown	0	0.0	1	28.7	0	0.0	0.2			
Total	36	1074.6	28	804.1	36	971.4	684.8		746.3	816.7

*HP 2010 goals are breast cancer in females and prostate cancer in males

Health Status Indicators for Cities and Towns 2003-2005

Cave Creek

Population Statistics

	Cave Creek		Maricopa County		Arizona	U.S.
Population in 2000	3,728		3,072,149		5,130,632	281,421,906
Estimated Population	<u>Number</u>	<u>% Inc. from 2000</u>	<u>Number</u>	<u>% Inc. from 2000</u>	<u>Number</u>	<u>Number</u>
2003	4,271	14.6%	3,388,711	10.3%	5,577,784	290,850,005
2004	4,543	21.9%	3,498,587	13.9%	5,739,879	293,656,842
2005	4,884	31.0%	3,635,528	18.3%	5,939,292	296,410,404
Age Distribution 2005	<u>Number</u>	<u>% Distribution</u>	<u>Number</u>	<u>% Distribution</u>	<u>% Distribution</u>	<u>% Distribution</u>
Under 20 years old	1,123	23.0%	1,090,113	30.0%	29.3%	27.6%
20 - 44 years old	1,319	27.0%	1,352,420	37.2%	35.4%	35.4%
45 - 64 years old	1,758	36.0%	789,942	21.7%	22.5%	24.6%
65 and older	635	13.0%	403,053	11.1%	12.8%	12.4%
Dependency ratio	0.57		0.70		0.73	0.67

Infant Health Indicators

	Cave Creek						Comparisons			
	2003		2004		2005		Maricopa County, 2005	Healthy	Arizona 2005	U.S. 2004
	<u>Number</u>	<u>Percent or Rate</u>	<u>Number</u>	<u>Percent or Rate</u>	<u>Number</u>	<u>Percent or Rate</u>		People 2010		
Low weight births (under 2500 grams) - % of live births	23	5.9%	23	6.2%	17	4.7%	6.8%	5.0%	6.9%	8.1%
Births to teen mothers - % of live births	5	1.3%	<5		5	1.4%	11.6%	(-)	12.5%	10.3%
Infant mortality per 1,000 live births	0	0.0	0	0.0	0	0.0	6.1	4.5	6.8	6.8
Total Births	387		370		359		62,223		95,798	4,112,052

Note: Infant health indicators for cities/towns with fewer than 1,000 births are not reliable.

Health Status Indicators for Cities and Towns 2003-2005

Cave Creek

Selected Reportable Diseases

	Cave Creek						Comparisons			
	2003		2004		2005		Rate per 100,000 Population			
	Number	Rate per 100,000	Number	Rate per 100,000	Number	Rate per 100,000	Maricopa County, 2005	H.P. 2010	Arizona 2005	U.S. 2004
Vaccine Preventable										
<i>H. influenzae</i>	0	0.0	0	0.0	0	0.0	1.7	0.0		0.7
Measles	0	0.0	0	0.0	0	0.0	0	0.0	0.0	0.0
Mumps	0	0.0	0	0.0	0	0.0	0.0	0.0	0.0	0.1
Pertussis	0	0.0	0	0.0	1	20.5	6.8	0.0	8.0	8.9
Central Nervous System										
Encephalitis	1	23.4	0	0.0	0	0.0	0.6		0.4	
Meningitis - Aseptic	5	117.1	5	110.1	3	61.4	19.9		13.8	
Meningococcal Disease	0	0.0	0	0.0	0	0.0	0.6	1.0	0.6	0.5
Enterics										
Amebiasis	0	0.0	0	0.0	0	0.0	0.3		0.3	
Botulism	0	0.0	1	22.0	0	0.0	0.0		0.0	0.0
Campylobacteriosis	2	46.8	1	22.0	5	102.4	13.8	12.3	14.3	
Cryptosporidiosis	0	0.0	0	0.0	0	0.0	0.2		0.2	1.2
<i>E. Coli</i> O157:H7	1	23.4	0	0.0	0	0.0	0.8	1.0	0.6	0.9
Giardiasis	0	0.0	0	0.0	0	0.0	3.3		3.0	8.3
Hemolytic Uremic Syndrome	0	0.0	0	0.0	0	0.0	0.1			0.1
Listeriosis	0	0.0	0	0.0	0	0.0	0.2	0.25	0.2	0.3
Salmonellosis	0	0.0	4	88.0	2	41.0	10.4	6.8	12.2	14.5
Shigellosis	2	46.8	0	0.0	1	20.5	6.8		9.0	5.0
Typhoid	0	0.0	0	0.0	0	0.0	0.1		0.1	0.1
Vibrioses	0	0.0	0	0.0	0	0.0	0.4		0.3	
Yersiniosis	0	0.0	0	0.0	1	20.5	0.0		0.1	
Mycosis										
Coccidioidomycosis	14	327.8	34	748.4	30	614.3	67.7		58.1	4.1
Zoonoses/Vectorborne										
Brucellosis	0	0.0	0	0.0	0	0.0	0.1		0.1	0.0
Hantavirus Pulmonary Syndrome	0	0.0	0	0.0	0	0.0	0		0.1	0.0
Malaria	0	0.0	0	0.0	0	0.0	0.4		0.3	0.5
West Nile Virus	0	0.0	1	22.0	0	0.0	2.2		1.8	0.4
Hepatitides										
Hepatitis A	0	0.0	2	44.0	0	0.0	1.9	4.5	3.2	1.9
Hepatitis B	0	0.0	1	22.0	1	20.5	6.6	2.4-9.0	6.2	2.1
Other										
Legionellosis	0	0.0	0	0.0	0	0.0	0.4		0.4	0.7
Streptococcal Inv. Pneumonia	1	23.4	1	22.0	4	81.9	13.0		12.0	0.6
Streptococcal Inf. Group A	2	46.8	1	22.0	2	41.0	4.6		5.0	1.8
Streptococcal Inf. Group B***	0	0.0	0	0.0	1	2.8	0.5	0.5	0.5	
Vancomycin res. <i>Enterococcus</i>	1	23.4	5	110.1	5	102.4	37.5		32.4	

***Streptococcal Inf. Group B rates are per 1,000 live births

Health Status Indicators for Cities and Towns 2003-2005

Cave Creek

Selected Causes of Death

Cause of Death	Cave Creek						Comparisons			
	2003		2004		2005		Maricopa County, 2005	Healthy People 2010	Arizona 2005	U.S. 2004
	Number	Rate per 100,000	Number	Rate per 100,000	Number	Rate per 100,000				
Tuberculosis	0	0.0	0	0.0	0	0.0	0.2		0.3	0.2
Syphilis	0	0.0	0	0.0	0	0.0	0		0.0	0.0
HIV Disease	<5		0	0.0	0	0.0	2.6	0.7	2.2	4.4
Malignant Neoplasms	30	702.4	26	572.3	30	614.3	142.4	159.9	160.0	187.4
Malignant Neoplasm Stomach	0	0.0	0	0.0	0	0.0	3.0		3.3	4.0
Malignant Neoplasm Colon	6	140.5	4	88.0	4	81.9	14.1	13.9	15.1	18.3
Malignant Neoplasm Pancreas	0	0.0	2	44.0	1	20.5	8.8		9.6	10.7
Malig. Neo. Bronchus, Lung	7	163.9	7	154.1	6	122.9	37.2	44.9	43.1	53.5
Malignant Neoplasm Breast	2	46.8	3	66.0	1	20.5	9.8	22.3*	11.2	13.9
Mal. Neo. Uterus, Cervix, Ovary	2	46.8	1	22.0	3	61.4	6.8		7.7	8.7
Malig. Neoplasm Prostate	1	23.4	0	0.0	2	41.0	8.1	28.8*	9.3	9.8
Malignant Neoplasm Urinary	1	23.4	0	0.0	1	20.5	7.6		8.1	8.5
Non-Hodgkins Lymphoma	0	0.0	1	22.0	3	61.4	6.1		6.3	7.1
Leukemia	3	70.2	2	44.0	3	61.4	5.7		6.1	7.3
Other Malignant Neoplasms	8	187.3	6	132.1	6	122.9	35.3		40.2	45.6
Diabetes	3	70.2	3	66.0	2	41.0	16.4	7.8	19.8	24.8
Alzheimers	4	93.7	5	110.1	10	204.8	34.3		30.0	22.4
Major Cardiovascular Diseases	33	772.7	27	594.3	46	941.9	217.7		234.0	293.8
Disease of Heart	28	655.6	22	484.3	39	798.5	165.3	166.0	178.3	222.7
Hypertensive Heart Disease	2	46.8	1	22.0	2	41.0	9.5		8.1	9.6
Ischemic Heart Disease	21	491.7	20	440.2	32	655.2	133.4		133.3	154.0
Other Heart Disease	5	117.1	1	22.0	5	102.4	22.5		35.4	57.0
Primary Hypertension	0	0.0	0	0.0	0	0.0	7.3		6.5	7.8
Cerebrovascular	5	117.1	5	110.1	4	81.9	34.9	48.0	38.5	51.1
Atherosclerosis	0	0.0	0	0.0	0	0.0	4.7		4.6	4.1
Other Circulatory	0	0.0	0	0.0	3	61.4	5.5		6.1	8.1

(continued on next page)

Health Status Indicators for Cities and Towns 2003-2005

Cave Creek

Selected Causes of Death, cont.

Cause of Death	Cave Creek						Comparisons			
	2003		2004		2005		Maricopa County, 2005	Healthy People 2010	Arizona 2005	U.S. 2004
	Number	Rate per 100,000	Number	Rate per 100,000	Number	Rate per 100,000				
Influenza & Pneumonia	3	70.2	6	132.1	6	122.9	19.7		21.2	20.9
Chronic Lower Respiratory	5	117.1	5	110.1	9	184.3	41.4		46.0	42.2
Peptic Ulcer	0	0.0	0	0.0	0	0.0	1.2		1.1	1.3
Liver Disease	1	23.4	1	22.0	3	61.4	10.4		12.4	9.0
Nephritis	5	117.1	1	22.0	1	20.5	5.8		10.0	14.6
Pregnancy	0	0.0	0	0.0	0	0.0	0.2		0.1	0.2
Perinatal Conditions	0	0.0	0	0.0	0	0.0	5.0		4.9	4.8
Congenital Malformations	0	0.0	0	0.0	0	0.0	3.4		3.8	3.6
SIDS	0	0.0	0	0.0	0	0.0	0.4			
Symptoms, Signs ex. SIDS	0	0.0	5	110.1	10	204.8	14.1			
All Other Diseases	6	140.5	19	418.2	8	163.8	98.3			
Motor Vehicle Accidents	1	23.4	6	132.1	3	61.4	16.1	9.2	18.8	15.0
All Other Acc. & Adverse Effects	2	46.8	4	88.0	6	122.9	30.2		30.9	22.0
Suicide	4	93.7	3	66.0	0	0.0	13.4	5.0	15.1	10.8
Homicide	0	0.0	1	22.0	0	0.0	9.1	3.0	8.3	5.7
All Other External Causes	0	0.0	0	0.0	1	20.5	2.5			
Unknown	2	46.8	0	0.0	0	0.0	0.2			
Total	99	2318.0	112	2465.3	135	2764.1	684.8		746.3	816.7

*HP 2010 goals are breast cancer in females and prostate cancer in males

Health Status Indicators for Cities and Towns 2003-2005

Chandler

Population Statistics

Population in 2000

Estimated Population

2003

2004

2005

Age Distribution 2005

Under 20 years old

20 - 44 years old

45 - 64 years old

65 and older

Dependency ratio

Chandler		Maricopa County		Arizona	U.S.
176,581		3,072,149		5,130,632	281,421,906
Number	% Inc. from 2000	Number	% Inc. from 2000	Number	Number
212,005	20.1%	3,388,711	10.3%	5,577,784	290,850,005
223,895	26.8%	3,498,587	13.9%	5,739,879	293,656,842
234,939	33.0%	3,635,528	18.3%	5,939,292	296,410,404
Number	% Distribution	Number	% Distribution	% Distribution	% Distribution
75,180	32.0%	1,090,113	30.0%	29.3%	27.6%
103,373	44.0%	1,352,420	37.2%	35.4%	35.4%
42,289	18.0%	789,942	21.7%	22.5%	24.6%
14,096	6.0%	403,053	11.1%	12.8%	12.4%
0.61		0.70		0.73	0.67

Infant Health Indicators

Low weight births (under 2500 grams) - % of live births

Births to teen mothers - % of live births

Infant mortality per 1,000 live births

Total Births

Chandler						Comparisons		
2003		2004		2005		Maricopa County, 2005	Healthy People 2010	Arizona 2005
Number	Percent or Rate	Number	Percent or Rate	Number	Percent or Rate			U.S. 2004
244	6.3%	242	6.3%	253	6.6%	6.8%	5.0%	6.9%
285	7.4%	293	7.6%	265	6.9%	11.6%	(-)	12.5%
17	4.4	24	6.2	23	6.0	6.1	4.5	6.8
3,858		3,850		3,828		62,223		95,798
								4,112,052

Health Status Indicators for Cities and Towns 2003-2005

Chandler

Selected Reportable Diseases

	Chandler						Comparisons			
	2003		2004		2005		Rate per 100,000 Population			
	<u>Number</u>	<u>Rate per 100,000</u>	<u>Number</u>	<u>Rate per 100,000</u>	<u>Number</u>	<u>Rate per 100,000</u>	<u>Maricopa County, 2005</u>	<u>H.P. 2010</u>	<u>Arizona 2005</u>	<u>U.S. 2004</u>
Vaccine Preventable										
<i>H. influenzae</i>	3	1.4	2	0.9	4	1.7	1.7	0.0		0.7
Measles	0	0.0	0	0.0	0	0.0	0	0.0	0.0	0.0
Mumps	0	0.0	0	0.0	0	0.0	0.0	0.0	0.0	0.1
Pertussis	1	0.5	7	3.1	15	6.4	6.8	0.0	8.0	8.9
Central Nervous System										
Encephalitis	1	0.5	1	0.4	1	0.4	0.6		0.4	
Meningitis - Aseptic	62	29.2	26	11.6	38	16.2	19.9		13.8	
Meningococcal Disease	0	0.0	0	0.0	1	0.4	0.6	1.0	0.6	0.5
Enterics										
Amebiasis	2	0.9	0	0.0	0	0.0	0.3		0.3	
Botulism	0	0.0	0	0.0	0	0.0	0.0		0.0	0.0
Campylobacteriosis	14	6.6	15	6.7	26	11.1	13.8	12.3	14.3	
Cryptosporidiosis	0	0.0	1	0.4	1	0.4	0.2		0.2	1.2
<i>E. Coli</i> O157:H7	0	0.0	0	0.0	2	0.9	0.8	1.0	0.6	0.9
Giardiasis	3	1.4	5	2.2	3	1.3	3.3		3.0	8.3
Hemolytic Uremic Syndrome	0	0.0	0	0.0	0	0.0	0.1			0.1
Listeriosis	1	0.5	1	0.4	1	0.4	0.2	0.25	0.2	0.3
Salmonellosis	15	7.1	17	7.6	27	11.5	10.4	6.8	12.2	14.5
Shigellosis	11	5.2	7	3.1	10	4.3	6.8		9.0	5.0
Typhoid	0	0.0	1	0.4	0	0.0	0.1		0.1	0.1
Vibrioses	0	0.0	1	0.4	1	0.4	0.4		0.3	
Yersiniosis	2	0.9	0	0.0	0	0.0	0.0		0.1	
Mycosis										
Coccidioidomycosis	93	43.9	116	51.8	139	59.2	67.7		58.1	4.1
Zoonoses/Vectorborne										
Brucellosis	1	0.5	0	0.0	0	0.0	0.1		0.1	0.0
Hantavirus Pulmonary Syndrome	0	0.0	0	0.0	0	0.0	0		0.1	0.0
Malaria	1	0.5	0	0.0	0	0.0	0.4		0.3	0.5
West Nile Virus	1	0.5	29	13.0	7	3.0	2.2		1.8	0.4
Hepatitides										
Hepatitis A	9	4.2	8	3.6	3	1.3	1.9	4.5	3.2	1.9
Hepatitis B	9	4.2	8	3.6	7	3.0	6.6	2.4-9.0	6.2	2.1
Other										
Legionellosis	1	0.5	1	0.4	0	0.0	0.4		0.4	0.7
Streptococcal Inv. Pneumonia	12	5.7	15	6.7	17	7.2	13.0		12.0	0.6
Streptococcal Inf. Group A	4	1.9	4	1.8	6	2.6	4.6		5.0	1.8
Streptococcal Inf. Group B***	2	0.5	1	0.3	1	0.3	0.5	0.5	0.5	
Vancomycin res. <i>Enterococcus</i>	25	11.8	27	12.1	46	19.6	37.5		32.4	

***Streptococcal Inf. Group B rates are per 1,000 live births

Health Status Indicators for Cities and Towns 2003-2005

Chandler

Selected Causes of Death

Cause of Death	Chandler						Comparisons			
	2003		2004		2005		Maricopa County, 2005	Healthy People 2010	Arizona 2005	U.S. 2004
	Number	Rate per 100,000	Number	Rate per 100,000	Number	Rate per 100,000				
Tuberculosis	0	0.0	0	0.0	0	0.0	0.2		0.3	0.2
Syphilis	0	0.0	0	0.0	0	0.0	0		0.0	0.0
HIV Disease	<5		<5		<5		2.6	0.7	2.2	4.4
Malignant Neoplasms	200	94.3	226	100.9	202	86.0	142.4	159.9	160.0	187.4
Malignant Neoplasm Stomach	4	1.9	5	2.2	6	2.6	3.0		3.3	4.0
Malignant Neoplasm Colon	21	9.9	21	9.4	17	7.2	14.1	13.9	15.1	18.3
Malignant Neoplasm Pancreas	10	4.7	16	7.1	7	3.0	8.8		9.6	10.7
Malig. Neo. Bronchus, Lung	50	23.6	57	25.5	56	23.8	37.2	44.9	43.1	53.5
Malignant Neoplasm Breast	22	10.4	17	7.6	17	7.2	9.8	22.3*	11.2	13.9
Mal. Neo. Uterus, Cervix, Ovary	4	1.9	13	5.8	9	3.8	6.8		7.7	8.7
Malig. Neoplasm Prostate	9	4.2	9	4.0	9	3.8	8.1	28.8*	9.3	9.8
Malignant Neoplasm Urinary	12	5.7	13	5.8	12	5.1	7.6		8.1	8.5
Non-Hodgkins Lymphoma	9	4.2	9	4.0	11	4.7	6.1		6.3	7.1
Leukemia	10	4.7	12	5.4	7	3.0	5.7		6.1	7.3
Other Malignant Neoplasms	49	23.1	54	24.1	51	21.7	35.3		40.2	45.6
Diabetes	22	10.4	31	13.8	26	11.1	16.4	7.8	19.8	24.8
Alzheimers	42	19.8	38	17.0	49	20.9	34.3		30.0	22.4
Major Cardiovascular Diseases	279	131.6	289	129.1	305	129.8	217.7		234.0	293.8
Disease of Heart	206	97.2	223	99.6	228	97.0	165.3	166.0	178.3	222.7
Hypertensive Heart Disease	13	6.1	12	5.4	12	5.1	9.5		8.1	9.6
Ischemic Heart Disease	168	79.2	173	77.3	190	80.9	133.4		133.3	154.0
Other Heart Disease	25	11.8	38	17.0	26	11.1	22.5		35.4	57.0
Primary Hypertension	19	9.0	10	4.5	9	3.8	7.3		6.5	7.8
Cerebrovascular	45	21.2	44	19.7	49	20.9	34.9	48.0	38.5	51.1
Atherosclerosis	5	2.4	5	2.2	10	4.3	4.7		4.6	4.1
Other Circulatory	4	1.9	7	3.1	9	3.8	5.5		6.1	8.1

(continued on next page)

Health Status Indicators for Cities and Towns 2003-2005

Chandler

Selected Causes of Death, cont.

Cause of Death	Chandler						Comparisons			
	2003		2004		2005		Maricopa County, 2005	Healthy People 2010	Arizona 2005	U.S. 2004
	Number	Rate per 100,000	Number	Rate per 100,000	Number	Rate per 100,000				
Influenza & Pneumonia	23	10.8	21	9.4	24	10.2	19.7		21.2	20.9
Chronic Lower Respiratory	46	21.7	51	22.8	51	21.7	41.4		46.0	42.2
Peptic Ulcer	1	0.5	1	0.4	3	1.3	1.2		1.1	1.3
Liver Disease	17	8.0	9	4.0	13	5.5	10.4		12.4	9.0
Nephritis	8	3.8	9	4.0	6	2.6	5.8		10.0	14.6
Pregnancy	0	0.0	0	0.0	0	0.0	0.2		0.1	0.2
Perinatal Conditions	7	3.3	14	6.3	15	6.4	5.0		4.9	4.8
Congenital Malformations	6	2.8	5	2.2	3	1.3	3.4		3.8	3.6
SIDS	0	0.0	1	0.4	1	0.4	0.4			
Symptoms, Signs ex. SIDS	15	7.1	9	4.0	19	8.1	14.1			
All Other Diseases	135	63.7	121	54.0	124	52.8	98.3			
Motor Vehicle Accidents	21	9.9	23	10.3	13	5.5	16.1	9.2	18.8	15.0
All Other Acc. & Adverse Effects	23	10.8	35	15.6	49	20.9	30.2		30.9	22.0
Suicide	18	8.5	24	10.7	15	6.4	13.4	5.0	15.1	10.8
Homicide	5	2.4	8	3.6	7	3.0	9.1	3.0	8.3	5.7
All Other External Causes	4	1.9	2	0.9	3	1.3	2.5			
Unknown	5	2.4	3	1.3	0	0.0	0.2			
Total	877	413.7	920	410.9	928	395.0	684.8		746.3	816.7

*HP 2010 goals are breast cancer in females and prostate cancer in males

Health Status Indicators for Cities and Towns 2003-2005

El Mirage

Population Statistics

Population in 2000

Estimated Population

2003

2004

2005

Age Distribution 2005

Under 20 years old

20 - 44 years old

45 - 64 years old

65 and older

Dependency ratio

El Mirage		Maricopa County		Arizona	U.S.
7,609		3,072,149		5,130,632	281,421,906
Number	% Inc. from 2000	Number	% Inc. from 2000	Number	Number
18,247	139.8%	3,388,711	10.3%	5,577,784	290,850,005
20,899	174.7%	3,498,587	13.9%	5,739,879	293,656,842
22,171	191.4%	3,635,528	18.3%	5,939,879	296,410,404
Number	% Distribution	Number	% Distribution	% Distribution	% Distribution
8,868	40.0%	1,090,113	30.0%	29.3%	27.6%
8,647	39.0%	1,352,420	37.2%	35.4%	35.4%
3,104	14.0%	789,942	21.7%	22.5%	24.6%
1,552	7.0%	403,053	11.1%	12.8%	12.4%
0.89		0.70		0.73	0.67

Infant Health Indicators

Low weight births (under 2500 grams) - % of live births

Births to teen mothers - % of live births

Infant mortality per 1,000 live births

Total Births

El Mirage						Comparisons		
2003		2004		2005		Maricopa County, 2005	Healthy People 2010	Arizona 2005
Number	Percent or Rate	Number	Percent or Rate	Number	Percent or Rate			U.S. 2004
57	6.8%	70	7.9%	50	6.2%	6.8%	5.0%	6.9%
85	10.1%	83	9.4%	79	9.8%	11.6%	(-)	12.5%
3	3.6	5	5.7	4	5.0	6.1	4.5	6.8
840		881		806		62,223		95,798
								4,112,052

Note: Infant health indicators for cities/towns with fewer than 1,000 births are not reliable.

Health Status Indicators for Cities and Towns 2003-2005

El Mirage

Selected Reportable Diseases

	El Mirage						Comparisons			
	2003		2004		2005		Rate per 100,000 Population			
	<u>Number</u>	<u>Rate per 100,000</u>	<u>Number</u>	<u>Rate per 100,000</u>	<u>Number</u>	<u>Rate per 100,000</u>	<u>Maricopa County, 2005</u>	<u>H.P. 2010</u>	<u>Arizona 2005</u>	<u>U.S. 2004</u>
Vaccine Preventable										
<i>H. influenzae</i>	0	0.0	1	4.8	0	0.0	1.7	0.0		0.7
Measles	0	0.0	0	0.0	0	0.0	0	0.0	0.0	0.0
Mumps	0	0.0	0	0.0	0	0.0	0.0	0.0	0.0	0.1
Pertussis	0	0.0	0	0.0	1	4.5	6.8	0.0	8.0	8.9
Central Nervous System										
Encephalitis	0	0.0	0	0.0	0	0.0	0.6		0.4	
Meningitis - Aseptic	27	148.0	6	28.7	8	36.1	19.9		13.8	
Meningococcal Disease	0	0.0	0	0.0	1	4.5	0.6	1.0	0.6	0.5
Enterics										
Amebiasis	0	0.0	0	0.0	0	0.0	0.3		0.3	
Botulism	0	0.0	0	0.0	0	0.0	0.0		0.0	0.0
Campylobacteriosis	1	5.5	2	9.6	6	27.1	13.8	12.3	14.3	
Cryptosporidiosis	0	0.0	0	0.0	0	0.0	0.2		0.2	1.2
<i>E. Coli</i> O157:H7	0	0.0	0	0.0	1	4.5	0.8	1.0	0.6	0.9
Giardiasis	0	0.0	0	0.0	0	0.0	3.3		3.0	8.3
Hemolytic Uremic Syndrome	0	0.0	0	0.0	0	0.0	0.1			0.1
Listeriosis	0	0.0	0	0.0	0	0.0	0.2	0.25	0.2	0.3
Salmonellosis	5	27.4	1	4.8	7	31.6	10.4	6.8	12.2	14.5
Shigellosis	5	27.4	1	4.8	4	18.0	6.8		9.0	5.0
Typhoid	0	0.0	0	0.0	0	0.0	0.1		0.1	0.1
Vibrioses	0	0.0	0	0.0	0	0.0	0.4		0.3	
Yersiniosis	0	0.0	0	0.0	0	0.0	0.0		0.1	
Mycosis										
Coccidioidomycosis	10	54.8	10	47.8	12	54.1	67.7		58.1	4.1
Zoonoses/Vectorborne										
Brucellosis	0	0.0	0	0.0	0	0.0	0.1		0.1	0.0
Hantavirus Pulmonary Syndrome	0	0.0	0	0.0	0	0.0	0		0.1	0.0
Malaria	0	0.0	1	4.8	0	0.0	0.4		0.3	0.5
West Nile Virus	0	0.0	3	14.4	0	0.0	2.2		1.8	0.4
Hepatitides										
Hepatitis A	2	11.0	0	0.0	1	4.5	1.9	4.5	3.2	1.9
Hepatitis B	0	0.0	0	0.0	1	4.5	6.6	2.4-9.0	6.2	2.1
Other										
Legionellosis	0	0.0	0	0.0	0	0.0	0.4		0.4	0.7
Streptococcal Inv. Pneumonia	4	21.9	5	23.9	3	13.5	13.0		12.0	0.6
Streptococcal Inf. Group A	1	5.5	0	0.0	0	0.0	4.6		5.0	1.8
Streptococcal Inf. Group B***	0	0.0	1	1.1	1	1.2	0.5	0.5	0.5	
Vancomycin res. <i>Enterococcus</i>	3	16.4	1	4.8	5	22.6	37.5		32.4	

***Streptococcal Inf. Group B rates are per 1,000 live births

Health Status Indicators for Cities and Towns 2003-2005

El Mirage

Selected Causes of Death

Cause of Death	El Mirage						Comparisons			
	2003		2004		2005		Maricopa County, 2005	Healthy People 2010	Arizona 2005	U.S. 2004
	Number	Rate per 100,000	Number	Rate per 100,000	Number	Rate per 100,000				
Tuberculosis	0	0.0	0	0.0	0	0.0	0.2		0.3	0.2
Syphilis	0	0.0	0	0.0	0	0.0	0		0.0	0.0
HIV Disease	<5		<5		0	0.0	2.6	0.7	2.2	4.4
Malignant Neoplasms	18	98.6	26	124.4	18	81.2	142.4	159.9	160.0	187.4
Malignant Neoplasm Stomach	0	0.0	0	0.0	0	0.0	3.0		3.3	4.0
Malignant Neoplasm Colon	1	5.5	1	4.8	2	9.0	14.1	13.9	15.1	18.3
Malignant Neoplasm Pancreas	2	11.0	1	4.8	2	9.0	8.8		9.6	10.7
Malig. Neo. Bronchus, Lung	5	27.4	4	19.1	5	22.6	37.2	44.9	43.1	53.5
Malignant Neoplasm Breast	4	21.9	2	9.6	0	0.0	9.8	22.3*	11.2	13.9
Mal. Neo. Uterus, Cervix, Ovary	1	5.5	3	14.4	1	4.5	6.8		7.7	8.7
Malig. Neoplasm Prostate	0	0.0	1	4.8	0	0.0	8.1	28.8*	9.3	9.8
Malignant Neoplasm Urinary	0	0.0	1	4.8	2	9.0	7.6		8.1	8.5
Non-Hodgkins Lymphoma	0	0.0	0	0.0	1	4.5	6.1		6.3	7.1
Leukemia	0	0.0	3	14.4	0	0.0	5.7		6.1	7.3
Other Malignant Neoplasms	5	27.4	10	47.8	5	22.6	35.3		40.2	45.6
Diabetes	6	32.9	3	14.4	3	13.5	16.4	7.8	19.8	24.8
Alzheimers	2	11.0	4	19.1	3	13.5	34.3		30.0	22.4
Major Cardiovascular Diseases	20	109.6	21	100.5	21	94.7	217.7		234.0	293.8
Disease of Heart	16	87.7	15	71.8	14	63.1	165.3	166.0	178.3	222.7
Hypertensive Heart Disease	0	0.0	0	0.0	0	0.0	9.5		8.1	9.6
Ischemic Heart Disease	13	71.2	13	62.2	13	58.6	133.4		133.3	154.0
Other Heart Disease	3	16.4	2	9.6	1	4.5	22.5		35.4	57.0
Primary Hypertension	0	0.0	0	0.0	0	0.0	7.3		6.5	7.8
Cerebrovascular	2	11.0	4	19.1	5	22.6	34.9	48.0	38.5	51.1
Atherosclerosis	1	5.5	0	0.0	0	0.0	4.7		4.6	4.1
Other Circulatory	1	5.5	2	9.6	2	9.0	5.5		6.1	8.1

(continued on next page)

Health Status Indicators for Cities and Towns 2003-2005

El Mirage

Selected Causes of Death, cont.

Cause of Death	El Mirage						Comparisons			
	2003		2004		2005		Maricopa County, 2005	Healthy People 2010	Arizona 2005	U.S. 2004
	<u>Number</u>	<u>Rate per 100,000</u>	<u>Number</u>	<u>Rate per 100,000</u>	<u>Number</u>	<u>Rate per 100,000</u>				
Influenza & Pneumonia	2	11.0	2	9.6	4	18.0	19.7		21.2	20.9
Chronic Lower Respiratory	5	27.4	2	9.6	4	18.0	41.4		46.0	42.2
Peptic Ulcer	0	0.0	0	0.0	0	0.0	1.2		1.1	1.3
Liver Disease	6	32.9	2	9.6	4	18.0	10.4		12.4	9.0
Nephritis	2	11.0	1	4.8	2	9.0	5.8		10.0	14.6
Pregnancy	0	0.0	0	0.0	0	0.0	0.2		0.1	0.2
Perinatal Conditions	1	5.5	2	9.6	3	13.5	5.0		4.9	4.8
Congenital Malformations	3	16.4	2	9.6	1	4.5	3.4		3.8	3.6
SIDS	0	0.0	0	0.0	0	0.0	0.4			
Symptoms, Signs ex. SIDS	2	11.0	1	4.8	4	18.0	14.1			
All Other Diseases	7	38.4	6	28.7	12	54.1	98.3			
Motor Vehicle Accidents	5	27.4	6	28.7	2	9.0	16.1	9.2	18.8	15.0
All Other Acc. & Adverse Effects	3	16.4	5	23.9	2	9.0	30.2		30.9	22.0
Suicide	4	21.9	3	14.4	3	13.5	13.4	5.0	15.1	10.8
Homicide	2	11.0	1	4.8	2	9.0	9.1	3.0	8.3	5.7
All Other External Causes	1	5.5	0	0.0	2	9.0	2.5			
Unknown	0	0.0	0	0.0	1	4.5	0.2			
Total	89	487.8	87	416.3	91	410.4	684.8		746.3	816.7

*HP 2010 goals are breast cancer in females and prostate cancer in males

Health Status Indicators for Cities and Towns 2003-2005

Fountain Hills

Population Statistics

Population in 2000

Estimated Population

2003

2004

2005

Age Distribution 2005

Under 20 years old

20 - 44 years old

45 - 64 years old

65 and older

Dependency ratio

Fountain Hills		Maricopa County		Arizona	U.S.
20,235		3,072,149		5,130,632	281,421,906
Number	% Inc. from 2000	Number	% Inc. from 2000	Number	Number
22,243	9.9%	3,388,711	10.3%	5,577,784	290,850,005
22,541	11.4%	3,498,587	13.9%	5,739,879	293,656,842
23,217	14.7%	3,635,528	18.3%	5,939,292	296,410,404
Number	% Distribution	Number	% Distribution	% Distribution	% Distribution
4,643	20.0%	1,090,113	30.0%	29.3%	27.6%
6,501	28.0%	1,352,420	37.2%	35.4%	35.4%
7,662	33.0%	789,942	21.7%	22.5%	24.6%
4,411	19.0%	403,053	11.1%	12.8%	12.4%
0.64		0.70		0.73	0.67

Infant Health Indicators

Low weight births (under 2500 grams) - % of live births

Births to teen mothers - % of live births

Infant mortality per 1,000 live births

Total Births

Fountain Hills						Comparisons		
2003		2004		2005		Maricopa County, 2005	Healthy People 2010	Arizona 2005
Number	Percent or Rate	Number	Percent or Rate	Number	Percent or Rate			U.S. 2004
19	11.7%	18	10.8%	14	8.6%	6.8%	5.0%	6.9%
7	4.3%	5	3.0%	6	3.7%	11.6%	(-)	12.5%
2	12.3	3	18.1	1	6.1	6.1	4.5	6.8
162		166		163		62,223		95,798
								4,112,052

Note: Infant health indicators for cities/towns with fewer than 1,000 births are not reliable.

Health Status Indicators for Cities and Towns 2003-2005

Fountain Hills

Selected Reportable Diseases

	Fountain Hills						Comparisons			
	2003		2004		2005		Rate per 100,000 Population			
	<u>Number</u>	<u>Rate per 100,000</u>	<u>Number</u>	<u>Rate per 100,000</u>	<u>Number</u>	<u>Rate per 100,000</u>	<u>Maricopa County, 2005</u>	<u>H.P. 2010</u>	<u>Arizona 2005</u>	<u>U.S. 2004</u>
Vaccine Preventable										
<i>H. influenzae</i>	0	0.0	1	4.4	0	0.0	1.7	0.0		0.7
Measles	0	0.0	0	0.0	0	0.0	0	0.0	0.0	0.0
Mumps	0	0.0	0	0.0	0	0.0	0.0	0.0	0.0	0.1
Pertussis	0	0.0	1	4.4	1	4.3	6.8	0.0	8.0	8.9
Central Nervous System										
Encephalitis	0	0.0	0	0.0	0	0.0	0.6		0.4	
Meningitis - Aseptic	8	36.0	2	8.9	1	4.3	19.9		13.8	
Meningococcal Disease	0	0.0	0	0.0	0	0.0	0.6	1.0	0.6	0.5
Enterics										
Amebiasis	0	0.0	0	0.0	0	0.0	0.3		0.3	
Botulism	0	0.0	0	0.0	0	0.0	0.0		0.0	0.0
Campylobacteriosis	0	0.0	0	0.0	0	0.0	13.8	12.3	14.3	
Cryptosporidiosis	0	0.0	0	0.0	0	0.0	0.2		0.2	1.2
<i>E. Coli</i> O157:H7	1	4.5	0	0.0	2	8.6	0.8	1.0	0.6	0.9
Giardiasis	0	0.0	1	4.4	0	0.0	3.3		3.0	8.3
Hemolytic Uremic Syndrome	0	0.0	0	0.0	0	0.0	0.1			0.1
Listeriosis	0	0.0	0	0.0	0	0.0	0.2	0.25	0.2	0.3
Salmonellosis	2	9.0	3	13.3	1	4.3	10.4	6.8	12.2	14.5
Shigellosis	0	0.0	0	0.0	0	0.0	6.8		9.0	5.0
Typhoid	0	0.0	0	0.0	0	0.0	0.1		0.1	0.1
Vibrioses	0	0.0	0	0.0	0	0.0	0.4		0.3	
Yersiniosis	0	0.0	1	4.4	0	0.0	0.0		0.1	
Mycosis										
Coccidioidomycosis	22	98.9	45	199.6	52	224.0	67.7		58.1	4.1
Zoonoses/Vectorborne										
Brucellosis	0	0.0	0	0.0	0	0.0	0.1		0.1	0.0
Hantavirus Pulmonary Syndrome	0	0.0	0	0.0	0	0.0	0		0.1	0.0
Malaria	0	0.0	0	0.0	0	0.0	0.4		0.3	0.5
West Nile Virus	0	0.0	0	0.0	2	8.6	2.2		1.8	0.4
Hepatitides										
Hepatitis A	0	0.0	0	0.0	0	0.0	1.9	4.5	3.2	1.9
Hepatitis B	0	0.0	0	0.0	1	4.3	6.6	2.4-9.0	6.2	2.1
Other										
Legionellosis	0	0.0	0	0.0	1	4.3	0.4		0.4	0.7
Streptococcal Inv. Pneumonia	1	4.5	2	8.9	3	12.9	13.0		12.0	0.6
Streptococcal Inf. Group A	1	4.5	0	0.0	1	4.3	4.6		5.0	1.8
Streptococcal Inf. Group B***	0	0.0	0	0.0	0	0.0	0.5	0.5	0.5	
Vancomycin res. <i>Enterococcus</i>	9	40.5	15	66.5	13	56.0	37.5		32.4	

***Streptococcal Inf. Group B rates are per 1,000 live births

Health Status Indicators for Cities and Towns 2003-2005

Fountain Hills

Selected Causes of Death

Cause of Death	Fountain Hills						Comparisons			
	2003		2004		2005		Maricopa County, 2005	Healthy People 2010	Arizona 2005	U.S. 2004
	Number	Rate per 100,000	Number	Rate per 100,000	Number	Rate per 100,000				
Tuberculosis	0	0.0	0	0.0	0	0.0	0.2		0.3	0.2
Syphilis	0	0.0	0	0.0	0	0.0	0		0.0	0.0
HIV Disease	0	0.0	0	0.0	0	0.0	2.6	0.7	2.2	4.4
Malignant Neoplasms	47	211.3	61	270.6	46	198.1	142.4	159.9	160.0	187.4
Malignant Neoplasm Stomach	0	0.0	2	8.9	1	4.3	3.0		3.3	4.0
Malignant Neoplasm Colon	6	27.0	5	22.2	3	12.9	14.1	13.9	15.1	18.3
Malignant Neoplasm Pancreas	4	18.0	5	22.2	1	4.3	8.8		9.6	10.7
Malig. Neo. Bronchus, Lung	15	67.4	15	66.5	12	51.7	37.2	44.9	43.1	53.5
Malignant Neoplasm Breast	2	9.0	8	35.5	2	8.6	9.8	22.3*	11.2	13.9
Mal. Neo. Uterus, Cervix, Ovary	1	4.5	3	13.3	1	4.3	6.8		7.7	8.7
Malig. Neoplasm Prostate	1	4.5	4	17.7	7	30.2	8.1	28.8*	9.3	9.8
Malignant Neoplasm Urinary	4	18.0	5	22.2	3	12.9	7.6		8.1	8.5
Non-Hodgkins Lymphoma	0	0.0	2	8.9	1	4.3	6.1		6.3	7.1
Leukemia	2	9.0	2	8.9	2	8.6	5.7		6.1	7.3
Other Malignant Neoplasms	12	53.9	10	44.4	13	56.0	35.3		40.2	45.6
Diabetes	3	13.5	4	17.7	5	21.5	16.4	7.8	19.8	24.8
Alzheimers	16	71.9	10	44.4	6	25.8	34.3		30.0	22.4
Major Cardiovascular Diseases	61	274.2	55	244.0	65	280.0	217.7		234.0	293.8
Disease of Heart	55	247.3	36	159.7	49	211.1	165.3	166.0	178.3	222.7
Hypertensive Heart Disease	1	4.5	1	4.4	0	0.0	9.5		8.1	9.6
Ischemic Heart Disease	42	188.8	30	133.1	38	163.7	133.4		133.3	154.0
Other Heart Disease	12	53.9	5	22.2	11	47.4	22.5		35.4	57.0
Primary Hypertension	0	0.0	3	13.3	1	4.3	7.3		6.5	7.8
Cerebrovascular	3	13.5	13	57.7	6	25.8	34.9	48.0	38.5	51.1
Atherosclerosis	2	9.0	1	4.4	6	25.8	4.7		4.6	4.1
Other Circulatory	1	4.5	2	8.9	3	12.9	5.5		6.1	8.1

(continued on next page)

Health Status Indicators for Cities and Towns 2003-2005

Fountain Hills

Selected Causes of Death, cont.

Cause of Death	Fountain Hills						Comparisons			
	2003		2004		2005		Maricopa County, 2005	Healthy People 2010	Arizona 2005	U.S. 2004
	Number	Rate per 100,000	Number	Rate per 100,000	Number	Rate per 100,000				
Influenza & Pneumonia	4	18.0	4	17.7	7	30.2	19.7		21.2	20.9
Chronic Lower Respiratory	11	49.5	6	26.6	7	30.2	41.4		46.0	42.2
Peptic Ulcer	0	0.0	0	0.0	0	0.0	1.2		1.1	1.3
Liver Disease	1	4.5	3	13.3	3	12.9	10.4		12.4	9.0
Nephritis	1	4.5	0	0.0	3	12.9	5.8		10.0	14.6
Pregnancy	1	4.5	0	0.0	0	0.0	0.2		0.1	0.2
Perinatal Conditions	1	4.5	1	4.4	1	4.3	5.0		4.9	4.8
Congenital Malformations	0	0.0	2	8.9	0	0.0	3.4		3.8	3.6
SIDS	0	0.0	1	4.4	0	0.0	0.4			
Symptoms, Signs ex. SIDS	1	4.5	0	0.0	8	34.5	14.1			
All Other Diseases	23	103.4	30	133.1	32	137.8	98.3			
Motor Vehicle Accidents	1	4.5	2	8.9	5	21.5	16.1	9.2	18.8	15.0
All Other Acc. & Adverse Effects	4	18.0	6	26.6	8	34.5	30.2		30.9	22.0
Suicide	1	4.5	5	22.2	3	12.9	13.4	5.0	15.1	10.8
Homicide	0	0.0	1	4.4	0	0.0	9.1	3.0	8.3	5.7
All Other External Causes	0	0.0	1	4.4	0	0.0	2.5			
Unknown	0	0.0	0	0.0	0	0.0	0.2			
Total	176	791.3	192	851.8	199	857.1	684.8		746.3	816.7

*HP 2010 goals are breast cancer in females and prostate cancer in males

Health Status Indicators for Cities and Towns 2003-2005

Gila Bend

Population Statistics

Population in 2000

Estimated Population

2003

2004

2005

Age Distribution 2005

Under 20 years old

20 - 44 years old

45 - 64 years old

65 and older

Dependency ratio

Gila Bend		Maricopa County		Arizona	U.S.
1,980		3,072,149		5,130,632	281,421,906
Number	% Inc. from 2000	Number	% Inc. from 2000	Number	Number
2,026	2.3%	3,388,711	10.3%	5,577,784	290,850,005
2,032	2.6%	3,498,587	13.9%	5,739,879	293,656,842
2,055	3.8%	3,635,528	18.3%	5,939,292	296,410,404
Number	% Distribution	Number	% Distribution	% Distribution	% Distribution
760	37.0%	1,090,113	30.0%	29.3%	27.6%
514	25.0%	1,352,420	37.2%	35.4%	35.4%
411	20.0%	789,942	21.7%	22.5%	24.6%
164	8.0%	403,053	11.1%	12.8%	12.4%
1.00		0.70		0.73	0.67

Infant Health Indicators

Low weight births (under 2500 grams) - % of live births

Births to teen mothers - % of live births

Infant mortality per 1,000 live births

Total Births

Gila Bend						Comparisons		
2003		2004		2005		Maricopa County, 2005	Healthy People 2010	Arizona 2005
Number	Percent or Rate	Number	Percent or Rate	Number	Percent or Rate			U.S. 2004
5	6.7%	<5		<5		6.8%	5.0%	6.9%
13	17.3%	11	18.6%	6	12.2%	11.6%	(-)	12.5%
1	13.3	1	16.9	1	20.4	6.1	4.5	6.8
75		59		49		62,223		95,798
								4,112,052

Note: Infant health indicators for cities/towns with fewer than 1,000 births are not reliable.

Health Status Indicators for Cities and Towns 2003-2005

Gila Bend

Selected Reportable Diseases

	Gila Bend						Comparisons			
	2003		2004		2005		Rate per 100,000 Population			
	<u>Number</u>	<u>Rate per 100,000</u>	<u>Number</u>	<u>Rate per 100,000</u>	<u>Number</u>	<u>Rate per 100,000</u>	<u>Maricopa County, 2005</u>	<u>H.P. 2010</u>	<u>Arizona 2005</u>	<u>U.S. 2004</u>
Vaccine Preventable										
<i>H. influenzae</i>	0	0.0	0	0.0	0	0.0	1.7	0.0		0.7
Measles	0	0.0	0	0.0	0	0.0	0	0.0	0.0	0.0
Mumps	0	0.0	0	0.0	0	0.0	0.0	0.0	0.0	0.1
Pertussis	0	0.0	0	0.0	0	0.0	6.8	0.0	8.0	8.9
Central Nervous System										
Encephalitis	0	0.0	0	0.0	0	0.0	0.6		0.4	
Meningitis - Aseptic	0	0.0	0	0.0	0	0.0	19.9		13.8	
Meningococcal Disease	0	0.0	0	0.0	0	0.0	0.6	1.0	0.6	0.5
Enterics										
Amebiasis	1	49.4	0	0.0	0	0.0	0.3		0.3	
Botulism	0	0.0	0	0.0	0	0.0	0.0		0.0	0.0
Campylobacteriosis	2	98.7	0	0.0	0	0.0	13.8	12.3	14.3	
Cryptosporidiosis	0	0.0	0	0.0	0	0.0	0.2		0.2	1.2
<i>E. Coli</i> O157:H7	0	0.0	0	0.0	0	0.0	0.8	1.0	0.6	0.9
Giardiasis	0	0.0	0	0.0	0	0.0	3.3		3.0	8.3
Hemolytic Uremic Syndrome	0	0.0	0	0.0	0	0.0	0.1			0.1
Listeriosis	0	0.0	0	0.0	0	0.0	0.2	0.25	0.2	0.3
Salmonellosis	0	0.0	0	0.0	0	0.0	10.4	6.8	12.2	14.5
Shigellosis	1	49.4	0	0.0	1	48.7	6.8		9.0	5.0
Typhoid	0	0.0	0	0.0	0	0.0	0.1		0.1	0.1
Vibrioses	0	0.0	0	0.0	0	0.0	0.4		0.3	
Yersiniosis	0	0.0	0	0.0	0	0.0	0.0		0.1	
Mycosis										
Coccidioidomycosis	2	98.7	2	98.4	2	97.3	67.7		58.1	4.1
Zoonoses/Vectorborne										
Brucellosis	0	0.0	0	0.0	0	0.0	0.1		0.1	0.0
Hantavirus Pulmonary Syndrome	0	0.0	0	0.0	0	0.0	0		0.1	0.0
Malaria	0	0.0	0	0.0	0	0.0	0.4		0.3	0.5
West Nile Virus	0	0.0	0	0.0	1	48.7	2.2		1.8	0.4
Hepatitides										
Hepatitis A	1	49.4	0	0.0	0	0.0	1.9	4.5	3.2	1.9
Hepatitis B	0	0.0	1	49.2	0	0.0	6.6	2.4-9.0	6.2	2.1
Other										
Legionellosis	0	0.0	0	0.0	0	0.0	0.4		0.4	0.7
Streptococcal Inv. Pneumonia	2	98.7	1	49.2	0	0.0	13.0		12.0	0.6
Streptococcal Inf. Group A	3	148.1	0	0.0	1	48.7	4.6		5.0	1.8
Streptococcal Inf. Group B***	0	0.0	0	0.0	0	0.0	0.5	0.5	0.5	
Vancomycin res. <i>Enterococcus</i>	2	98.7	0	0.0	0	0.0	37.5		32.4	

***Streptococcal Inf. Group B rates are per 1,000 live births

Health Status Indicators for Cities and Towns 2003-2005

Gila Bend

Selected Causes of Death

Cause of Death	Gila Bend						Comparisons			
	2003		2004		2005		Maricopa County, 2005	Healthy People 2010	Arizona 2005	U.S. 2004
	Number	Rate per 100,000	Number	Rate per 100,000	Number	Rate per 100,000				
Tuberculosis	0	0.0	0	0.0	0	0.0	0.2		0.3	0.2
Syphilis	0	0.0	0	0.0	0	0.0	0		0.0	0.0
HIV Disease	0	0.0	0	0.0	0	0.0	2.6	0.7	2.2	4.4
Malignant Neoplasms	4	197.4	5	246.1	4	194.6	142.4	159.9	160.0	187.4
Malignant Neoplasm Stomach	0	0.0	0	0.0	0	0.0	3.0		3.3	4.0
Malignant Neoplasm Colon	1	49.4	1	49.2	0	0.0	14.1	13.9	15.1	18.3
Malignant Neoplasm Pancreas	0	0.0	0	0.0	2	97.3	8.8		9.6	10.7
Malig. Neo. Bronchus, Lung	0	0.0	2	98.4	1	48.7	37.2	44.9	43.1	53.5
Malignant Neoplasm Breast	0	0.0	0	0.0	0	0.0	9.8	22.3*	11.2	13.9
Mal. Neo. Uterus, Cervix, Ovary	0	0.0	0	0.0	0	0.0	6.8		7.7	8.7
Malig. Neoplasm Prostate	0	0.0	0	0.0	0	0.0	8.1	28.8*	9.3	9.8
Malignant Neoplasm Urinary	1	49.4	0	0.0	0	0.0	7.6		8.1	8.5
Non-Hodgkins Lymphoma	0	0.0	0	0.0	0	0.0	6.1		6.3	7.1
Leukemia	0	0.0	1	49.2	1	48.7	5.7		6.1	7.3
Other Malignant Neoplasms	2	98.7	1	49.2	0	0.0	35.3		40.2	45.6
Diabetes	0	0.0	1	49.2	0	0.0	16.4	7.8	19.8	24.8
Alzheimers	0	0.0	2	98.4	1	48.7	34.3		30.0	22.4
Major Cardiovascular Diseases	10	493.6	4	196.9	7	340.6	217.7		234.0	293.8
Disease of Heart	9	444.2	2	98.4	4	194.6	165.3	166.0	178.3	222.7
Hypertensive Heart Disease	1	49.4	0	0.0	0	0.0	9.5		8.1	9.6
Ischemic Heart Disease	5	246.8	2	98.4	4	194.6	133.4		133.3	154.0
Other Heart Disease	3	148.1	0	0.0	0	0.0	22.5		35.4	57.0
Primary Hypertension	0	0.0	1	49.2	0	0.0	7.3		6.5	7.8
Cerebrovascular	0	0.0	1	49.2	3	146.0	34.9	48.0	38.5	51.1
Atherosclerosis	0	0.0	0	0.0	0	0.0	4.7		4.6	4.1
Other Circulatory	1	49.4	0	0.0	0	0.0	5.5		6.1	8.1

(continued on next page)

Health Status Indicators for Cities and Towns 2003-2005

Gila Bend

Selected Causes of Death, cont.

Cause of Death	Gila Bend						Comparisons			
	2003		2004		2005		Maricopa County, 2005	Healthy People 2010	Arizona 2005	U.S. 2004
	Number	Rate per 100,000	Number	Rate per 100,000	Number	Rate per 100,000				
Influenza & Pneumonia	0	0.0	2	98.4	0	0.0	19.7		21.2	20.9
Chronic Lower Respiratory	1	49.4	1	49.2	2	97.3	41.4		46.0	42.2
Peptic Ulcer	0	0.0	0	0.0	0	0.0	1.2		1.1	1.3
Liver Disease	1	49.4	0	0.0	1	48.7	10.4		12.4	9.0
Nephritis	0	0.0	0	0.0	1	48.7	5.8		10.0	14.6
Pregnancy	0	0.0	0	0.0	0	0.0	0.2		0.1	0.2
Perinatal Conditions	1	49.4	0	0.0	0	0.0	5.0		4.9	4.8
Congenital Malformations	0	0.0	0	0.0	0	0.0	3.4		3.8	3.6
SIDS	0	0.0	0	0.0	0	0.0	0.4			
Symptoms, Signs ex. SIDS	0	0.0	5	246.1	0	0.0	14.1			
All Other Diseases	4	197.4	3	147.6	3	146.0	98.3			
Motor Vehicle Accidents	0	0.0	2	98.4	2	97.3	16.1	9.2	18.8	15.0
All Other Acc. & Adverse Effects	4	197.4	1	49.2	4	194.6	30.2		30.9	22.0
Suicide	1	49.4	0	0.0	0	0.0	13.4	5.0	15.1	10.8
Homicide	0	0.0	1	49.2	0	0.0	9.1	3.0	8.3	5.7
All Other External Causes	0	0.0	0	0.0	1	48.7	2.5			
Unknown	1	49.4	0	0.0	0	0.0	0.2			
Total	27	1332.7	27	1328.7	26	1265.2	684.8		746.3	816.7

*HP 2010 goals are breast cancer in females and prostate cancer in males

Health Status Indicators for Cities and Towns 2003-2005

Gilbert

Population Statistics

Population in 2000

Estimated Population

2003

2004

2005

Age Distribution 2005

Under 20 years old

20 - 44 years old

45 - 64 years old

65 and older

Dependency ratio

Gilbert		Maricopa County		Arizona	U.S.
109,697		3,072,149		5,130,632	281,421,906
Number	% Inc. from 2000	Number	% Inc. from 2000	Number	Number
145,690	32.8%	3,388,711	10.3%	5,577,784	290,850,005
156,816	43.0%	3,498,587	13.9%	5,739,879	293,656,842
173,989	58.6%	3,635,528	18.3%	5,939,292	296,410,404
Number	% Distribution	Number	% Distribution	% Distribution	% Distribution
64,376	37.0%	1,090,113	30.0%	29.3%	27.6%
74,815	43.0%	1,352,420	37.2%	35.4%	35.4%
29,578	17.0%	789,942	21.7%	22.5%	24.6%
6,960	4.0%	403,053	11.1%	12.8%	12.4%
0.68		0.70		0.73	0.67

Infant Health Indicators

Low weight births (under 2500 grams) - % of live births

Births to teen mothers - % of live births

Infant mortality per 1,000 live births

Total Births

Gilbert						Comparisons		
2003		2004		2005		Maricopa County, 2005	Healthy People 2010	Arizona 2005
Number	Percent or Rate	Number	Percent or Rate	Number	Percent or Rate			U.S. 2004
169	6.4%	184	6.6%	182	6.2%	6.8%	5.0%	6.9%
92	3.5%	86	3.1%	103	3.5%	11.6%	(-)	12.5%
11	4.1	18	6.4	14	4.8	6.1	4.5	6.8
2,661		2,803		2,929		62,223		95,798
								4,112,052

Health Status Indicators for Cities and Towns 2003-2005

Gilbert

Selected Reportable Diseases

	Gilbert						Comparisons			
	2003		2004		2005		Rate per 100,000 Population			
	Number	Rate per 100,000	Number	Rate per 100,000	Number	Rate per 100,000	Maricopa County, 2005	H.P. 2010	Arizona 2005	U.S. 2004
Vaccine Preventable										
<i>H. influenzae</i>	2	1.4	0	0.0	1	0.6	1.7	0.0		0.7
Measles	0	0.0	0	0.0	0	0.0	0	0.0	0.0	0.0
Mumps	0	0.0	0	0.0	0	0.0	0.0	0.0	0.0	0.1
Pertussis	0	0.0	15	9.6	5	2.9	6.8	0.0	8.0	8.9
Central Nervous System										
Encephalitis	1	0.7	2	1.3	0	0.0	0.6		0.4	
Meningitis - Aseptic	25	17.2	13	8.3	19	10.9	19.9		13.8	
Meningococcal Disease	1	0.7	0	0.0	0	0.0	0.6	1.0	0.6	0.5
Enterics										
Amebiasis	0	0.0	0	0.0	0	0.0	0.3		0.3	
Botulism	0	0.0	0	0.0	0	0.0	0.0		0.0	0.0
Campylobacteriosis	13	8.9	19	12.1	12	6.9	13.8	12.3	14.3	
Cryptosporidiosis	0	0.0	0	0.0	0	0.0	0.2		0.2	1.2
<i>E. Coli</i> O157:H7	2	1.4	1	0.6	0	0.0	0.8	1.0	0.6	0.9
Giardiasis	2	1.4	3	1.9	2	1.1	3.3		3.0	8.3
Hemolytic Uremic Syndrome	0	0.0	0	0.0	0	0.0	0.1			0.1
Listeriosis	0	0.0	0	0.0	0	0.0	0.2	0.25	0.2	0.3
Salmonellosis	9	6.2	18	11.5	14	8.0	10.4	6.8	12.2	14.5
Shigellosis	5	3.4	3	1.9	2	1.1	6.8		9.0	5.0
Typhoid	0	0.0	0	0.0	0	0.0	0.1		0.1	0.1
Vibrioses	1	0.7	0	0.0	1	0.6	0.4		0.3	
Yersiniosis	0	0.0	0	0.0	0	0.0	0.0		0.1	
Mycosis										
Coccidioidomycosis	70	48.0	82	52.3	80	46.0	67.7		58.1	4.1
Zoonoses/Vectorborne										
Brucellosis	0	0.0	0	0.0	0	0.0	0.1		0.1	0.0
Hantavirus Pulmonary Syndrome	0	0.0	0	0.0	0	0.0	0		0.1	0.0
Malaria	1	0.7	0	0.0	0	0.0	0.4		0.3	0.5
West Nile Virus	0	0.0	10	6.4	0	0.0	2.2		1.8	0.4
Hepatitides										
Hepatitis A	0	0.0	4	2.6	1	0.6	1.9	4.5	3.2	1.9
Hepatitis B	2	1.4	8	5.1	2	1.1	6.6	2.4-9.0	6.2	2.1
Other										
Legionellosis	1	0.7	0	0.0	0	0.0	0.4		0.4	0.7
Streptococcal Inv. Pneumonia	4	2.7	7	4.5	7	4.0	13.0		12.0	0.6
Streptococcal Inf. Group A	7	4.8	3	1.9	2	1.1	4.6		5.0	1.8
Streptococcal Inf. Group B***	1	0.4	1	0.4	2	0.7	0.5	0.5	0.5	
Vancomycin res. <i>Enterococcus</i>	2	1.4	17	10.8	23	13.2	37.5		32.4	

***Streptococcal Inf. Group B rates are per 1,000 live births

Health Status Indicators for Cities and Towns 2003-2005

Gilbert

Selected Causes of Death

Cause of Death	Gilbert						Comparisons			
	2003		2004		2005		Maricopa County, 2005	Healthy People 2010	Arizona 2005	U.S. 2004
	Number	Rate per 100,000	Number	Rate per 100,000	Number	Rate per 100,000				
Tuberculosis	0	0.0	0	0.0	0	0.0	0.2		0.3	0.2
Syphilis	0	0.0	0	0.0	0	0.0	0		0.0	0.0
HIV Disease	<5		<5		0	0.0	2.6	0.7	2.2	4.4
Malignant Neoplasms	114	78.2	104	66.3	112	64.4	142.4	159.9	160.0	187.4
Malignant Neoplasm Stomach	2	1.4	0	0.0	0	0.0	3.0		3.3	4.0
Malignant Neoplasm Colon	15	10.3	15	9.6	13	7.5	14.1	13.9	15.1	18.3
Malignant Neoplasm Pancreas	6	4.1	9	5.7	7	4.0	8.8		9.6	10.7
Malig. Neo. Bronchus, Lung	26	17.8	28	17.9	22	12.6	37.2	44.9	43.1	53.5
Malignant Neoplasm Breast	12	8.2	5	3.2	9	5.2	9.8	22.3*	11.2	13.9
Mal. Neo. Uterus, Cervix, Ovary	4	2.7	6	3.8	3	1.7	6.8		7.7	8.7
Malig. Neoplasm Prostate	8	5.5	3	1.9	5	2.9	8.1	28.8*	9.3	9.8
Malignant Neoplasm Urinary	2	1.4	1	0.6	2	1.1	7.6		8.1	8.5
Non-Hodgkins Lymphoma	7	4.8	1	0.6	6	3.4	6.1		6.3	7.1
Leukemia	3	2.1	7	4.5	7	4.0	5.7		6.1	7.3
Other Malignant Neoplasms	29	19.9	29	18.5	38	21.8	35.3		40.2	45.6
Diabetes	9	6.2	11	7.0	16	9.2	16.4	7.8	19.8	24.8
Alzheimers	20	13.7	22	14.0	26	14.9	34.3		30.0	22.4
Major Cardiovascular Diseases	130	89.2	150	95.7	170	97.7	217.7		234.0	293.8
Disease of Heart	86	59.0	116	74.0	120	69.0	165.3	166.0	178.3	222.7
Hypertensive Heart Disease	4	2.7	8	5.1	10	5.7	9.5		8.1	9.6
Ischemic Heart Disease	63	43.2	90	57.4	91	52.3	133.4		133.3	154.0
Other Heart Disease	19	13.0	18	11.5	19	10.9	22.5		35.4	57.0
Primary Hypertension	7	4.8	5	3.2	14	8.0	7.3		6.5	7.8
Cerebrovascular	33	22.7	25	15.9	25	14.4	34.9	48.0	38.5	51.1
Atherosclerosis	2	1.4	1	0.6	5	2.9	4.7		4.6	4.1
Other Circulatory	2	1.4	3	1.9	6	3.4	5.5		6.1	8.1

(continued on next page)

Health Status Indicators for Cities and Towns 2003-2005

Gilbert

Selected Causes of Death, cont.

Cause of Death	Gilbert						Comparisons			
	2003		2004		2005		Maricopa County, 2005	Healthy People 2010	Arizona 2005	U.S. 2004
	Number	Rate per 100,000	Number	Rate per 100,000	Number	Rate per 100,000				
Influenza & Pneumonia	7	4.8	10	6.4	11	6.3	19.7		21.2	20.9
Chronic Lower Respiratory	18	12.4	15	9.6	25	14.4	41.4		46.0	42.2
Peptic Ulcer	1	0.7	0	0.0	1	0.6	1.2		1.1	1.3
Liver Disease	2	1.4	7	4.5	9	5.2	10.4		12.4	9.0
Nephritis	3	2.1	5	3.2	7	4.0	5.8		10.0	14.6
Pregnancy	0	0.0	0	0.0	0	0.0	0.2		0.1	0.2
Perinatal Conditions	7	4.8	9	5.7	7	4.0	5.0		4.9	4.8
Congenital Malformations	4	2.7	8	5.1	3	1.7	3.4		3.8	3.6
SIDS	0	0.0	0	0.0	0	0.0	0.4			
Symptoms, Signs ex. SIDS	4	2.7	4	2.6	4	2.3	14.1			
All Other Diseases	54	37.1	55	35.1	86	49.4	98.3			
Motor Vehicle Accidents	14	9.6	11	7.0	23	13.2	16.1	9.2	18.8	15.0
All Other Acc. & Adverse Effects	11	7.6	24	15.3	21	12.1	30.2		30.9	22.0
Suicide	17	11.7	13	8.3	10	5.7	13.4	5.0	15.1	10.8
Homicide	4	2.7	3	1.9	2	1.1	9.1	3.0	8.3	5.7
All Other External Causes	0	0.0	0	0.0	2	1.1	2.5			
Unknown	3	2.1	0	0.0	0	0.0	0.2			
Total	422	289.7	451	287.6	535	307.5	684.8		746.3	816.7

*HP 2010 goals are breast cancer in females and prostate cancer in males

Health Status Indicators for Cities and Towns 2003-2005

Glendale

Population Statistics

Population in 2000

Estimated Population

2003

2004

2005

Age Distribution 2005

Under 20 years old

20 - 44 years old

45 - 64 years old

65 and older

Dependency ratio

Glendale		Maricopa County		Arizona	U.S.
218,812		3,072,149		5,130,632	281,421,906
Number	% Inc. from 2000	Number	% Inc. from 2000	Number	Number
232,726	6.4%	3,388,711	10.3%	5,577,784	290,850,005
235,351	7.6%	3,498,587	13.9%	5,739,879	293,656,842
239,435	9.4%	3,635,528	18.3%	5,939,292	296,410,404
Number	% Distribution	Number	% Distribution	% Distribution	% Distribution
79,014	33.0%	1,090,113	30.0%	29.3%	27.6%
93,380	39.0%	1,352,420	37.2%	35.4%	35.4%
47,887	20.0%	789,942	21.7%	22.5%	24.6%
16,760	7.0%	403,053	11.1%	12.8%	12.4%
0.68		0.70		0.73	0.67

Infant Health Indicators

Low weight births (under 2500 grams) - % of live births

Births to teen mothers - % of live births

Infant mortality per 1,000 live births

Total Births

Glendale						Comparisons		
2003		2004		2005		Maricopa County, 2005	Healthy People 2010	Arizona 2005
Number	Percent or Rate	Number	Percent or Rate	Number	Percent or Rate			U.S. 2004
365	7.4%	378	7.8%	346	7.0%	6.8%	5.0%	6.9%
656	13.4%	646	13.3%	648	13.2%	11.6%	(-)	12.5%
26	5.3	33	6.8	36	7.3	6.1	4.5	6.8
4,902		4,844		4,909		62,223		95,798
								4,112,052

Health Status Indicators for Cities and Towns 2003-2005

Glendale

Selected Reportable Diseases

	Glendale						Comparisons			
	2003		2004		2005		Rate per 100,000 Population			
	Number	Rate per 100,000	Number	Rate per 100,000	Number	Rate per 100,000	Maricopa County, 2005	H.P. 2010	Arizona 2005	U.S. 2004
Vaccine Preventable										
<i>H. influenzae</i>	2	0.9	4	1.7	3	1.3	1.7	0.0		0.7
Measles	0	0.0	0	0.0	0	0.0	0	0.0	0.0	0.0
Mumps	0	0.0	0	0.0	0	0.0	0.0	0.0	0.0	0.1
Pertussis	9	3.9	6	2.5	29	12.1	6.8	0.0	8.0	8.9
Central Nervous System										
Encephalitis	1	0.4	2	0.8	4	1.7	0.6		0.4	
Meningitis - Aseptic	157	67.5	64	27.2	89	37.2	19.9		13.8	
Meningococcal Disease	4	1.7	0	0.0	2	0.8	0.6	1.0	0.6	0.5
Enterics										
Amebiasis	0	0.0	1	0.4	2	0.8	0.3		0.3	
Botulism	0	0.0	0	0.0	0	0.0	0.0		0.0	0.0
Campylobacteriosis	35	15.0	39	16.6	25	10.4	13.8	12.3	14.3	
Cryptosporidiosis	0	0.0	1	0.4	1	0.4	0.2		0.2	1.2
<i>E. Coli</i> O157:H7	1	0.4	3	1.3	1	0.4	0.8	1.0	0.6	0.9
Giardiasis	20	8.6	6	2.5	7	2.9	3.3		3.0	8.3
Hemolytic Uremic Syndrome	0	0.0	0	0.0	1	0.4	0.1			0.1
Listeriosis	0	0.0	0	0.0	0	0.0	0.2	0.25	0.2	0.3
Salmonellosis	21	9.0	29	12.3	26	10.9	10.4	6.8	12.2	14.5
Shigellosis	14	6.0	13	5.5	13	5.4	6.8		9.0	5.0
Typhoid	1	0.4	0	0.0	0	0.0	0.1		0.1	0.1
Vibrioses	0	0.0	1	0.4	0	0.0	0.4		0.3	
Yersiniosis	0	0.0	0	0.0	0	0.0	0.0		0.1	
Mycosis										
Coccidioidomycosis	130	55.9	147	62.5	143	59.7	67.7		58.1	4.1
Zoonoses/Vectorborne										
Brucellosis	0	0.0	0	0.0	0	0.0	0.1		0.1	0.0
Hantavirus Pulmonary Syndrome	0	0.0	0	0.0	0	0.0	0		0.1	0.0
Malaria	0	0.0	2	0.8	0	0.0	0.4		0.3	0.5
West Nile Virus	0	0.0	30	12.7	1	0.4	2.2		1.8	0.4
Hepatitides										
Hepatitis A	10	4.3	9	3.8	6	2.5	1.9	4.5	3.2	1.9
Hepatitis B	18	7.7	8	3.4	17	7.1	6.6	2.4-9.0	6.2	2.1
Other										
Legionellosis	0	0.0	0	0.0	1	0.4	0.4		0.4	0.7
Streptococcal Inv. Pneumonia	26	11.2	28	11.9	23	9.6	13.0		12.0	0.6
Streptococcal Inf. Group A	7	3.0	13	5.5	9	3.8	4.6		5.0	1.8
Streptococcal Inf. Group B***	2	0.4	1	0.2	2	0.4	0.5	0.5	0.5	
Vancomycin res. <i>Enterococcus</i>	29	12.5	39	16.6	73	30.5	37.5		32.4	

***Streptococcal Inf. Group B rates are per 1,000 live births

Health Status Indicators for Cities and Towns 2003-2005

Glendale

Selected Causes of Death

Cause of Death	Glendale						Comparisons			
	2003		2004		2005		Maricopa County, 2005	Healthy People 2010	Arizona 2005	U.S. 2004
	Number	Rate per 100,000	Number	Rate per 100,000	Number	Rate per 100,000				
Tuberculosis	0	0.0	1	0.4	0	0.0	0.2		0.3	0.2
Syphilis	0	0.0	0	0.0	0	0.0	0		0.0	0.0
HIV Disease	6	2.6	6	2.5	10	4.2	2.6	0.7	2.2	4.4
Malignant Neoplasms	374	160.7	393	167.0	374	156.2	142.4	159.9	160.0	187.4
Malignant Neoplasm Stomach	9	3.9	8	3.4	11	4.6	3.0		3.3	4.0
Malignant Neoplasm Colon	44	18.9	35	14.9	42	17.5	14.1	13.9	15.1	18.3
Malignant Neoplasm Pancreas	20	8.6	19	8.1	22	9.2	8.8		9.6	10.7
Malig. Neo. Bronchus, Lung	119	51.1	108	45.9	101	42.2	37.2	44.9	43.1	53.5
Malignant Neoplasm Breast	23	9.9	32	13.6	27	11.3	9.8	22.3*	11.2	13.9
Mal. Neo. Uterus, Cervix, Ovary	16	6.9	18	7.6	19	7.9	6.8		7.7	8.7
Malig. Neoplasm Prostate	16	6.9	21	8.9	20	8.4	8.1	28.8*	9.3	9.8
Malignant Neoplasm Urinary	12	5.2	20	8.5	16	6.7	7.6		8.1	8.5
Non-Hodgkins Lymphoma	9	3.9	14	5.9	13	5.4	6.1		6.3	7.1
Leukemia	16	6.9	14	5.9	11	4.6	5.7		6.1	7.3
Other Malignant Neoplasms	90	38.7	104	44.2	92	38.4	35.3		40.2	45.6
Diabetes	44	18.9	47	20.0	43	18.0	16.4	7.8	19.8	24.8
Alzheimers	95	40.8	85	36.1	81	33.8	34.3		30.0	22.4
Major Cardiovascular Diseases	546	234.6	598	254.1	544	227.2	217.7		234.0	293.8
Disease of Heart	410	176.2	443	188.2	413	172.5	165.3	166.0	178.3	222.7
Hypertensive Heart Disease	27	11.6	28	11.9	26	10.9	9.5		8.1	9.6
Ischemic Heart Disease	321	137.9	340	144.5	322	134.5	133.4		133.3	154.0
Other Heart Disease	62	26.6	75	31.9	65	27.1	22.5		35.4	57.0
Primary Hypertension	16	6.9	20	8.5	14	5.8	7.3		6.5	7.8
Cerebrovascular	101	43.4	113	48.0	99	41.3	34.9	48.0	38.5	51.1
Atherosclerosis	6	2.6	7	3.0	6	2.5	4.7		4.6	4.1
Other Circulatory	13	5.6	15	6.4	12	5.0	5.5		6.1	8.1

(continued on next page)

Health Status Indicators for Cities and Towns 2003-2005

Glendale

Selected Causes of Death, cont.

Cause of Death	Glendale						Comparisons			
	2003		2004		2005		Maricopa County, 2005	Healthy People 2010	Arizona 2005	U.S. 2004
	Number	Rate per 100,000	Number	Rate per 100,000	Number	Rate per 100,000				
Influenza & Pneumonia	40	17.2	41	17.4	44	18.4	19.7		21.2	20.9
Chronic Lower Respiratory	104	44.7	82	34.8	122	51.0	41.4		46.0	42.2
Peptic Ulcer	1	0.4	6	2.5	1	0.4	1.2		1.1	1.3
Liver Disease	25	10.7	18	7.6	37	15.5	10.4		12.4	9.0
Nephritis	18	7.7	14	5.9	17	7.1	5.8		10.0	14.6
Pregnancy	0	0.0	0	0.0	1	0.4	0.2		0.1	0.2
Perinatal Conditions	11	4.7	20	8.5	19	7.9	5.0		4.9	4.8
Congenital Malformations	10	4.3	12	5.1	10	4.2	3.4		3.8	3.6
SIDS	0	0.0	0	0.0	3	1.3	0.4			
Symptoms, Signs ex. SIDS	25	10.7	32	13.6	42	17.5	14.1			
All Other Diseases	221	95.0	271	115.1	280	116.9	98.3			
Motor Vehicle Accidents	55	23.6	44	18.7	39	16.3	16.1	9.2	18.8	15.0
All Other Acc. & Adverse Effects	62	26.6	64	27.2	74	30.9	30.2		30.9	22.0
Suicide	41	17.6	43	18.3	39	16.3	13.4	5.0	15.1	10.8
Homicide	19	8.2	31	13.2	27	11.3	9.1	3.0	8.3	5.7
All Other External Causes	8	3.4	3	1.3	10	4.2	2.5			
Unknown	13	5.6	2	0.8	1	0.4	0.2			
Total	1,718	738.2	1,813	770.3	1,818	759.3	684.8		746.3	816.7

*HP 2010 goals are breast cancer in females and prostate cancer in males

Health Status Indicators for Cities and Towns 2003-2005

Goodyear

Population Statistics

Population in 2000

Estimated Population

2003

2004

2005

Age Distribution 2005

Under 20 years old

20 - 44 years old

45 - 64 years old

65 and older

Dependency ratio

Goodyear		Maricopa County		Arizona	U.S.
18,911		3,072,149		5,130,632	281,421,906
Number	% Inc. from 2000	Number	% Inc. from 2000	Number	Number
31,865	68.5%	3,388,711	10.3%	5,577,784	290,850,005
37,251	97.0%	3,498,587	13.9%	5,739,879	293,656,842
43,941	132.4%	3,635,528	18.3%	5,939,292	296,410,404
Number	% Distribution	Number	% Distribution	% Distribution	% Distribution
10,546	24.0%	1,090,113	30.0%	29.3%	27.6%
18,016	41.0%	1,352,420	37.2%	35.4%	35.4%
10,985	25.0%	789,942	21.7%	22.5%	24.6%
4,394	10.0%	403,053	11.1%	12.8%	12.4%
0.52		0.70		0.73	0.67

Infant Health Indicators

Low weight births (under 2500 grams) - % of live births

Births to teen mothers - % of live births

Infant mortality per 1,000 live births

Total Births

Goodyear						Comparisons		
2003		2004		2005		Maricopa County, 2005	Healthy People 2010	Arizona 2005
Number	Percent or Rate	Number	Percent or Rate	Number	Percent or Rate			U.S. 2004
31	5.2%	38	6.1%	29	4.1%	6.8%	5.0%	6.9%
31	5.2%	34	5.5%	46	6.6%	11.6%	(-)	12.5%
5	8.4	5	8.1	0	0.0	6.1	4.5	6.8
594		620		700		62,223		95,798
								4,112,052

Note: Infant health indicators for cities/towns with fewer than 1,000 births are not reliable.

Health Status Indicators for Cities and Towns 2003-2005

Goodyear

Selected Reportable Diseases

	Goodyear						Comparisons			
	2003		2004		2005		Rate per 100,000 Population			
	<u>Number</u>	<u>Rate per 100,000</u>	<u>Number</u>	<u>Rate per 100,000</u>	<u>Number</u>	<u>Rate per 100,000</u>	<u>Maricopa County, 2005</u>	<u>H.P. 2010</u>	<u>Arizona 2005</u>	<u>U.S. 2004</u>
Vaccine Preventable										
<i>H. influenzae</i>	0	0.0	0	0.0	0	0.0	1.7	0.0		0.7
Measles	0	0.0	0	0.0	0	0.0	0	0.0	0.0	0.0
Mumps	0	0.0	0	0.0	0	0.0	0.0	0.0	0.0	0.1
Pertussis	0	0.0	0	0.0	2	4.6	6.8	0.0	8.0	8.9
Central Nervous System										
Encephalitis	0	0.0	0	0.0	0	0.0	0.6		0.4	
Meningitis - Aseptic	10	31.4	2	5.4	7	15.9	19.9		13.8	
Meningococcal Disease	0	0.0	1	2.7	1	2.3	0.6	1.0	0.6	0.5
Enterics										
Amebiasis	0	0.0	0	0.0	0	0.0	0.3		0.3	
Botulism	0	0.0	0	0.0	0	0.0	0.0		0.0	0.0
Campylobacteriosis	2	6.3	1	2.7	4	9.1	13.8	12.3	14.3	
Cryptosporidiosis	0	0.0	0	0.0	0	0.0	0.2		0.2	1.2
<i>E. Coli</i> O157:H7	0	0.0	0	0.0	0	0.0	0.8	1.0	0.6	0.9
Giardiasis	0	0.0	1	2.7	0	0.0	3.3		3.0	8.3
Hemolytic Uremic Syndrome	0	0.0	0	0.0	0	0.0	0.1			0.1
Listeriosis	0	0.0	0	0.0	0	0.0	0.2	0.25	0.2	0.3
Salmonellosis	5	15.7	2	5.4	3	6.8	10.4	6.8	12.2	14.5
Shigellosis	2	6.3	3	8.1	1	2.3	6.8		9.0	5.0
Typhoid	0	0.0	0	0.0	0	0.0	0.1		0.1	0.1
Vibrioses	0	0.0	0	0.0	0	0.0	0.4		0.3	
Yersiniosis	0	0.0	0	0.0	0	0.0	0.0		0.1	
Mycosis										
Coccidioidomycosis	16	50.2	27	72.5	25	56.9	67.7		58.1	4.1
Zoonoses/Vectorborne										
Brucellosis	0	0.0	0	0.0	0	0.0	0.1		0.1	0.0
Hantavirus Pulmonary Syndrome	0	0.0	0	0.0	0	0.0	0		0.1	0.0
Malaria	0	0.0	0	0.0	0	0.0	0.4		0.3	0.5
West Nile Virus	0	0.0	4	10.7	1	2.3	2.2		1.8	0.4
Hepatitides										
Hepatitis A	0	0.0	1	2.7	0	0.0	1.9	4.5	3.2	1.9
Hepatitis B	1	3.1	2	5.4	3	6.8	6.6	2.4-9.0	6.2	2.1
Other										
Legionellosis	0	0.0	0	0.0	0	0.0	0.4		0.4	0.7
Streptococcal Inv. Pneumonia	1	3.1	2	5.4	0	0.0	13.0		12.0	0.6
Streptococcal Inf. Group A	0	0.0	0	0.0	0	0.0	4.6		5.0	1.8
Streptococcal Inf. Group B***	0	0.0	0	0.0	0	0.0	0.5	0.5	0.5	
Vancomycin res. <i>Enterococcus</i>	4	12.6	7	18.8	11	25.0	37.5		32.4	

***Streptococcal Inf. Group B rates are per 1,000 live births

Health Status Indicators for Cities and Towns 2003-2005

Goodyear

Selected Causes of Death

Cause of Death	Goodyear						Comparisons			
	2003		2004		2005		Maricopa County, 2005	Healthy People 2010	Arizona 2005	U.S. 2004
	Number	Rate per 100,000	Number	Rate per 100,000	Number	Rate per 100,000				
Tuberculosis	0	0.0	0	0.0	0	0.0	0.2		0.3	0.2
Syphilis	0	0.0	0	0.0	0	0.0	0		0.0	0.0
HIV Disease	0	0.0	0	0.0	0	0.0	2.6	0.7	2.2	4.4
Malignant Neoplasms	40	125.5	50	134.2	53	120.6	142.4	159.9	160.0	187.4
Malignant Neoplasm Stomach	0	0.0	2	5.4	1	2.3	3.0		3.3	4.0
Malignant Neoplasm Colon	3	9.4	4	10.7	9	20.5	14.1	13.9	15.1	18.3
Malignant Neoplasm Pancreas	3	9.4	6	16.1	2	4.6	8.8		9.6	10.7
Malig. Neo. Bronchus, Lung	9	28.2	12	32.2	12	27.3	37.2	44.9	43.1	53.5
Malignant Neoplasm Breast	5	15.7	2	5.4	4	9.1	9.8	22.3*	11.2	13.9
Mal. Neo. Uterus, Cervix, Ovary	2	6.3	4	10.7	1	2.3	6.8		7.7	8.7
Malig. Neoplasm Prostate	2	6.3	3	8.1	0	0.0	8.1	28.8*	9.3	9.8
Malignant Neoplasm Urinary	4	12.6	3	8.1	2	4.6	7.6		8.1	8.5
Non-Hodgkins Lymphoma	1	3.1	2	5.4	1	2.3	6.1		6.3	7.1
Leukemia	2	6.3	0	0.0	1	2.3	5.7		6.1	7.3
Other Malignant Neoplasms	9	28.2	12	32.2	20	45.5	35.3		40.2	45.6
Diabetes	1	3.1	3	8.1	5	11.4	16.4	7.8	19.8	24.8
Alzheimers	4	12.6	7	18.8	12	27.3	34.3		30.0	22.4
Major Cardiovascular Diseases	48	150.6	54	145.0	56	127.4	217.7		234.0	293.8
Disease of Heart	35	109.8	40	107.4	44	100.1	165.3	166.0	178.3	222.7
Hypertensive Heart Disease	3	9.4	3	8.1	1	2.3	9.5		8.1	9.6
Ischemic Heart Disease	26	81.6	34	91.3	41	93.3	133.4		133.3	154.0
Other Heart Disease	6	18.8	3	8.1	2	4.6	22.5		35.4	57.0
Primary Hypertension	4	12.6	3	8.1	0	0.0	7.3		6.5	7.8
Cerebrovascular	9	28.2	9	24.2	7	15.9	34.9	48.0	38.5	51.1
Atherosclerosis	0	0.0	1	2.7	3	6.8	4.7		4.6	4.1
Other Circulatory	0	0.0	1	2.7	2	4.6	5.5		6.1	8.1

(continued on next page)

Health Status Indicators for Cities and Towns 2003-2005

Goodyear

Selected Causes of Death, cont.

Cause of Death	Goodyear						Comparisons			
	2003		2004		2005		Maricopa County, 2005	Healthy People 2010	Arizona 2005	U.S. 2004
	Number	Rate per 100,000	Number	Rate per 100,000	Number	Rate per 100,000				
Influenza & Pneumonia	3	9.4	4	10.7	10	22.8	19.7		21.2	20.9
Chronic Lower Respiratory	10	31.4	11	29.5	5	11.4	41.4		46.0	42.2
Peptic Ulcer	0	0.0	0	0.0	0	0.0	1.2		1.1	1.3
Liver Disease	3	9.4	0	0.0	4	9.1	10.4		12.4	9.0
Nephritis	1	3.1	2	5.4	4	9.1	5.8		10.0	14.6
Pregnancy	0	0.0	0	0.0	0	0.0	0.2		0.1	0.2
Perinatal Conditions	1	3.1	4	10.7	0	0.0	5.0		4.9	4.8
Congenital Malformations	0	0.0	1	2.7	1	2.3	3.4		3.8	3.6
SIDS	1	3.1	0	0.0	0	0.0	0.4			
Symptoms, Signs ex. SIDS	0	0.0	1	2.7	1	2.3	14.1			
All Other Diseases	20	62.8	23	61.7	33	75.1	98.3			
Motor Vehicle Accidents	7	22.0	9	24.2	11	25.0	16.1	9.2	18.8	15.0
All Other Acc. & Adverse Effects	2	6.3	5	13.4	6	13.7	30.2		30.9	22.0
Suicide	0	0.0	6	16.1	3	6.8	13.4	5.0	15.1	10.8
Homicide	1	3.1	0	0.0	2	4.6	9.1	3.0	8.3	5.7
All Other External Causes	1	3.1	0	0.0	1	2.3	2.5			
Unknown	3	9.4	0	0.0	0	0.0	0.2			
Total	146	458.2	180	483.2	207	471.1	684.8		746.3	816.7

*HP 2010 goals are breast cancer in females and prostate cancer in males

Health Status Indicators for Cities and Towns 2003-2005

Guadalupe

Population Statistics

	Guadalupe		Maricopa County		Arizona	U.S.
Population in 2000	5,228		3,072,149		5,130,632	281,421,906
Estimated Population	<u>Number</u>	<u>% Inc. from 2000</u>	<u>Number</u>	<u>% Inc. from 2000</u>	<u>Number</u>	<u>Number</u>
2003	5,210	-0.3%	3,388,711	10.3%	5,577,784	290,850,005
2004	5,250	0.4%	3,498,587	13.9%	5,739,879	293,656,842
2005	5,258	0.6%	3,635,528	18.3%	5,939,292	296,410,404
Age Distribution 2005	<u>Number</u>	<u>% Distribution</u>	<u>Number</u>	<u>% Distribution</u>	<u>% Distribution</u>	<u>% Distribution</u>
Under 20 years old	2,156	41.0%	1,090,113	30.0%	29.3%	27.6%
20 - 44 years old	1,893	36.0%	1,352,420	37.2%	35.4%	35.4%
45 - 64 years old	841	16.0%	789,942	21.7%	22.5%	24.6%
65 and older	368	7.0%	403,053	11.1%	12.8%	12.4%
Dependency ratio	0.92		0.70		0.73	0.67

Infant Health Indicators

	Guadalupe						Comparisons			
	2003		2004		2005		Maricopa County, 2005	Healthy People	Arizona	U.S.
	<u>Number</u>	<u>Percent or Rate</u>	<u>Number</u>	<u>Percent or Rate</u>	<u>Number</u>	<u>Percent or Rate</u>		<u>2010</u>	<u>2005</u>	<u>2004</u>
Low weight births (under 2500 grams) - % of live births	8	20.0%	12	9.7%	11	8.5%	6.8%	5.0%	6.9%	8.1%
Births to teen mothers - % of live births	<5		28	22.6%	26	20.0%	11.6%	(-)	12.5%	10.3%
Infant mortality per 1,000 live births	3	75.0	1	8.1	0	0.0	6.1	4.5	6.8	6.8
Total Births	40		124		130		62,223		95,798	4,112,052

Note: Infant health indicators for cities/towns with fewer than 1,000 births are not reliable.

Note: 2004 and 2005 infant health indicators for Guadalupe are not comparable to 2003 data because geocoding was not available for 2003.

The 2004 and 2005 infant health indicators are the most accurate.

Health Status Indicators for Cities and Towns 2003-2005

Guadalupe

Selected Reportable Diseases

	Guadalupe						Comparisons			
	2003		2004		2005		Rate per 100,000 Population			
	<u>Number</u>	<u>Rate per 100,000</u>	<u>Number</u>	<u>Rate per 100,000</u>	<u>Number</u>	<u>Rate per 100,000</u>	<u>Maricopa County, 2005</u>	<u>H.P. 2010</u>	<u>Arizona 2005</u>	<u>U.S. 2004</u>
Vaccine Preventable										
<i>H. influenzae</i>	0	0.0	0	0.0	0	0.0	1.7	0.0		0.7
Measles	0	0.0	0	0.0	0	0.0	0	0.0	0.0	0.0
Mumps	0	0.0	0	0.0	0	0.0	0.0	0.0	0.0	0.1
Pertussis	0	0.0	0	0.0	0	0.0	6.8	0.0	8.0	8.9
Central Nervous System										
Encephalitis	0	0.0	0	0.0	0	0.0	0.6		0.4	
Meningitis - Aseptic	0	0.0	0	0.0	0	0.0	19.9		13.8	
Meningococcal Disease	0	0.0	0	0.0	0	0.0	0.6	1.0	0.6	0.5
Enterics										
Amebiasis	0	0.0	0	0.0	0	0.0	0.3		0.3	
Botulism	0	0.0	0	0.0	0	0.0	0.0		0.0	0.0
Campylobacteriosis	4	76.8	0	0.0	0	0.0	13.8	12.3	14.3	
Cryptosporidiosis	0	0.0	0	0.0	0	0.0	0.2		0.2	1.2
<i>E. Coli</i> O157:H7	0	0.0	0	0.0	0	0.0	0.8	1.0	0.6	0.9
Giardiasis	0	0.0	0	0.0	0	0.0	3.3		3.0	8.3
Hemolytic Uremic Syndrome	0	0.0	0	0.0	0	0.0	0.1			0.1
Listeriosis	0	0.0	0	0.0	0	0.0	0.2	0.25	0.2	0.3
Salmonellosis	2	38.4	0	0.0	0	0.0	10.4	6.8	12.2	14.5
Shigellosis	3	57.6	0	0.0	0	0.0	6.8		9.0	5.0
Typhoid	0	0.0	0	0.0	0	0.0	0.1		0.1	0.1
Vibrioses	0	0.0	0	0.0	0	0.0	0.4		0.3	
Yersiniosis	0	0.0	0	0.0	0	0.0	0.0		0.1	
Mycosis										
Coccidioidomycosis	0	0.0	1	19.0	2	38.0	67.7		58.1	4.1
Zoonoses/Vectorborne										
Brucellosis	0	0.0	0	0.0	0	0.0	0.1		0.1	0.0
Hantavirus Pulmonary Syndrome	0	0.0	0	0.0	0	0.0	0		0.1	0.0
Malaria	0	0.0	0	0.0	0	0.0	0.4		0.3	0.5
West Nile Virus	0	0.0	0	0.0	0	0.0	2.2		1.8	0.4
Hepatitides										
Hepatitis A	1	19.2	0	0.0	0	0.0	1.9	4.5	3.2	1.9
Hepatitis B	1	19.2	1	19.0	1	19.0	6.6	2.4-9.0	6.2	2.1
Other										
Legionellosis	0	0.0	0	0.0	0	0.0	0.4		0.4	0.7
Streptococcal Inv. Pneumonia	0	0.0	0	0.0	1	19.0	13.0		12.0	0.6
Streptococcal Inf. Group A	0	0.0	1	19.0	0	0.0	4.6		5.0	1.8
Streptococcal Inf. Group B***	0	0.0	0	0.0	0	0.0	0.5	0.5	0.5	
Vancomycin res. <i>Enterococcus</i>	0	0.0	1	19.0	1	19.0	37.5		32.4	

***Streptococcal Inf. Group B rates are per 1,000 live births

Health Status Indicators for Cities and Towns 2003-2005

Guadalupe

Selected Causes of Death

Cause of Death	Guadalupe						Comparisons			
	2003		2004		2005		Maricopa County, 2005	Healthy People 2010	Arizona 2005	U.S. 2004
	Number	Rate per 100,000	Number	Rate per 100,000	Number	Rate per 100,000				
Tuberculosis	0	0.0	0	0.0	0	0.0	0.2		0.3	0.2
Syphilis	0	0.0	0	0.0	0	0.0	0		0.0	0.0
HIV Disease	0	0.0	0	0.0	0	0.0	2.6	0.7	2.2	4.4
Malignant Neoplasms	2	38.4	7	133.3	6	114.1	142.4	159.9	160.0	187.4
Malignant Neoplasm Stomach	0	0.0	1	19.0	0	0.0	3.0		3.3	4.0
Malignant Neoplasm Colon	1	19.2	0	0.0	0	0.0	14.1	13.9	15.1	18.3
Malignant Neoplasm Pancreas	0	0.0	1	19.0	0	0.0	8.8		9.6	10.7
Malig. Neo. Bronchus, Lung	0	0.0	3	57.1	1	19.0	37.2	44.9	43.1	53.5
Malignant Neoplasm Breast	0	0.0	0	0.0	0	0.0	9.8	22.3*	11.2	13.9
Mal. Neo. Uterus, Cervix, Ovary	0	0.0	1	19.0	1	19.0	6.8		7.7	8.7
Malig. Neoplasm Prostate	0	0.0	1	19.0	0	0.0	8.1	28.8*	9.3	9.8
Malignant Neoplasm Urinary	1	19.2	0	0.0	0	0.0	7.6		8.1	8.5
Non-Hodgkins Lymphoma	0	0.0	0	0.0	0	0.0	6.1		6.3	7.1
Leukemia	0	0.0	0	0.0	0	0.0	5.7		6.1	7.3
Other Malignant Neoplasms	0	0.0	0	0.0	4	76.1	35.3		40.2	45.6
Diabetes	4	76.8	5	95.2	4	76.1	16.4	7.8	19.8	24.8
Alzheimers	0	0.0	0	0.0	2	38.0	34.3		30.0	22.4
Major Cardiovascular Diseases	10	191.9	14	266.7	12	228.2	217.7		234.0	293.8
Disease of Heart	9	172.7	10	190.5	10	190.2	165.3	166.0	178.3	222.7
Hypertensive Heart Disease	0	0.0	0	0.0	0	0.0	9.5		8.1	9.6
Ischemic Heart Disease	7	134.4	8	152.4	8	152.1	133.4		133.3	154.0
Other Heart Disease	2	38.4	2	38.1	2	38.0	22.5		35.4	57.0
Primary Hypertension	0	0.0	2	38.1	0	0.0	7.3		6.5	7.8
Cerebrovascular	1	19.2	1	19.0	1	19.0	34.9	48.0	38.5	51.1
Atherosclerosis	0	0.0	1	19.0	1	19.0	4.7		4.6	4.1
Other Circulatory	0	0.0	0	0.0	0	0.0	5.5		6.1	8.1

(continued on next page)

Health Status Indicators for Cities and Towns 2003-2005

Guadalupe

Selected Causes of Death, cont.

Cause of Death	Guadalupe						Comparisons			
	2003		2004		2005		Maricopa County, 2005	Healthy People 2010	Arizona 2005	U.S. 2004
	Number	Rate per 100,000	Number	Rate per 100,000	Number	Rate per 100,000				
Influenza & Pneumonia	3	57.6	1	19.0	3	57.1	19.7		21.2	20.9
Chronic Lower Respiratory	1	19.2	0	0.0	1	19.0	41.4		46.0	42.2
Peptic Ulcer	0	0.0	0	0.0	0	0.0	1.2		1.1	1.3
Liver Disease	0	0.0	1	19.0	4	76.1	10.4		12.4	9.0
Nephritis	0	0.0	3	57.1	2	38.0	5.8		10.0	14.6
Pregnancy	0	0.0	0	0.0	0	0.0	0.2		0.1	0.2
Perinatal Conditions	2	38.4	1	19.0	0	0.0	5.0		4.9	4.8
Congenital Malformations	0	0.0	0	0.0	1	19.0	3.4		3.8	3.6
SIDS	1	19.2	0	0.0	0	0.0	0.4			
Symptoms, Signs ex. SIDS	1	19.2	0	0.0	0	0.0	14.1			
All Other Diseases	4	76.8	11	209.5	7	133.1	98.3			
Motor Vehicle Accidents	3	57.6	4	76.2	1	19.0	16.1	9.2	18.8	15.0
All Other Acc. & Adverse Effects	1	19.2	2	38.1	1	19.0	30.2		30.9	22.0
Suicide	0	0.0	0	0.0	1	19.0	13.4	5.0	15.1	10.8
Homicide	0	0.0	0	0.0	0	0.0	9.1	3.0	8.3	5.7
All Other External Causes	0	0.0	0	0.0	0	0.0	2.5			
Unknown	0	0.0	0	0.0	0	0.0	0.2			
Total	32	614.2	49	933.3	45	855.8	684.8		746.3	816.7

*HP 2010 goals are breast cancer in females and prostate cancer in males

Health Status Indicators for Cities and Towns 2003-2005

Litchfield Park

Population Statistics

Population in 2000

Estimated Population

2003

2004

2005

Age Distribution 2005

Under 20 years old

20 - 44 years old

45 - 64 years old

65 and older

Dependency ratio

Litchfield Park		Maricopa County		Arizona	U.S.
3,810		3,072,149		5,130,632	281,421,906
Number	% Inc. from 2000	Number	% Inc. from 2000	Number	Number
3,937	3.3%	3,388,711	10.3%	5,577,784	290,850,005
3,998	4.9%	3,498,587	13.9%	5,739,879	293,656,842
4,523	18.7%	3,635,528	18.3%	5,939,292	296,410,404
Number	% Distribution	Number	% Distribution	% Distribution	% Distribution
1,176	26.0%	1,090,113	30.0%	29.3%	27.6%
1,131	25.0%	1,352,420	37.2%	35.4%	35.4%
1,266	28.0%	789,942	21.7%	22.5%	24.6%
995	22.0%	403,053	11.1%	12.8%	12.4%
0.91		0.70		0.73	0.67

Infant Health Indicators

Low weight births (under 2500 grams) - % of live births

Births to teen mothers - % of live births

Infant mortality per 1,000 live births

Total Births

Litchfield Park						Comparisons		
2003		2004		2005		Maricopa County, 2005	Healthy People 2010	Arizona 2005
Number	Percent or Rate	Number	Percent or Rate	Number	Percent or Rate			U.S. 2004
17	5.8%	26	6.5%	21	5.2%	6.8%	5.0%	6.9%
11	3.8%	23	5.8%	20	4.9%	11.6%	(-)	12.5%
0	0.0	1	2.5	4	9.8	6.1	4.5	6.8
291		397		407		62,223		95,798
								4,112,052

Note: Infant health indicators for cities/towns with fewer than 1,000 births are not reliable.

Health Status Indicators for Cities and Towns 2003-2005

Litchfield Park

Selected Reportable Diseases

	Litchfield Park						Comparisons			
	2003		2004		2005		Rate per 100,000 Population			
	<u>Number</u>	<u>Rate per 100,000</u>	<u>Number</u>	<u>Rate per 100,000</u>	<u>Number</u>	<u>Rate per 100,000</u>	<u>Maricopa County, 2005</u>	<u>H.P. 2010</u>	<u>Arizona 2005</u>	<u>U.S. 2004</u>
Vaccine Preventable										
<i>H. influenzae</i>	0	0.0	0	0.0	0	0.0	1.7	0.0		0.7
Measles	0	0.0	0	0.0	0	0.0	0	0.0	0.0	0.0
Mumps	0	0.0	0	0.0	0	0.0	0.0	0.0	0.0	0.1
Pertussis	0	0.0	0	0.0	1	22.1	6.8	0.0	8.0	8.9
Central Nervous System										
Encephalitis	0	0.0	0	0.0	0	0.0	0.6		0.4	
Meningitis - Aseptic	5	127.0	3	75.0	3	66.3	19.9		13.8	
Meningococcal Disease	0	0.0	0	0.0	0	0.0	0.6	1.0	0.6	0.5
Enterics										
Amebiasis	0	0.0	0	0.0	0	0.0	0.3		0.3	
Botulism	0	0.0	0	0.0	0	0.0	0.0		0.0	0.0
Campylobacteriosis	3	76.2	1	25.0	2	44.2	13.8	12.3	14.3	
Cryptosporidiosis	0	0.0	0	0.0	0	0.0	0.2		0.2	1.2
<i>E. Coli</i> O157:H7	0	0.0	0	0.0	1	22.1	0.8	1.0	0.6	0.9
Giardiasis	0	0.0	0	0.0	0	0.0	3.3		3.0	8.3
Hemolytic Uremic Syndrome	0	0.0	0	0.0	0	0.0	0.1			0.1
Listeriosis	0	0.0	0	0.0	0	0.0	0.2	0.25	0.2	0.3
Salmonellosis	3	76.2	1	25.0	1	22.1	10.4	6.8	12.2	14.5
Shigellosis	1	25.4	2	50.0	1	22.1	6.8		9.0	5.0
Typhoid	0	0.0	0	0.0	0	0.0	0.1		0.1	0.1
Vibrioses	0	0.0	0	0.0	1	22.1	0.4		0.3	
Yersiniosis	0	0.0	0	0.0	0	0.0	0.0		0.1	
Mycosis										
Coccidioidomycosis	6	152.4	14	350.2	12	265.3	67.7		58.1	4.1
Zoonoses/Vectorborne										
Brucellosis	0	0.0	0	0.0	0	0.0	0.1		0.1	0.0
Hantavirus Pulmonary Syndrome	0	0.0	0	0.0	0	0.0	0		0.1	0.0
Malaria	0	0.0	0	0.0	1	22.1	0.4		0.3	0.5
West Nile Virus	0	0.0	0	0.0	0	0.0	2.2		1.8	0.4
Hepatitides										
Hepatitis A	1	25.4	0	0.0	0	0.0	1.9	4.5	3.2	1.9
Hepatitis B	0	0.0	0	0.0	0	0.0	6.6	2.4-9.0	6.2	2.1
Other										
Legionellosis	0	0.0	0	0.0	0	0.0	0.4		0.4	0.7
Streptococcal Inv. Pneumonia	2	50.8	1	25.0	2	44.2	13.0		12.0	0.6
Streptococcal Inf. Group A	0	0.0	0	0.0	0	0.0	4.6		5.0	1.8
Streptococcal Inf. Group B***	0	0.0	0	0.0	0	0.0	0.5	0.5	0.5	
Vancomycin res. <i>Enterococcus</i>	2	50.8	3	75.0	2	44.2	37.5		32.4	

***Streptococcal Inf. Group B rates are per 1,000 live births

Health Status Indicators for Cities and Towns 2003-2005

Litchfield Park

Selected Causes of Death

Cause of Death	Litchfield Park						Comparisons			
	2003		2004		2005		Maricopa County, 2005	Healthy People 2010	Arizona 2005	U.S. 2004
	Number	Rate per 100,000	Number	Rate per 100,000	Number	Rate per 100,000				
Tuberculosis	0	0.0	0	0.0	0	0.0	0.2		0.3	0.2
Syphilis	0	0.0	0	0.0	0	0.0	0		0.0	0.0
HIV Disease	0	0.0	<5		0	0.0	2.6	0.7	2.2	4.4
Malignant Neoplasms	15	381.0	25	625.3	15	331.6	142.4	159.9	160.0	187.4
Malignant Neoplasm Stomach	1	25.4	0	0.0	1	22.1	3.0		3.3	4.0
Malignant Neoplasm Colon	0	0.0	3	75.0	3	66.3	14.1	13.9	15.1	18.3
Malignant Neoplasm Pancreas	3	76.2	2	50.0	1	22.1	8.8		9.6	10.7
Malig. Neo. Bronchus, Lung	5	127.0	7	175.1	4	88.4	37.2	44.9	43.1	53.5
Malignant Neoplasm Breast	3	76.2	0	0.0	1	22.1	9.8	22.3*	11.2	13.9
Mal. Neo. Uterus, Cervix, Ovary	1	25.4	1	25.0	0	0.0	6.8		7.7	8.7
Malig. Neoplasm Prostate	0	0.0	2	50.0	1	22.1	8.1	28.8*	9.3	9.8
Malignant Neoplasm Urinary	0	0.0	2	50.0	0	0.0	7.6		8.1	8.5
Non-Hodgkins Lymphoma	0	0.0	0	0.0	0	0.0	6.1		6.3	7.1
Leukemia	1	25.4	4	100.1	0	0.0	5.7		6.1	7.3
Other Malignant Neoplasms	1	25.4	4	100.1	4	88.4	35.3		40.2	45.6
Diabetes	2	50.8	5	125.1	4	88.4	16.4	7.8	19.8	24.8
Alzheimers	3	76.2	2	50.0	4	88.4	34.3		30.0	22.4
Major Cardiovascular Diseases	19	482.6	18	450.2	39	862.3	217.7		234.0	293.8
Disease of Heart	14	355.6	16	400.2	27	596.9	165.3	166.0	178.3	222.7
Hypertensive Heart Disease	2	50.8	0	0.0	1	22.1	9.5		8.1	9.6
Ischemic Heart Disease	11	279.4	14	350.2	22	486.4	133.4		133.3	154.0
Other Heart Disease	1	25.4	2	50.0	4	88.4	22.5		35.4	57.0
Primary Hypertension	1	25.4	0	0.0	1	22.1	7.3		6.5	7.8
Cerebrovascular	4	101.6	2	50.0	6	132.7	34.9	48.0	38.5	51.1
Atherosclerosis	0	0.0	0	0.0	2	44.2	4.7		4.6	4.1
Other Circulatory	0	0.0	0	0.0	3	66.3	5.5		6.1	8.1

(continued on next page)

Health Status Indicators for Cities and Towns 2003-2005

Litchfield Park

Selected Causes of Death, cont.

Cause of Death	Litchfield Park						Comparisons			
	2003		2004		2005		Maricopa County, 2005	Healthy People 2010	Arizona 2005	U.S. 2004
	Number	Rate per 100,000	Number	Rate per 100,000	Number	Rate per 100,000				
Influenza & Pneumonia	1	25.4	0	0.0	4	88.4	19.7		21.2	20.9
Chronic Lower Respiratory	8	203.2	2	50.0	4	88.4	41.4		46.0	42.2
Peptic Ulcer	0	0.0	0	0.0	0	0.0	1.2		1.1	1.3
Liver Disease	3	76.2	3	75.0	0	0.0	10.4		12.4	9.0
Nephritis	0	0.0	0	0.0	1	22.1	5.8		10.0	14.6
Pregnancy	0	0.0	0	0.0	0	0.0	0.2		0.1	0.2
Perinatal Conditions	0	0.0	1	25.0	2	44.2	5.0		4.9	4.8
Congenital Malformations	0	0.0	0	0.0	2	44.2	3.4		3.8	3.6
SIDS	0	0.0	0	0.0	0	0.0	0.4			
Symptoms, Signs ex. SIDS	0	0.0	0	0.0	0	0.0	14.1			
All Other Diseases	8	203.2	11	275.1	10	221.1	98.3			
Motor Vehicle Accidents	3	76.2	5	125.1	8	176.9	16.1	9.2	18.8	15.0
All Other Acc. & Adverse Effects	0	0.0	4	100.1	4	88.4	30.2		30.9	22.0
Suicide	1	25.4	2	50.0	2	44.2	13.4	5.0	15.1	10.8
Homicide	0	0.0	0	0.0	0	0.0	9.1	3.0	8.3	5.7
All Other External Causes	0	0.0	0	0.0	0	0.0	2.5			
Unknown	0	0.0	0	0.0	0	0.0	0.2			
Total	63	1600.2	78	1951.0	99	2188.8	684.8		746.3	816.7

*HP 2010 goals are breast cancer in females and prostate cancer in males

Health Status Indicators for Cities and Towns 2003-2005

Mesa

Population Statistics

Population in 2000

Estimated Population

2003

2004

2005

Age Distribution 2005

Under 20 years old

20 - 44 years old

45 - 64 years old

65 and older

Dependency ratio

Mesa		Maricopa County		Arizona	U.S.
396,375		3,072,149		5,130,632	281,421,906
Number	% Inc. from 2000	Number	% Inc. from 2000	Number	Number
431,237	8.8%	3,388,711	10.3%	5,577,784	290,850,005
437,142	10.3%	3,498,587	13.9%	5,739,879	293,656,842
442,780	11.7%	3,635,528	18.3%	5,939,292	296,410,404
Number	% Distribution	Number	% Distribution	% Distribution	% Distribution
132,834	30.0%	1,090,113	30.0%	29.3%	27.6%
168,256	38.0%	1,352,420	37.2%	35.4%	35.4%
79,700	18.0%	789,942	21.7%	22.5%	24.6%
57,561	13.0%	403,053	11.1%	12.8%	12.4%
0.77		0.70		0.73	0.67

Infant Health Indicators

Low weight births (under 2500 grams) - % of live births

Births to teen mothers - % of live births

Infant mortality per 1,000 live births

Total Births

Mesa						Comparisons		
2003		2004		2005		Maricopa County, 2005	Healthy People 2010	Arizona 2005
Number	Percent or Rate	Number	Percent or Rate	Number	Percent or Rate			U.S. 2004
527	6.3%	561	6.7%	542	6.3%	6.8%	5.0%	6.9%
896	10.6%	837	10.0%	920	10.7%	11.6%	(-)	12.5%
51	6.1	56	6.7	52	6.1	6.1	4.5	6.8
8,427		8,407		8,584		62,223		95,798
								4,112,052

Health Status Indicators for Cities and Towns 2003-2005

Mesa

Selected Reportable Diseases

	Mesa						Comparisons			
	2003		2004		2005		Rate per 100,000 Population			
	Number	Rate per 100,000	Number	Rate per 100,000	Number	Rate per 100,000	Maricopa County, 2005	H.P. 2010	Arizona 2005	U.S. 2004
Vaccine Preventable										
<i>H. influenzae</i>	5	1.2	6	1.4	12	2.7	1.7	0.0		0.7
Measles	0	0.0	0	0.0	0	0.0	0	0.0	0.0	0.0
Mumps	1	0.2	0	0.0	0	0.0	0.0	0.0	0.0	0.1
Pertussis	4	0.9	23	5.3	23	5.2	6.8	0.0	8.0	8.9
Central Nervous System										
Encephalitis	1	0.2	4	0.9	1	0.2	0.6		0.4	
Meningitis - Aseptic	100	23.2	55	12.6	52	11.7	19.9		13.8	
Meningococcal Disease	5	1.2	2	0.5	3	0.7	0.6	1.0	0.6	0.5
Enterics										
Amebiasis	2	0.5	2	0.5	1	0.2	0.3		0.3	
Botulism	0	0.0	0	0.0	0	0.0	0.0		0.0	0.0
Campylobacteriosis	61	14.1	43	9.8	35	7.9	13.8	12.3	14.3	
Cryptosporidiosis	2	0.5	0	0.0	0	0.0	0.2		0.2	1.2
<i>E. Coli</i> O157:H7	2	0.5	1	0.2	0	0.0	0.8	1.0	0.6	0.9
Giardiasis	23	5.3	11	2.5	8	1.8	3.3		3.0	8.3
Hemolytic Uremic Syndrome	0	0.0	0	0.0	0	0.0	0.1			0.1
Listeriosis	0	0.0	1	0.2	2	0.5	0.2	0.25	0.2	0.3
Salmonellosis	27	6.3	34	7.8	38	8.6	10.4	6.8	12.2	14.5
Shigellosis	30	7.0	32	7.3	23	5.2	6.8		9.0	5.0
Typhoid	0	0.0	0	0.0	0	0.0	0.1		0.1	0.1
Vibrioses	0	0.0	0	0.0	0	0.0	0.4		0.3	
Yersiniosis	0	0.0	0	0.0	0	0.0	0.0		0.1	
Mycosis										
Coccidioidomycosis	235	54.5	286	65.4	260	58.7	67.7		58.1	4.1
Zoonoses/Vectorborne										
Brucellosis	0	0.0	0	0.0	0	0.0	0.1		0.1	0.0
Hantavirus Pulmonary Syndrome	0	0.0	0	0.0	0	0.0	0		0.1	0.0
Malaria	2	0.5	3	0.7	3	0.7	0.4		0.3	0.5
West Nile Virus	1	0.2	46	10.5	7	1.6	2.2		1.8	0.4
Hepatitides										
Hepatitis A	22	5.1	23	5.3	10	2.3	1.9	4.5	3.2	1.9
Hepatitis B	18	4.2	13	3.0	26	5.9	6.6	2.4-9.0	6.2	2.1
Other										
Legionellosis	4	0.9	0	0.0	1	0.2	0.4		0.4	0.7
Streptococcal Inv. Pneumonia	48	11.1	48	11.0	49	11.1	13.0		12.0	0.6
Streptococcal Inf. Group A	18	4.2	19	4.3	13	2.9	4.6		5.0	1.8
Streptococcal Inf. Group B***	2	0.2	4	0.5	3	0.3	0.5	0.5	0.5	
Vancomycin res. <i>Enterococcus</i>	73	16.9	102	23.3	159	35.9	37.5		32.4	

***Streptococcal Inf. Group B rates are per 1,000 live births

Health Status Indicators for Cities and Towns 2003-2005

Mesa

Selected Causes of Death

Cause of Death	Mesa						Comparisons			
	2003		2004		2005		Maricopa County, 2005	Healthy People 2010	Arizona 2005	U.S. 2004
	Number	Rate per 100,000	Number	Rate per 100,000	Number	Rate per 100,000				
Tuberculosis	2	0.5	0	0.0	1	0.2	0.2		0.3	0.2
Syphilis	0	0.0	0	0.0	0	0.0	0		0.0	0.0
HIV Disease	5	1.2	14	3.2	9	2.0	2.6	0.7	2.2	4.4
Malignant Neoplasms	809	187.6	801	183.2	767	173.2	142.4	159.9	160.0	187.4
Malignant Neoplasm Stomach	13	3.0	13	3.0	9	2.0	3.0		3.3	4.0
Malignant Neoplasm Colon	82	19.0	72	16.5	65	14.7	14.1	13.9	15.1	18.3
Malignant Neoplasm Pancreas	50	11.6	38	8.7	48	10.8	8.8		9.6	10.7
Malig. Neo. Bronchus, Lung	212	49.2	204	46.7	207	46.8	37.2	44.9	43.1	53.5
Malignant Neoplasm Breast	66	15.3	70	16.0	52	11.7	9.8	22.3*	11.2	13.9
Mal. Neo. Uterus, Cervix, Ovary	37	8.6	41	9.4	43	9.7	6.8		7.7	8.7
Malig. Neoplasm Prostate	44	10.2	49	11.2	46	10.4	8.1	28.8*	9.3	9.8
Malignant Neoplasm Urinary	40	9.3	34	7.8	46	10.4	7.6		8.1	8.5
Non-Hodgkins Lymphoma	32	7.4	36	8.2	25	5.6	6.1		6.3	7.1
Leukemia	32	7.4	28	6.4	27	6.1	5.7		6.1	7.3
Other Malignant Neoplasms	201	46.6	216	49.4	199	44.9	35.3		40.2	45.6
Diabetes	110	25.5	92	21.0	109	24.6	16.4	7.8	19.8	24.8
Alzheimers	180	41.7	216	49.4	205	46.3	34.3		30.0	22.4
Major Cardiovascular Diseases	1,327	307.7	1,349	308.6	1,322	298.6	217.7		234.0	293.8
Disease of Heart	988	229.1	977	223.5	953	215.2	165.3	166.0	178.3	222.7
Hypertensive Heart Disease	47	10.9	56	12.8	47	10.6	9.5		8.1	9.6
Ischemic Heart Disease	802	186.0	780	178.4	780	176.2	133.4		133.3	154.0
Other Heart Disease	139	32.2	141	32.3	126	28.5	22.5		35.4	57.0
Primary Hypertension	41	9.5	55	12.6	55	12.4	7.3		6.5	7.8
Cerebrovascular	242	56.1	247	56.5	247	55.8	34.9	48.0	38.5	51.1
Atherosclerosis	28	6.5	30	6.9	30	6.8	4.7		4.6	4.1
Other Circulatory	28	6.5	40	9.2	37	8.4	5.5		6.1	8.1

(continued on next page)

Health Status Indicators for Cities and Towns 2003-2005

Mesa

Selected Causes of Death, cont.

Cause of Death	Mesa						Comparisons			
	2003		2004		2005		Maricopa County, 2005	Healthy People 2010	Arizona 2005	U.S. 2004
	Number	Rate per 100,000	Number	Rate per 100,000	Number	Rate per 100,000				
Influenza & Pneumonia	101	23.4	79	18.1	99	22.4	19.7		21.2	20.9
Chronic Lower Respiratory	250	58.0	227	51.9	247	55.8	41.4		46.0	42.2
Peptic Ulcer	9	2.1	8	1.8	7	1.6	1.2		1.1	1.3
Liver Disease	40	9.3	50	11.4	38	8.6	10.4		12.4	9.0
Nephritis	41	9.5	37	8.5	22	5.0	5.8		10.0	14.6
Pregnancy	0	0.0	0	0.0	1	0.2	0.2		0.1	0.2
Perinatal Conditions	19	4.4	28	6.4	21	4.7	5.0		4.9	4.8
Congenital Malformations	15	3.5	25	5.7	20	4.5	3.4		3.8	3.6
SIDS	2	0.5	2	0.5	2	0.5	0.4			
Symptoms, Signs ex. SIDS	45	10.4	41	9.4	38	8.6	14.1			
All Other Diseases	501	116.2	447	102.3	526	118.8	98.3			
Motor Vehicle Accidents	57	13.2	64	14.6	89	20.1	16.1	9.2	18.8	15.0
All Other Acc. & Adverse Effects	93	21.6	143	32.7	171	38.6	30.2		30.9	22.0
Suicide	58	13.4	73	16.7	74	16.7	13.4	5.0	15.1	10.8
Homicide	27	6.3	25	5.7	26	5.9	9.1	3.0	8.3	5.7
All Other External Causes	5	1.2	11	2.5	11	2.5	2.5			
Unknown	28	6.5	2	0.5	1	0.2	0.2			
Total	3,724	863.6	3,734	854.2	3,806	859.6	684.8		746.3	816.7

*HP 2010 goals are breast cancer in females and prostate cancer in males

Health Status Indicators for Cities and Towns 2003-2005

New River**

Population Statistics

Population in 2000

Estimated Population

2003

2004

2005

Age Distribution 2005

Under 20 years old

20 - 44 years old

45 - 64 years old

65 and older

Dependency ratio

New River**		Maricopa County		Arizona	U.S.
10,740		3,072,149		5,130,632	281,421,906
Number	% Inc. from 2000	Number	% Inc. from 2000	Number	Number
11,846	10.3%	3,388,711	10.3%	5,577,784	290,850,005
12,233	13.9%	3,498,587	13.9%	5,739,879	293,656,842
12,705	18.3%	3,635,528	18.3%	5,939,292	296,410,404
Number	% Distribution	Number	% Distribution	% Distribution	% Distribution
3,558	28.0%	1,090,113	30.0%	29.3%	27.6%
4,574	36.0%	1,352,420	37.2%	35.4%	35.4%
3,685	29.0%	789,942	21.7%	22.5%	24.6%
889	7.0%	403,053	11.1%	12.8%	12.4%
0.54		0.70		0.73	0.67

Infant Health Indicators

Low weight births (under 2500 grams) - % of live births

Births to teen mothers - % of live births

Infant mortality per 1,000 live births

Total Births

New River**						Comparisons		
2003		2004		2005		Maricopa County, 2005	Healthy People 2010	Arizona 2005
Number	Percent or Rate	Number	Percent or Rate	Number	Percent or Rate			U.S. 2004
<5		<5		<5		6.8%	5.0%	6.9%
0	0.0%	<5		5	11.6%	11.6%	(-)	12.5%
0	0.0	0	0.0	0	0.0	6.1	4.5	6.8
25		36		43		62,223		95,798
								4,112,052

Note: Infant health indicators for cities/towns with fewer than 1,000 births are not reliable.

**Unincorporated

Health Status Indicators for Cities and Towns 2003-2005

New River**

Selected Reportable Diseases

	New River**						Comparisons			
	2003		2004		2005		Rate per 100,000 Population			
	Number	Rate per 100,000	Number	Rate per 100,000	Number	Rate per 100,000	Maricopa County, 2005	H.P. 2010	Arizona 2005	U.S. 2004
Vaccine Preventable										
<i>H. influenzae</i>	0	0.0	0	0.0	0	0.0	1.7	0.0		0.7
Measles	0	0.0	0	0.0	0	0.0	0	0.0	0.0	0.0
Mumps	0	0.0	0	0.0	0	0.0	0.0	0.0	0.0	0.1
Pertussis	0	0.0	0	0.0	0	0.0	6.8	0.0	8.0	8.9
Central Nervous System										
Encephalitis	0	0.0	0	0.0	0	0.0	0.6		0.4	
Meningitis - Aseptic	0	0.0	2	16.3	1	7.9	19.9		13.8	
Meningococcal Disease	0	0.0	0	0.0	0	0.0	0.6	1.0	0.6	0.5
Enterics										
Amebiasis	0	0.0	0	0.0	0	0.0	0.3		0.3	
Botulism	0	0.0	0	0.0	0	0.0	0.0		0.0	0.0
Campylobacteriosis	0	0.0	1	8.2	0	0.0	13.8	12.3	14.3	
Cryptosporidiosis	0	0.0	0	0.0	0	0.0	0.2		0.2	1.2
<i>E. Coli</i> O157:H7	0	0.0	0	0.0	0	0.0	0.8	1.0	0.6	0.9
Giardiasis	0	0.0	0	0.0	0	0.0	3.3		3.0	8.3
Hemolytic Uremic Syndrome	0	0.0	0	0.0	0	0.0	0.1			0.1
Listeriosis	0	0.0	0	0.0	0	0.0	0.2	0.25	0.2	0.3
Salmonellosis	1	8.4	0	0.0	0	0.0	10.4	6.8	12.2	14.5
Shigellosis	0	0.0	0	0.0	1	7.9	6.8		9.0	5.0
Typhoid	0	0.0	0	0.0	0	0.0	0.1		0.1	0.1
Vibrioses	0	0.0	0	0.0	0	0.0	0.4		0.3	
Yersiniosis	0	0.0	0	0.0	0	0.0	0.0		0.1	
Mycosis										
Coccidioidomycosis	0	0.0	7	57.2	4	31.5	67.7		58.1	4.1
Zoonoses/Vectorborne										
Brucellosis	0	0.0	0	0.0	0	0.0	0.1		0.1	0.0
Hantavirus Pulmonary Syndrome	0	0.0	0	0.0	0	0.0	0		0.1	0.0
Malaria	0	0.0	0	0.0	0	0.0	0.4		0.3	0.5
West Nile Virus	0	0.0	1	8.2	0	0.0	2.2		1.8	0.4
Hepatitides										
Hepatitis A	1	8.4	0	0.0	0	0.0	1.9	4.5	3.2	1.9
Hepatitis B	0	0.0	1	8.2	0	0.0	6.6	2.4-9.0	6.2	2.1
Other										
Legionellosis	0	0.0	0	0.0	0	0.0	0.4		0.4	0.7
Streptococcal Inv. Pneumonia	1	8.4	0	0.0	0	0.0	13.0		12.0	0.6
Streptococcal Inf. Group A	0	0.0	0	0.0	1	7.9	4.6		5.0	1.8
Streptococcal Inf. Group B***	0	0.0	0	0.0	0	0.0	0.5	0.5	0.5	
Vancomycin res. <i>Enterococcus</i>	0	0.0	0	0.0	1	7.9	37.5		32.4	

**Unincorporated

***Streptococcal Inf. Group B rates are per 1,000 live births

Health Status Indicators for Cities and Towns 2003-2005

New River**

Selected Causes of Death

Cause of Death	New River**						Comparisons			
	2003		2004		2005		Maricopa County, 2005	Healthy People 2010	Arizona 2005	U.S. 2004
	Number	Rate per 100,000	Number	Rate per 100,000	Number	Rate per 100,000				
Tuberculosis	0	0.0	0	0.0	0	0.0	0.2		0.3	0.2
Syphilis	0	0.0	0	0.0	0	0.0	0		0.0	0.0
HIV Disease	0	0.0	0	0.0	<5		2.6	0.7	2.2	4.4
Malignant Neoplasms	4	33.8	5	40.9	11	86.6	142.4	159.9	160.0	187.4
Malignant Neoplasm Stomach	0	0.0	0	0.0	0	0.0	3.0		3.3	4.0
Malignant Neoplasm Colon	1	8.4	0	0.0	0	0.0	14.1	13.9	15.1	18.3
Malignant Neoplasm Pancreas	0	0.0	0	0.0	1	7.9	8.8		9.6	10.7
Malig. Neo. Bronchus, Lung	2	16.9	1	8.2	4	31.5	37.2	44.9	43.1	53.5
Malignant Neoplasm Breast	0	0.0	0	0.0	1	7.9	9.8	22.3*	11.2	13.9
Mal. Neo. Uterus, Cervix, Ovary	0	0.0	0	0.0	0	0.0	6.8		7.7	8.7
Malig. Neoplasm Prostate	0	0.0	1	8.2	0	0.0	8.1	28.8*	9.3	9.8
Malignant Neoplasm Urinary	0	0.0	0	0.0	2	15.7	7.6		8.1	8.5
Non-Hodgkins Lymphoma	0	0.0	1	8.2	0	0.0	6.1		6.3	7.1
Leukemia	0	0.0	1	8.2	0	0.0	5.7		6.1	7.3
Other Malignant Neoplasms	1	8.4	1	8.2	3	23.6	35.3		40.2	45.6
Diabetes	0	0.0	1	8.2	0	0.0	16.4	7.8	19.8	24.8
Alzheimers	2	16.9	1	8.2	1	7.9	34.3		30.0	22.4
Major Cardiovascular Diseases	9	76.0	3	24.5	16	125.9	217.7		234.0	293.8
Disease of Heart	7	59.1	3	24.5	13	102.3	165.3	166.0	178.3	222.7
Hypertensive Heart Disease	0	0.0	0	0.0	1	7.9	9.5		8.1	9.6
Ischemic Heart Disease	5	42.2	2	16.3	11	86.6	133.4		133.3	154.0
Other Heart Disease	2	16.9	1	8.2	1	7.9	22.5		35.4	57.0
Primary Hypertension	0	0.0	0	0.0	0	0.0	7.3		6.5	7.8
Cerebrovascular	2	16.9	0	0.0	3	23.6	34.9	48.0	38.5	51.1
Atherosclerosis	0	0.0	0	0.0	0	0.0	4.7		4.6	4.1
Other Circulatory	0	0.0	0	0.0	0	0.0	5.5		6.1	8.1

(continued on next page)

**Unincorporated

Health Status Indicators for Cities and Towns 2003-2005

New River**

Selected Causes of Death, cont.

Cause of Death	New River**						Comparisons			
	2003		2004		2005		Maricopa County, 2005	Healthy People 2010	Arizona 2005	U.S. 2004
	Number	Rate per 100,000	Number	Rate per 100,000	Number	Rate per 100,000				
Influenza & Pneumonia	1	8.4	0	0.0	0	0.0	19.7		21.2	20.9
Chronic Lower Respiratory	3	25.3	2	16.3	3	23.6	41.4		46.0	42.2
Peptic Ulcer	0	0.0	0	0.0	0	0.0	1.2		1.1	1.3
Liver Disease	0	0.0	0	0.0	1	7.9	10.4		12.4	9.0
Nephritis	1	8.4	0	0.0	1	7.9	5.8		10.0	14.6
Pregnancy	0	0.0	0	0.0	0	0.0	0.2		0.1	0.2
Perinatal Conditions	0	0.0	0	0.0	0	0.0	5.0		4.9	4.8
Congenital Malformations	0	0.0	0	0.0	0	0.0	3.4		3.8	3.6
SIDS	0	0.0	0	0.0	0	0.0	0.4			
Symptoms, Signs ex. SIDS	0	0.0	0	0.0	0	0.0	14.1			
All Other Diseases	5	42.2	5	40.9	6	47.2	98.3			
Motor Vehicle Accidents	1	8.4	0	0.0	2	15.7	16.1	9.2	18.8	15.0
All Other Acc. & Adverse Effects	0	0.0	1	8.2	3	23.6	30.2		30.9	22.0
Suicide	2	16.9	1	8.2	1	7.9	13.4	5.0	15.1	10.8
Homicide	0	0.0	0	0.0	0	0.0	9.1	3.0	8.3	5.7
All Other External Causes	0	0.0	0	0.0	0	0.0	2.5			
Unknown	0	0.0	0	0.0	0	0.0	0.2			
Total	28	236.4	19	155.3	45	354.2	684.8		746.3	816.7

*HP 2010 goals are breast cancer in females and prostate cancer in males

**Unincorporated

Health Status Indicators for Cities and Towns 2003-2005

Paradise Valley

Population Statistics

Population in 2000

Estimated Population

2003

2004

2005

Age Distribution 2005

Under 20 years old

20 - 44 years old

45 - 64 years old

65 and older

Dependency ratio

Paradise Valley		Maricopa County		Arizona	U.S.
13,664		3,072,149		5,130,632	281,421,906
Number	% Inc. from 2000	Number	% Inc. from 2000	Number	Number
14,179	3.8%	3,388,711	10.3%	5,577,784	290,850,005
14,320	4.8%	3,498,587	13.9%	5,739,879	293,656,842
14,558	6.5%	3,635,528	18.3%	5,939,292	296,410,404
Number	% Distribution	Number	% Distribution	% Distribution	% Distribution
3,931	27.0%	1,090,113	30.0%	29.3%	27.6%
3,057	21.0%	1,352,420	37.2%	35.4%	35.4%
5,241	36.0%	789,942	21.7%	22.5%	24.6%
2,329	16.0%	403,053	11.1%	12.8%	12.4%
0.75		0.70		0.73	0.67

Infant Health Indicators

Low weight births (under 2500 grams) - % of live births

Births to teen mothers - % of live births

Infant mortality per 1,000 live births

Total Births

Paradise Valley						Comparisons		
2003		2004		2005		Maricopa County, 2005	Healthy People 2010	Arizona 2005
Number	Percent or Rate	Number	Percent or Rate	Number	Percent or Rate			U.S. 2004
12	12.6%	12	10.1%	9	10.3%	6.8%	5.0%	6.9%
0	0.0%	0	0.0%	<5		11.6%	(-)	12.5%
0	0.0	0	0.0	0	0.0	6.1	4.5	6.8
95		119		87		62,223		95,798
								4,112,052

Note: Infant health indicators for cities/towns with fewer than 1,000 births are not reliable.

Health Status Indicators for Cities and Towns 2003-2005

Paradise Valley

Selected Reportable Diseases

	Paradise Valley						Comparisons			
	2003		2004		2005		Rate per 100,000 Population			
	Number	Rate per 100,000	Number	Rate per 100,000	Number	Rate per 100,000	Maricopa County, 2005	H.P. 2010	Arizona 2005	U.S. 2004
Vaccine Preventable										
<i>H. influenzae</i>	0	0.0	0	0.0	0	0.0	1.7	0.0		0.7
Measles	0	0.0	0	0.0	0	0.0	0	0.0	0.0	0.0
Mumps	0	0.0	0	0.0	0	0.0	0.0	0.0	0.0	0.1
Pertussis	0	0.0	1	7.0	0	0.0	6.8	0.0	8.0	8.9
Central Nervous System										
Encephalitis	0	0.0	0	0.0	1	6.9	0.6		0.4	
Meningitis - Aseptic	3	21.2	3	20.9	3	20.6	19.9		13.8	
Meningococcal Disease	0	0.0	0	0.0	0	0.0	0.6	1.0	0.6	0.5
Enterics										
Amebiasis	0	0.0	0	0.0	0	0.0	0.3		0.3	
Botulism	0	0.0	0	0.0	0	0.0	0.0		0.0	0.0
Campylobacteriosis	3	21.2	3	20.9	0	0.0	13.8	12.3	14.3	
Cryptosporidiosis	0	0.0	1	7.0	0	0.0	0.2		0.2	1.2
<i>E. Coli</i> O157:H7	1	7.1	0	0.0	0	0.0	0.8	1.0	0.6	0.9
Giardiasis	1	7.1	1	7.0	0	0.0	3.3		3.0	8.3
Hemolytic Uremic Syndrome	0	0.0	0	0.0	0	0.0	0.1			0.1
Listeriosis	0	0.0	1	7.0	0	0.0	0.2	0.25	0.2	0.3
Salmonellosis	0	0.0	0	0.0	2	13.7	10.4	6.8	12.2	14.5
Shigellosis	1	7.1	1	7.0	1	6.9	6.8		9.0	5.0
Typhoid	0	0.0	0	0.0	0	0.0	0.1		0.1	0.1
Vibrioses	0	0.0	0	0.0	0	0.0	0.4		0.3	
Yersiniosis	0	0.0	0	0.0	0	0.0	0.0		0.1	
Mycosis										
Coccidioidomycosis	9	63.5	12	83.8	13	89.3	67.7		58.1	4.1
Zoonoses/Vectorborne										
Brucellosis	0	0.0	0	0.0	0	0.0	0.1		0.1	0.0
Hantavirus Pulmonary Syndrome	0	0.0	0	0.0	0	0.0	0		0.1	0.0
Malaria	0	0.0	0	0.0	0	0.0	0.4		0.3	0.5
West Nile Virus	0	0.0	2	14.0	1	6.9	2.2		1.8	0.4
Hepatitides										
Hepatitis A	0	0.0	0	0.0	0	0.0	1.9	4.5	3.2	1.9
Hepatitis B	1	7.1	0	0.0	0	0.0	6.6	2.4-9.0	6.2	2.1
Other										
Legionellosis	0	0.0	0	0.0	0	0.0	0.4		0.4	0.7
Streptococcal Inv. Pneumonia	2	14.1	1	7.0	2	13.7	13.0		12.0	0.6
Streptococcal Inf. Group A	0	0.0	0	0.0	0	0.0	4.6		5.0	1.8
Streptococcal Inf. Group B***	0	0.0	0	0.0	0	0.0	0.5	0.5	0.5	
Vancomycin res. <i>Enterococcus</i>	2	14.1	8	55.9	5	34.3	37.5		32.4	

***Streptococcal Inf. Group B rates are per 1,000 live births

Health Status Indicators for Cities and Towns 2003-2005

Paradise Valley

Selected Causes of Death

Cause of Death	Paradise Valley						Comparisons			
	2003		2004		2005		Maricopa County, 2005	Healthy People 2010	Arizona 2005	U.S. 2004
	Number	Rate per 100,000	Number	Rate per 100,000	Number	Rate per 100,000				
Tuberculosis	0	0.0	0	0.0	0	0.0	0.2		0.3	0.2
Syphilis	0	0.0	0	0.0	0	0.0	0		0.0	0.0
HIV Disease	0	0.0	0	0.0	0	0.0	2.6	0.7	2.2	4.4
Malignant Neoplasms	28	197.5	18	125.7	23	158.0	142.4	159.9	160.0	187.4
Malignant Neoplasm Stomach	0	0.0	1	7.0	0	0.0	3.0		3.3	4.0
Malignant Neoplasm Colon	3	21.2	2	14.0	2	13.7	14.1	13.9	15.1	18.3
Malignant Neoplasm Pancreas	2	14.1	0	0.0	1	6.9	8.8		9.6	10.7
Malig. Neo. Bronchus, Lung	7	49.4	2	14.0	4	27.5	37.2	44.9	43.1	53.5
Malignant Neoplasm Breast	1	7.1	2	14.0	2	13.7	9.8	22.3*	11.2	13.9
Mal. Neo. Uterus, Cervix, Ovary	1	7.1	3	20.9	0	0.0	6.8		7.7	8.7
Malig. Neoplasm Prostate	3	21.2	4	27.9	1	6.9	8.1	28.8*	9.3	9.8
Malignant Neoplasm Urinary	0	0.0	0	0.0	2	13.7	7.6		8.1	8.5
Non-Hodgkins Lymphoma	2	14.1	0	0.0	2	13.7	6.1		6.3	7.1
Leukemia	2	14.1	1	7.0	2	13.7	5.7		6.1	7.3
Other Malignant Neoplasms	7	49.4	3	20.9	7	48.1	35.3		40.2	45.6
Diabetes	2	14.1	7	48.9	2	13.7	16.4	7.8	19.8	24.8
Alzheimers	7	49.4	11	76.8	8	55.0	34.3		30.0	22.4
Major Cardiovascular Diseases	22	155.2	36	251.4	29	199.2	217.7		234.0	293.8
Disease of Heart	15	105.8	29	202.5	21	144.3	165.3	166.0	178.3	222.7
Hypertensive Heart Disease	2	14.1	1	7.0	1	6.9	9.5		8.1	9.6
Ischemic Heart Disease	10	70.5	21	146.6	18	123.6	133.4		133.3	154.0
Other Heart Disease	3	21.2	7	48.9	2	13.7	22.5		35.4	57.0
Primary Hypertension	0	0.0	0	0.0	0	0.0	7.3		6.5	7.8
Cerebrovascular	5	35.3	3	20.9	6	41.2	34.9	48.0	38.5	51.1
Atherosclerosis	1	7.1	1	7.0	0	0.0	4.7		4.6	4.1
Other Circulatory	1	7.1	3	20.9	2	13.7	5.5		6.1	8.1

(continued on next page)

Health Status Indicators for Cities and Towns 2003-2005

Paradise Valley

Selected Causes of Death, cont.

Cause of Death	Paradise Valley						Comparisons			
	2003		2004		2005		Maricopa County, 2005	Healthy People 2010	Arizona 2005	U.S. 2004
	<u>Number</u>	<u>Rate per 100,000</u>	<u>Number</u>	<u>Rate per 100,000</u>	<u>Number</u>	<u>Rate per 100,000</u>				
Influenza & Pneumonia	1	7.1	3	20.9	5	34.3	19.7		21.2	20.9
Chronic Lower Respiratory	5	35.3	4	27.9	3	20.6	41.4		46.0	42.2
Peptic Ulcer	0	0.0	0	0.0	1	6.9	1.2		1.1	1.3
Liver Disease	4	28.2	1	7.0	0	0.0	10.4		12.4	9.0
Nephritis	1	7.1	0	0.0	0	0.0	5.8		10.0	14.6
Pregnancy	0	0.0	0	0.0	0	0.0	0.2		0.1	0.2
Perinatal Conditions	0	0.0	0	0.0	0	0.0	5.0		4.9	4.8
Congenital Malformations	0	0.0	0	0.0	0	0.0	3.4		3.8	3.6
SIDS	0	0.0	0	0.0	0	0.0	0.4			
Symptoms, Signs ex. SIDS	0	0.0	4	27.9	6	41.2	14.1			
All Other Diseases	12	84.6	14	97.8	11	75.6	98.3			
Motor Vehicle Accidents	1	7.1	0	0.0	2	13.7	16.1	9.2	18.8	15.0
All Other Acc. & Adverse Effects	7	49.4	3	20.9	9	61.8	30.2		30.9	22.0
Suicide	2	14.1	0	0.0	4	27.5	13.4	5.0	15.1	10.8
Homicide	0	0.0	0	0.0	0	0.0	9.1	3.0	8.3	5.7
All Other External Causes	0	0.0	0	0.0	1	6.9	2.5			
Unknown	0	0.0	1	7.0	0	0.0	0.2			
Total	92	648.8	102	712.3	104	714.4	684.8		746.3	816.7

*HP 2010 goals are breast cancer in females and prostate cancer in males

Health Status Indicators for Cities and Towns 2003-2005

Peoria

Population Statistics

Population in 2000

Estimated Population

2003

2004

2005

Age Distribution 2005

Under 20 years old

20 - 44 years old

45 - 64 years old

65 and older

Dependency ratio

Peoria		Maricopa County		Arizona	U.S.
108,363		3,072,149		5,130,632	281,421,906
Number	% Inc. from 2000	Number	% Inc. from 2000	Number	Number
127,864	18.0%	3,388,711	10.3%	5,577,784	290,850,005
132,134	21.9%	3,498,587	13.9%	5,739,879	293,656,842
137,935	27.3%	3,635,528	18.3%	5,939,292	296,410,404
Number	% Distribution	Number	% Distribution	% Distribution	% Distribution
42,760	31.0%	1,090,113	30.0%	29.3%	27.6%
48,277	35.0%	1,352,420	37.2%	35.4%	35.4%
27,587	20.0%	789,942	21.7%	22.5%	24.6%
19,311	14.0%	403,053	11.1%	12.8%	12.4%
0.82		0.70		0.73	0.67

Infant Health Indicators

Low weight births (under 2500 grams) - % of live births

Births to teen mothers - % of live births

Infant mortality per 1,000 live births

Total Births

Peoria						Comparisons		
2003		2004		2005		Maricopa County, 2005	Healthy People 2010	Arizona 2005
Number	Percent or Rate	Number	Percent or Rate	Number	Percent or Rate			U.S. 2004
117	6.4%	153	8.0%	126	6.7%	6.8%	5.0%	6.9%
171	9.3%	161	8.4%	161	8.6%	11.6%	(-)	12.5%
14	7.7	6	3.1	13	6.9	6.1	4.5	6.8
1,830		1,920		1,872		62,223		95,798
								4,112,052

Health Status Indicators for Cities and Towns 2003-2005

Peoria

Selected Reportable Diseases

	Peoria						Comparisons			
	2003		2004		2005		Rate per 100,000 Population			
	Number	Rate per 100,000	Number	Rate per 100,000	Number	Rate per 100,000	Maricopa County, 2005	H.P. 2010	Arizona 2005	U.S. 2004
Vaccine Preventable										
<i>H. influenzae</i>	1	0.8	3	2.3	2	1.4	1.7	0.0		0.7
Measles	1	0.8	0	0.0	0	0.0	0	0.0	0.0	0.0
Mumps	0	0.0	0	0.0	0	0.0	0.0	0.0	0.0	0.1
Pertussis	6	4.7	8	6.1	14	10.1	6.8	0.0	8.0	8.9
Central Nervous System										
Encephalitis	0	0.0	0	0.0	0	0.0	0.6		0.4	
Meningitis - Aseptic	73	57.1	40	30.3	42	30.4	19.9		13.8	
Meningococcal Disease	0	0.0	0	0.0	2	1.4	0.6	1.0	0.6	0.5
Enterics										
Amebiasis	0	0.0	0	0.0	0	0.0	0.3		0.3	
Botulism	0	0.0	0	0.0	0	0.0	0.0		0.0	0.0
Campylobacteriosis	7	5.5	11	8.3	12	8.7	13.8	12.3	14.3	
Cryptosporidiosis	0	0.0	0	0.0	0	0.0	0.2		0.2	1.2
<i>E. Coli</i> O157:H7	0	0.0	0	0.0	1	0.7	0.8	1.0	0.6	0.9
Giardiasis	4	3.1	2	1.5	0	0.0	3.3		3.0	8.3
Hemolytic Uremic Syndrome	0	0.0	0	0.0	0	0.0	0.1			0.1
Listeriosis	0	0.0	0	0.0	1	0.7	0.2	0.25	0.2	0.3
Salmonellosis	9	7.0	14	10.6	10	7.2	10.4	6.8	12.2	14.5
Shigellosis	8	6.3	5	3.8	5	3.6	6.8		9.0	5.0
Typhoid	0	0.0	0	0.0	0	0.0	0.1		0.1	0.1
Vibrioses	2	1.6	0	0.0	0	0.0	0.4		0.3	
Yersiniosis	0	0.0	0	0.0	0	0.0	0.0		0.1	
Mycosis										
Coccidioidomycosis	80	62.6	76	57.5	91	66.0	67.7		58.1	4.1
Zoonoses/Vectorborne										
Brucellosis	0	0.0	0	0.0	0	0.0	0.1		0.1	0.0
Hantavirus Pulmonary Syndrome	0	0.0	0	0.0	0	0.0	0		0.1	0.0
Malaria	0	0.0	1	0.8	0	0.0	0.4		0.3	0.5
West Nile Virus	1	0.8	10	7.6	2	1.4	2.2		1.8	0.4
Hepatitides										
Hepatitis A	0	0.0	1	0.8	0	0.0	1.9	4.5	3.2	1.9
Hepatitis B	5	3.9	5	3.8	7	5.1	6.6	2.4-9.0	6.2	2.1
Other										
Legionellosis	0	0.0	1	0.8	0	0.0	0.4		0.4	0.7
Streptococcal Inv. Pneumonia	12	9.4	14	10.6	8	5.8	13.0		12.0	0.6
Streptococcal Inf. Group A	2	1.6	4	3.0	3	2.2	4.6		5.0	1.8
Streptococcal Inf. Group B***	1	0.5	1	0.5	2	1.1	0.5	0.5	0.5	
Vancomycin res. <i>Enterococcus</i>	20	15.6	28	21.2	46	33.3	37.5		32.4	

***Streptococcal Inf. Group B rates are per 1,000 live births

Health Status Indicators for Cities and Towns 2003-2005

Peoria

Selected Causes of Death

Cause of Death	Peoria						Comparisons			
	2003		2004		2005		Maricopa County, 2005	Healthy People 2010	Arizona 2005	U.S. 2004
	Number	Rate per 100,000	Number	Rate per 100,000	Number	Rate per 100,000				
Tuberculosis	0	0.0	0	0.0	0	0.0	0.2		0.3	0.2
Syphilis	0	0.0	0	0.0	0	0.0	0		0.0	0.0
HIV Disease	<5		0	0.0	<5		2.6	0.7	2.2	4.4
Malignant Neoplasms	245	191.6	224	169.5	228	165.3	142.4	159.9	160.0	187.4
Malignant Neoplasm Stomach	2	1.6	4	3.0	7	5.1	3.0		3.3	4.0
Malignant Neoplasm Colon	21	16.4	24	18.2	24	17.4	14.1	13.9	15.1	18.3
Malignant Neoplasm Pancreas	9	7.0	16	12.1	17	12.3	8.8		9.6	10.7
Malig. Neo. Bronchus, Lung	80	62.6	62	46.9	58	42.0	37.2	44.9	43.1	53.5
Malignant Neoplasm Breast	15	11.7	18	13.6	10	7.2	9.8	22.3*	11.2	13.9
Mal. Neo. Uterus, Cervix, Ovary	10	7.8	7	5.3	9	6.5	6.8		7.7	8.7
Malig. Neoplasm Prostate	18	14.1	14	10.6	14	10.1	8.1	28.8*	9.3	9.8
Malignant Neoplasm Urinary	10	7.8	13	9.8	14	10.1	7.6		8.1	8.5
Non-Hodgkins Lymphoma	8	6.3	9	6.8	8	5.8	6.1		6.3	7.1
Leukemia	16	12.5	5	3.8	10	7.2	5.7		6.1	7.3
Other Malignant Neoplasms	56	43.8	52	39.4	57	41.3	35.3		40.2	45.6
Diabetes	24	18.8	32	24.2	23	16.7	16.4	7.8	19.8	24.8
Alzheimers	86	67.3	89	67.4	105	76.1	34.3		30.0	22.4
Major Cardiovascular Diseases	454	355.1	381	288.3	366	265.3	217.7		234.0	293.8
Disease of Heart	337	263.6	277	209.6	269	195.0	165.3	166.0	178.3	222.7
Hypertensive Heart Disease	20	15.6	22	16.6	11	8.0	9.5		8.1	9.6
Ischemic Heart Disease	274	214.3	216	163.5	225	163.1	133.4		133.3	154.0
Other Heart Disease	43	33.6	39	29.5	33	23.9	22.5		35.4	57.0
Primary Hypertension	13	10.2	14	10.6	10	7.2	7.3		6.5	7.8
Cerebrovascular	87	68.0	77	58.3	70	50.7	34.9	48.0	38.5	51.1
Atherosclerosis	6	4.7	6	4.5	7	5.1	4.7		4.6	4.1
Other Circulatory	11	8.6	7	5.3	10	7.2	5.5		6.1	8.1

(continued on next page)

Health Status Indicators for Cities and Towns 2003-2005

Peoria

Selected Causes of Death, cont.

Cause of Death	Peoria						Comparisons			
	2003		2004		2005		Maricopa County, 2005	Healthy People 2010	Arizona 2005	U.S. 2004
	Number	Rate per 100,000	Number	Rate per 100,000	Number	Rate per 100,000				
Influenza & Pneumonia	45	35.2	39	29.5	35	25.4	19.7		21.2	20.9
Chronic Lower Respiratory	84	65.7	66	49.9	91	66.0	41.4		46.0	42.2
Peptic Ulcer	2	1.6	2	1.5	1	0.7	1.2		1.1	1.3
Liver Disease	12	9.4	9	6.8	10	7.2	10.4		12.4	9.0
Nephritis	10	7.8	22	16.6	10	7.2	5.8		10.0	14.6
Pregnancy	0	0.0	0	0.0	0	0.0	0.2		0.1	0.2
Perinatal Conditions	6	4.7	1	0.8	8	5.8	5.0		4.9	4.8
Congenital Malformations	6	4.7	5	3.8	8	5.8	3.4		3.8	3.6
SIDS	0	0.0	0	0.0	0	0.0	0.4			
Symptoms, Signs ex. SIDS	28	21.9	25	18.9	31	22.5	14.1			
All Other Diseases	160	125.1	182	137.7	184	133.4	98.3			
Motor Vehicle Accidents	23	18.0	12	9.1	16	11.6	16.1	9.2	18.8	15.0
All Other Acc. & Adverse Effects	46	36.0	37	28.0	40	29.0	30.2		30.9	22.0
Suicide	18	14.1	12	9.1	25	18.1	13.4	5.0	15.1	10.8
Homicide	5	3.9	12	9.1	8	5.8	9.1	3.0	8.3	5.7
All Other External Causes	3	2.3	1	0.8	2	1.4	2.5			
Unknown	9	7.0	3	2.3	0	0.0	0.2			
Total	1,266	990.1	1,154	873.4	1,191	863.5	684.8		746.3	816.7

*HP 2010 goals are breast cancer in females and prostate cancer in males

Health Status Indicators for Cities and Towns 2003-2005

Phoenix

Population Statistics

	Phoenix		Maricopa County		Arizona	U.S.
Population in 2000	1,321,045		3,072,149		5,130,632	281,421,906
Estimated Population	<u>Number</u>	<u>% Inc. from 2000</u>	<u>Number</u>	<u>% Inc. from 2000</u>	<u>Number</u>	<u>Number</u>
2003	1,388,225	5.1%	3,388,711	10.3%	5,577,784	290,850,005
2004	1,417,119	7.3%	3,498,587	13.9%	5,739,879	293,656,842
2005	1,461,575	10.6%	3,635,528	18.3%	5,939,292	296,410,404
Age Distribution 2005	<u>Number</u>	<u>% Distribution</u>	<u>Number</u>	<u>% Distribution</u>	<u>% Distribution</u>	<u>% Distribution</u>
Under 20 years old	467,704	32.0%	1,090,113	30.0%	29.3%	27.6%
20 - 44 years old	599,246	41.0%	1,352,420	37.2%	35.4%	35.4%
45 - 64 years old	277,699	19.0%	789,942	21.7%	22.5%	24.6%
65 and older	116,926	8.0%	403,053	11.1%	12.8%	12.4%
Dependency ratio	0.67		0.70		0.73	0.67

Infant Health Indicators

	Phoenix						Comparisons			
	2003		2004		2005		Maricopa County, 2005	Healthy People	Arizona	U.S.
	<u>Number</u>	<u>Percent or Rate</u>	<u>Number</u>	<u>Percent or Rate</u>	<u>Number</u>	<u>or Rate</u>		<u>2010</u>	<u>2005</u>	<u>2004</u>
Low weight births (under 2500 grams) - % of live births	1,848	7.2%	1,875	7.2%	1,935	7.3%	6.8%	5.0%	6.9%	8.1%
Births to teen mothers - % of live births	3,899	15.1%	4,029	15.5%	3,997	15.1%	11.6%	(-)	12.5%	10.3%
Infant mortality per 1,000 live births	173	6.7	186	7.1	178	6.7	6.1	4.5	6.8	6.8
Total Births	25,749		26,059		26,497		62,223		95,798	4,112,052

Health Status Indicators for Cities and Towns 2003-2005

Phoenix

Selected Reportable Diseases

	Phoenix						Comparisons			
	2003		2004		2005		Rate per 100,000 Population			
	<u>Number</u>	<u>Rate per 100,000</u>	<u>Number</u>	<u>Rate per 100,000</u>	<u>Number</u>	<u>Rate per 100,000</u>	<u>Maricopa County, 2005</u>	<u>H.P. 2010</u>	<u>Arizona 2005</u>	<u>U.S. 2004</u>
Vaccine Preventable										
<i>H. influenzae</i>	23	1.7	21	1.5	27	1.8	1.7	0.0		0.7
Measles	0	0.0	0	0.0	0	0.0	0	0.0	0.0	0.0
Mumps	0	0.0	0	0.0	0	0.0	0.0	0.0	0.0	0.1
Pertussis	31	2.2	40	2.8	111	7.6	6.8	0.0	8.0	8.9
Central Nervous System										
Encephalitis	8	0.6	11	0.8	10	0.7	0.6		0.4	
Meningitis - Aseptic	510	36.7	236	16.7	312	21.3	19.9		13.8	
Meningococcal Disease	13	0.9	6	0.4	8	0.5	0.6	1.0	0.6	0.5
Enterics										
Amebiasis	20	1.4	6	0.4	8	0.5	0.3		0.3	
Botulism	0	0.0	0	0.0	1	0.1	0.0		0.0	0.0
Campylobacteriosis	240	17.3	203	14.3	265	18.1	13.8	12.3	14.3	
Cryptosporidiosis	2	0.1	3	0.2	4	0.3	0.2		0.2	1.2
<i>E. Coli</i> O157:H7	9	0.6	10	0.7	15	1.0	0.8	1.0	0.6	0.9
Giardiasis	97	7.0	63	4.4	84	5.7	3.3		3.0	8.3
Hemolytic Uremic Syndrome	0	0.0	0	0.0	1	0.1	0.1			0.1
Listeriosis	5	0.4	2	0.1	1	0.1	0.2	0.25	0.2	0.3
Salmonellosis	205	14.8	156	11.0	162	11.1	10.4	6.8	12.2	14.5
Shigellosis	218	15.7	133	9.4	144	9.9	6.8		9.0	5.0
Typhoid	0	0.0	1	0.1	1	0.1	0.1		0.1	0.1
Vibrioses	3	0.2	2	0.1	7	0.5	0.4		0.3	
Yersiniosis	3	0.2	3	0.2	0	0.0	0.0		0.1	
Mycosis										
Coccidioidomycosis	740	53.3	1,075	75.9	808	55.3	67.7		58.1	4.1
Zoonoses/Vectorborne										
Brucellosis	0	0.0	0	0.0	1	0.1	0.1		0.1	0.0
Hantavirus Pulmonary Syndrome	0	0.0	0	0.0	0	0.0	0		0.1	0.0
Malaria	5	0.4	5	0.4	8	0.5	0.4		0.3	0.5
West Nile Virus	2	0.1	129	9.1	21	1.4	2.2		1.8	0.4
Hepatitides										
Hepatitis A	85	6.1	53	3.7	33	2.3	1.9	4.5	3.2	1.9
Hepatitis B	109	7.9	105	7.4	134	9.2	6.6	2.4-9.0	6.2	2.1
Other										
Legionellosis	4	0.3	4	0.3	6	0.4	0.4		0.4	0.7
Streptococcal Inv. Pneumonia	249	17.9	251	17.7	283	19.4	13.0		12.0	0.6
Streptococcal Inf. Group A	76	5.5	86	6.1	103	7.0	4.6		5.0	1.8
Streptococcal Inf. Group B***	20	0.8	22	0.8	14	0.5	0.5	0.5	0.5	
Vancomycin res. <i>Enterococcus</i>	275	19.8	428	30.2	587	40.2	37.5		32.4	

***Streptococcal Inf. Group B rates are per 1,000 live births

Health Status Indicators for Cities and Towns 2003-2005

Phoenix

Selected Causes of Death

Cause of Death	Phoenix						Comparisons			
	2003		2004		2005		Maricopa County, 2005	Healthy People 2010	Arizona 2005	U.S. 2004
	Number	Rate per 100,000	Number	Rate per 100,000	Number	Rate per 100,000				
Tuberculosis	2	0.1	5	0.4	5	0.3	0.2		0.3	0.2
Syphilis	0	0.0	0	0.0	0	0.0	0		0.0	0.0
HIV Disease	85	6.1	69	4.9	61	4.2	2.6	0.7	2.2	4.4
Malignant Neoplasms	1,627	117.2	1,617	114.1	1,546	105.8	142.4	159.9	160.0	187.4
Malignant Neoplasm Stomach	32	2.3	40	2.8	38	2.6	3.0		3.3	4.0
Malignant Neoplasm Colon	171	12.3	163	11.5	153	10.5	14.1	13.9	15.1	18.3
Malignant Neoplasm Pancreas	72	5.2	87	6.1	101	6.9	8.8		9.6	10.7
Malig. Neo. Bronchus, Lung	475	34.2	437	30.8	410	28.1	37.2	44.9	43.1	53.5
Malignant Neoplasm Breast	115	8.3	119	8.4	124	8.5	9.8	22.3*	11.2	13.9
Mal. Neo. Uterus, Cervix, Ovary	67	4.8	76	5.4	75	5.1	6.8		7.7	8.7
Malig. Neoplasm Prostate	89	6.4	80	5.6	78	5.3	8.1	28.8*	9.3	9.8
Malignant Neoplasm Urinary	69	5.0	88	6.2	79	5.4	7.6		8.1	8.5
Non-Hodgkins Lymphoma	70	5.0	52	3.7	62	4.2	6.1		6.3	7.1
Leukemia	69	5.0	53	3.7	57	3.9	5.7		6.1	7.3
Other Malignant Neoplasms	398	28.7	422	29.8	369	25.2	35.3		40.2	45.6
Diabetes	224	16.1	207	14.6	185	12.7	16.4	7.8	19.8	24.8
Alzheimers	283	20.4	289	20.4	324	22.2	34.3		30.0	22.4
Major Cardiovascular Diseases	2,510	180.8	2,414	170.3	2,450	167.6	217.7		234.0	293.8
Disease of Heart	1,994	143.6	1,824	128.7	1,911	130.7	165.3	166.0	178.3	222.7
Hypertensive Heart Disease	94	6.8	100	7.1	131	9.0	9.5		8.1	9.6
Ischemic Heart Disease	1,621	116.8	1,493	105.4	1,512	103.5	133.4		133.3	154.0
Other Heart Disease	279	20.1	231	16.3	268	18.3	22.5		35.4	57.0
Primary Hypertension	65	4.7	86	6.1	79	5.4	7.3		6.5	7.8
Cerebrovascular	357	25.7	401	28.3	378	25.9	34.9	48.0	38.5	51.1
Atherosclerosis	27	1.9	37	2.6	35	2.4	4.7		4.6	4.1
Other Circulatory	67	4.8	66	4.7	47	3.2	5.5		6.1	8.1

(continued on next page)

Health Status Indicators for Cities and Towns 2003-2005

Phoenix

Selected Causes of Death, cont.

Cause of Death	Phoenix						Comparisons			
	2003		2004		2005		Maricopa County, 2005	Healthy People 2010	Arizona 2005	U.S. 2004
	Number	Rate per 100,000	Number	Rate per 100,000	Number	Rate per 100,000				
Influenza & Pneumonia	207	14.9	195	13.8	249	17.0	19.7		21.2	20.9
Chronic Lower Respiratory	436	31.4	453	32.0	476	32.6	41.4		46.0	42.2
Peptic Ulcer	8	0.6	9	0.6	21	1.4	1.2		1.1	1.3
Liver Disease	133	9.6	160	11.3	170	11.6	10.4		12.4	9.0
Nephritis	90	6.5	80	5.6	78	5.3	5.8		10.0	14.6
Pregnancy	1	0.1	2	0.1	3	0.2	0.2		0.1	0.2
Perinatal Conditions	84	6.1	91	6.4	80	5.5	5.0		4.9	4.8
Congenital Malformations	54	3.9	62	4.4	57	3.9	3.4		3.8	3.6
SIDS	7	0.5	2	0.1	7	0.5	0.4			
Symptoms, Signs ex. SIDS	107	7.7	142	10.0	170	11.6	14.1			
All Other Diseases	1,015	73.1	1,076	75.9	1,213	83.0	98.3			
Motor Vehicle Accidents	203	14.6	243	17.1	226	15.5	16.1	9.2	18.8	15.0
All Other Acc. & Adverse Effects	312	22.5	328	23.1	402	27.5	30.2		30.9	22.0
Suicide	171	12.3	172	12.1	167	11.4	13.4	5.0	15.1	10.8
Homicide	211	15.2	188	13.3	220	15.1	9.1	3.0	8.3	5.7
All Other External Causes	34	2.4	26	1.8	40	2.7	2.5			
Unknown	81	5.8	10	0.7	2	0.1	0.2			
Total	7,885	568.0	7,840	553.2	8,152	557.8	684.8		746.3	816.7

*HP 2010 goals are breast cancer in females and prostate cancer in males

Health Status Indicators for Cities and Towns 2003-2005

Queen Creek

Population Statistics

	Queen Creek		Maricopa County		Arizona	U.S.
Population in 2000	4,197		3,072,149		5,130,632	281,421,906
Estimated Population	<u>Number</u>	<u>% Inc. from 2000</u>	<u>Number</u>	<u>% Inc. from 2000</u>	<u>Number</u>	<u>Number</u>
2003	7,184	71.2%	3,388,711	10.3%	5,577,784	290,850,005
2004	13,127	212.8%	3,498,587	13.9%	5,739,879	293,656,842
2005	15,745	275.1%	3,635,528	18.3%	5,939,292	296,410,404
Age Distribution 2005	<u>Number</u>	<u>% Distribution</u>	<u>Number</u>	<u>% Distribution</u>	<u>% Distribution</u>	<u>% Distribution</u>
Under 20 years old	6,141	39.0%	1,090,113	30.0%	29.3%	27.6%
20 - 44 years old	5,511	35.0%	1,352,420	37.2%	35.4%	35.4%
45 - 64 years old	3,306	21.0%	789,942	21.7%	22.5%	24.6%
65 and older	787	5.0%	403,053	11.1%	12.8%	12.4%
Dependency ratio	0.79		0.70		0.73	0.67

Infant Health Indicators

	Queen Creek				Comparisons			
	2003		2004		2005	Healthy People 2010		
	<u>Number</u>	<u>Percent or Rate</u>	<u>Number</u>	<u>Percent or Rate</u>	<u>Number</u>	<u>Percent or Rate</u>	<u>Maricopa County, 2005</u>	<u>U.S. 2004</u>
Low weight births (under 2500 grams) - % of live births	22	4.4%	40	5.2%	49	4.8%	6.8%	8.1%
Births to teen mothers - % of live births	33	6.5%	38	4.9%	54	5.3%	11.6%	10.3%
Infant mortality per 1,000 live births	0	0.0	2	2.6	3	3.0	6.1	6.8
Total Births	504		773		1,013		62,223	4,112,052

Note: Infant health indicators for cities/towns with fewer than 1,000 births are not reliable.

Health Status Indicators for Cities and Towns 2003-2005

Queen Creek

Selected Reportable Diseases

	Queen Creek						Comparisons			
	2003		2004		2005		Rate per 100,000 Population			
	Number	Rate per 100,000	Number	Rate per 100,000	Number	Rate per 100,000	Maricopa County, 2005	H.P. 2010	Arizona 2005	U.S. 2004
Vaccine Preventable										
<i>H. influenzae</i>	0	0.0	1	7.6	0	0.0	1.7	0.0		0.7
Measles	0	0.0	0	0.0	0	0.0	0	0.0	0.0	0.0
Mumps	0	0.0	0	0.0	0	0.0	0.0	0.0	0.0	0.1
Pertussis	2	27.8	1	7.6	1	6.4	6.8	0.0	8.0	8.9
Central Nervous System										
Encephalitis	0	0.0	0	0.0	0	0.0	0.6		0.4	
Meningitis - Aseptic	4	55.7	7	53.3	10	63.5	19.9		13.8	
Meningococcal Disease	1	13.9	0	0.0	0	0.0	0.6	1.0	0.6	0.5
Enterics										
Amebiasis	0	0.0	0	0.0	0	0.0	0.3		0.3	
Botulism	0	0.0	0	0.0	0	0.0	0.0		0.0	0.0
Campylobacteriosis	1	13.9	7	53.3	4	25.4	13.8	12.3	14.3	
Cryptosporidiosis	0	0.0	0	0.0	0	0.0	0.2		0.2	1.2
<i>E. Coli</i> O157:H7	1	13.9	0	0.0	1	6.4	0.8	1.0	0.6	0.9
Giardiasis	3	41.8	0	0.0	3	19.1	3.3		3.0	8.3
Hemolytic Uremic Syndrome	0	0.0	0	0.0	0	0.0	0.1			0.1
Listeriosis	0	0.0	0	0.0	0	0.0	0.2	0.25	0.2	0.3
Salmonellosis	3	41.8	2	15.2	5	31.8	10.4	6.8	12.2	14.5
Shigellosis	2	27.8	4	30.5	1	6.4	6.8		9.0	5.0
Typhoid	0	0.0	0	0.0	0	0.0	0.1		0.1	0.1
Vibrioses	0	0.0	0	0.0	0	0.0	0.4		0.3	
Yersiniosis	0	0.0	0	0.0	0	0.0	0.0		0.1	
Mycosis										
Coccidioidomycosis	6	83.5	19	144.7	32	203.2	67.7		58.1	4.1
Zoonoses/Vectorborne										
Brucellosis	0	0.0	0	0.0	0	0.0	0.1		0.1	0.0
Hantavirus Pulmonary Syndrome	0	0.0	0	0.0	0	0.0	0		0.1	0.0
Malaria	0	0.0	0	0.0	1	6.4	0.4		0.3	0.5
West Nile Virus	0	0.0	3	22.9	2	12.7	2.2		1.8	0.4
Hepatitides										
Hepatitis A	1	13.9	1	7.6	0	0.0	1.9	4.5	3.2	1.9
Hepatitis B	0	0.0	1	7.6	0	0.0	6.6	2.4-9.0	6.2	2.1
Other										
Legionellosis	0	0.0	0	0.0	0	0.0	0.4		0.4	0.7
Streptococcal Inv. Pneumonia	1	13.9	6	45.7	2	12.7	13.0		12.0	0.6
Streptococcal Inf. Group A	2	27.8	1	7.6	0	0.0	4.6		5.0	1.8
Streptococcal Inf. Group B***	0	0.0	0	0.0	1	1.0	0.5	0.5	0.5	
Vancomycin res. <i>Enterococcus</i>	3	41.8	4	30.5	5	31.8	37.5		32.4	

***Streptococcal Inf. Group B rates are per 1,000 live births

Health Status Indicators for Cities and Towns 2003-2005

Queen Creek

Selected Causes of Death

Cause of Death	Queen Creek						Comparisons			
	2003		2004		2005		Maricopa County, 2005	Healthy	Arizona	U.S.
	Number	Rate per 100,000	Number	Rate per 100,000	Number	Rate per 100,000		People 2010	2005	2004
Tuberculosis	0	0.0	0	0.0	0	0.0	0.2		0.3	0.2
Syphilis	0	0.0	0	0.0	0	0.0	0		0.0	0.0
HIV Disease	0	0.0	0	0.0	0	0.0	2.6	0.7	2.2	4.4
Malignant Neoplasms	7	97.4	14	106.7	18	114.3	142.4	159.9	160.0	187.4
Malignant Neoplasm Stomach	0	0.0	1	7.6	1	6.4	3.0		3.3	4.0
Malignant Neoplasm Colon	1	13.9	0	0.0	0	0.0	14.1	13.9	15.1	18.3
Malignant Neoplasm Pancreas	1	13.9	0	0.0	1	6.4	8.8		9.6	10.7
Malig. Neo. Bronchus, Lung	4	55.7	5	38.1	4	25.4	37.2	44.9	43.1	53.5
Malignant Neoplasm Breast	0	0.0	2	15.2	1	6.4	9.8	22.3*	11.2	13.9
Mal. Neo. Uterus, Cervix, Ovary	0	0.0	2	15.2	0	0.0	6.8		7.7	8.7
Malig. Neoplasm Prostate	0	0.0	2	15.2	0	0.0	8.1	28.8*	9.3	9.8
Malignant Neoplasm Urinary	0	0.0	0	0.0	0	0.0	7.6		8.1	8.5
Non-Hodgkins Lymphoma	0	0.0	0	0.0	1	6.4	6.1		6.3	7.1
Leukemia	0	0.0	0	0.0	1	6.4	5.7		6.1	7.3
Other Malignant Neoplasms	1	13.9	2	15.2	9	57.2	35.3		40.2	45.6
Diabetes	2	27.8	1	7.6	0	0.0	16.4	7.8	19.8	24.8
Alzheimers	1	13.9	2	15.2	8	50.8	34.3		30.0	22.4
Major Cardiovascular Diseases	18	250.6	12	91.4	26	165.1	217.7		234.0	293.8
Disease of Heart	17	236.6	9	68.6	20	127.0	165.3	166.0	178.3	222.7
Hypertensive Heart Disease	1	13.9	0	0.0	1	6.4	9.5		8.1	9.6
Ischemic Heart Disease	14	194.9	9	68.6	17	108.0	133.4		133.3	154.0
Other Heart Disease	2	27.8	0	0.0	2	12.7	22.5		35.4	57.0
Primary Hypertension	0	0.0	2	15.2	0	0.0	7.3		6.5	7.8
Cerebrovascular	1	13.9	1	7.6	6	38.1	34.9	48.0	38.5	51.1
Atherosclerosis	0	0.0	0	0.0	0	0.0	4.7		4.6	4.1
Other Circulatory	0	0.0	0	0.0	0	0.0	5.5		6.1	8.1

(continued on next page)

Health Status Indicators for Cities and Towns 2003-2005

Queen Creek

Selected Causes of Death, cont.

Cause of Death	Queen Creek						Comparisons			
	2003		2004		2005		Maricopa County, 2005	Healthy People 2010	Arizona 2005	U.S. 2004
	<u>Number</u>	<u>Rate per 100,000</u>	<u>Number</u>	<u>Rate per 100,000</u>	<u>Number</u>	<u>Rate per 100,000</u>				
Influenza & Pneumonia	3	41.8	2	15.2	3	19.1	19.7		21.2	20.9
Chronic Lower Respiratory	2	27.8	4	30.5	9	57.2	41.4		46.0	42.2
Peptic Ulcer	0	0.0	0	0.0	0	0.0	1.2		1.1	1.3
Liver Disease	1	13.9	1	7.6	1	6.4	10.4		12.4	9.0
Nephritis	1	13.9	0	0.0	0	0.0	5.8		10.0	14.6
Pregnancy	0	0.0	0	0.0	0	0.0	0.2		0.1	0.2
Perinatal Conditions	0	0.0	1	7.6	0	0.0	5.0		4.9	4.8
Congenital Malformations	0	0.0	0	0.0	0	0.0	3.4		3.8	3.6
SIDS	0	0.0	0	0.0	0	0.0	0.4			
Symptoms, Signs ex. SIDS	0	0.0	1	7.6	1	6.4	14.1			
All Other Diseases	5	69.6	5	38.1	8	50.8	98.3			
Motor Vehicle Accidents	3	41.8	3	22.9	8	50.8	16.1	9.2	18.8	15.0
All Other Acc. & Adverse Effects	2	27.8	3	22.9	4	25.4	30.2		30.9	22.0
Suicide	2	27.8	2	15.2	1	6.4	13.4	5.0	15.1	10.8
Homicide	2	27.8	2	15.2	4	25.4	9.1	3.0	8.3	5.7
All Other External Causes	0	0.0	1	7.6	1	6.4	2.5			
Unknown	0	0.0	0	0.0	0	0.0	0.2			
Total	49	682.1	54	411.4	92	584.3	684.8		746.3	816.7

*HP 2010 goals are breast cancer in females and prostate cancer in males

Health Status Indicators for Cities and Towns 2003-2005

Rio Verde**

Population Statistics

Population in 2000

Estimated Population

2003

2004

2005

Age Distribution 2005

Under 20 years old

20 - 44 years old

45 - 64 years old

65 and older

Dependency ratio

Rio Verde**		Maricopa County		Arizona	U.S.
1,419		3,072,149		5,130,632	281,421,906
Number	% Inc. from 2000	Number	% Inc. from 2000	Number	Number
1,565	10.3%	3,388,711	10.3%	5,577,784	290,850,005
1,616	13.9%	3,498,587	13.9%	5,739,879	293,656,842
1,679	18.3%	3,635,528	18.3%	5,939,292	296,410,404
Number	% Distribution	Number	% Distribution	% Distribution	% Distribution
0	0.0%	1,090,113	30.0%	29.3%	27.6%
17	1.0%	1,352,420	37.2%	35.4%	35.4%
604	36.0%	789,942	21.7%	22.5%	24.6%
1,041	62.0%	403,053	11.1%	12.8%	12.4%
1.68		0.70		0.73	0.67

Infant Health Indicators

Low weight births (under 2500 grams) - % of live births

Births to teen mothers - % of live births

Infant mortality per 1,000 live births

Total Births

Rio Verde**						Comparisons		
2003		2004		2005		Maricopa County, 2005	Healthy People 2010	Arizona 2005
Number	Percent or Rate	Number	Percent or Rate	Number	Percent or Rate			U.S. 2004
0	0.0%	0	0.0%	0	0.0%	6.8%	5.0%	6.9%
0	0.0%	0	0.0%	0	0.0%	11.6%	(-)	12.5%
0	0.0	0	0.0	0	0.0	6.1	4.5	6.8
<5		<5		<5		62,223		95,798

Note: Infant health indicators for cities/towns with fewer than 1,000 births are not reliable.

**Unincorporated

Health Status Indicators for Cities and Towns 2003-2005

Rio Verde**

Selected Reportable Diseases

	Rio Verde**						Comparisons			
	2003		2004		2005		Rate per 100,000 Population			
	Number	Rate per 100,000	Number	Rate per 100,000	Number	Rate per 100,000	Maricopa County, 2005	H.P. 2010	Arizona 2005	U.S. 2004
Vaccine Preventable										
<i>H. influenzae</i>	0	0.0	0	0.0	0	0.0	1.7	0.0		0.7
Measles	0	0.0	0	0.0	0	0.0	0	0.0	0.0	0.0
Mumps	0	0.0	0	0.0	0	0.0	0.0	0.0	0.0	0.1
Pertussis	0	0.0	0	0.0	0	0.0	6.8	0.0	8.0	8.9
Central Nervous System										
Encephalitis	0	0.0	0	0.0	1	59.6	0.6		0.4	
Meningitis - Aseptic	0	0.0	1	61.9	1	59.6	19.9		13.8	
Meningococcal Disease	0	0.0	0	0.0	0	0.0	0.6	1.0	0.6	0.5
Enterics										
Amebiasis	0	0.0	0	0.0	0	0.0	0.3		0.3	
Botulism	0	0.0	0	0.0	0	0.0	0.0		0.0	0.0
Campylobacteriosis	0	0.0	0	0.0	0	0.0	13.8	12.3	14.3	
Cryptosporidiosis	0	0.0	0	0.0	0	0.0	0.2		0.2	1.2
<i>E. Coli</i> O157:H7	0	0.0	0	0.0	0	0.0	0.8	1.0	0.6	0.9
Giardiasis	0	0.0	0	0.0	0	0.0	3.3		3.0	8.3
Hemolytic Uremic Syndrome	0	0.0	0	0.0	0	0.0	0.1			0.1
Listeriosis	0	0.0	0	0.0	0	0.0	0.2	0.25	0.2	0.3
Salmonellosis	0	0.0	0	0.0	1	59.6	10.4	6.8	12.2	14.5
Shigellosis	0	0.0	0	0.0	0	0.0	6.8		9.0	5.0
Typhoid	0	0.0	0	0.0	0	0.0	0.1		0.1	0.1
Vibrioses	0	0.0	0	0.0	0	0.0	0.4		0.3	
Yersiniosis	0	0.0	0	0.0	0	0.0	0.0		0.1	
Mycosis										
Coccidioidomycosis	1	63.9	5	309.4	14	834.0	67.7		58.1	4.1
Zoonoses/Vectorborne										
Brucellosis	0	0.0	0	0.0	0	0.0	0.1		0.1	0.0
Hantavirus Pulmonary Syndrome	0	0.0	0	0.0	0	0.0	0		0.1	0.0
Malaria	0	0.0	0	0.0	0	0.0	0.4		0.3	0.5
West Nile Virus	0	0.0	0	0.0	0	0.0	2.2		1.8	0.4
Hepatitides										
Hepatitis A	0	0.0	0	0.0	0	0.0	1.9	4.5	3.2	1.9
Hepatitis B	0	0.0	0	0.0	0	0.0	6.6	2.4-9.0	6.2	2.1
Other										
Legionellosis	0	0.0	0	0.0	0	0.0	0.4		0.4	0.7
Streptococcal Inv. Pneumonia	0	0.0	0	0.0	0	0.0	13.0		12.0	0.6
Streptococcal Inf. Group A	0	0.0	0	0.0	0	0.0	4.6		5.0	1.8
Streptococcal Inf. Group B***	0	0.0	0	0.0	0	0.0	0.5	0.5	0.5	
Vancomycin res. <i>Enterococcus</i>	0	0.0	1	61.9	2	119.1	37.5		32.4	

**Unincorporated

***Streptococcal Inf. Group B rates are per 1,000 live births

Health Status Indicators for Cities and Towns 2003-2005

Rio Verde**

Selected Causes of Death

Cause of Death	Rio Verde**						Comparisons			
	2003		2004		2005		Maricopa County, 2005	Healthy People 2010	Arizona 2005	U.S. 2004
	Number	Rate per 100,000	Number	Rate per 100,000	Number	Rate per 100,000				
Tuberculosis	0	0.0	0	0.0	0	0.0	0.2		0.3	0.2
Syphilis	0	0.0	0	0.0	0	0.0	0		0.0	0.0
HIV Disease	0	0.0	0	0.0	0	0.0	2.6	0.7	2.2	4.4
Malignant Neoplasms	4	255.6	7	433.1	5	297.9	142.4	159.9	160.0	187.4
Malignant Neoplasm Stomach	0	0.0	0	0.0	0	0.0	3.0		3.3	4.0
Malignant Neoplasm Colon	1	63.9	0	0.0	0	0.0	14.1	13.9	15.1	18.3
Malignant Neoplasm Pancreas	1	63.9	0	0.0	0	0.0	8.8		9.6	10.7
Malig. Neo. Bronchus, Lung	1	63.9	4	247.5	0	0.0	37.2	44.9	43.1	53.5
Malignant Neoplasm Breast	1	63.9	0	0.0	1	59.6	9.8	22.3*	11.2	13.9
Mal. Neo. Uterus, Cervix, Ovary	0	0.0	1	61.9	0	0.0	6.8		7.7	8.7
Malig. Neoplasm Prostate	0	0.0	1	61.9	1	59.6	8.1	28.8*	9.3	9.8
Malignant Neoplasm Urinary	0	0.0	0	0.0	1	59.6	7.6		8.1	8.5
Non-Hodgkins Lymphoma	0	0.0	1	61.9	2	119.1	6.1		6.3	7.1
Leukemia	0	0.0	0	0.0	0	0.0	5.7		6.1	7.3
Other Malignant Neoplasms	0	0.0	0	0.0	0	0.0	35.3		40.2	45.6
Diabetes	0	0.0	0	0.0	0	0.0	16.4	7.8	19.8	24.8
Alzheimers	0	0.0	1	61.9	0	0.0	34.3		30.0	22.4
Major Cardiovascular Diseases	0	0.0	5	309.4	6	357.4	217.7		234.0	293.8
Disease of Heart	0	0.0	4	247.5	5	297.9	165.3	166.0	178.3	222.7
Hypertensive Heart Disease	0	0.0	0	0.0	0	0.0	9.5		8.1	9.6
Ischemic Heart Disease	0	0.0	2	123.7	4	238.3	133.4		133.3	154.0
Other Heart Disease	0	0.0	2	123.7	1	59.6	22.5		35.4	57.0
Primary Hypertension	0	0.0	0	0.0	0	0.0	7.3		6.5	7.8
Cerebrovascular	0	0.0	1	61.9	1	59.6	34.9	48.0	38.5	51.1
Atherosclerosis	0	0.0	0	0.0	0	0.0	4.7		4.6	4.1
Other Circulatory	0	0.0	0	0.0	0	0.0	5.5		6.1	8.1

(continued on next page)

**Unincorporated

**Health Status Indicators for Cities and Towns
2003-2005**

Rio Verde**

Selected Causes of Death, cont.

Cause of Death	Rio Verde**						Comparisons			
	2003		2004		2005		Maricopa County, 2005	Healthy People 2010	Arizona 2005	U.S. 2004
	<u>Number</u>	<u>Rate per 100,000</u>	<u>Number</u>	<u>Rate per 100,000</u>	<u>Number</u>	<u>Rate per 100,000</u>				
Influenza & Pneumonia	1	63.9	0	0.0	0	0.0	19.7		21.2	20.9
Chronic Lower Respiratory	0	0.0	2	123.7	0	0.0	41.4		46.0	42.2
Peptic Ulcer	0	0.0	0	0.0	0	0.0	1.2		1.1	1.3
Liver Disease	0	0.0	0	0.0	0	0.0	10.4		12.4	9.0
Nephritis	0	0.0	0	0.0	0	0.0	5.8		10.0	14.6
Pregnancy	0	0.0	0	0.0	0	0.0	0.2		0.1	0.2
Perinatal Conditions	0	0.0	0	0.0	0	0.0	5.0		4.9	4.8
Congenital Malformations	0	0.0	0	0.0	0	0.0	3.4		3.8	3.6
SIDS	0	0.0	0	0.0	0	0.0	0.4			
Symptoms, Signs ex. SIDS	0	0.0	0	0.0	0	0.0	14.1			
All Other Diseases	2	127.8	1	61.9	4	238.3	98.3			
Motor Vehicle Accidents	0	0.0	0	0.0	2	119.1	16.1	9.2	18.8	15.0
All Other Acc. & Adverse Effects	1	63.9	1	61.9	1	59.6	30.2		30.9	22.0
Suicide	0	0.0	0	0.0	0	0.0	13.4	5.0	15.1	10.8
Homicide	0	0.0	0	0.0	0	0.0	9.1	3.0	8.3	5.7
All Other External Causes	0	0.0	0	0.0	0	0.0	2.5			
Unknown	0	0.0	0	0.0	0	0.0	0.2			
Total	8	511.1	17	1051.8	18	1072.3	684.8		746.3	816.7

*HP 2010 goals are breast cancer in females and prostate cancer in males

**Unincorporated

Health Status Indicators for Cities and Towns 2003-2005

Scottsdale

Population Statistics

Population in 2000

Estimated Population

2003

2004

2005

Age Distribution 2005

Under 20 years old

20 - 44 years old

45 - 64 years old

65 and older

Dependency ratio

Scottsdale		Maricopa County		Arizona	U.S.
202,705		3,072,149		5,130,632	281,421,906
Number	% Inc. from 2000	Number	% Inc. from 2000	Number	Number
218,459	7.8%	3,388,711	10.3%	5,577,784	290,850,005
221,665	9.4%	3,498,587	13.9%	5,739,879	293,656,842
226,013	11.5%	3,635,528	18.3%	5,939,292	296,410,404
Number	% Distribution	Number	% Distribution	% Distribution	% Distribution
47,463	21.0%	1,090,113	30.0%	29.3%	27.6%
79,105	35.0%	1,352,420	37.2%	35.4%	35.4%
61,024	27.0%	789,942	21.7%	22.5%	24.6%
38,422	17.0%	403,053	11.1%	12.8%	12.4%
0.61		0.70		0.73	0.67

Infant Health Indicators

Low weight births (under 2500 grams) - % of live births

Births to teen mothers - % of live births

Infant mortality per 1,000 live births

Total Births

Scottsdale						Comparisons		
2003		2004		2005		Maricopa County, 2005	Healthy People 2010	Arizona 2005
Number	Percent or Rate	Number	Percent or Rate	Number	Percent or Rate			U.S. 2004
214	7.7%	202	7.4%	186	7.1%	6.8%	5.0%	6.9%
148	5.3%	125	4.6%	133	5.1%	11.6%	(-)	12.5%
17	6.1	14	5.1	12	4.6	6.1	4.5	6.8
2,795		2,730		2,630		62,223		95,798
								4,112,052

Health Status Indicators for Cities and Towns 2003-2005

Scottsdale

Selected Reportable Diseases

	Scottsdale						Comparisons			
	2003		2004		2005		Rate per 100,000 Population			
	Number	Rate per 100,000	Number	Rate per 100,000	Number	Rate per 100,000	Maricopa County, 2005	H.P. 2010	Arizona 2005	U.S. 2004
Vaccine Preventable										
<i>H. influenzae</i>	4	1.8	2	0.9	3	1.3	1.7	0.0		0.7
Measles	0	0.0	0	0.0	0	0.0	0	0.0	0.0	0.0
Mumps	0	0.0	0	0.0	0	0.0	0.0	0.0	0.0	0.1
Pertussis	3	1.4	2	0.9	20	8.8	6.8	0.0	8.0	8.9
Central Nervous System										
Encephalitis	4	1.8	5	2.3	2	0.9	0.6		0.4	
Meningitis - Aseptic	52	23.8	48	21.7	54	23.9	19.9		13.8	
Meningococcal Disease	0	0.0	0	0.0	1	0.4	0.6	1.0	0.6	0.5
Enterics										
Amebiasis	1	0.5	0	0.0	0	0.0	0.3		0.3	
Botulism	0	0.0	0	0.0	0	0.0	0.0		0.0	0.0
Campylobacteriosis	29	13.3	41	18.5	50	22.1	13.8	12.3	14.3	
Cryptosporidiosis	0	0.0	1	0.5	3	1.3	0.2		0.2	1.2
<i>E. Coli</i> O157:H7	4	1.8	2	0.9	4	1.8	0.8	1.0	0.6	0.9
Giardiasis	5	2.3	5	2.3	7	3.1	3.3		3.0	8.3
Hemolytic Uremic Syndrome	0	0.0	0	0.0	0	0.0	0.1			0.1
Listeriosis	2	0.9	1	0.5	1	0.4	0.2	0.25	0.2	0.3
Salmonellosis	25	11.4	37	16.7	27	11.9	10.4	6.8	12.2	14.5
Shigellosis	11	5.0	5	2.3	14	6.2	6.8		9.0	5.0
Typhoid	0	0.0	0	0.0	1	0.4	0.1		0.1	0.1
Vibrioses	1	0.5	0	0.0	1	0.4	0.4		0.3	
Yersiniosis	2	0.9	0	0.0	0	0.0	0.0		0.1	
Mycosis										
Coccidioidomycosis	159	72.8	261	117.7	224	99.1	67.7		58.1	4.1
Zoonoses/Vectorborne										
Brucellosis	0	0.0	0	0.0	0	0.0	0.1		0.1	0.0
Hantavirus Pulmonary Syndrome	0	0.0	0	0.0	0	0.0	0		0.1	0.0
Malaria	0	0.0	1	0.5	0	0.0	0.4		0.3	0.5
West Nile Virus	0	0.0	53	23.9	8	3.5	2.2		1.8	0.4
Hepatitides										
Hepatitis A	7	3.2	5	2.3	9	4.0	1.9	4.5	3.2	1.9
Hepatitis B	2	0.9	10	4.5	10	4.4	6.6	2.4-9.0	6.2	2.1
Other										
Legionellosis	1	0.5	2	0.9	3	1.3	0.4		0.4	0.7
Streptococcal Inv. Pneumonia	29	13.3	23	10.4	29	12.8	13.0		12.0	0.6
Streptococcal Inf. Group A	11	5.0	12	5.4	12	5.3	4.6		5.0	1.8
Streptococcal Inf. Group B***	0	0.0	0	0.0	1	0.4	0.5	0.5	0.5	
Vancomycin res. <i>Enterococcus</i>	94	43.0	167	75.3	212	93.8	37.5		32.4	

***Streptococcal Inf. Group B rates are per 1,000 live births

Health Status Indicators for Cities and Towns 2003-2005

Scottsdale

Selected Causes of Death

Cause of Death	Scottsdale						Comparisons			
	2003		2004		2005		Maricopa County, 2005	Healthy People 2010	Arizona 2005	U.S. 2004
	Number	Rate per 100,000	Number	Rate per 100,000	Number	Rate per 100,000				
Tuberculosis	0	0.0	0	0.0	0	0.0	0.2		0.3	0.2
Syphilis	0	0.0	0	0.0	0	0.0	0		0.0	0.0
HIV Disease	<5		<5		<5		2.6	0.7	2.2	4.4
Malignant Neoplasms	499	228.4	498	224.7	517	228.7	142.4	159.9	160.0	187.4
Malignant Neoplasm Stomach	4	1.8	10	4.5	9	4.0	3.0		3.3	4.0
Malignant Neoplasm Colon	70	32.0	46	20.8	63	27.9	14.1	13.9	15.1	18.3
Malignant Neoplasm Pancreas	28	12.8	27	12.2	31	13.7	8.8		9.6	10.7
Malig. Neo. Bronchus, Lung	126	57.7	131	59.1	135	59.7	37.2	44.9	43.1	53.5
Malignant Neoplasm Breast	30	13.7	32	14.4	27	11.9	9.8	22.3*	11.2	13.9
Mal. Neo. Uterus, Cervix, Ovary	24	11.0	31	14.0	27	11.9	6.8		7.7	8.7
Malig. Neoplasm Prostate	27	12.4	28	12.6	30	13.3	8.1	28.8*	9.3	9.8
Malignant Neoplasm Urinary	22	10.1	39	17.6	30	13.3	7.6		8.1	8.5
Non-Hodgkins Lymphoma	33	15.1	20	9.0	25	11.1	6.1		6.3	7.1
Leukemia	15	6.9	13	5.9	17	7.5	5.7		6.1	7.3
Other Malignant Neoplasms	120	54.9	121	54.6	123	54.4	35.3		40.2	45.6
Diabetes	53	24.3	33	14.9	47	20.8	16.4	7.8	19.8	24.8
Alzheimers	124	56.8	124	55.9	126	55.7	34.3		30.0	22.4
Major Cardiovascular Diseases	691	316.3	700	315.8	694	307.1	217.7		234.0	293.8
Disease of Heart	511	233.9	495	223.3	519	229.6	165.3	166.0	178.3	222.7
Hypertensive Heart Disease	23	10.5	34	15.3	39	17.3	9.5		8.1	9.6
Ischemic Heart Disease	413	189.1	377	170.1	413	182.7	133.4		133.3	154.0
Other Heart Disease	75	34.3	84	37.9	67	29.6	22.5		35.4	57.0
Primary Hypertension	14	6.4	23	10.4	23	10.2	7.3		6.5	7.8
Cerebrovascular	129	59.0	134	60.5	104	46.0	34.9	48.0	38.5	51.1
Atherosclerosis	19	8.7	19	8.6	30	13.3	4.7		4.6	4.1
Other Circulatory	18	8.2	29	13.1	18	8.0	5.5		6.1	8.1

(continued on next page)

Health Status Indicators for Cities and Towns 2003-2005

Scottsdale

Selected Causes of Death, cont.

Cause of Death	Scottsdale						Comparisons			
	2003		2004		2005		Maricopa County, 2005	Healthy People 2010	Arizona 2005	U.S. 2004
	Number	Rate per 100,000	Number	Rate per 100,000	Number	Rate per 100,000				
Influenza & Pneumonia	51	23.3	60	27.1	67	29.6	19.7		21.2	20.9
Chronic Lower Respiratory	88	40.3	120	54.1	130	57.5	41.4		46.0	42.2
Peptic Ulcer	1	0.5	3	1.4	3	1.3	1.2		1.1	1.3
Liver Disease	26	11.9	17	7.7	26	11.5	10.4		12.4	9.0
Nephritis	25	11.4	23	10.4	11	4.9	5.8		10.0	14.6
Pregnancy	0	0.0	0	0.0	0	0.0	0.2		0.1	0.2
Perinatal Conditions	8	3.7	7	3.2	5	2.2	5.0		4.9	4.8
Congenital Malformations	13	6.0	5	2.3	4	1.8	3.4		3.8	3.6
SIDS	2	0.9	1	0.5	0	0.0	0.4			
Symptoms, Signs ex. SIDS	19	8.7	58	26.2	69	30.5	14.1			
All Other Diseases	320	146.5	288	129.9	341	150.9	98.3			
Motor Vehicle Accidents	28	12.8	28	12.6	51	22.6	16.1	9.2	18.8	15.0
All Other Acc. & Adverse Effects	65	29.8	70	31.6	89	39.4	30.2		30.9	22.0
Suicide	38	17.4	30	13.5	47	20.8	13.4	5.0	15.1	10.8
Homicide	8	3.7	7	3.2	6	2.7	9.1	3.0	8.3	5.7
All Other External Causes	6	2.7	3	1.4	10	4.4	2.5			
Unknown	21	9.6	4	1.8	0	0.0	0.2			
Total	2,086	954.9	2,079	937.9	2,243	992.4	684.8		746.3	816.7

*HP 2010 goals are breast cancer in females and prostate cancer in males

Health Status Indicators for Cities and Towns 2003-2005

Sun City** and Sun City West**

Population Statistics

Population in 2000

Estimated Population

2003

2004

2005

Age Distribution 2005

Under 20 years old

20 - 44 years old

45 - 64 years old

65 and older

Dependency ratio

Sun City** & Sun City West**		Maricopa County		Arizona	U.S.
64,653		3,072,149		5,130,632	281,421,906
Number	% Inc. from 2000	Number	% Inc. from 2000	Number	Number
71,312	10.3%	3,388,711	10.3%	5,577,784	290,850,005
73,640	13.9%	3,498,587	13.9%	5,739,879	293,656,842
76,484	18.3%	3,635,528	18.3%	5,939,292	296,410,404
Number	% Distribution	Number	% Distribution	% Distribution	% Distribution
0	0.0%	1,090,113	30.0%	29.3%	27.6%
1,530	2.0%	1,352,420	37.2%	35.4%	35.4%
13,002	17.0%	789,942	21.7%	22.5%	24.6%
61,952	81.0%	403,053	11.1%	12.8%	12.4%
4.26		0.70		0.73	0.67

Infant Health Indicators

Low weight births (under 2500 grams) - % of live births

Births to teen mothers - % of live births

Infant mortality per 1,000 live births

Total Births

Sun City** and Sun City West**						Comparisons		
2003		2004		2005		Maricopa County, 2005	Healthy People 2010	Arizona 2005
Number	Percent or Rate	Number	Percent or Rate	Number	Percent or Rate			U.S. 2004
6	12.0%	6	9.7%	5	11.6%	6.8%	5.0%	6.9%
5	10.0%	5	8.1%	5	11.6%	11.6%	(-)	12.5%
0	0.0	1	16.1	1	23.3	6.1	4.5	6.8
50		62		43		62,223		95,798
								4,112,052

Note: Infant health indicators for cities/towns with fewer than 1,000 births are not reliable.

**Unincorporated

Health Status Indicators for Cities and Towns 2003-2005

Sun City** and Sun City West**

Selected Reportable Diseases

	Sun City** and Sun City West**						Comparisons			
	2003		2004		2005		Rate per 100,000 Population			
	Number	Rate per 100,000	Number	Rate per 100,000	Number	Rate per 100,000	Maricopa County, 2005	H.P. 2010	Arizona 2005	U.S. 2004
Vaccine Preventable										
<i>H. influenzae</i>	1	1.4	0	0.0	1	1.3	1.7	0.0		0.7
Measles	0	0.0	0	0.0	0	0.0	0	0.0	0.0	0.0
Mumps	0	0.0	0	0.0	0	0.0	0.0	0.0	0.0	0.1
Pertussis	0	0.0	0	0.0	1	1.3	6.8	0.0	8.0	8.9
Central Nervous System										
Encephalitis	1	1.4	2	2.7	1	1.3	0.6		0.4	
Meningitis - Aseptic	4	5.6	8	10.9	9	11.8	19.9		13.8	
Meningococcal Disease	2	2.8	0	0.0	0	0.0	0.6	1.0	0.6	0.5
Enterics										
Amebiasis	1	1.4	0	0.0	0	0.0	0.3		0.3	
Botulism	0	0.0	0	0.0	0	0.0	0.0		0.0	0.0
Campylobacteriosis	1	1.4	6	8.1	5	6.5	13.8	12.3	14.3	
Cryptosporidiosis	0	0.0	0	0.0	0	0.0	0.2		0.2	1.2
<i>E. Coli</i> O157:H7	1	1.4	0	0.0	1	1.3	0.8	1.0	0.6	0.9
Giardiasis	0	0.0	1	1.4	2	2.6	3.3		3.0	8.3
Hemolytic Uremic Syndrome	0	0.0	0	0.0	0	0.0	0.1			0.1
Listeriosis	0	0.0	0	0.0	1	1.3	0.2	0.25	0.2	0.3
Salmonellosis	10	14.0	4	5.4	5	6.5	10.4	6.8	12.2	14.5
Shigellosis	0	0.0	0	0.0	0	0.0	6.8		9.0	5.0
Typhoid	0	0.0	0	0.0	0	0.0	0.1		0.1	0.1
Vibrioses	1	1.4	0	0.0	0	0.0	0.4		0.3	
Yersiniosis	0	0.0	0	0.0	0	0.0	0.0		0.1	
Mycosis										
Coccidioidomycosis	184	258.0	182	247.1	206	269.3	67.7		58.1	4.1
Zoonoses/Vectorborne										
Brucellosis	0	0.0	0	0.0	0	0.0	0.1		0.1	0.0
Hantavirus Pulmonary Syndrome	0	0.0	0	0.0	0	0.0	0		0.1	0.0
Malaria	0	0.0	0	0.0	0	0.0	0.4		0.3	0.5
West Nile Virus	1	1.4	2	2.7	2	2.6	2.2		1.8	0.4
Hepatitides										
Hepatitis A	0	0.0	3	4.1	0	0.0	1.9	4.5	3.2	1.9
Hepatitis B	3	4.2	2	2.7	7	9.2	6.6	2.4-9.0	6.2	2.1
Other										
Legionellosis	0	0.0	3	4.1	1	1.3	0.4		0.4	0.7
Streptococcal Inv. Pneumonia	8	11.2	11	14.9	9	11.8	13.0		12.0	0.6
Streptococcal Inf. Group A	2	2.8	1	1.4	6	7.8	4.6		5.0	1.8
Streptococcal Inf. Group B***	0	0.0	0	0.0	0	0.0	0.5	0.5	0.5	
Vancomycin res. <i>Enterococcus</i>	33	46.3	44	59.8	64	83.7	37.5		32.4	

**Unincorporated

***Streptococcal Inf. Group B rates are per 1,000 live births

Health Status Indicators for Cities and Towns 2003-2005

Sun City and Sun City West****

Selected Causes of Death

Cause of Death	Sun City** & Sun City West**						Comparisons			
	2003		2004		2005		Maricopa County, 2005	Healthy People 2010	Arizona 2005	U.S. 2004
	Number	Rate per 100,000	Number	Rate per 100,000	Number	Rate per 100,000				
Tuberculosis	0	0.0	0	0.0	0	0.0	0.2		0.3	0.2
Syphilis	0	0.0	0	0.0	0	0.0	0		0.0	0.0
HIV Disease	<5		<5		<5		2.6	0.7	2.2	4.4
Malignant Neoplasms	501	702.5	460	624.7	565	738.7	142.4	159.9	160.0	187.4
Malignant Neoplasm Stomach	11	15.4	6	8.1	13	17.0	3.0		3.3	4.0
Malignant Neoplasm Colon	60	84.1	43	58.4	47	61.5	14.1	13.9	15.1	18.3
Malignant Neoplasm Pancreas	26	36.5	32	43.5	41	53.6	8.8		9.6	10.7
Malig. Neo. Bronchus, Lung	129	180.9	125	169.7	139	181.7	37.2	44.9	43.1	53.5
Malignant Neoplasm Breast	32	44.9	30	40.7	40	52.3	9.8	22.3*	11.2	13.9
Mal. Neo. Uterus, Cervix, Ovary	23	32.3	23	31.2	22	28.8	6.8		7.7	8.7
Malig. Neoplasm Prostate	28	39.3	27	36.7	43	56.2	8.1	28.8*	9.3	9.8
Malignant Neoplasm Urinary	37	51.9	23	31.2	36	47.1	7.6		8.1	8.5
Non-Hodgkins Lymphoma	28	39.3	25	33.9	29	37.9	6.1		6.3	7.1
Leukemia	23	32.3	29	39.4	36	47.1	5.7		6.1	7.3
Other Malignant Neoplasms	104	145.8	97	131.7	119	155.6	35.3		40.2	45.6
Diabetes	36	50.5	46	62.5	50	65.4	16.4	7.8	19.8	24.8
Alzheimers	131	183.7	82	111.4	137	179.1	34.3		30.0	22.4
Major Cardiovascular Diseases	803	1126.0	760	1032.1	789	1031.6	217.7		234.0	293.8
Disease of Heart	610	855.4	571	775.4	600	784.5	165.3	166.0	178.3	222.7
Hypertensive Heart Disease	28	39.3	23	31.2	19	24.8	9.5		8.1	9.6
Ischemic Heart Disease	508	712.4	480	651.8	503	657.6	133.4		133.3	154.0
Other Heart Disease	74	103.8	68	92.3	78	102.0	22.5		35.4	57.0
Primary Hypertension	25	35.1	19	25.8	28	36.6	7.3		6.5	7.8
Cerebrovascular	137	192.1	141	191.5	129	168.7	34.9	48.0	38.5	51.1
Atherosclerosis	8	11.2	7	9.5	13	17.0	4.7		4.6	4.1
Other Circulatory	23	32.3	22	29.9	19	24.8	5.5		6.1	8.1

(continued on next page)

**Unincorporated

Health Status Indicators for Cities and Towns 2003-2005

Sun City and Sun City West****

Selected Causes of Death, cont.

Cause of Death	Sun City** & Sun City West**						Comparisons			
	2003		2004		2005		Maricopa County, 2005	Healthy People 2010	Arizona 2005	U.S. 2004
	Number	Rate per 100,000	Number	Rate per 100,000	Number	Rate per 100,000				
Influenza & Pneumonia	70	98.2	50	67.9	66	86.3	19.7		21.2	20.9
Chronic Lower Respiratory	116	162.7	125	169.7	155	202.7	41.4		46.0	42.2
Peptic Ulcer	2	2.8	2	2.7	2	2.6	1.2		1.1	1.3
Liver Disease	11	15.4	10	13.6	13	17.0	10.4		12.4	9.0
Nephritis	22	30.9	26	35.3	19	24.8	5.8		10.0	14.6
Pregnancy	0	0.0	0	0.0	0	0.0	0.2		0.1	0.2
Perinatal Conditions	0	0.0	1	1.4	0	0.0	5.0		4.9	4.8
Congenital Malformations	2	2.8	0	0.0	1	1.3	3.4		3.8	3.6
SIDS	0	0.0	0	0.0	0	0.0	0.4			
Symptoms, Signs ex. SIDS	39	54.7	42	57.0	63	82.4	14.1			
All Other Diseases	310	434.7	312	423.7	294	384.4	98.3			
Motor Vehicle Accidents	12	16.8	6	8.1	16	20.9	16.1	9.2	18.8	15.0
All Other Acc. & Adverse Effects	75	105.2	62	84.2	61	79.8	30.2		30.9	22.0
Suicide	15	21.0	13	17.7	14	18.3	13.4	5.0	15.1	10.8
Homicide	3	4.2	0	0.0	1	1.3	9.1	3.0	8.3	5.7
All Other External Causes	3	4.2	4	5.4	0	0.0	2.5			
Unknown	8	11.2	6	8.1	0	0.0	0.2			
Total	2,159	3027.5	2,007	2725.4	2,246	2936.5	684.8		746.3	816.7

*HP 2010 goals are breast cancer in females and prostate cancer in males

**Unincorporated

Health Status Indicators for Cities and Towns 2003-2005

Sun Lakes**

Population Statistics

Population in 2000

Estimated Population

2003

2004

2005

Age Distribution 2005

Under 20 years old

20 - 44 years old

45 - 64 years old

65 and older

Dependency ratio

Sun Lakes**		Maricopa County		Arizona	U.S.
11,936		3,072,149		5,130,632	281,421,906
Number	% Inc. from 2000	Number	% Inc. from 2000	Number	Number
13,165	10.3%	3,388,711	10.3%	5,577,784	290,850,005
13,595	13.9%	3,498,587	13.9%	5,739,879	293,656,842
14,120	18.3%	3,635,528	18.3%	5,939,292	296,410,404
Number	% Distribution	Number	% Distribution	% Distribution	% Distribution
0	0.0%	1,090,113	30.0%	29.3%	27.6%
282	2.0%	1,352,420	37.2%	35.4%	35.4%
4,377	31.0%	789,942	21.7%	22.5%	24.6%
9,319	66.0%	403,053	11.1%	12.8%	12.4%
2.00		0.70		0.73	0.67

Infant Health Indicators

Low weight births (under 2500 grams) - % of live births

Births to teen mothers - % of live births

Infant mortality per 1,000 live births

Total Births

Sun Lakes**						Comparisons		
2003		2004		2005		Maricopa County, 2005	Healthy People 2010	Arizona 2005
Number	Percent or Rate	Number	Percent or Rate	Number	Percent or Rate			U.S. 2004
0	0.0%	0	0.0%	0	0.0%	6.8%	5.0%	6.9%
0	0.0%	0	0.0%	<5		11.6%	(-)	12.5%
0	0.0	0	0.0	0	0.0	6.1	4.5	6.8
<5		<5		<5		62,223		95,798

Note: Infant health indicators for cities/towns with fewer than 1,000 births are not reliable.

**Unincorporated

Health Status Indicators for Cities and Towns 2003-2005

Sun Lakes**

Selected Reportable Diseases

	Sun Lakes**						Comparisons			
	2003		2004		2005		Rate per 100,000 Population			
	<u>Number</u>	<u>Rate per 100,000</u>	<u>Number</u>	<u>Rate per 100,000</u>	<u>Number</u>	<u>Rate per 100,000</u>	<u>Maricopa County, 2005</u>	<u>H.P. 2010</u>	<u>Arizona 2005</u>	<u>U.S. 2004</u>
Vaccine Preventable										
<i>H. influenzae</i>	1	7.6	0	0.0	0	0.0	1.7	0.0		0.7
Measles	0	0.0	0	0.0	0	0.0	0	0.0	0.0	0.0
Mumps	0	0.0	0	0.0	0	0.0	0.0	0.0	0.0	0.1
Pertussis	0	0.0	0	0.0	0	0.0	6.8	0.0	8.0	8.9
Central Nervous System										
Encephalitis	0	0.0	0	0.0	0	0.0	0.6		0.4	
Meningitis - Aseptic	0	0.0	1	7.4	3	21.2	19.9		13.8	
Meningococcal Disease	0	0.0	0	0.0	0	0.0	0.6	1.0	0.6	0.5
Enterics										
Amebiasis	0	0.0	0	0.0	0	0.0	0.3		0.3	
Botulism	0	0.0	0	0.0	0	0.0	0.0		0.0	0.0
Campylobacteriosis	2	15.2	0	0.0	1	7.1	13.8	12.3	14.3	
Cryptosporidiosis	0	0.0	0	0.0	0	0.0	0.2		0.2	1.2
<i>E. Coli</i> O157:H7	0	0.0	0	0.0	0	0.0	0.8	1.0	0.6	0.9
Giardiasis	0	0.0	0	0.0	0	0.0	3.3		3.0	8.3
Hemolytic Uremic Syndrome	0	0.0	0	0.0	0	0.0	0.1			0.1
Listeriosis	0	0.0	0	0.0	0	0.0	0.2	0.25	0.2	0.3
Salmonellosis	1	7.6	0	0.0	3	21.2	10.4	6.8	12.2	14.5
Shigellosis	0	0.0	0	0.0	0	0.0	6.8		9.0	5.0
Typhoid	0	0.0	0	0.0	0	0.0	0.1		0.1	0.1
Vibrioses	0	0.0	0	0.0	0	0.0	0.4		0.3	
Yersiniosis	0	0.0	0	0.0	0	0.0	0.0		0.1	
Mycosis										
Coccidioidomycosis	12	91.1	12	88.3	13	92.1	67.7		58.1	4.1
Zoonoses/Vectorborne										
Brucellosis	0	0.0	0	0.0	0	0.0	0.1		0.1	0.0
Hantavirus Pulmonary Syndrome	0	0.0	0	0.0	0	0.0	0		0.1	0.0
Malaria	0	0.0	0	0.0	0	0.0	0.4		0.3	0.5
West Nile Virus	0	0.0	0	0.0	0	0.0	2.2		1.8	0.4
Hepatitides										
Hepatitis A	0	0.0	0	0.0	0	0.0	1.9	4.5	3.2	1.9
Hepatitis B	0	0.0	0	0.0	0	0.0	6.6	2.4-9.0	6.2	2.1
Other										
Legionellosis	0	0.0	0	0.0	0	0.0	0.4		0.4	0.7
Streptococcal Inv. Pneumonia	1	7.6	1	7.4	1	7.1	13.0		12.0	0.6
Streptococcal Inf. Group A	1	7.6	0	0.0	0	0.0	4.6		5.0	1.8
Streptococcal Inf. Group B***	0	0.0	0	0.0	0	0.0	0.5	0.5	0.5	
Vancomycin res. <i>Enterococcus</i>	4	30.4	10	73.6	6	42.5	37.5		32.4	

**Unincorporated

***Streptococcal Inf. Group B rates are per 1,000 live births

Health Status Indicators for Cities and Towns 2003-2005

Sun Lakes**

Selected Causes of Death

Cause of Death	Sun Lakes**						Comparisons			
	2003		2004		2005		Maricopa County, 2005	Healthy People 2010	Arizona 2005	U.S. 2004
	Number	Rate per 100,000	Number	Rate per 100,000	Number	Rate per 100,000				
Tuberculosis	0	0.0	0	0.0	0	0.0	0.2		0.3	0.2
Syphilis	0	0.0	0	0.0	0	0.0	0		0.0	0.0
HIV Disease	0	0.0	0	0.0	0	0.0	2.6	0.7	2.2	4.4
Malignant Neoplasms	70	531.7	84	617.9	87	616.1	142.4	159.9	160.0	187.4
Malignant Neoplasm Stomach	0	0.0	4	29.4	0	0.0	3.0		3.3	4.0
Malignant Neoplasm Colon	5	38.0	6	44.1	8	56.7	14.1	13.9	15.1	18.3
Malignant Neoplasm Pancreas	7	53.2	3	22.1	4	28.3	8.8		9.6	10.7
Malig. Neo. Bronchus, Lung	21	159.5	21	154.5	27	191.2	37.2	44.9	43.1	53.5
Malignant Neoplasm Breast	3	22.8	3	22.1	1	7.1	9.8	22.3*	11.2	13.9
Mal. Neo. Uterus, Cervix, Ovary	4	30.4	4	29.4	3	21.2	6.8		7.7	8.7
Malig. Neoplasm Prostate	4	30.4	10	73.6	4	28.3	8.1	28.8*	9.3	9.8
Malignant Neoplasm Urinary	2	15.2	5	36.8	2	14.2	7.6		8.1	8.5
Non-Hodgkins Lymphoma	5	38.0	5	36.8	4	28.3	6.1		6.3	7.1
Leukemia	6	45.6	3	22.1	6	42.5	5.7		6.1	7.3
Other Malignant Neoplasms	13	98.7	20	147.1	28	198.3	35.3		40.2	45.6
Diabetes	2	15.2	7	51.5	4	28.3	16.4	7.8	19.8	24.8
Alzheimers	9	68.4	14	103.0	17	120.4	34.3		30.0	22.4
Major Cardiovascular Diseases	87	660.8	103	757.6	123	871.1	217.7		234.0	293.8
Disease of Heart	66	501.3	83	610.5	96	679.9	165.3	166.0	178.3	222.7
Hypertensive Heart Disease	0	0.0	2	14.7	3	21.2	9.5		8.1	9.6
Ischemic Heart Disease	54	410.2	74	544.3	81	573.6	133.4		133.3	154.0
Other Heart Disease	12	91.1	7	51.5	12	85.0	22.5		35.4	57.0
Primary Hypertension	1	7.6	2	14.7	4	28.3	7.3		6.5	7.8
Cerebrovascular	15	113.9	14	103.0	13	92.1	34.9	48.0	38.5	51.1
Atherosclerosis	3	22.8	0	0.0	6	42.5	4.7		4.6	4.1
Other Circulatory	2	15.2	4	29.4	4	28.3	5.5		6.1	8.1

(continued on next page)

**Unincorporated

Health Status Indicators for Cities and Towns 2003-2005

Sun Lakes**

Selected Causes of Death, cont.

Cause of Death	Sun Lakes**						Comparisons			
	2003		2004		2005		Maricopa County, 2005	Healthy People 2010	Arizona 2005	U.S. 2004
	<u>Number</u>	<u>Rate per 100,000</u>	<u>Number</u>	<u>Rate per 100,000</u>	<u>Number</u>	<u>Rate per 100,000</u>				
Influenza & Pneumonia	6	45.6	5	36.8	10	70.8	19.7		21.2	20.9
Chronic Lower Respiratory	16	121.5	15	110.3	13	92.1	41.4		46.0	42.2
Peptic Ulcer	1	7.6	1	7.4	0	0.0	1.2		1.1	1.3
Liver Disease	2	15.2	2	14.7	4	28.3	10.4		12.4	9.0
Nephritis	1	7.6	2	14.7	4	28.3	5.8		10.0	14.6
Pregnancy	0	0.0	0	0.0	0	0.0	0.2		0.1	0.2
Perinatal Conditions	0	0.0	0	0.0	0	0.0	5.0		4.9	4.8
Congenital Malformations	0	0.0	0	0.0	0	0.0	3.4		3.8	3.6
SIDS	0	0.0	0	0.0	0	0.0	0.4			
Symptoms, Signs ex. SIDS	0	0.0	1	7.4	1	7.1	14.1			
All Other Diseases	36	273.4	29	213.3	45	318.7	98.3			
Motor Vehicle Accidents	0	0.0	1	7.4	2	14.2	16.1	9.2	18.8	15.0
All Other Acc. & Adverse Effects	6	45.6	8	58.8	12	85.0	30.2		30.9	22.0
Suicide	0	0.0	3	22.1	3	21.2	13.4	5.0	15.1	10.8
Homicide	0	0.0	0	0.0	0	0.0	9.1	3.0	8.3	5.7
All Other External Causes	0	0.0	0	0.0	0	0.0	2.5			
Unknown	2	15.2	0	0.0	0	0.0	0.2			
Total	238	1807.8	275	2022.8	325	2301.7	684.8		746.3	816.7

*HP 2010 goals are breast cancer in females and prostate cancer in males

**Unincorporated

Health Status Indicators for Cities and Towns 2003-2005

Surprise

Population Statistics

Population in 2000

Estimated Population

2003

2004

2005

Age Distribution 2005

Under 20 years old

20 - 44 years old

45 - 64 years old

65 and older

Dependency ratio

Surprise		Maricopa County		Arizona	U.S.
30,848		3,072,149		5,130,632	281,421,906
Number	% Inc. from 2000	Number	% Inc. from 2000	Number	Number
50,877	64.9%	3,388,711	10.3%	5,577,784	290,850,005
60,591	96.4%	3,498,587	13.9%	5,739,879	293,656,842
74,411	141.2%	3,635,528	18.3%	5,939,292	296,410,404
Number	% Distribution	Number	% Distribution	% Distribution	% Distribution
15,626	21.0%	1,090,113	30.0%	29.3%	27.6%
20,835	28.0%	1,352,420	37.2%	35.4%	35.4%
18,603	25.0%	789,942	21.7%	22.5%	24.6%
18,603	25.0%	403,053	11.1%	12.8%	12.4%
0.87		0.70		0.73	0.67

Infant Health Indicators

Low weight births (under 2500 grams) - % of live births

Births to teen mothers - % of live births

Infant mortality per 1,000 live births

Total Births

Surprise						Comparisons		
2003		2004		2005		Maricopa County, 2005	Healthy People 2010	Arizona 2005
Number	Percent or Rate	Number	Percent or Rate	Number	Percent or Rate			U.S. 2004
81	8.0%	71	5.8%	82	5.7%	6.8%	5.0%	6.9%
74	7.3%	91	7.5%	80	5.5%	11.6%	(-)	12.5%
7	6.9	6	4.9	7	4.8	6.1	4.5	6.8
1,013		1,215		1,447		62,223		95,798
								4,112,052

Health Status Indicators for Cities and Towns 2003-2005

Surprise

Selected Reportable Diseases

	Surprise						Comparisons			
	2003		2004		2005		Rate per 100,000 Population			
	Number	Rate per 100,000	Number	Rate per 100,000	Number	Rate per 100,000	Maricopa County, 2005	H.P. 2010	Arizona 2005	U.S. 2004
Vaccine Preventable										
<i>H. influenzae</i>	1	2.0	0	0.0	1	1.3	1.7	0.0		0.7
Measles	0	0.0	0	0.0	0	0.0	0	0.0	0.0	0.0
Mumps	0	0.0	0	0.0	0	0.0	0.0	0.0	0.0	0.1
Pertussis	0	0.0	0	0.0	3	4.0	6.8	0.0	8.0	8.9
Central Nervous System										
Encephalitis	2	3.9	0	0.0	0	0.0	0.6		0.4	
Meningitis - Aseptic	20	39.3	9	14.9	23	30.9	19.9		13.8	
Meningococcal Disease	0	0.0	0	0.0	0	0.0	0.6	1.0	0.6	0.5
Enterics										
Amebiasis	0	0.0	0	0.0	0	0.0	0.3		0.3	
Botulism	0	0.0	0	0.0	0	0.0	0.0		0.0	0.0
Campylobacteriosis	4	7.9	5	8.3	14	18.8	13.8	12.3	14.3	
Cryptosporidiosis	0	0.0	0	0.0	0	0.0	0.2		0.2	1.2
<i>E. Coli</i> O157:H7	0	0.0	1	1.7	0	0.0	0.8	1.0	0.6	0.9
Giardiasis	0	0.0	2	3.3	1	1.3	3.3		3.0	8.3
Hemolytic Uremic Syndrome	0	0.0	0	0.0	0	0.0	0.1			0.1
Listeriosis	0	0.0	0	0.0	1	1.3	0.2	0.25	0.2	0.3
Salmonellosis	2	3.9	4	6.6	5	6.7	10.4	6.8	12.2	14.5
Shigellosis	4	7.9	0	0.0	3	4.0	6.8		9.0	5.0
Typhoid	0	0.0	0	0.0	0	0.0	0.1		0.1	0.1
Vibrioses	0	0.0	0	0.0	0	0.0	0.4		0.3	
Yersiniosis	0	0.0	0	0.0	0	0.0	0.0		0.1	
Mycosis										
Coccidioidomycosis	94	184.8	107	176.6	144	193.5	67.7		58.1	4.1
Zoonoses/Vectorborne										
Brucellosis	0	0.0	0	0.0	0	0.0	0.1		0.1	0.0
Hantavirus Pulmonary Syndrome	0	0.0	0	0.0	1	1.3	0		0.1	0.0
Malaria	0	0.0	0	0.0	0	0.0	0.4		0.3	0.5
West Nile Virus	0	0.0	2	3.3	3	4.0	2.2		1.8	0.4
Hepatitides										
Hepatitis A	1	2.0	1	1.7	1	1.3	1.9	4.5	3.2	1.9
Hepatitis B	0	0.0	0	0.0	2	2.7	6.6	2.4-9.0	6.2	2.1
Other										
Legionellosis	0	0.0	2	3.3	0	0.0	0.4		0.4	0.7
Streptococcal Inv. Pneumonia	2	3.9	3	5.0	6	8.1	13.0		12.0	0.6
Streptococcal Inf. Group A	3	5.9	2	3.3	1	1.3	4.6		5.0	1.8
Streptococcal Inf. Group B***	0	0.0	0	0.0	1	0.7	0.5	0.5	0.5	
Vancomycin res. <i>Enterococcus</i>	7	13.8	11	18.2	16	21.5	37.5		32.4	

***Streptococcal Inf. Group B rates are per 1,000 live births

Health Status Indicators for Cities and Towns 2003-2005

Surprise

Selected Causes of Death

Cause of Death	Surprise						Comparisons			
	2003		2004		2005		Maricopa County, 2005	Healthy People 2010	Arizona 2005	U.S. 2004
	Number	Rate per 100,000	Number	Rate per 100,000	Number	Rate per 100,000				
Tuberculosis	0	0.0	0	0.0	0	0.0	0.2		0.3	0.2
Syphilis	0	0.0	0	0.0	0	0.0	0		0.0	0.0
HIV Disease	0	0.0	<5		0	0.0	2.6	0.7	2.2	4.4
Malignant Neoplasms	107	210.3	139	229.4	158	212.3	142.4	159.9	160.0	187.4
Malignant Neoplasm Stomach	3	5.9	3	5.0	5	6.7	3.0		3.3	4.0
Malignant Neoplasm Colon	17	33.4	20	33.0	17	22.8	14.1	13.9	15.1	18.3
Malignant Neoplasm Pancreas	5	9.8	7	11.6	3	4.0	8.8		9.6	10.7
Malig. Neo. Bronchus, Lung	34	66.8	38	62.7	42	56.4	37.2	44.9	43.1	53.5
Malignant Neoplasm Breast	6	11.8	9	14.9	7	9.4	9.8	22.3*	11.2	13.9
Mal. Neo. Uterus, Cervix, Ovary	7	13.8	2	3.3	7	9.4	6.8		7.7	8.7
Malig. Neoplasm Prostate	1	2.0	5	8.3	10	13.4	8.1	28.8*	9.3	9.8
Malignant Neoplasm Urinary	8	15.7	9	14.9	10	13.4	7.6		8.1	8.5
Non-Hodgkins Lymphoma	2	3.9	3	5.0	8	10.8	6.1		6.3	7.1
Leukemia	3	5.9	7	11.6	7	9.4	5.7		6.1	7.3
Other Malignant Neoplasms	21	41.3	36	59.4	42	56.4	35.3		40.2	45.6
Diabetes	10	19.7	7	11.6	9	12.1	16.4	7.8	19.8	24.8
Alzheimers	11	21.6	16	26.4	27	36.3	34.3		30.0	22.4
Major Cardiovascular Diseases	138	271.2	151	249.2	180	241.9	217.7		234.0	293.8
Disease of Heart	101	198.5	123	203.0	150	201.6	165.3	166.0	178.3	222.7
Hypertensive Heart Disease	6	11.8	5	8.3	8	10.8	9.5		8.1	9.6
Ischemic Heart Disease	75	147.4	109	179.9	123	165.3	133.4		133.3	154.0
Other Heart Disease	20	39.3	9	14.9	19	25.5	22.5		35.4	57.0
Primary Hypertension	7	13.8	3	5.0	6	8.1	7.3		6.5	7.8
Cerebrovascular	23	45.2	19	31.4	21	28.2	34.9	48.0	38.5	51.1
Atherosclerosis	3	5.9	1	1.7	1	1.3	4.7		4.6	4.1
Other Circulatory	4	7.9	5	8.3	2	2.7	5.5		6.1	8.1

(continued on next page)

Health Status Indicators for Cities and Towns 2003-2005

Surprise

Selected Causes of Death, cont.

Cause of Death	Surprise						Comparisons			
	2003		2004		2005		Maricopa County, 2005	Healthy People 2010	Arizona 2005	U.S. 2004
	Number	Rate per 100,000	Number	Rate per 100,000	Number	Rate per 100,000				
Influenza & Pneumonia	9	17.7	13	21.5	12	16.1	19.7		21.2	20.9
Chronic Lower Respiratory	23	45.2	27	44.6	36	48.4	41.4		46.0	42.2
Peptic Ulcer	0	0.0	1	1.7	2	2.7	1.2		1.1	1.3
Liver Disease	8	15.7	5	8.3	8	10.8	10.4		12.4	9.0
Nephritis	4	7.9	8	13.2	4	5.4	5.8		10.0	14.6
Pregnancy	0	0.0	0	0.0	0	0.0	0.2		0.1	0.2
Perinatal Conditions	5	9.8	3	5.0	3	4.0	5.0		4.9	4.8
Congenital Malformations	1	2.0	4	6.6	2	2.7	3.4		3.8	3.6
SIDS	1	2.0	0	0.0	0	0.0	0.4			
Symptoms, Signs ex. SIDS	3	5.9	3	5.0	13	17.5	14.1			
All Other Diseases	50	98.3	66	108.9	82	110.2	98.3			
Motor Vehicle Accidents	3	5.9	10	16.5	8	10.8	16.1	9.2	18.8	15.0
All Other Acc. & Adverse Effects	14	27.5	23	38.0	26	34.9	30.2		30.9	22.0
Suicide	5	9.8	12	19.8	17	22.8	13.4	5.0	15.1	10.8
Homicide	2	3.9	4	6.6	0	0.0	9.1	3.0	8.3	5.7
All Other External Causes	1	2.0	0	0.0	2	2.7	2.5			
Unknown	2	3.9	1	1.7	0	0.0	0.2			
Total	397	780.3	493	813.7	589	791.5	684.8		746.3	816.7

*HP 2010 goals are breast cancer in females and prostate cancer in males

Health Status Indicators for Cities and Towns 2003-2005

Tempe

Population Statistics

Population in 2000

Estimated Population

2003

2004

2005

Age Distribution 2005

Under 20 years old

20 - 44 years old

45 - 64 years old

65 and older

Dependency ratio

Tempe		Maricopa County		Arizona	U.S.
158,625		3,072,149		5,130,632	281,421,906
Number	% Inc. from 2000	Number	% Inc. from 2000	Number	Number
158,808	0.1%	3,388,711	10.3%	5,577,784	290,850,005
160,566	1.2%	3,498,587	13.9%	5,739,879	293,656,842
161,143	1.6%	3,635,528	18.3%	5,939,292	296,410,404
Number	% Distribution	Number	% Distribution	% Distribution	% Distribution
41,897	26.0%	1,090,113	30.0%	29.3%	27.6%
78,960	49.0%	1,352,420	37.2%	35.4%	35.4%
29,006	18.0%	789,942	21.7%	22.5%	24.6%
11,280	7.0%	403,053	11.1%	12.8%	12.4%
0.49		0.70		0.73	0.67

Infant Health Indicators

Low weight births (under 2500 grams) - % of live births

Births to teen mothers - % of live births

Infant mortality per 1,000 live births

Total Births

Tempe						Comparisons		
2003		2004		2005		Maricopa County, 2005	Healthy People 2010	Arizona 2005
Number	Percent or Rate	Number	Percent or Rate	Number	Percent or Rate			U.S. 2004
149	7.3%	156	7.8%	149	7.3%	6.8%	5.0%	6.9%
217	10.6%	211	10.5%	217	10.6%	11.6%	(-)	12.5%
14	6.8	10	5.0	15	7.3	6.1	4.5	6.8
2,044		2,003		2,046		62,223		95,798
								4,112,052

Note: 2004 and 2005 infant health indicators for Tempe are not comparable to 2003 data because geocoding was not available for 2003.

The 2004 and 2005 infant health indicators are the most accurate.

Health Status Indicators for Cities and Towns 2003-2005

Tempe

Selected Reportable Diseases

	Tempe						Comparisons			
	2003		2004		2005		Rate per 100,000 Population			
	Number	Rate per 100,000	Number	Rate per 100,000	Number	Rate per 100,000	Maricopa County, 2005	H.P. 2010	Arizona 2005	U.S. 2004
Vaccine Preventable										
<i>H. influenzae</i>	1	0.6	1	0.6	1	0.6	1.7	0.0		0.7
Measles	0	0.0	0	0.0	1	0.6	0	0.0	0.0	0.0
Mumps	0	0.0	0	0.0	0	0.0	0.0	0.0	0.0	0.1
Pertussis	7	4.4	2	1.2	8	5.0	6.8	0.0	8.0	8.9
Central Nervous System										
Encephalitis	0	0.0	1	0.6	1	0.6	0.6		0.4	
Meningitis - Aseptic	32	20.2	9	5.6	10	6.2	19.9		13.8	
Meningococcal Disease	0	0.0	0	0.0	0	0.0	0.6	1.0	0.6	0.5
Enterics										
Amebiasis	1	0.6	0	0.0	0	0.0	0.3		0.3	
Botulism	0	0.0	0	0.0	0	0.0	0.0		0.0	0.0
Campylobacteriosis	20	12.6	18	11.2	15	9.3	13.8	12.3	14.3	
Cryptosporidiosis	1	0.6	0	0.0	0	0.0	0.2		0.2	1.2
<i>E. Coli</i> O157:H7	1	0.6	1	0.6	0	0.0	0.8	1.0	0.6	0.9
Giardiasis	6	3.8	2	1.2	1	0.6	3.3		3.0	8.3
Hemolytic Uremic Syndrome	0	0.0	0	0.0	0	0.0	0.1			0.1
Listeriosis	0	0.0	0	0.0	0	0.0	0.2	0.25	0.2	0.3
Salmonellosis	15	9.4	18	11.2	17	10.5	10.4	6.8	12.2	14.5
Shigellosis	10	6.3	9	5.6	10	6.2	6.8		9.0	5.0
Typhoid	0	0.0	0	0.0	1	0.6	0.1		0.1	0.1
Vibrioses	0	0.0	0	0.0	0	0.0	0.4		0.3	
Yersiniosis	0	0.0	1	0.6	0	0.0	0.0		0.1	
Mycosis										
Coccidioidomycosis	75	47.2	91	56.7	79	49.0	67.7		58.1	4.1
Zoonoses/Vectorborne										
Brucellosis	0	0.0	0	0.0	0	0.0	0.1		0.1	0.0
Hantavirus Pulmonary Syndrome	0	0.0	0	0.0	0	0.0	0		0.1	0.0
Malaria	0	0.0	0	0.0	3	1.9	0.4		0.3	0.5
West Nile Virus	0	0.0	12	7.5	7	4.3	2.2		1.8	0.4
Hepatitides										
Hepatitis A	2	1.3	7	4.4	3	1.9	1.9	4.5	3.2	1.9
Hepatitis B	6	3.8	8	5.0	6	3.7	6.6	2.4-9.0	6.2	2.1
Other										
Legionellosis	0	0.0	0	0.0	0	0.0	0.4		0.4	0.7
Streptococcal Inv. Pneumonia	6	3.8	5	3.1	2	1.2	13.0		12.0	0.6
Streptococcal Inf. Group A	6	3.8	2	1.2	3	1.9	4.6		5.0	1.8
Streptococcal Inf. Group B***	0	0.0	2	1.0	1	0.5	0.5	0.5	0.5	
Vancomycin res. <i>Enterococcus</i>	21	13.2	32	19.9	39	24.2	37.5		32.4	

***Streptococcal Inf. Group B rates are per 1,000 live births

Health Status Indicators for Cities and Towns 2003-2005

Tempe

Selected Causes of Death

Cause of Death	Tempe						Comparisons			
	2003		2004		2005		Maricopa County, 2005	Healthy People 2010	Arizona 2005	U.S. 2004
	Number	Rate per 100,000	Number	Rate per 100,000	Number	Rate per 100,000				
Tuberculosis	0	0.0	0	0.0	0	0.0	0.2		0.3	0.2
Syphilis	0	0.0	0	0.0	0	0.0	0		0.0	0.0
HIV Disease	7	4.4	6	3.7	<5		2.6	0.7	2.2	4.4
Malignant Neoplasms	184	115.9	173	107.7	189	117.3	142.4	159.9	160.0	187.4
Malignant Neoplasm Stomach	1	0.6	4	2.5	6	3.7	3.0		3.3	4.0
Malignant Neoplasm Colon	14	8.8	19	11.8	14	8.7	14.1	13.9	15.1	18.3
Malignant Neoplasm Pancreas	10	6.3	10	6.2	14	8.7	8.8		9.6	10.7
Malig. Neo. Bronchus, Lung	54	34.0	40	24.9	54	33.5	37.2	44.9	43.1	53.5
Malignant Neoplasm Breast	9	5.7	13	8.1	12	7.4	9.8	22.3*	11.2	13.9
Mal. Neo. Uterus, Cervix, Ovary	10	6.3	8	5.0	11	6.8	6.8		7.7	8.7
Malig. Neoplasm Prostate	20	12.6	7	4.4	10	6.2	8.1	28.8*	9.3	9.8
Malignant Neoplasm Urinary	9	5.7	10	6.2	5	3.1	7.6		8.1	8.5
Non-Hodgkins Lymphoma	3	1.9	5	3.1	8	5.0	6.1		6.3	7.1
Leukemia	8	5.0	10	6.2	7	4.3	5.7		6.1	7.3
Other Malignant Neoplasms	46	29.0	47	29.3	48	29.8	35.3		40.2	45.6
Diabetes	20	12.6	17	10.6	29	18.0	16.4	7.8	19.8	24.8
Alzheimers	38	23.9	43	26.8	47	29.2	34.3		30.0	22.4
Major Cardiovascular Diseases	245	154.3	255	158.8	277	171.9	217.7		234.0	293.8
Disease of Heart	185	116.5	193	120.2	201	124.7	165.3	166.0	178.3	222.7
Hypertensive Heart Disease	6	3.8	11	6.9	11	6.8	9.5		8.1	9.6
Ischemic Heart Disease	150	94.5	150	93.4	161	99.9	133.4		133.3	154.0
Other Heart Disease	29	18.3	32	19.9	29	18.0	22.5		35.4	57.0
Primary Hypertension	5	3.1	5	3.1	9	5.6	7.3		6.5	7.8
Cerebrovascular	46	29.0	45	28.0	46	28.5	34.9	48.0	38.5	51.1
Atherosclerosis	4	2.5	5	3.1	11	6.8	4.7		4.6	4.1
Other Circulatory	5	3.1	7	4.4	10	6.2	5.5		6.1	8.1

(continued on next page)

Health Status Indicators for Cities and Towns 2003-2005

Tempe

Selected Causes of Death, cont.

Cause of Death	Tempe						Comparisons			
	2003		2004		2005		Maricopa County, 2005	Healthy People 2010	Arizona 2005	U.S. 2004
	Number	Rate per 100,000	Number	Rate per 100,000	Number	Rate per 100,000				
Influenza & Pneumonia	22	13.9	22	13.7	28	17.4	19.7		21.2	20.9
Chronic Lower Respiratory	46	29.0	40	24.9	39	24.2	41.4		46.0	42.2
Peptic Ulcer	3	1.9	2	1.2	1	0.6	1.2		1.1	1.3
Liver Disease	8	5.0	6	3.7	5	3.1	10.4		12.4	9.0
Nephritis	11	6.9	4	2.5	7	4.3	5.8		10.0	14.6
Pregnancy	0	0.0	0	0.0	1	0.6	0.2		0.1	0.2
Perinatal Conditions	7	4.4	2	1.2	6	3.7	5.0		4.9	4.8
Congenital Malformations	3	1.9	6	3.7	6	3.7	3.4		3.8	3.6
SIDS	0	0.0	0	0.0	1	0.6	0.4			
Symptoms, Signs ex. SIDS	14	8.8	17	10.6	11	6.8	14.1			
All Other Diseases	135	85.0	91	56.7	115	71.4	98.3			
Motor Vehicle Accidents	14	8.8	19	11.8	13	8.1	16.1	9.2	18.8	15.0
All Other Acc. & Adverse Effects	30	18.9	39	24.3	45	27.9	30.2		30.9	22.0
Suicide	22	13.9	18	11.2	29	18.0	13.4	5.0	15.1	10.8
Homicide	8	5.0	8	5.0	6	3.7	9.1	3.0	8.3	5.7
All Other External Causes	2	1.3	0	0.0	3	1.9	2.5			
Unknown	8	5.0	0	0.0	0	0.0	0.2			
Total	827	520.8	768	478.3	858	532.4	684.8		746.3	816.7

*HP 2010 goals are breast cancer in females and prostate cancer in males

Health Status Indicators for Cities and Towns 2003-2005

Tolleson

Population Statistics

	Tolleson		Maricopa County		Arizona	U.S.
Population in 2000	4,974		3,072,149		5,130,632	281,421,906
Estimated Population	<u>Number</u>	<u>% Inc. from 2000</u>	<u>Number</u>	<u>% Inc. from 2000</u>	<u>Number</u>	<u>Number</u>
2003	5,835	17.3%	3,388,711	10.3%	5,577,784	290,850,005
2004	5,944	19.5%	3,498,587	13.9%	5,739,879	293,656,842
2005	5,974	20.1%	3,635,528	18.3%	5,939,292	296,410,404
Age Distribution 2005	<u>Number</u>	<u>% Distribution</u>	<u>Number</u>	<u>% Distribution</u>	<u>% Distribution</u>	<u>% Distribution</u>
Under 20 years old	2,151	36.0%	1,090,113	30.0%	29.3%	27.6%
20 - 44 years old	2,091	35.0%	1,352,420	37.2%	35.4%	35.4%
45 - 64 years old	1,135	19.0%	789,942	21.7%	22.5%	24.6%
65 and older	597	10.0%	403,053	11.1%	12.8%	12.4%
Dependency ratio	0.85		0.70		0.73	0.67

Infant Health Indicators

	Tolleson						Comparisons		
	2003		2004		2005		Maricopa County, 2005	Healthy People 2010	Arizona 2005
	<u>Number</u>	<u>Percent or Rate</u>	<u>Number</u>	<u>Percent or Rate</u>	<u>Number</u>	<u>Percent or Rate</u>			<u>U.S. 2004</u>
Low weight births (under 2500 grams) - % of live births	19	7.4%	18	5.2%	33	7.8%	6.8%	5.0%	6.9%
Births to teen mothers - % of live births	30	11.7%	40	11.5%	52	12.3%	11.6%	(-)	12.5%
Infant mortality per 1,000 live births	3	11.7	0	0.0	0	0.0	6.1	4.5	6.8
Total Births	257		347		423		62,223		95,798
									4,112,052

Note: Infant health indicators for cities/towns with fewer than 1,000 births are not reliable.

Health Status Indicators for Cities and Towns 2003-2005

Tolleson

Selected Reportable Diseases

	Tolleson						Comparisons			
	2003		2004		2005		Rate per 100,000 Population			
	Number	Rate per 100,000	Number	Rate per 100,000	Number	Rate per 100,000	Maricopa County, 2005	H.P. 2010	Arizona 2005	U.S. 2004
Vaccine Preventable										
<i>H. influenzae</i>	0	0.0	0	0.0	0	0.0	1.7	0.0		0.7
Measles	0	0.0	0	0.0	0	0.0	0	0.0	0.0	0.0
Mumps	0	0.0	0	0.0	0	0.0	0.0	0.0	0.0	0.1
Pertussis	0	0.0	3	50.5	0	0.0	6.8	0.0	8.0	8.9
Central Nervous System										
Encephalitis	0	0.0	0	0.0	1	16.7	0.6		0.4	
Meningitis - Aseptic	2	34.3	2	33.6	6	100.4	19.9		13.8	
Meningococcal Disease	0	0.0	0	0.0	0	0.0	0.6	1.0	0.6	0.5
Enterics										
Amebiasis	0	0.0	1	16.8	0	0.0	0.3		0.3	
Botulism	0	0.0	0	0.0	0	0.0	0.0		0.0	0.0
Campylobacteriosis	1	17.1	0	0.0	1	16.7	13.8	12.3	14.3	
Cryptosporidiosis	0	0.0	0	0.0	0	0.0	0.2		0.2	1.2
<i>E. Coli</i> O157:H7	0	0.0	0	0.0	0	0.0	0.8	1.0	0.6	0.9
Giardiasis	0	0.0	0	0.0	0	0.0	3.3		3.0	8.3
Hemolytic Uremic Syndrome	0	0.0	0	0.0	0	0.0	0.1			0.1
Listeriosis	0	0.0	0	0.0	0	0.0	0.2	0.25	0.2	0.3
Salmonellosis	1	17.1	0	0.0	3	50.2	10.4	6.8	12.2	14.5
Shigellosis	2	34.3	3	50.5	0	0.0	6.8		9.0	5.0
Typhoid	0	0.0	0	0.0	0	0.0	0.1		0.1	0.1
Vibrioses	0	0.0	0	0.0	0	0.0	0.4		0.3	
Yersiniosis	0	0.0	0	0.0	0	0.0	0.0		0.1	
Mycosis										
Coccidioidomycosis	1	17.1	6	100.9	3	50.2	67.7		58.1	4.1
Zoonoses/Vectorborne										
Brucellosis	0	0.0	0	0.0	0	0.0	0.1		0.1	0.0
Hantavirus Pulmonary Syndrome	0	0.0	0	0.0	0	0.0	0		0.1	0.0
Malaria	0	0.0	0	0.0	0	0.0	0.4		0.3	0.5
West Nile Virus	0	0.0	5	84.1	1	16.7	2.2		1.8	0.4
Hepatitides										
Hepatitis A	0	0.0	0	0.0	0	0.0	1.9	4.5	3.2	1.9
Hepatitis B	0	0.0	0	0.0	0	0.0	6.6	2.4-9.0	6.2	2.1
Other										
Legionellosis	0	0.0	0	0.0	0	0.0	0.4		0.4	0.7
Streptococcal Inv. Pneumonia	1	17.1	2	33.6	2	33.5	13.0		12.0	0.6
Streptococcal Inf. Group A	0	0.0	0	0.0	0	0.0	4.6		5.0	1.8
Streptococcal Inf. Group B***	0	0.0	0	0.0	0	0.0	0.5	0.5	0.5	
Vancomycin res. <i>Enterococcus</i>	0	0.0	1	16.8	3	50.2	37.5		32.4	

***Streptococcal Inf. Group B rates are per 1,000 live births

Health Status Indicators for Cities and Towns 2003-2005

Tolleson

Selected Causes of Death

Cause of Death	Tolleson						Comparisons			
	2003		2004		2005		Maricopa County, 2005	Healthy People 2010	Arizona 2005	U.S. 2004
	Number	Rate per 100,000	Number	Rate per 100,000	Number	Rate per 100,000				
Tuberculosis	0	0.0	0	0.0	0	0.0	0.2		0.3	0.2
Syphilis	0	0.0	0	0.0	0	0.0	0		0.0	0.0
HIV Disease	0	0.0	0	0.0	0	0.0	2.6	0.7	2.2	4.4
Malignant Neoplasms	10	171.4	6	100.9	10	167.4	142.4	159.9	160.0	187.4
Malignant Neoplasm Stomach	0	0.0	1	16.8	0	0.0	3.0		3.3	4.0
Malignant Neoplasm Colon	1	17.1	0	0.0	1	16.7	14.1	13.9	15.1	18.3
Malignant Neoplasm Pancreas	0	0.0	1	16.8	1	16.7	8.8		9.6	10.7
Malig. Neo. Bronchus, Lung	3	51.4	1	16.8	3	50.2	37.2	44.9	43.1	53.5
Malignant Neoplasm Breast	2	34.3	0	0.0	0	0.0	9.8	22.3*	11.2	13.9
Mal. Neo. Uterus, Cervix, Ovary	2	34.3	1	16.8	1	16.7	6.8		7.7	8.7
Malig. Neoplasm Prostate	0	0.0	0	0.0	0	0.0	8.1	28.8*	9.3	9.8
Malignant Neoplasm Urinary	0	0.0	0	0.0	1	16.7	7.6		8.1	8.5
Non-Hodgkins Lymphoma	0	0.0	0	0.0	1	16.7	6.1		6.3	7.1
Leukemia	0	0.0	0	0.0	0	0.0	5.7		6.1	7.3
Other Malignant Neoplasms	2	34.3	2	33.6	2	33.5	35.3		40.2	45.6
Diabetes	1	17.1	1	16.8	0	0.0	16.4	7.8	19.8	24.8
Alzheimers	1	17.1	4	67.3	2	33.5	34.3		30.0	22.4
Major Cardiovascular Diseases	13	222.8	22	370.1	23	385.0	217.7		234.0	293.8
Disease of Heart	10	171.4	18	302.8	15	251.1	165.3	166.0	178.3	222.7
Hypertensive Heart Disease	2	34.3	0	0.0	1	16.7	9.5		8.1	9.6
Ischemic Heart Disease	6	102.8	12	201.9	12	200.9	133.4		133.3	154.0
Other Heart Disease	2	34.3	6	100.9	2	33.5	22.5		35.4	57.0
Primary Hypertension	0	0.0	0	0.0	0	0.0	7.3		6.5	7.8
Cerebrovascular	3	51.4	2	33.6	5	83.7	34.9	48.0	38.5	51.1
Atherosclerosis	0	0.0	0	0.0	1	16.7	4.7		4.6	4.1
Other Circulatory	0	0.0	2	33.6	2	33.5	5.5		6.1	8.1

(continued on next page)

Health Status Indicators for Cities and Towns 2003-2005

Tolleson

Selected Causes of Death, cont.

Cause of Death	Tolleson						Comparisons			
	2003		2004		2005		Maricopa County, 2005	Healthy People 2010	Arizona 2005	U.S. 2004
	Number	Rate per 100,000	Number	Rate per 100,000	Number	Rate per 100,000				
Influenza & Pneumonia	2	34.3	0	0.0	1	16.7	19.7		21.2	20.9
Chronic Lower Respiratory	1	17.1	1	16.8	3	50.2	41.4		46.0	42.2
Peptic Ulcer	0	0.0	0	0.0	0	0.0	1.2		1.1	1.3
Liver Disease	1	17.1	2	33.6	3	50.2	10.4		12.4	9.0
Nephritis	1	17.1	1	16.8	1	16.7	5.8		10.0	14.6
Pregnancy	0	0.0	0	0.0	0	0.0	0.2		0.1	0.2
Perinatal Conditions	2	34.3	0	0.0	0	0.0	5.0		4.9	4.8
Congenital Malformations	1	17.1	0	0.0	0	0.0	3.4		3.8	3.6
SIDS	0	0.0	0	0.0	0	0.0	0.4			
Symptoms, Signs ex. SIDS	1	17.1	1	16.8	0	0.0	14.1			
All Other Diseases	7	120.0	14	235.5	11	184.1	98.3			
Motor Vehicle Accidents	2	34.3	5	84.1	2	33.5	16.1	9.2	18.8	15.0
All Other Acc. & Adverse Effects	4	68.6	3	50.5	2	33.5	30.2		30.9	22.0
Suicide	2	34.3	2	33.6	3	50.2	13.4	5.0	15.1	10.8
Homicide	2	34.3	0	0.0	1	16.7	9.1	3.0	8.3	5.7
All Other External Causes	1	17.1	0	0.0	0	0.0	2.5			
Unknown	2	34.3	0	0.0	0	0.0	0.2			
Total	54	925.4	62	1043.1	62	1037.8	684.8		746.3	816.7

*HP 2010 goals are breast cancer in females and prostate cancer in males

Health Status Indicators for Cities and Towns 2003-2005

Wickenburg

Population Statistics

Population in 2000

Estimated Population

2003

2004

2005

Age Distribution 2005

Under 20 years old

20 - 44 years old

45 - 64 years old

65 and older

Dependency ratio

Wickenburg		Maricopa County		Arizona	U.S.
5,082		3,072,149		5,130,632	281,421,906
Number	% Inc. from 2000	Number	% Inc. from 2000	Number	Number
5,843	15.0%	3,388,711	10.3%	5,577,784	290,850,005
6,021	18.5%	3,498,587	13.9%	5,739,879	293,656,842
6,224	22.5%	3,635,528	18.3%	5,939,292	296,410,404
Number	% Distribution	Number	% Distribution	% Distribution	% Distribution
1,369	22.0%	1,090,113	30.0%	29.3%	27.6%
1,556	25.0%	1,352,420	37.2%	35.4%	35.4%
1,556	25.0%	789,942	21.7%	22.5%	24.6%
1,805	29.0%	403,053	11.1%	12.8%	12.4%
1.02		0.70		0.73	0.67

Infant Health Indicators

Low weight births (under 2500 grams) - % of live births

Births to teen mothers - % of live births

Infant mortality per 1,000 live births

Total Births

Wickenburg						Comparisons		
2003		2004		2005		Maricopa County, 2005	Healthy People 2010	Arizona 2005
Number	Percent or Rate	Number	Percent or Rate	Number	Percent or Rate			U.S. 2004
<5		9	9.5%	<5		6.8%	5.0%	6.9%
10	11.8%	15	15.8%	16	14.7%	11.6%	(-)	12.5%
0	0.0	2	21.1	0	0.0	6.1	4.5	6.8
85		95		109		62,223		95,798
								4,112,052

Note: Infant health indicators for cities/towns with fewer than 1,000 births are not reliable.

Health Status Indicators for Cities and Towns 2003-2005

Wickenburg

Selected Reportable Diseases

	Wickenburg						Comparisons			
	2003		2004		2005		Rate per 100,000 Population			
	Number	Rate per 100,000	Number	Rate per 100,000	Number	Rate per 100,000	Maricopa County, 2005	H.P. 2010	Arizona 2005	U.S. 2004
Vaccine Preventable										
<i>H. influenzae</i>	0	0.0	0	0.0	0	0.0	1.7	0.0		0.7
Measles	0	0.0	0	0.0	0	0.0	0	0.0	0.0	0.0
Mumps	0	0.0	0	0.0	0	0.0	0.0	0.0	0.0	0.1
Pertussis	0	0.0	0	0.0	0	0.0	6.8	0.0	8.0	8.9
Central Nervous System										
Encephalitis	0	0.0	1	16.6	0	0.0	0.6		0.4	
Meningitis - Aseptic	0	0.0	1	16.6	4	64.3	19.9		13.8	
Meningococcal Disease	0	0.0	0	0.0	1	16.1	0.6	1.0	0.6	0.5
Enterics										
Amebiasis	0	0.0	0	0.0	0	0.0	0.3		0.3	
Botulism	0	0.0	0	0.0	0	0.0	0.0		0.0	0.0
Campylobacteriosis	0	0.0	1	16.6	0	0.0	13.8	12.3	14.3	
Cryptosporidiosis	0	0.0	0	0.0	0	0.0	0.2		0.2	1.2
<i>E. Coli</i> O157:H7	2	34.2	0	0.0	0	0.0	0.8	1.0	0.6	0.9
Giardiasis	0	0.0	0	0.0	0	0.0	3.3		3.0	8.3
Hemolytic Uremic Syndrome	0	0.0	0	0.0	0	0.0	0.1			0.1
Listeriosis	0	0.0	0	0.0	0	0.0	0.2	0.25	0.2	0.3
Salmonellosis	0	0.0	0	0.0	2	32.1	10.4	6.8	12.2	14.5
Shigellosis	0	0.0	0	0.0	1	16.1	6.8		9.0	5.0
Typhoid	0	0.0	0	0.0	0	0.0	0.1		0.1	0.1
Vibrioses	0	0.0	0	0.0	0	0.0	0.4		0.3	
Yersiniosis	0	0.0	0	0.0	0	0.0	0.0		0.1	
Mycosis										
Coccidioidomycosis	14	239.6	19	315.6	8	128.5	67.7		58.1	4.1
Zoonoses/Vectorborne										
Brucellosis	0	0.0	0	0.0	0	0.0	0.1		0.1	0.0
Hantavirus Pulmonary Syndrome	0	0.0	0	0.0	0	0.0	0		0.1	0.0
Malaria	0	0.0	0	0.0	0	0.0	0.4		0.3	0.5
West Nile Virus	0	0.0	0	0.0	3	48.2	2.2		1.8	0.4
Hepatitides										
Hepatitis A	1	17.1	0	0.0	0	0.0	1.9	4.5	3.2	1.9
Hepatitis B	0	0.0	1	16.6	0	0.0	6.6	2.4-9.0	6.2	2.1
Other										
Legionellosis	0	0.0	0	0.0	0	0.0	0.4		0.4	0.7
Streptococcal Inv. Pneumonia	2	34.2	1	16.6	1	16.1	13.0		12.0	0.6
Streptococcal Inf. Group A	0	0.0	0	0.0	0	0.0	4.6		5.0	1.8
Streptococcal Inf. Group B***	0	0.0	0	0.0	0	0.0	0.5	0.5	0.5	
Vancomycin res. <i>Enterococcus</i>	0	0.0	2	33.2	2	32.1	37.5		32.4	

***Streptococcal Inf. Group B rates are per 1,000 live births

Health Status Indicators for Cities and Towns 2003-2005

Wickenburg

Selected Causes of Death

Cause of Death	Wickenburg						Comparisons			
	2003		2004		2005		Maricopa County, 2005	Healthy People 2010	Arizona 2005	U.S. 2004
	Number	Rate per 100,000	Number	Rate per 100,000	Number	Rate per 100,000				
Tuberculosis	0	0.0	0	0.0	0	0.0	0.2		0.3	0.2
Syphilis	0	0.0	0	0.0	0	0.0	0		0.0	0.0
HIV Disease	0	0.0	0	0.0	0	0.0	2.6	0.7	2.2	4.4
Malignant Neoplasms	26	445.0	34	564.7	24	385.6	142.4	159.9	160.0	187.4
Malignant Neoplasm Stomach	1	17.1	1	16.6	0	0.0	3.0		3.3	4.0
Malignant Neoplasm Colon	4	68.5	0	0.0	1	16.1	14.1	13.9	15.1	18.3
Malignant Neoplasm Pancreas	2	34.2	2	33.2	0	0.0	8.8		9.6	10.7
Malig. Neo. Bronchus, Lung	11	188.3	13	215.9	6	96.4	37.2	44.9	43.1	53.5
Malignant Neoplasm Breast	0	0.0	0	0.0	1	16.1	9.8	22.3*	11.2	13.9
Mal. Neo. Uterus, Cervix, Ovary	1	17.1	3	49.8	1	16.1	6.8		7.7	8.7
Malig. Neoplasm Prostate	2	34.2	3	49.8	2	32.1	8.1	28.8*	9.3	9.8
Malignant Neoplasm Urinary	0	0.0	2	33.2	3	48.2	7.6		8.1	8.5
Non-Hodgkins Lymphoma	0	0.0	1	16.6	0	0.0	6.1		6.3	7.1
Leukemia	1	17.1	3	49.8	2	32.1	5.7		6.1	7.3
Other Malignant Neoplasms	4	68.5	6	99.7	8	128.5	35.3		40.2	45.6
Diabetes	2	34.2	2	33.2	0	0.0	16.4	7.8	19.8	24.8
Alzheimers	6	102.7	5	83.0	2	32.1	34.3		30.0	22.4
Major Cardiovascular Diseases	42	718.8	28	465.0	38	610.5	217.7		234.0	293.8
Disease of Heart	29	496.3	22	365.4	35	562.3	165.3	166.0	178.3	222.7
Hypertensive Heart Disease	0	0.0	0	0.0	1	16.1	9.5		8.1	9.6
Ischemic Heart Disease	23	393.6	19	315.6	30	482.0	133.4		133.3	154.0
Other Heart Disease	6	102.7	3	49.8	4	64.3	22.5		35.4	57.0
Primary Hypertension	2	34.2	2	33.2	0	0.0	7.3		6.5	7.8
Cerebrovascular	9	154.0	2	33.2	2	32.1	34.9	48.0	38.5	51.1
Atherosclerosis	0	0.0	2	33.2	0	0.0	4.7		4.6	4.1
Other Circulatory	2	34.2	0	0.0	1	16.1	5.5		6.1	8.1

(continued on next page)

Health Status Indicators for Cities and Towns
2003-2005
Wickenburg

Selected Causes of Death, cont.

Cause of Death	Wickenburg						Comparisons			
	2003		2004		2005		Maricopa County, 2005	Healthy People 2010	Arizona 2005	U.S. 2004
	<u>Number</u>	<u>Rate per 100,000</u>	<u>Number</u>	<u>Rate per 100,000</u>	<u>Number</u>	<u>Rate per 100,000</u>				
Influenza & Pneumonia	3	51.3	3	49.8	1	16.1	19.7		21.2	20.9
Chronic Lower Respiratory	10	171.1	12	199.3	13	208.9	41.4		46.0	42.2
Peptic Ulcer	0	0.0	0	0.0	0	0.0	1.2		1.1	1.3
Liver Disease	2	34.2	2	33.2	1	16.1	10.4		12.4	9.0
Nephritis	1	17.1	2	33.2	0	0.0	5.8		10.0	14.6
Pregnancy	0	0.0	0	0.0	0	0.0	0.2		0.1	0.2
Perinatal Conditions	0	0.0	2	33.2	0	0.0	5.0		4.9	4.8
Congenital Malformations	0	0.0	0	0.0	0	0.0	3.4		3.8	3.6
SIDS	0	0.0	0	0.0	0	0.0	0.4			
Symptoms, Signs ex. SIDS	1	17.1	4	66.4	1	16.1	14.1			
All Other Diseases	16	273.8	13	215.9	8	128.5	98.3			
Motor Vehicle Accidents	4	68.5	3	49.8	1	16.1	16.1	9.2	18.8	15.0
All Other Acc. & Adverse Effects	8	136.9	2	33.2	5	80.3	30.2		30.9	22.0
Suicide	5	85.6	2	33.2	8	128.5	13.4	5.0	15.1	10.8
Homicide	2	34.2	2	33.2	0	0.0	9.1	3.0	8.3	5.7
All Other External Causes	0	0.0	0	0.0	0	0.0	2.5			
Unknown	1	17.1	0	0.0	0	0.0	0.2			
Total	129	2207.8	116	1926.6	102	1638.8	684.8		746.3	816.7

*HP 2010 goals are breast cancer in females and prostate cancer in males

Health Status Indicators for Cities and Towns 2003-2005

Youngtown

Population Statistics

Population in 2000

Estimated Population

2003

2004

2005

Age Distribution 2005

Under 20 years old

20 - 44 years old

45 - 64 years old

65 and older

Dependency ratio

Youngtown		Maricopa County		Arizona	U.S.
3,010		3,072,149		5,130,632	281,421,906
Number	% Inc. from 2000	Number	% Inc. from 2000	Number	Number
2,989	-0.7%	3,388,711	10.3%	5,577,784	290,850,005
3,346	11.2%	3,498,587	13.9%	5,739,879	293,656,842
4,021	33.6%	3,635,528	18.3%	5,939,292	296,410,404
Number	% Distribution	Number	% Distribution	% Distribution	% Distribution
442	11.0%	1,090,113	30.0%	29.3%	27.6%
603	15.0%	1,352,420	37.2%	35.4%	35.4%
925	23.0%	789,942	21.7%	22.5%	24.6%
2,011	50.0%	403,053	11.1%	12.8%	12.4%
1.61		0.70		0.73	0.67

Infant Health Indicators

Low weight births (under 2500 grams) - % of live births

Births to teen mothers - % of live births

Infant mortality per 1,000 live births

Total Births

Youngtown						Comparisons		
2003		2004		2005		Maricopa County, 2005	Healthy People 2010	Arizona 2005
Number	Percent or Rate	Number	Percent or Rate	Number	Percent or Rate			U.S. 2004
<5		8	11.6%	5	4.7%	6.8%	5.0%	6.9%
11	25.6%	6	8.7%	9	8.5%	11.6%	(-)	12.5%
0	0.0	0	0.0	1	9.4	6.1	4.5	6.8
43		69		106		62,223		95,798
								4,112,052

Note: Infant health indicators for cities/towns with fewer than 1,000 births are not reliable.

Health Status Indicators for Cities and Towns 2003-2005

Youngtown

Selected Reportable Diseases

	Youngtown						Comparisons			
	2003		2004		2005		Rate per 100,000 Population			
	Number	Rate per 100,000	Number	Rate per 100,000	Number	Rate per 100,000	Maricopa County, 2005	H.P. 2010	Arizona 2005	U.S. 2004
Vaccine Preventable										
<i>H. influenzae</i>	0	0.0	0	0.0	1	24.9	1.7	0.0		0.7
Measles	0	0.0	0	0.0	0	0.0	0	0.0	0.0	0.0
Mumps	0	0.0	0	0.0	0	0.0	0.0	0.0	0.0	0.1
Pertussis	0	0.0	0	0.0	0	0.0	6.8	0.0	8.0	8.9
Central Nervous System										
Encephalitis	0	0.0	0	0.0	0	0.0	0.6		0.4	
Meningitis - Aseptic	1	33.5	1	29.9	2	49.7	19.9		13.8	
Meningococcal Disease	0	0.0	0	0.0	0	0.0	0.6	1.0	0.6	0.5
Enterics										
Amebiasis	0	0.0	0	0.0	0	0.0	0.3		0.3	
Botulism	0	0.0	0	0.0	0	0.0	0.0		0.0	0.0
Campylobacteriosis	0	0.0	0	0.0	0	0.0	13.8	12.3	14.3	
Cryptosporidiosis	0	0.0	0	0.0	0	0.0	0.2		0.2	1.2
<i>E. Coli</i> O157:H7	0	0.0	0	0.0	0	0.0	0.8	1.0	0.6	0.9
Giardiasis	0	0.0	0	0.0	0	0.0	3.3		3.0	8.3
Hemolytic Uremic Syndrome	0	0.0	0	0.0	0	0.0	0.1			0.1
Listeriosis	0	0.0	0	0.0	0	0.0	0.2	0.25	0.2	0.3
Salmonellosis	0	0.0	0	0.0	3	74.6	10.4	6.8	12.2	14.5
Shigellosis	0	0.0	1	29.9	0	0.0	6.8		9.0	5.0
Typhoid	0	0.0	0	0.0	0	0.0	0.1		0.1	0.1
Vibrioses	0	0.0	0	0.0	0	0.0	0.4		0.3	
Yersiniosis	0	0.0	0	0.0	0	0.0	0.0		0.1	
Mycosis										
Coccidioidomycosis	5	167.3	5	149.4	5	124.3	67.7		58.1	4.1
Zoonoses/Vectorborne										
Brucellosis	0	0.0	0	0.0	0	0.0	0.1		0.1	0.0
Hantavirus Pulmonary Syndrome	0	0.0	0	0.0	0	0.0	0		0.1	0.0
Malaria	0	0.0	0	0.0	0	0.0	0.4		0.3	0.5
West Nile Virus	0	0.0	0	0.0	0	0.0	2.2		1.8	0.4
Hepatitides										
Hepatitis A	0	0.0	0	0.0	0	0.0	1.9	4.5	3.2	1.9
Hepatitis B	0	0.0	0	0.0	0	0.0	6.6	2.4-9.0	6.2	2.1
Other										
Legionellosis	0	0.0	0	0.0	0	0.0	0.4		0.4	0.7
Streptococcal Inv. Pneumonia	1	33.5	0	0.0	4	99.5	13.0		12.0	0.6
Streptococcal Inf. Group A	0	0.0	1	29.9	0	0.0	4.6		5.0	1.8
Streptococcal Inf. Group B***	0	0.0	0	0.0	0	0.0	0.5	0.5	0.5	
Vancomycin res. <i>Enterococcus</i>	0	0.0	0	0.0	9	223.8	37.5		32.4	

***Streptococcal Inf. Group B rates are per 1,000 live births

Health Status Indicators for Cities and Towns 2003-2005

Youngtown

Selected Causes of Death

Cause of Death	Youngtown						Comparisons			
	2003		2004		2005		Maricopa County, 2005	Healthy People 2010	Arizona 2005	U.S. 2004
	Number	Rate per 100,000	Number	Rate per 100,000	Number	Rate per 100,000				
Tuberculosis	0	0.0	0	0.0	0	0.0	0.2		0.3	0.2
Syphilis	0	0.0	0	0.0	0	0.0	0		0.0	0.0
HIV Disease	0	0.0	0	0.0	0	0.0	2.6	0.7	2.2	4.4
Malignant Neoplasms	22	736.0	17	508.1	19	472.5	142.4	159.9	160.0	187.4
Malignant Neoplasm Stomach	0	0.0	0	0.0	0	0.0	3.0		3.3	4.0
Malignant Neoplasm Colon	3	100.4	3	89.7	4	99.5	14.1	13.9	15.1	18.3
Malignant Neoplasm Pancreas	0	0.0	2	59.8	1	24.9	8.8		9.6	10.7
Malig. Neo. Bronchus, Lung	5	167.3	7	209.2	4	99.5	37.2	44.9	43.1	53.5
Malignant Neoplasm Breast	3	100.4	1	29.9	0	0.0	9.8	22.3*	11.2	13.9
Mal. Neo. Uterus, Cervix, Ovary	1	33.5	0	0.0	1	24.9	6.8		7.7	8.7
Malig. Neoplasm Prostate	0	0.0	0	0.0	1	24.9	8.1	28.8*	9.3	9.8
Malignant Neoplasm Urinary	2	66.9	0	0.0	2	49.7	7.6		8.1	8.5
Non-Hodgkins Lymphoma	1	33.5	1	29.9	1	24.9	6.1		6.3	7.1
Leukemia	1	33.5	0	0.0	0	0.0	5.7		6.1	7.3
Other Malignant Neoplasms	6	200.7	3	89.7	5	124.3	35.3		40.2	45.6
Diabetes	2	66.9	3	89.7	3	74.6	16.4	7.8	19.8	24.8
Alzheimers	9	301.1	14	418.4	12	298.4	34.3		30.0	22.4
Major Cardiovascular Diseases	41	1371.7	38	1135.7	49	1218.6	217.7		234.0	293.8
Disease of Heart	33	1104.0	28	836.8	42	1044.5	165.3	166.0	178.3	222.7
Hypertensive Heart Disease	5	167.3	1	29.9	2	49.7	9.5		8.1	9.6
Ischemic Heart Disease	22	736.0	25	747.2	35	870.4	133.4		133.3	154.0
Other Heart Disease	6	200.7	2	59.8	5	124.3	22.5		35.4	57.0
Primary Hypertension	1	33.5	2	59.8	2	49.7	7.3		6.5	7.8
Cerebrovascular	7	234.2	7	209.2	4	99.5	34.9	48.0	38.5	51.1
Atherosclerosis	0	0.0	0	0.0	0	0.0	4.7		4.6	4.1
Other Circulatory	0	0.0	1	29.9	1	24.9	5.5		6.1	8.1

(continued on next page)

Health Status Indicators for Cities and Towns 2003-2005

Youngtown

Selected Causes of Death, cont.

Cause of Death	Youngtown						Comparisons			
	2003		2004		2005		Maricopa County, 2005	Healthy People 2010	Arizona 2005	U.S. 2004
	Number	Rate per 100,000	Number	Rate per 100,000	Number	Rate per 100,000				
Influenza & Pneumonia	4	133.8	3	89.7	5	124.3	19.7		21.2	20.9
Chronic Lower Respiratory	9	301.1	6	179.3	4	99.5	41.4		46.0	42.2
Peptic Ulcer	0	0.0	0	0.0	0	0.0	1.2		1.1	1.3
Liver Disease	0	0.0	2	59.8	0	0.0	10.4		12.4	9.0
Nephritis	0	0.0	1	29.9	0	0.0	5.8		10.0	14.6
Pregnancy	0	0.0	0	0.0	0	0.0	0.2		0.1	0.2
Perinatal Conditions	0	0.0	0	0.0	1	24.9	5.0		4.9	4.8
Congenital Malformations	0	0.0	0	0.0	0	0.0	3.4		3.8	3.6
SIDS	0	0.0	0	0.0	0	0.0	0.4			
Symptoms, Signs ex. SIDS	1	33.5	2	59.8	3	74.6	14.1			
All Other Diseases	19	635.7	9	269.0	18	447.6	98.3			
Motor Vehicle Accidents	0	0.0	0	0.0	0	0.0	16.1	9.2	18.8	15.0
All Other Acc. & Adverse Effects	2	66.9	2	59.8	5	124.3	30.2		30.9	22.0
Suicide	2	66.9	0	0.0	0	0.0	13.4	5.0	15.1	10.8
Homicide	0	0.0	0	0.0	1	24.9	9.1	3.0	8.3	5.7
All Other External Causes	0	0.0	0	0.0	0	0.0	2.5			
Unknown	0	0.0	1	29.9	0	0.0	0.2			
Total	111	3713.6	98	2928.9	120	2984.3	684.8		746.3	816.7

*HP 2010 goals are breast cancer in females and prostate cancer in males

Health Status Indicators for Cities and Towns 2003-2005

Remainder of Maricopa County

Population Statistics

	Rem. Maricopa County		Maricopa County		Arizona	U.S.
Population in 2000	122,575		3,072,149		5,130,632	281,421,906
Estimated Population	<u>Number</u>	<u>% Inc. from 2000</u>	<u>Number</u>	<u>% Inc. from 2000</u>	<u>Number</u>	<u>Number</u>
2003	133,533	8.9%	3,388,711	10.3%	5,577,784	290,850,005
2004	140,802	14.9%	3,498,587	13.9%	5,739,879	293,656,842
2005	145,718	18.9%	3,635,528	18.3%	5,939,292	296,410,404
Age Distribution 2005	<u>Number</u>	<u>% Distribution</u>	<u>Number</u>	<u>% Distribution</u>	<u>% Distribution</u>	<u>% Distribution</u>
Under 20 years old	21,881	37.0%	1,090,113	30.0%	29.3%	27.6%
20 - 44 years old	23,656	40.0%	1,352,420	37.2%	35.4%	35.4%
45 - 64 years old	10,645	18.0%	789,942	21.7%	22.5%	24.6%
65 and older	2,957	5.0%	403,053	11.1%	12.8%	12.4%
Dependency ratio	0.72		0.70		0.73	0.67

Infant Health Indicators

	Remainder of Maricopa County						Comparisons			
	2003		2004		2005		Maricopa County, 2005	Healthy	Arizona 2005	U.S. 2004
	Number	Percent or Rate	Number	Percent or Rate	Number	Percent or Rate		People 2010		
Low weight births (under 2500 grams) - % of live births	64	7.9%	72	7.7%	70	6.5%	6.8%	5.0%	6.9%	8.1%
Births to teen mothers - % of live births	102	12.6%	97	10.4%	101	9.4%	11.6%	(-)	12.5%	10.3%
Infant mortality per 1,000 live births	8	9.9	11	11.8	7	6.5	6.1	4.5	6.8	6.8
Total Births	810		930		1,076		62,223		95,798	4,112,052

Note: Infant health indicators for cities/towns with fewer than 1,000 births are not reliable.

Note: Due to the heterogeneity of this group, these rates are not reliable. See the Technical Notes for further details.

Health Status Indicators for Cities and Towns 2003-2005
Remainder of Maricopa County

Selected Reportable Diseases

	Remainder of Maricopa County						Comparisons			
	2003		2004		2005		Rate per 100,000 Population			
	<u>Number</u>	<u>Rate per 100,000</u>	<u>Number</u>	<u>Rate per 100,000</u>	<u>Number</u>	<u>Rate per 100,000</u>	<u>Maricopa County, 2005</u>	<u>H.P. 2010</u>	<u>Arizona 2005</u>	<u>U.S. 2004</u>
Vaccine Preventable										
<i>H. influenzae</i>	0	0.0	0	0.0	1	0.7	1.7	0.0		0.7
Measles	0	0.0	0	0.0	0	0.0	0	0.0	0.0	0.0
Mumps	0	0.0	0	0.0	0	0.0	0.0	0.0	0.0	0.1
Pertussis	5	3.7	0	0.0	4	2.7	6.8	0.0	8.0	8.9
Central Nervous System										
Encephalitis	1	0.7	1	0.7	0	0.0	0.6		0.4	
Meningitis - Aseptic	14	10.5	5	3.6	8	5.5	19.9		13.8	
Meningococcal Disease	0	0.0	0	0.0	0	0.0	0.6	1.0	0.6	0.5
Enterics										
Amebiasis	0	0.0	0	0.0	0	0.0	0.3		0.3	
Botulism	0	0.0	0	0.0	0	0.0	0.0		0.0	0.0
Campylobacteriosis	11	8.2	6	4.3	4	2.7	13.8	12.3	14.3	
Cryptosporidiosis	0	0.0	0	0.0	0	0.0	0.2		0.2	1.2
<i>E. Coli</i> O157:H7	2	1.5	0	0.0	0	0.0	0.8	1.0	0.6	0.9
Giardiasis	2	1.5	1	0.7	0	0.0	3.3		3.0	8.3
Hemolytic Uremic Syndrome	0	0.0	0	0.0	0	0.0	0.1			0.1
Listeriosis	0	0.0	0	0.0	0	0.0	0.2	0.25	0.2	0.3
Salmonellosis	13	9.7	7	5.0	5	3.4	10.4	6.8	12.2	14.5
Shigellosis	4	3.0	3	2.1	8	5.5	6.8		9.0	5.0
Typhoid	0	0.0	0	0.0	1	0.7	0.1		0.1	0.1
Vibrioses	0	0.0	0	0.0	2	1.4	0.4		0.3	
Yersiniosis	0	0.0	0	0.0	0	0.0	0.0		0.1	
Mycosis										
Coccidioidomycosis	22	16.5	29	20.6	40	27.5	67.7		58.1	4.1
Zoonoses/Vectorborne										
Brucellosis	0	0.0	0	0.0	1	0.7	0.1		0.1	0.0
Hantavirus Pulmonary Syndrome	0	0.0	0	0.0	0	0.0	0		0.1	0.0
Malaria	1	0.7	0	0.0	0	0.0	0.4		0.3	0.5
West Nile Virus	0	0.0	10	7.1	5	3.4	2.2		1.8	0.4
Hepatitides										
Hepatitis A	3	2.2	1	0.7	1	0.7	1.9	4.5	3.2	1.9
Hepatitis B	3	2.2	1	0.7	4	2.7	6.6	2.4-9.0	6.2	2.1
Other										
Legionellosis	1	0.7	0	0.0	1	0.7	0.4		0.4	0.7
Streptococcal Inv. Pneumonia	5	3.7	4	2.8	11	7.5	13.0		12.0	0.6
Streptococcal Inf. Group A	2	1.5	2	1.4	2	1.4	4.6		5.0	1.8
Streptococcal Inf. Group B***	0	0.0	1	1.1	1	0.9	0.5	0.5	0.5	
Vancomycin res. <i>Enterococcus</i>	5	3.7	20	14.2	18	12.4	37.5		32.4	

***Streptococcal Inf. Group B rates are per 1,000 live births

Health Status Indicators for Cities and Towns 2003-2005

Remainder of Maricopa County

Selected Causes of Death

Cause of Death	Rem. Maricopa County						Comparisons			
	2003		2004		2005		Maricopa County, 2005	Healthy	Arizona 2005	U.S. 2004
	Number	Rate per 100,000	Number	Rate per 100,000	Number	Rate per 100,000		People 2010		
Tuberculosis	1	0.7	0	0.0	0	0.0	0.2		0.3	0.2
Syphilis	0	0.0	0	0.0	0	0.0	0		0.0	0.0
HIV Disease	<5		0	0.0	0	0.0	2.6	0.7	2.2	4.4
Malignant Neoplasms	91	68.1	76	54.0	82	56.3	142.4	159.9	160.0	187.4
Malignant Neoplasm Stomach	1	0.7	1	0.7	0	0.0	3.0		3.3	4.0
Malignant Neoplasm Colon	7	5.2	6	4.3	9	6.2	14.1	13.9	15.1	18.3
Malignant Neoplasm Pancreas	4	3.0	8	5.7	4	2.7	8.8		9.6	10.7
Malig. Neo. Bronchus, Lung	26	19.5	17	12.1	24	16.5	37.2	44.9	43.1	53.5
Malignant Neoplasm Breast	2	1.5	7	5.0	9	6.2	9.8	22.3*	11.2	13.9
Mal. Neo. Uterus, Cervix, Ovary	5	3.7	2	1.4	6	4.1	6.8		7.7	8.7
Malig. Neoplasm Prostate	7	5.2	1	0.7	6	4.1	8.1	28.8*	9.3	9.8
Malignant Neoplasm Urinary	5	3.7	2	1.4	3	2.1	7.6		8.1	8.5
Non-Hodgkins Lymphoma	4	3.0	5	3.6	4	2.7	6.1		6.3	7.1
Leukemia	2	1.5	1	0.7	1	0.7	5.7		6.1	7.3
Other Malignant Neoplasms	28	21.0	26	18.5	16	11.0	35.3		40.2	45.6
Diabetes	16	12.0	15	10.7	14	9.6	16.4	7.8	19.8	24.8
Alzheimers	12	9.0	14	9.9	16	11.0	34.3		30.0	22.4
Major Cardiovascular Diseases	145	108.6	132	93.7	145	99.5	217.7		234.0	293.8
Disease of Heart	115	86.1	104	73.9	114	78.2	165.3	166.0	178.3	222.7
Hypertensive Heart Disease	4	3.0	4	2.8	12	8.2	9.5		8.1	9.6
Ischemic Heart Disease	92	68.9	88	62.5	81	55.6	133.4		133.3	154.0
Other Heart Disease	19	14.2	12	8.5	21	14.4	22.5		35.4	57.0
Primary Hypertension	0	0.0	8	5.7	7	4.8	7.3		6.5	7.8
Cerebrovascular	26	19.5	17	12.1	20	13.7	34.9	48.0	38.5	51.1
Atherosclerosis	0	0.0	2	1.4	1	0.7	4.7		4.6	4.1
Other Circulatory	4	3.0	1	0.7	3	2.1	5.5		6.1	8.1

(continued on next page)

Health Status Indicators for Cities and Towns 2003-2005


Remainder of Maricopa County

Selected Causes of Death, cont.

Cause of Death	Rem. Maricopa County						Comparisons			
	2003		2004		2005		Maricopa County, 2005	Healthy	Arizona 2005	U.S. 2004
	Number	Rate per 100,000	Number	Rate per 100,000	Number	Rate per 100,000		People 2010		
Influenza & Pneumonia	6	4.5	10	7.1	16	11.0	19.7		21.2	20.9
Chronic Lower Respiratory	38	28.5	18	12.8	25	17.2	41.4		46.0	42.2
Peptic Ulcer	0	0.0	0	0.0	0	0.0	1.2		1.1	1.3
Liver Disease	7	5.2	2	1.4	12	8.2	10.4		12.4	9.0
Nephritis	5	3.7	11	7.8	3	2.1	5.8		10.0	14.6
Pregnancy	0	0.0	0	0.0	0	0.0	0.2		0.1	0.2
Perinatal Conditions	5	3.7	1	0.7	3	2.1	5.0		4.9	4.8
Congenital Malformations	2	1.5	4	2.8	2	1.4	3.4		3.8	3.6
SIDS	0	0.0	1	0.7	0	0.0	0.4			
Symptoms, Signs ex. SIDS	4	3.0	8	5.7	7	4.8	14.1			
All Other Diseases	52	38.9	60	42.6	59	40.5	98.3			
Motor Vehicle Accidents	18	13.5	16	11.4	23	15.8	16.1	9.2	18.8	15.0
All Other Acc. & Adverse Effects	12	9.0	23	16.3	25	17.2	30.2		30.9	22.0
Suicide	7	5.2	11	7.8	9	6.2	13.4	5.0	15.1	10.8
Homicide	8	6.0	7	5.0	11	7.5	9.1	3.0	8.3	5.7
All Other External Causes	1	0.7	3	2.1	2	1.4	2.5			
Unknown	5	3.7	1	0.7	0	0.0	0.2			
Total	435	325.8	413	293.3	454	311.6	684.8		746.3	816.7


*HP 2010 goals are breast cancer in females and prostate cancer in males

Crude Death Rate
Maricopa County and Selected Cities, 2005




Percent of Population 65 Years Old and Older Maricopa County and Selected Cities, 2005


Percent of Municipality's Population that is 65 Years
Old and Older




***Deaths Due to Malignant Neoplasms (Cancer)
Maricopa County and Selected Cities, 2005***




***Deaths Due to Malignant Neoplasms of the Trachea, Bronchus and Lung
Maricopa County and Selected Cities, 2005***




***Deaths Due to Malignant Neoplasms of the Breast
Maricopa County and Selected Cities, 2005***




***Deaths Due to Malignant Neoplasms of the Prostate
Maricopa County and Selected Cities, 2005***




***Deaths Due to Cardiovascular Disease
Maricopa County and Selected Cities, 2005***




***Deaths Due to Heart Disease
Maricopa County and Selected Cities, 2005***




***Deaths Due to Unintentional Injuries (Accidents)
Maricopa County and Selected Cities, 2005***




***Deaths Due to Homicide
Maricopa County and Selected Cities, 2005***




***Deaths Due to Suicide
Maricopa County and Selected Cities, 2005***




***Low Weight Births
Maricopa County and Selected Cities, 2005***




***Births to Teenaged Mothers
Maricopa County and Selected Cities, 2005***




***Infant Mortality Rates
Maricopa County and Selected Cities, 2005***




***New Cases of Coccidioidomycosis (Valley Fever)
Maricopa County and Selected Cities, 2005***




***New Cases of Aseptic (Viral) Meningitis
Maricopa County and Selected Cities, 2005***



***New Cases of Hepatitis A
Maricopa County and Selected Cities, 2005***



***New Cases of Hepatitis B
Maricopa County and Selected Cities, 2005***



Appendix A - Data Notes

Population Statistics

All city, town, Maricopa County, Arizona, and U.S. population data are for calendar years 2003, 2004, and 2005. Both incorporated and unincorporated cities and towns identified by the US Census Bureau with populations over 1,000 residents at the time of the 2000 U.S. Census were included in this report.

Population statistics for incorporated cities/towns, Maricopa County, Arizona and the United States were obtained directly from the U.S. Census Bureau for each year included in the report (2003, 2004, 2005). Maricopa population estimates and distributions are from U.S. Census Bureau, County Population Estimates by Age, Sex, Race and Hispanic Origin for July 1st, 2005, released August 4th, 2006.

Population statistics for unincorporated cities/towns (New River, Rio Verde, Sun City, Sun City West, and Sun Lakes) are not available from the U.S. Census for 2003, 2004, and 2005. Therefore, population statistics for these cities/towns were estimated using the following method. Year 2000 figures for each town were obtained from the U.S. Census. Then, the Maricopa County growth rate was applied to each city/town's 2000 figures, as follows:

- A 10.3% growth rate was applied to the 2000 figure to obtain the 2003 estimate
- A 13.9% growth rate was applied to the 2000 figure to obtain the 2004 estimate
- A 18.3% growth rate was applied to the 2000 figure to obtain the 2005 estimate

This method assumes that all cities/towns grew at the same rate as did Maricopa County as a whole, which may or may not represent actual growth rates but are reasonable estimates. "Remainder of Maricopa County" populations for 2000, 2003, 2004, and 2005 were calculated by subtracting the combined populations of all cities/towns in this report from the total population figure for Maricopa County. "Remainder of Maricopa County" includes towns/areas not included in this report and residents whose addresses could not be identified.

For all (incorporated and unincorporated) cities and towns, there are no data on age groups available from the U.S. Census for the years 2003, 2004, and 2005. However, there are age distributions for the year 2000. Therefore, in this report, the same percentage distribution by age in 2000 was applied to the total population estimate for subsequent years (e.g., if 27% of the population was 65 and older in 2000, it was assumed that 27% of the population was 65 and older in 2001). This method assumes that each age group grew at the same rate in the past year, which may or may not represent actual growth rates, but are the only estimates currently available.

Dependency Ratio: In this report, the dependency ratio is defined as the number of people in the city/town who are usually outside of the labor force (those younger than 20 or older than 64 years of age), divided by the number of people in the city/town usually in the labor force (those between 20 and 64 years old, inclusive). Thus, a dependency ratio of .7 means that there are .7 persons in that city/town under 20 or over 64 years old for each person 20-64 years old.

Health Statistics

The selected reportable diseases (except West Nile Virus) for each city for 2003-2005 and for Maricopa County as a whole are from the Arizona Department of Health Services' communicable disease database. West Nile Virus data are from the Maricopa County Department of Public Health communicable disease database. Hepatitis B data include acute, chronic, and perinatal cases. Streptococcal Group B Infections are only reported for cases occurring in infants under 90 days of age, and will differ from figures reported by ADHS as a result of this restriction. Communicable disease data provided in this report are confirmed cases only. The comparison rates for Arizona are also from 2005 and can be found at the website: <http://www.azdhs.gov/plan/report/ahs/ahs2005/pdf/5f2.pdf>. The U.S. rates are for the year 2004. The disease rates used for comparison can be found at the website: <http://www.cdc.gov/mmwr/PDF/wk/mm5353.pdf>. This was the most recent year for which reliable data could be obtained at the time the report was written.

In the course of routine data cleaning, duplicate records were identified. The following number of duplicates have been deleted from the mortality and natality records: 5 mortality records in 2005, 1 mortality record in 2004, and 1 natality record in 2005. As a result of these deletions, the numbers presented in this report may not match those presented by ADHS for Maricopa County.

City/towns with at least one death and fewer than five deaths from HIV disease are labeled "<5" to protect confidentiality. For these city/towns, the total number of deaths does not include the HIV deaths.

For some births, deaths and disease cases, there is no corresponding address information. This makes it impossible to assign the birth, death, or disease case to a city or town. These individuals appear in the Maricopa County total counts, but not in the counts for any particular city or town. They are counted in the "Remainder of Maricopa County" totals. Because the "Remainder of Maricopa County" totals include data from a heterogeneous population, the numbers presented do not coincide with the denominators used for their rate calculations. Therefore, the rates presented for the "Remainder of Maricopa County" are not reliable.

Infant health indicator data for all cities and towns except Guadalupe and Tempe are from ADHS but use the MCDPH method of assigning city based on the mother's reported city of residence. The birth database from ADHS has systematic errors in the assignment of residential cities to individual births due to programming anomalies. Residents of ZIP Codes containing more than one city may have their residential city mistaken (e.g., residents of Guadalupe often appear to be residents of Tempe). As a result of this error, infant health indicator data for Guadalupe and Tempe come from ADHS reports based on geocoded data.

The birth data for cities with fewer than 1,000 births may not be reliable, as the low number of total births results in rates that may vary greatly from year to year.

The comparison Arizona infant mortality information for 2005 can be found at the website:

<http://www.azdhs.gov/plan/report/ahs/ahs2005/pdf/2c1.pdf>

The comparison U.S. birth information is preliminary for 2004. The data can be found at the website: http://www.cdc.gov/nchs/data/nvsr/nvsr55/nvsr55_01.pdf. The comparison U.S. infant mortality rates are for 2004 and can be found at

<http://www.cdc.gov/nchs/products/pubs/pubd/hestats/finaldeaths04/finaldeaths04.htm>.

The comparison mortality rates for Arizona are for 2005 and can be found at the website: <http://www.azdhs.gov/plan/report/ahs/ahs2005/xls/t2b6.xls>. The comparison mortality rates for the U.S. are preliminary for 2004. They can be found at the website: http://www.cdc.gov/nchs/data/nvsr/nvsr54/nvsr54_19.pdf.

Healthy People 2010: The Centers for Disease Control and Prevention provide Healthy People 2010 goals for only some diseases. “-“ indicates that no goal has been set for that indicator. “0” indicates that the goal is zero.

Additional Information on Population and Health Statistics

For more information on population characteristics, please visit the following websites:

City/town populations: www.census.gov/popest/cities/SUB-EST2005-states.html

Department of Economic Security: www.de.state.az.us

U.S. population estimates and distributions: www.census.gov/popest/national/asrh/NC-EST2005/NC-EST2005-01.xls

For more information on health statistics, please visit the following websites:

Maricopa County Department of Public Health: www.maricopa.gov/public_health

Arizona Department of Health Services: www.hs.state.az.us

Centers for Disease Control and Prevention, National Center for Health Statistics: www.cdc.gov/nchs