


Health Status Report for Cities and Towns in Maricopa County 2000 and 2010



Prepared by the Maricopa County Department of Public Health
Office of Epidemiology
June 2012

Maricopa County

Acknowledgements

This report was prepared by the Maricopa County Department of Public Health, Office of Epidemiology

Amy Prestanski, Epidemiologist
Liva Nohre, Sr. Epidemiologist
Mare Schumacher, Program Manager

The authors wish to thank the following individuals and organizations for contributing numeric data, consultation, and other information used in this report. Their assistance is much appreciated.

Sarah Santana, Tammy Sylvester, Vjollca Berisha– Maricopa County
Department of Public Health, Office of Epidemiology
Christopher Mrela - Arizona Department of Health Services

For additional copies of this document, please call the Maricopa County Department of Public Health, Office of Epidemiology at 602.372.2604. This report may also be found at <http://www.maricopa.gov/publichealth/Services/EPI/Reports/> under “Health Status Reports.”

Permission to quote or reproduce materials from this report is granted when due acknowledgment is made.

Suggested citation: Maricopa County Department of Public Health, Office of Epidemiology. Health Status Report for Cities and Towns in Maricopa County, 2000 and 20010. Phoenix (AZ): 2012.

Table of Contents

Introduction	i
--------------	---

Population and Health Statistics Tables for Cities/Towns

Avondale	1
Buckeye	5
Carefree	9
Cave Creek	13
Chandler	17
El Mirage	21
Fountain Hills	25
Gila Bend	29
Gilbert	33
Glendale	37
Goodyear	41
Guadalupe	45
Litchfield Park	49
Mesa	53
New River	57
Paradise Valley	61
Peoria	65
Phoenix	69
Queen Creek	73
Rio Verde	77
Scottsdale	81
Sun City and Sun City West	85
Sun Lakes	89
Surprise	93
Tempe	97
Tolleson	101
Wickenburg	105
Youngtown	109
Remainder of Maricopa County	113

Comparison Charts of Cities with Populations over 50,000 or More Than 1,000 Births

Crude Death Rate	117
Percent of Population 65 Years Old and Older	118
Deaths due to Malignant Neoplasms (Cancer)	119
Deaths due to Malignant Neoplasms of the Trachea, Bronchus and Lung	120
Deaths due to Malignant Neoplasms of the Breast	121
Deaths due to Malignant Neoplasms of the Prostate	122
Deaths due to Cardiovascular Disease	123
Deaths due to Heart Disease	124
Deaths due to Accidents	125
Deaths due to Homicide	126
Deaths due to Suicide	127
Low Weight Births	128

Births to Teenaged Mothers	129
Infant Mortality Rates	130
New Cases of Coccidioidomycosis	131
New Cases of Aseptic Meningitis	132
New Cases of Hepatitis A	133
New Cases of Hepatitis B	134
Appendix A - Data Notes	135

Introduction

This report provides health status information for the years 2000 and 2010 for cities and towns in Maricopa County recognized by the U.S. Census Bureau. This includes both incorporated and unincorporated cities and towns with a population of at least 1,000 people at the time of the 2000 U.S. Census. It includes data for 76 diseases and health indicators as well as information on the size and age distribution of the population.

The first section of this report provides tabulated information on disease and health indicators for each city and town in Maricopa County, as designated by the U.S. Census Bureau.

For each disease or health indicator, the following information is provided:

- Number of cases in the city or town
 - Example: Six residents of Glendale were diagnosed with pertussis (whooping cough) in 2010.
- Rate of cases in the city or town
 - Example: For every 100,000 residents of Glendale, 2.6 were diagnosed with pertussis in 2010.
- Rate for Maricopa County (for comparison purposes)
 - Example: For every 100,000 residents of Maricopa County, 1.7 were diagnosed with pertussis in 2010.
- Rate for Healthy People 2010 and 2020 (for comparison purposes)
 - The Centers for Disease Control and Prevention issued goals for the year 2010 and 2020 for some disease and health indicators. Healthy People 2010 (HP 2010) and Healthy People 2020 (HP 2020) goals are included in this report as “gold standards” or goals for the future. These are provided for comparison with cities, Maricopa County, Arizona, and United States rates.
 - Example: The Healthy People 2010 goal for pertussis is a rate of 0.0 cases of Pertussis per 100,000 people in the population.
- Rate for Arizona and United States (for comparison purposes)
 - Example: For every 100,000 residents of Arizona, 4.2 were diagnosed with pertussis in 2009.
 - Example: For every 100,000 residents of the United States, 5.5 were diagnosed with pertussis in 2009.

All city, town, Maricopa County and Arizona health and census data in this report are for calendar years 2000 and 2010. United States health data may be from other years as outlined in Appendix A.

The second section of this report provides graphs showing comparisons among cities and Maricopa County on several key indicators, such as mortality (death) rates, cancer rates, infant mortality rates, and selected communicable diseases. The graphs in this section include only cities with more than 50,000 residents at the time of the 2010 U.S. Census or more than 1,000 births per year for the natality (birth) graphs.

This report differs from previous reports due to only including data from 2000 and 2010 rather than from the three most recent years. The decision to focus on the 2000 and 2010 data was based on two reasons. The first was the available population estimates for 2008 and 2009 for cities and towns were based on the 2000 U.S. Census. Over time these estimates may get further from the true population and either over or under exaggerate the true population. When compared to the populations from the 2010 U.S. Census, the estimates from 2008 and 2009 may have been overestimates which underestimates the true burden of disease within a city or town. The second reason for using the 2000 and 2010 data was that both years have population counts from the U.S. Census that are not estimates. This allows a more accurate reporting of rates in each city and town than what may be seen using the 2008 and 2009 estimate populations.

Information on data sources and methodology are in Appendix A – Data Notes.

Health Status Indicators for Cities and Towns 2000 and 2010

Avondale

Population Statistics

	Avondale		Maricopa County		Arizona	U.S.
	Number	% Inc. from 2000	Number	% Inc. from 2000	Number	Number
Population 2000	35,883	NA	3,072,149	NA	5,130,623	281,421,906
Population 2010	76,238	112.5%	3,817,117	24.2%	6,392,017	308,745,538
	Number	% Distribution	Number	% Distribution	% Distribution	% Distribution
Age Distribution 2010						
Under 20 years old	27,516	36.1%	1,119,606	29.3%	28.4%	26.9%
20 - 44 years old	29,812	39.1%	1,332,596	34.9%	33.2%	33.6%
45 - 64 years old	14,744	19.3%	902,274	23.6%	24.6%	26.4%
65 and older	4,166	5.5%	462,641	12.1%	13.8%	13.1%
Dependency ratio		0.71		0.71	0.73	0.67

Infant Health Indicators

	Avondale				Percent Change 2000-2010	Maricopa County 2010	Arizona 2010	U.S. 2010	Healthy People 2010	Healthy People 2020
	2000		2010							
	Number	Percent or Rate	Number	Percent or Rate						
Low weight births (under 2500 grams) - % of live births	48	6.4%	87	6.8%	6.3%	7.1%	7.1%	8.2%	5.0%	7.8%
Births to teen mothers - per 1,000 females 15-19	101	72.5	159	51.2	-29.4%	39.8	41.6	34.3	(-)	(-)
Infant mortality per 1,000 live births	7	9.3	5	3.9	-58.1%	5.8	6.0	6.1	4.5	6.0
Total Births/ Births per 1,000 females 15-44	753	89.8	1,284	70.4	-21.6%	68.4/ 54,235	68.9/ 87,053	64.1/ 4,000,279		

Note: Infant health indicators for cities/towns with fewer than 1,000 births may not be reliable.

Total Birth Rates are per 1,000 females 15-44 years old; Teen Birth Rates are per 1,000 females 15-19 years old.

The Healthy People 2010 Goals that are met are highlighted in green

Health Status Indicators for Cities and Towns 2000 and 2010

Avondale

Selected Reportable Diseases

	Avondale				Percent Change 2000-2010	Comparisons				
	2000		2010			Rate per 100,000 Population				
	Number	Rate per 100,000	Number	Rate per 100,000		Maricopa County, 2010	Arizona 2010	U.S. 2009	H.P. 2010	H.P. 2020
Vaccine Preventable										
<i>H. influenzae</i>	0	0.0	2	2.6	-	1.6	0.4	1.0	0.0	0.0
Measles	0	0.0	0	0.0	0%	0	0.0	0.0	0.0	0.0
Mumps	0	0.0	0	0.0	0%	0.1	0.1	0.7	0.0	0.0
Pertussis	0	0.0	3	3.9	-	1.7	1.2	5.5	0.0	0.0
Central Nervous System										
Encephalitis	0	0.0	0	0.0	0%	0.1	0.1			
Meningitis - Aseptic	1	2.8	10	13.1	370.7%	16.8	9.0			
Meningococcal Disease	0	0.0	0	0.0	0%	0.2	0.2	0.3	1.0	0.3
Enterics										
Amebiasis	0	0.0	0	0.0	0%	0.0	0.2			
Botulism	0	0.0	0	0.0	0%	0.0	0.0	0.0		
Campylobacteriosis	2	5.6	5	6.6	17.7%	14.3	14.7		12.3	8.5
Cryptosporidiosis	0	0.0	0	0.0	0%	0.6	0.6	2.5		
<i>E. Coli</i> O157:H7	0	0.0	0	0.0	0%	1.3	1.5		1.0	0.6
Giardiasis	4	11.1	1	1.3	-88.2%	2.7	2.4	7.4		
Listeriosis	0	0.0	0	0.0	0%	0.2	0.0	0.3	0.25	0.20
Salmonella Paratyphi	0	0.0	0	0.0	0%	0.1				
Salmonellosis	4	11.1	6	7.9	-29.4%	13.2	14.3	16.2	6.8	11.4
Shigellosis	1	2.8	6	7.9	182.4%	6.4	6.8	5.2		
Typhoid	0	0.0	0	0.0	0%	0.2	0.1	0.1		
Mycosis										
Coccidioidomycosis	2	5.6	81	106.2	1806.2%	247.7	175.9	13.2		
Zoonoses/Vectorborne										
Brucellosis	0	0.0	0	0.0	0%	0.2	0.1	0.0		
Hantavirus Pulmonary Syndrome	0	0.0	0	0.0	0%	0	0.0	0.0		
Malaria	0	0.0	0	0.0	0%	0.5	0.4	0.5		
West Nile Virus	-		0	0.0	-	3.0	2.6			
Hepatitides										
Hepatitis A	0	0.0	1	1.3	-	0.9	1.1	0.7	4.5	
Hepatitis B	0	0.0	1	1.3	-	2.5	2.3	1.1	2.4-9.0	0.0-1.5
Other										
Legionellosis	0	0.0	0	0.0	0%	1.2	1.0	1.2		
Methicillin res. <i>S. aureus</i> (MRSA)	-		2	2.6	-	20.9	17.6			
Streptococcal Inv. Pneumonia	0	0.0	5	6.6	-	11.1	11.9	1.8		
Streptococcal Inf. Group A	1	2.8	4	5.2	88.3%	2.6	2.8	2.1		
Streptococcal Inf. Group B***	0	0.0	0	0.0	0%	0.6	0.7		0.5	0.25
Vibrio Infection	0	0.0	0	0.0	0%	0.3	0.3	0.3		0.2
Yersiniosis	0	0.0	0	0.0	0%	0.0	0.0			0.3

***Streptococcal Inf. Group B rates are per 1,000 live births

**Health Status Indicators for Cities and Towns
2000 and 2010**

Avondale

Selected Causes of Death

Cause of Death	Avondale				Percent Change 2000-2010	Comparisons				
	2000		2010			Maricopa County, 2010	Arizona 2010	U.S. 2010	Healthy People 2010	Healthy People 2020
	Number	Rate per 100,000	Number	Rate per 100,000						
Tuberculosis	0	0.0	0	0.0	0%	0.3	0.2	0.2		
Syphilis	0	0.0	0	0.0	0%	0	0.0	0.0		
HIV Disease	<5		0	0.0	-	1.8	1.5	2.7	0.7	3.3
Malignant Neoplasms	21	58.5	68	89.2	52.4%	144.3	163.1	185.9	159.9	160.6
Malignant Neoplasm Stomach	0	0.0	4	5.2	-	3.0	3.1	3.7		
Malignant Neoplasm Colon	1	2.8	11	14.4	417.7%	13.1	14.9	17.0	13.9	14.5
Malignant Neoplasm Pancreas	0	0.0	7	9.2	-	10.0	11.1	11.9		
Malig. Neo. Bronchus, Lung	4	11.1	20	26.2	135.3%	37.9	41.5	51.2	44.9	45.5
Malignant Neoplasm Breast **	2	11.3	2	5.2	-53.8%	20.9	11.5	13.4	22.3*	20.6*
Mal. Neo. Uterus, Cervix, Ovary**	1	5.6	0	0.0	-100.0%	13.5	6.6	8.7		
Malig. Neoplasm Prostate **	0	0.0	3	7.9	-	14.5	8.6	9.2	28.8*	21.2*
Malignant Neoplasm Urinary	1	2.8	7	9.2	229.5%	7.6	8.4	9.1		
Non-Hodgkins Lymphoma	1	2.8	2	2.6	-5.9%	5.0	5.9	6.6		
Leukemia	1	2.8	2	2.6	-5.9%	5.8	6.9	7.3		
Other Malignant Neoplasms	10	27.9	10	13.1	-52.9%	37.1	44.6	47.8		
Diabetes	5	13.9	15	19.7	41.2%	18.4	21.5	22.3		
Alzheimers	5	13.9	9	11.8	-15.3%	43.6	36.2	27.0		
Major Cardiovascular Diseases	39	108.7	65	85.3	-21.6%	178.3	199.5	251.8		
Disease of Heart	31	86.4	47	61.6	-28.6%	134.7	152.0	192.9	166.0	100.8
Hypertensive Heart Disease	1	2.8	4	5.2	88.3%	8.3	10.1	10.8		
Ischemic Heart Disease	27	75.2	36	47.2	-37.2%	103.7	110.2	122.5		
Other Heart Disease	3	8.4	7	9.2	9.8%	21.4	31.7	57.7		
Primary Hypertension	0	0.0	7	9.2	-	8.3	7.8	8.6		
Cerebrovascular	8	22.3	11	14.4	-35.3%	28.4	32.1	41.8	48.0	33.8
Atherosclerosis	0	0.0	0	0.0	0%	1.7	2.4	2.3		
Other Circulatory	0	0.0	0	0.0	0%	5.2	5.2	6.3		

**Breast and cervical cancer rates are per 100,000 females, prostate cancer rates are per 100,000 males
(continued on next page)

**Health Status Indicators for Cities and Towns
2000 and 2010**

Avondale

Selected Causes of Death, cont.

Cause of Death	Avondale				Comparisons					
	2000		2010		Percent Change 2000-2010	Maricopa County, 2010	Arizona 2010	U.S. 2010	Healthy People 2010	Healthy People 2020
	Number	Rate per 100,000	Number	Rate per 100,000						
Influenza & Pneumonia	3	8.4	2	2.6	-68.6%	7.8	11.4	16.2		
Chronic Lower Respiratory	11	30.7	14	18.4	-40.1%	38.3	45.2	44.6		
Peptic Ulcer	0	0.0	0	0.0	0%	1.0	1.1	1.0		
Liver Disease	3	8.4	5	6.6	-21.6%	10.1	13.2	10.3		
Nephritis	1	2.8	7	9.2	229.5%	4.7	8.1	16.3		
Pregnancy	0	0.0	0	0.0	0%	0.4	0.2	0.3		
Perinatal Conditions	5	13.9	2	2.6	-81.2%	3.8	3.6	3.9		
Congenital Malformations	2	5.6	3	3.9	-29.4%	3.0	3.3	3.1		
SIDS**	1	2.8	0	0.0	-100.0%	0.4	0.4	0.5		0.5
Symptoms, Signs ex. SIDS	4	11.1	4	5.2	-52.9%	19.7				
All Other Diseases	16	44.6	53	69.5	55.9%	100.6				
Motor Vehicle Accidents	6	16.7	5	6.6	-60.8%	8.8	11.1	11.4	9.2	12.4
All Other Acc. & Adverse Effects	6	16.7	10	13.1	-21.6%	32.6	33.2	26.8		
Suicide	2	5.6	8	10.5	88.3%	14.4	16.7	12.2	5.0	10.2
Homicide	2	5.6	3	3.9	-29.4%	5.7	6.3	5.2	3.0	5.5
All Other External Causes	1	2.8	0	0.0	-100.0%	2.4				
Unknown	0	0.0	0	0.0	0%	0.0				
Total	133	370.6	273	358.1	-3.4%	640.2	717.6	798.7		

**Sudden Infant Death Syndrome (SIDS) rates are per 1,000 live births

Health Status Indicators for Cities and Towns 2000 and 2010

Buckeye

Population Statistics

	Buckeye		Maricopa County		Arizona	U.S.
	Number	% Inc. from 2000	Number	% Inc. from 2000	Number	Number
Population						
2000	6,537	NA	3,072,149	NA	5,130,623	281,421,906
2010	50,876	678.3%	3,817,117	24.2%	6,392,017	308,745,538
Age Distribution 2010	Number	% Distribution	Number	% Distribution	% Distribution	% Distribution
Under 20 years old	16,746	32.9%	1,119,606	29.3%	28.4%	26.9%
20 - 44 years old	20,757	40.8%	1,332,596	34.9%	33.2%	33.6%
45 - 64 years old	9,966	19.6%	902,274	23.6%	24.6%	26.4%
65 and older	3,407	6.7%	462,641	12.1%	13.8%	13.1%
Dependency ratio		0.66		0.71	0.73	0.67

Infant Health Indicators

	Buckeye				Percent Change 2000-2010	Maricopa County 2010	Arizona 2010	U.S. 2010	Healthy People 2010	Healthy People 2020
	2000		2010							
	Number	Percent or Rate	Number	Percent or Rate						
Low weight births (under 2500 grams) - % of live births	24	7.2%	59	5.6%	-22.0%	7.1%	7.1%	8.2%	5.0%	7.8%
Births to teen mothers - per 1,000 females 15-19	68	282.2	85	52.4	-81.4%	39.8	41.6	34.3	(-)	(-)
Infant mortality per 1,000 live births	<5		8	7.6	-	5.8	6.0	6.1	4.5	6.0
Total Births/ Births per 1,000 females 15-44	333	239.1	1,050	103.3	-56.8%	68.4/ 54,235	68.9/ 87,053	64.1/ 4,000,279		

Note: Infant health indicators for cities/towns with fewer than 1,000 births may not be reliable.

Total Birth Rates are per 1,000 females 15-44 years old; Teen Birth Rates are per 1,000 females 15-19 years old.

The Healthy People 2010 Goals that are met are highlighted in green

Health Status Indicators for Cities and Towns 2000 and 2010

Buckeye

Selected Reportable Diseases

	Buckeye				Percent Change 2000-2010	Comparisons				
	2000		2010			Rate per 100,000 Population				
	Number	Rate per 100,000	Number	Rate per 100,000		Maricopa County, 2010	Arizona 2010	U.S. 2009	H.P. 2010	H.P. 2020
Vaccine Preventable										
<i>H. influenzae</i>	0	0.0	1	2.0	-	1.6	0.4	1.0	0.0	0.0
Measles	0	0.0	0	0.0	0%	0	0.0	0.0	0.0	0.0
Mumps	0	0.0	0	0.0	0%	0.1	0.1	0.7	0.0	0.0
Pertussis	0	0.0	1	2.0	-	1.7	1.2	5.5	0.0	0.0
Central Nervous System										
Encephalitis	0	0.0	0	0.0	0%	0.1	0.1			
Meningitis - Aseptic	2	30.6	6	11.8	-61.5%	16.8	9.0			
Meningococcal Disease	0	0.0	0	0.0	0%	0.2	0.2	0.3	1.0	0.3
Enterics										
Amebiasis	0	0.0	0	0.0	0%	0.0	0.2			
Botulism	0	0.0	0	0.0	0%	0.0	0.0	0.0		
Campylobacteriosis	2	30.6	4	7.9	-74.3%	14.3	14.7		12.3	8.5
Cryptosporidiosis	0	0.0	0	0.0	0%	0.6	0.6	2.5		
<i>E. Coli</i> O157:H7	0	0.0	0	0.0	0%	1.3	1.5		1.0	0.6
Giardiasis	1	15.3	0	0.0	-100.0%	2.7	2.4	7.4		
Listeriosis	0	0.0	0	0.0	0%	0.2	0.0	0.3	0.25	0.20
Salmonella Paratyphi	0	0.0	0	0.0	0%	0.1				
Salmonellosis	2	30.6	3	5.9	-80.7%	13.2	14.3	16.2	6.8	11.4
Shigellosis	2	30.6	4	7.9	-74.3%	6.4	6.8	5.2		
Typhoid	0	0.0	0	0.0	0%	0.2	0.1	0.1		
Mycosis										
Coccidioidomycosis	3	45.9	67	131.7	187.0%	247.7	175.9	13.2		
Zoonoses/Vectorborne										
Brucellosis	0	0.0	0	0.0	0%	0.2	0.1	0.0		
Hantavirus Pulmonary Syndrome	0	0.0	0	0.0	0%	0	0.0	0.0		
Malaria	0	0.0	1	2.0	-	0.5	0.4	0.5		
West Nile Virus	-	-	0	0.0	-	3.0	2.6			
Hepatitides										
Hepatitis A	3	45.9	0	0.0	-100.0%	0.9	1.1	0.7	4.5	
Hepatitis B	1	15.3	1	2.0	-87.2%	2.5	2.3	1.1	2.4-9.0	0.0-1.5
Other										
Legionellosis	0	0.0	1	2.0	-	1.2	1.0	1.2		
Methicillin res. <i>S. aureus</i> (MRSA)	-	-	0	0.0	-	20.9	17.6			
Streptococcal Inv. Pneumonia	4	61.2	4	7.9	-87.2%	11.1	11.9	1.8		
Streptococcal Inf. Group A	0	0.0	1	2.0	-	2.6	2.8	2.1		
Streptococcal Inf. Group B***	0	0.0	1	1.0	-	0.6	0.7		0.5	0.25
Vibrio Infection	0	0.0	0	0.0	0%	0.3	0.3	0.3		0.2
Yersiniosis	0	0.0	0	0.0	0%	0.0	0.0			0.3

***Streptococcal Inf. Group B rates are per 1,000 live births

Health Status Indicators for Cities and Towns 2000 and 2010

Buckeye

Selected Causes of Death

Cause of Death	Buckeye				Comparisons					
	2000		2010		Percent Change 2000-2010	Maricopa County, 2010	Arizona 2010	U.S. 2010	Healthy People 2010	Healthy People 2020
	Number	Rate per 100,000	Number	Rate per 100,000						
Tuberculosis	0	0.0	0	0.0	0%	0.3	0.2	0.2		
Syphilis	0	0.0	0	0.0	0%	0	0.0	0.0		
HIV Disease	<5		0	0.0	-	1.8	1.5	2.7	0.7	3.3
Malignant Neoplasms	33	504.8	54	106.1	-79.0%	144.3	163.1	185.9	159.9	160.6
Malignant Neoplasm Stomach	3	45.9	1	2.0	-95.7%	3.0	3.1	3.7		
Malignant Neoplasm Colon	2	30.6	8	15.7	-48.6%	13.1	14.9	17.0	13.9	14.5
Malignant Neoplasm Pancreas	2	30.6	4	7.9	-74.3%	10.0	11.1	11.9		
Malig. Neo. Bronchus, Lung	12	183.6	12	23.6	-87.2%	37.9	41.5	51.2	44.9	45.5
Malignant Neoplasm Breast **	1	30.9	3	13.0	-57.9%	20.9	11.5	13.4	22.3*	20.6*
Mal. Neo. Uterus, Cervix, Ovary**	1	30.9	4	17.3	-43.9%	13.5	6.6	8.7		
Malig. Neoplasm Prostate **	4	121.3	2	7.2	-94.1%	14.5	8.6	9.2	28.8*	21.2*
Malignant Neoplasm Urinary	1	15.3	3	5.9	-61.5%	7.6	8.4	9.1		
Non-Hodgkins Lymphoma	0	0.0	3	5.9	-	5.0	5.9	6.6		
Leukemia	1	15.3	1	2.0	-87.2%	5.8	6.9	7.3		
Other Malignant Neoplasms	6	91.8	13	25.6	-72.2%	37.1	44.6	47.8		
Diabetes	7	107.1	11	21.6	-79.8%	18.4	21.5	22.3		
Alzheimers	4	61.2	8	15.7	-74.3%	43.6	36.2	27.0		
Major Cardiovascular Diseases	30	458.9	57	112.0	-75.6%	178.3	199.5	251.8		
Disease of Heart	20	306.0	47	92.4	-69.8%	134.7	152.0	192.9	166.0	100.8
Hypertensive Heart Disease	1	15.3	3	5.9	-61.5%	8.3	10.1	10.8		
Ischemic Heart Disease	16	244.8	40	78.6	-67.9%	103.7	110.2	122.5		
Other Heart Disease	3	45.9	4	7.9	-82.9%	21.4	31.7	57.7		
Primary Hypertension	2	30.6	2	3.9	-87.2%	8.3	7.8	8.6		
Cerebrovascular	8	122.4	7	13.8	-88.8%	28.4	32.1	41.8	48.0	33.8
Atherosclerosis	0	0.0	0	0.0	0%	1.7	2.4	2.3		
Other Circulatory	0	0.0	1	2.0	-	5.2	5.2	6.3		

**Breast and cervical cancer rates are per 100,000 females, prostate cancer rates are per 100,000 males
(continued on next page)

**Health Status Indicators for Cities and Towns
2000 and 2010**

Buckeye

Selected Causes of Death, cont.

Cause of Death	Buckeye				Percent Change 2000-2010	Comparisons				
	2000		2010			Maricopa County, 2010	Arizona 2010	U.S. 2010	Healthy People 2010	Healthy People 2020
	Number	Rate per 100,000	Number	Rate per 100,000						
Influenza & Pneumonia	3	45.9	5	9.8	-78.6%	7.8	11.4	16.2		
Chronic Lower Respiratory	11	168.3	14	27.5	-83.6%	38.3	45.2	44.6		
Peptic Ulcer	0	0.0	1	2.0	-	1.0	1.1	1.0		
Liver Disease	0	0.0	3	5.9	-	10.1	13.2	10.3		
Nephritis	3	45.9	2	3.9	-91.4%	4.7	8.1	16.3		
Pregnancy	0	0.0	0	0.0	0%	0.4	0.2	0.3		
Perinatal Conditions	0	0.0	4	7.9	-	3.8	3.6	3.9		
Congenital Malformations	1	15.3	3	5.9	-61.5%	3.0	3.3	3.1		
SIDS**	0	0.0	0	0.0	0%	0.4	0.4	0.5		0.5
Symptoms, Signs ex. SIDS	3	45.9	8	15.7	-65.7%	19.7				
All Other Diseases	13	198.9	37	72.7	-63.4%	100.6				
Motor Vehicle Accidents	11	168.3	8	15.7	-90.7%	8.8	11.1	11.4	9.2	12.4
All Other Acc. & Adverse Effects	2	30.6	8	15.7	-48.6%	32.6	33.2	26.8		
Suicide	6	91.8	3	5.9	-93.6%	14.4	16.7	12.2	5.0	10.2
Homicide	0	0.0	1	2.0	-	5.7	6.3	5.2	3.0	5.5
All Other External Causes	0	0.0	2	3.9	-	2.4				
Unknown	0	0.0	0	0.0	0%	0.0				
Total	127	1,942.8	229	450.1	-76.8%	640.2	717.6	798.7		

**Sudden Infant Death Syndrome (SIDS) rates are per 1,000 live births

Health Status Indicators for Cities and Towns 2000 and 2010

Carefree

Population Statistics

	Carefree		Maricopa County		Arizona	U.S.
	Number	% Inc. from 2000	Number	% Inc. from 2000	Number	Number
Population						
2000	2,927	NA	3,072,149	NA	5,130,623	281,421,906
2010	3,363	14.9%	3,817,117	24.2%	6,392,017	308,745,538
Age Distribution 2010	Number	% Distribution	Number	% Distribution	% Distribution	% Distribution
Under 20 years old	383	11.4%	1,119,606	29.3%	28.4%	26.9%
20 - 44 years old	324	9.6%	1,332,596	34.9%	33.2%	33.6%
45 - 64 years old	1,467	43.6%	902,274	23.6%	24.6%	26.4%
65 and older	1,189	18.4%	462,641	12.1%	13.8%	13.1%
Dependency ratio		0.88		0.71	0.73	0.67

Infant Health Indicators

	Carefree				Percent Change 2000-2010	Maricopa County 2010	Arizona 2010	U.S. 2010	Healthy People 2010	Healthy People 2020
	2000		2010							
	Number	Percent or Rate	Number	Percent or Rate						
Low weight births (under 2500 grams) - % of live births	<5		0	0.0%	-	7.1%	7.1%	8.2%	5.0%	7.8%
Births to teen mothers - per 1,000 females 15-19	<5		0	0.0%	-	39.8	41.6	34.3	(-)	(-)
Infant mortality per 1,000 live births	7	538.5	0	0.0	-100.0%	5.8	6.0	6.1	4.5	6.0
Total Births/ Births per 1,000 females 15-44	13	42.1	7	29.2	-30.7%	68.4/ 54,235	68.9/ 87,053	64.1/ 4,000,279		

Note: Infant health indicators for cities/towns with fewer than 1,000 births may not be reliable.

Total Birth Rates are per 1,000 females 15-44 years old; Teen Birth Rates are per 1,000 females 15-19 years old.

The Healthy People 2010 Goals that are met are highlighted in green

Health Status Indicators for Cities and Towns 2000 and 2010

Carefree

Selected Reportable Diseases

	Carefree				Percent Change 2000-2010	Comparisons				
	2000		2010			Rate per 100,000 Population				
	Number	Rate per 100,000	Number	Rate per 100,000		Maricopa County, 2010	Arizona 2010	U.S. 2009	H.P. 2010	H.P. 2020
Vaccine Preventable										
<i>H. influenzae</i>	0	0.0	0	0.0	0%	1.6	0.4	1.0	0.0	0.0
Measles	0	0.0	0	0.0	0%	0	0.0	0.0	0.0	0.0
Mumps	0	0.0	0	0.0	0%	0.1	0.1	0.7	0.0	0.0
Pertussis	0	0.0	0	0.0	0%	1.7	1.2	5.5	0.0	0.0
Central Nervous System										
Encephalitis	0	0.0	0	0.0	0%	0.1	0.1			
Meningitis - Aseptic	0	0.0	0	0.0	0%	16.8	9.0			
Meningococcal Disease	0	0.0	0	0.0	0%	0.2	0.2	0.3	1.0	0.3
Enterics										
Amebiasis	0	0.0	0	0.0	0%	0.0	0.2			
Botulism	0	0.0	0	0.0	0%	0.0	0.0	0.0		
Campylobacteriosis	1	34.2	2	59.5	74.1%	14.3	14.7		12.3	8.5
Cryptosporidiosis	0	0.0	0	0.0	0%	0.6	0.6	2.5		
<i>E. Coli</i> O157:H7	0	0.0	0	0.0	0%	1.3	1.5		1.0	0.6
Giardiasis	0	0.0	0	0.0	0%	2.7	2.4	7.4		
Listeriosis	0	0.0	0	0.0	0%	0.2	0.0	0.3	0.25	0.20
Salmonella Paratyphi	0	0.0	0	0.0	0%	0.1				
Salmonellosis	0	0.0	0	0.0	0%	13.2	14.3	16.2	6.8	11.4
Shigellosis	0	0.0	0	0.0	0%	6.4	6.8	5.2		
Typhoid	0	0.0	0	0.0	0%	0.2	0.1	0.1		
Mycosis										
Coccidioidomycosis	6	205.0	13	386.6	88.6%	247.7	175.9	13.2		
Zoonoses/Vectorborne										
Brucellosis	0	0.0	0	0.0	0%	0.2	0.1	0.0		
Hantavirus Pulmonary Syndrome	0	0.0	0	0.0	0%	0	0.0	0.0		
Malaria	0	0.0	0	0.0	0%	0.5	0.4	0.5		
West Nile Virus	-	-	0	0.0	-	3.0	2.6			
Hepatitides										
Hepatitis A	0	0.0	0	0.0	0%	0.9	1.1	0.7	4.5	
Hepatitis B	0	0.0	0	0.0	0%	2.5	2.3	1.1	2.4-9.0	0.0-1.5
Other										
Legionellosis	0	0.0	0	0.0	0%	1.2	1.0	1.2		
Methicillin res. <i>S. aureus</i> (MRSA)	-	-	1	29.7	-	20.9	17.6			
Streptococcal Inv. Pneumonia	1	34.2	0	0.0	-100.0%	11.1	11.9	1.8		
Streptococcal Inf. Group A	0	0.0	0	0.0	0%	2.6	2.8	2.1		
Streptococcal Inf. Group B***	0	0.0	0	0.0	0%	0.6	0.7		0.5	0.25
Vibrio Infection	0	0.0	0	0.0	0%	0.3	0.3	0.3		0.2
Yersiniosis	0	0.0	0	0.0	0%	0.0	0.0			0.3

***Streptococcal Inf. Group B rates are per 1,000 live births

Health Status Indicators for Cities and Towns 2000 and 2010

Carefree

Selected Causes of Death

Cause of Death	Carefree				Comparisons					
	2000		2010		Percent Change 2000-2010	Maricopa County, 2010	Arizona 2010	U.S. 2010	Healthy People 2010	Healthy People 2020
	Number	Rate per 100,000	Number	Rate per 100,000						
Tuberculosis	0	0.0	0	0.0	0%	0.3	0.2	0.2		
Syphilis	0	0.0	0	0.0	0%	0	0.0	0.0		
HIV Disease	0	0.0	0	0.0	0%	1.8	1.5	2.7	0.7	3.3
Malignant Neoplasms	9	307.5	11	327.1	6.4%	144.3	163.1	185.9	159.9	160.6
Malignant Neoplasm Stomach	0	0.0	0	0.0	0%	3.0	3.1	3.7		
Malignant Neoplasm Colon	1	34.2	2	59.5	74.1%	13.1	14.9	17.0	13.9	14.5
Malignant Neoplasm Pancreas	1	34.2	1	29.7	-13.0%	10.0	11.1	11.9		
Malig. Neo. Bronchus, Lung	1	34.2	2	59.5	74.1%	37.9	41.5	51.2	44.9	45.5
Malignant Neoplasm Breast **	0	0.0	2	115.9	-	20.9	11.5	13.4	22.3*	20.6*
Mal. Neo. Uterus, Cervix, Ovary**	0	0.0	0	0.0	0%	13.5	6.6	8.7		
Malign. Neoplasm Prostate **	1	68.8	0	0.0	-100.0%	14.5	8.6	9.2	28.8*	21.2*
Malignant Neoplasm Urinary	1	34.2	0	0.0	-100.0%	7.6	8.4	9.1		
Non-Hodgkins Lymphoma	1	34.2	0	0.0	-100.0%	5.0	5.9	6.6		
Leukemia	0	0.0	0	0.0	0%	5.8	6.9	7.3		
Other Malignant Neoplasms	3	102.5	4	118.9	16.0%	37.1	44.6	47.8		
Diabetes	0	0.0	1	29.7	-	18.4	21.5	22.3		
Alzheimers	1	34.2	2	59.5	74.1%	43.6	36.2	27.0		
Major Cardiovascular Diseases	12	410.0	4	118.9	-71.0%	178.3	199.5	251.8		
Disease of Heart	9	307.5	2	59.5	-80.7%	134.7	152.0	192.9	166.0	100.8
Hypertensive Heart Disease	0	0.0	0	0.0		8.3	10.1	10.8		
Ischemic Heart Disease	7	239.2	1	29.7	-87.6%	103.7	110.2	122.5		
Other Heart Disease	2	68.3	1	29.7	-56.5%	21.4	31.7	57.7		
Primary Hypertension	0	0.0	0	0.0	0%	8.3	7.8	8.6		
Cerebrovascular	3	102.5	2	59.5	-42.0%	28.4	32.1	41.8	48.0	33.8
Atherosclerosis	0	0.0	0	0.0	0%	1.7	2.4	2.3		
Other Circulatory	0	0.0	0	0.0	0%	5.2	5.2	6.3		

**Breast and cervical cancer rates are per 100,000 females, prostate cancer rates are per 100,000 males
(continued on next page)

**Health Status Indicators for Cities and Towns
2000 and 2010**

Carefree

Selected Causes of Death, cont.

Cause of Death	Carefree				Comparisons					
	2000		2010		Percent Change 2000-2010	Maricopa County, 2010	Arizona 2010	U.S. 2010	Healthy People 2010	Healthy People 2020
	Number	Rate per 100,000	Number	Rate per 100,000						
Influenza & Pneumonia	2	68.3	1	29.7	-56.5%	7.8	11.4	16.2		
Chronic Lower Respiratory	1	34.2	1	29.7	-13.0%	38.3	45.2	44.6		
Peptic Ulcer	0	0.0	0	0.0	0%	1.0	1.1	1.0		
Liver Disease	0	0.0	0	0.0	0%	10.1	13.2	10.3		
Nephritis	0	0.0	0	0.0	0%	4.7	8.1	16.3		
Pregnancy	0	0.0	0	0.0	0%	0.4	0.2	0.3		
Perinatal Conditions	0	0.0	0	0.0	0%	3.8	3.6	3.9		
Congenital Malformations	0	0.0	0	0.0	0%	3.0	3.3	3.1		
SIDS**	0	0.0	0	0.0	0%	0.4	0.4	0.5		0.5
Symptoms, Signs ex. SIDS	0	0.0	1	29.7	-	19.7				
All Other Diseases	3	102.5	5	148.7	45.1%	100.6				
Motor Vehicle Accidents	0	0.0	0	0.0	0%	8.8	11.1	11.4	9.2	12.4
All Other Acc. & Adverse Effects	0	0.0	2	59.5	-	32.6	33.2	26.8		
Suicide	0	0.0	1	29.7	-	14.4	16.7	12.2	5.0	10.2
Homicide	0	0.0	0	0.0	0%	5.7	6.3	5.2	3.0	5.5
All Other External Causes	0	0.0	0	0.0	0%	2.4				
Unknown	0	0.0	0	0.0	0%	0.0				
Total	28	956.6	29	862.3	-9.9%	640.2	717.6	798.7		

**Sudden Infant Death Syndrome (SIDS) rates are per 1,000 live births

Health Status Indicators for Cities and Towns 2000 and 2010

Cave Creek

Population Statistics

	Cave Creek		Maricopa County		Arizona	U.S.
	Number	% Inc. from 2000	Number	% Inc. from 2000	Number	Number
Population						
2000	3,728	NA	3,072,149	NA	5,130,623	281,421,906
2010	5,015	34.5%	3,817,117	24.2%	6,392,017	308,745,538
	Number	% Distribution	Number	% Distribution	% Distribution	% Distribution
Age Distribution 2010						
Under 20 years old	918	18.3%	1,119,606	29.3%	28.4%	26.9%
20 - 44 years old	981	19.6%	1,332,596	34.9%	33.2%	33.6%
45 - 64 years old	2,195	43.8%	902,274	23.6%	24.6%	26.4%
65 and older	921	18.4%	462,641	12.1%	13.8%	13.1%
Dependency ratio		0.58		0.71	0.73	0.67

Infant Health Indicators

	Cave Creek				Percent Change 2000-2010	Maricopa County 2010	Arizona 2010	U.S. 2010	Healthy People 2010	Healthy People 2020
	2000		2010							
	Number	Percent or Rate	Number	Percent or Rate						
Low weight births (under 2500 grams) - % of live births	21	6.0%	12	5.9%	-1.0%	7.1%	7.1%	8.2%	5.0%	7.8%
Births to teen mothers - per 1,000 females 15-19	9	68.7	<5		-	39.8	41.6	34.3	(-)	(-)
Infant mortality per 1,000 live births	<5		<5		-	5.8	6.0	6.1	4.5	6.0
Total Births/ Births per 1,000 females 15-44	350	536.8	202	303.3	-43.5%	68.4/ 54,235	68.9/ 87,053	64.1/ 4,000,279		

Note: Infant health indicators for cities/towns with fewer than 1,000 births may not be reliable.

Total Birth Rates are per 1,000 females 15-44 years old; Teen Birth Rates are per 1,000 females 15-19 years old.

The Healthy People 2010 Goals that are met are highlighted in green

Health Status Indicators for Cities and Towns 2000 and 2010

Cave Creek

Selected Reportable Diseases

	Cave Creek				Percent Change 2000-2010	Comparisons				
	2000		2010			Rate per 100,000 Population				
	Number	Rate per 100,000	Number	Rate per 100,000		Maricopa County, 2010	Arizona 2010	U.S. 2009	H.P. 2010	H.P. 2020
Vaccine Preventable										
<i>H. influenzae</i>	0	0.0	1	19.9	-	1.6	0.4	1.0	0.0	0.0
Measles	0	0.0	0	0.0	0%	0	0.0	0.0	0.0	0.0
Mumps	0	0.0	0	0.0	0%	0.1	0.1	0.7	0.0	0.0
Pertussis	0	0.0	0	0.0	0%	1.7	1.2	5.5	0.0	0.0
Central Nervous System										
Encephalitis	0	0.0	0	0.0	0%	0.1	0.1			
Meningitis - Aseptic	1	26.8	1	19.9	-25.7%	16.8	9.0			
Meningococcal Disease	0	0.0	0	0.0	0%	0.2	0.2	0.3	1.0	0.3
Enterics										
Amebiasis	0	0.0	0	0.0	0%	0.0	0.2			
Botulism	0	0.0	0	0.0	0%	0.0	0.0	0.0		
Campylobacteriosis	2	53.6	3	59.8	11.5%	14.3	14.7		12.3	8.5
Cryptosporidiosis	0	0.0	0	0.0	0%	0.6	0.6	2.5		
<i>E. Coli</i> O157:H7	0	0.0	2	39.9	-	1.3	1.5		1.0	0.6
Giardiasis	0	0.0	0	0.0	0%	2.7	2.4	7.4		
Listeriosis	0	0.0	0	0.0	0%	0.2	0.0	0.3	0.25	0.20
Salmonella Paratyphi	0	0.0	0	0.0	0%	0.1				
Salmonellosis	3	80.5	1	19.9	-75.2%	13.2	14.3	16.2	6.8	11.4
Shigellosis	0	0.0	0	0.0	0%	6.4	6.8	5.2		
Typhoid	0	0.0	1	19.9	-	0.2	0.1	0.1		
Mycosis										
Coccidioidomycosis	15	402.4	64	1276.2	217.2%	247.7	175.9	13.2		
Zoonoses/Vectorborne										
Brucellosis	0	0.0	0	0.0	0%	0.2	0.1	0.0		
Hantavirus Pulmonary Syndrome	0	0.0	0	0.0	0%	0	0.0	0.0		
Malaria	0	0.0	0	0.0	0%	0.5	0.4	0.5		
West Nile Virus	-	-	0	0.0	-	3.0	2.6			
Hepatitides										
Hepatitis A	1	26.8	0	0.0	-100.0%	0.9	1.1	0.7	4.5	
Hepatitis B	1	26.8	0	0.0	-100.0%	2.5	2.3	1.1	2.4-9.0	0.0-1.5
Other										
Legionellosis	0	0.0	0	0.0	0%	1.2	1.0	1.2		
Methicillin res. <i>S. aureus</i> (MRSA)	-	-	3	59.8	-	20.9	17.6			
Streptococcal Inv. Pneumonia	2	53.6	1	19.9	-62.8%	11.1	11.9	1.8		
Streptococcal Inf. Group A	0	0.0	1	19.9	-	2.6	2.8	2.1		
Streptococcal Inf. Group B***	0	0.0	0	0.0	0%	0.6	0.7		0.5	0.25
Vibrio Infection	0	0.0	1	19.9	-	0.3	0.3	0.3		0.2
Yersiniosis	0	0.0	0	0.0	0%	0.0	0.0			0.3

***Streptococcal Inf. Group B rates are per 1,000 live births

Health Status Indicators for Cities and Towns 2000 and 2010

Cave Creek

Selected Causes of Death

Cause of Death	Cave Creek				Comparisons					
	2000		2010		Percent Change 2000-2010	Maricopa County, 2010	Arizona 2010	U.S. 2010	Healthy People 2010	Healthy People 2020
	Number	Rate per 100,000	Number	Rate per 100,000						
Tuberculosis	0	0.0	0	0.0	0%	0.3	0.2	0.2		
Syphilis	0	0.0	0	0.0	0%	0	0.0	0.0		
HIV Disease	0	0.0	0	0.0	0%	1.8	1.5	2.7	0.7	3.3
Malignant Neoplasms	27	724.2	31	618.1	-14.7%	144.3	163.1	185.9	159.9	160.6
Malignant Neoplasm Stomach	0	0.0	1	19.9	-	3.0	3.1	3.7		
Malignant Neoplasm Colon	3	80.5	7	139.6	73.5%	13.1	14.9	17.0	13.9	14.5
Malignant Neoplasm Pancreas	1	26.8	3	59.8	123.0%	10.0	11.1	11.9		
Malig. Neo. Bronchus, Lung	6	160.9	3	59.8	-62.8%	37.9	41.5	51.2	44.9	45.5
Malignant Neoplasm Breast**	3	161.0	1	39.4	-75.6%	20.9	11.5	13.4	22.3*	20.6*
Mal. Neo. Uterus, Cervix, Ovary**	1	53.7	0	0.0	-100.0%	13.5	6.6	8.7		
Malign. Neoplasm Prostate **	1	53.6	2	80.8	50.8%	14.5	8.6	9.2	28.8*	21.2*
Malignant Neoplasm Urinary	3	80.5	3	59.8	-25.7%	7.6	8.4	9.1		
Non-Hodgkins Lymphoma	1	26.8	1	19.9	-25.7%	5.0	5.9	6.6		
Leukemia	1	26.8	2	39.9	48.7%	5.8	6.9	7.3		
Other Malignant Neoplasms	7	187.8	8	159.5	-15.0%	37.1	44.6	47.8		
Diabetes	0	0.0	8	159.5	-	18.4	21.5	22.3		
Alzheimers	3	80.5	11	219.3	172.6%	43.6	36.2	27.0		
Major Cardiovascular Diseases	36	965.7	41	817.5	-15.3%	178.3	199.5	251.8		
Disease of Heart	22	590.1	25	498.5	-15.5%	134.7	152.0	192.9	166.0	100.8
Hypertensive Heart Disease	0	0.0	1	19.9	-	8.3	10.1	10.8		
Ischemic Heart Disease	18	482.8	20	398.8	-17.4%	103.7	110.2	122.5		
Other Heart Disease	4	107.3	4	79.8	-25.7%	21.4	31.7	57.7		
Primary Hypertension	1	26.8	0	0.0	-100.0%	8.3	7.8	8.6		
Cerebrovascular	8	214.6	11	219.3	2.2%	28.4	32.1	41.8	48.0	33.8
Atherosclerosis	1	26.8	1	19.9	-25.7%	1.7	2.4	2.3		
Other Circulatory	4	107.3	4	79.8	-25.7%	5.2	5.2	6.3		

**Breast and cervical cancer rates are per 100,000 females, prostate cancer rates are per 100,000 males
(continued on next page)

Health Status Indicators for Cities and Towns

2000 and 2010

Cave Creek

Selected Causes of Death, cont.

Cause of Death	Cave Creek				Percent Change 2000-2010	Comparisons				
	2000		2010			Maricopa County, 2010	Arizona 2010	U.S. 2010	Healthy People 2010	Healthy People 2020
	Number	Rate per 100,000	Number	Rate per 100,000						
Influenza & Pneumonia	3	80.5	0	0.0	-100.0%	7.8	11.4	16.2		
Chronic Lower Respiratory	6	160.9	5	99.7	-38.1%	38.3	45.2	44.6		
Peptic Ulcer	0	0.0	0	0.0	0%	1.0	1.1	1.0		
Liver Disease	4	107.3	3	59.8	-44.2%	10.1	13.2	10.3		
Nephritis	0	0.0	0	0.0	0%	4.7	8.1	16.3		
Pregnancy	0	0.0	0	0.0	0%	0.4	0.2	0.3		
Perinatal Conditions	1	26.8	0	0.0	-100.0%	3.8	3.6	3.9		
Congenital Malformations	1	26.8	1	19.9	-25.7%	3.0	3.3	3.1		
SIDS**	0	0.0	0	0.0	0%	0.4	0.4	0.5	0.5	
Symptoms, Signs ex. SIDS	1	26.8	4	79.8	197.3%	19.7				
All Other Diseases	20	536.5	21	418.7	-21.9%	100.6				
Motor Vehicle Accidents	4	107.3	1	19.9	-81.4%	8.8	11.1	11.4	9.2 12.4	
All Other Acc. & Adverse Effects	1	26.8	5	99.7	271.7%	32.6	33.2	26.8		
Suicide	5	134.1	4	79.8	-40.5%	14.4	16.7	12.2	5.0 10.2	
Homicide	0	0.0	1	19.9	-	5.7	6.3	5.2	3.0 5.5	
All Other External Causes	0	0.0	0	0.0	0%	2.4				
Unknown	0	0.0	0	0.0	0%	0.0				
Total	112	3,004.3	136	2,711.9	-9.7%	640.2	717.6	798.7		

**Sudden Infant Death Syndrome (SIDS) rates are per 1,000 live births

**Health Status Indicators for Cities and Towns
2000 and 2010**

Chandler

Population Statistics

	Chandler		Maricopa County		Arizona	U.S.
	Number	% Inc. from 2000	Number	% Inc. from 2000	Number	Number
Population						
2000	176,581	NA	3,072,149	NA	5,130,623	281,421,906
2010	236,123	33.7%	3,817,117	24.2%	6,392,017	308,745,538
Age Distribution 2010						
	Number	% Distribution	Number	% Distribution	% Distribution	% Distribution
Under 20 years old	71,198	30.2%	1,119,606	29.3%	28.4%	26.9%
20 - 44 years old	89,167	37.8%	1,332,596	34.9%	33.2%	33.6%
45 - 64 years old	57,340	24.3%	902,274	23.6%	24.6%	26.4%
65 and older	18,418	7.8%	462,641	12.1%	13.8%	13.1%
Dependency ratio		0.61		0.71	0.73	0.67

Infant Health Indicators

	Chandler				Percent Change 2000-2010	Maricopa County 2010	Arizona 2010	U.S. 2010	Healthy People 2010	Healthy People 2020
	2000		2010							
	Number	Percent or Rate	Number	Percent or Rate						
Low weight births (under 2500 grams) - % of live births	234	6.4%	205	6.1%	-4.3%	7.1%	7.1%	8.2%	5.0%	7.8%
Births to teen mothers - per 1,000 females 15-19	323	57.7	196	24.3	-57.9%	39.8	41.6	34.3	(-)	(-)
Infant mortality per 1,000 live births	18	4.9	14	4.2	-15.0%	5.8	6.0	6.1	4.5	6.0
Total Births/ Births per 1,000 females 15-44	3,655	82.5	3,345	62.7	-24.0%	68.4/ 54,235	68.9/ 87,053	64.1/ 4,000,279		

Total Birth Rates are per 1,000 females 15-44 years old; Teen Birth Rates are per 1,000 females 15-19 years old.
The Healthy People 2010 Goals that are met are highlighted in green

Health Status Indicators for Cities and Towns 2000 and 2010
Chandler

Selected Reportable Diseases

	Chandler				Percent Change 2000-2010	Comparisons				
	2000		2010			Rate per 100,000 Population				
	Number	Rate per 100,000	Number	Rate per 100,000		Maricopa County, 2010	Arizona 2010	U.S. 2009	H.P. 2010	H.P. 2020
Vaccine Preventable										
<i>H. influenzae</i>	1	0.6	1	0.4	-25.2%	1.6	0.4	1.0	0.0	0.0
Measles	0	0.0	0	0.0	0%	0	0.0	0.0	0.0	0.0
Mumps	0	0.0	0	0.0	0%	0.1	0.1	0.7	0.0	0.0
Pertussis	7	4.0	3	1.3	-67.9%	1.7	1.2	5.5	0.0	0.0
Central Nervous System										
Encephalitis	0	0.0	0	0.0	0%	0.1	0.1			
Meningitis - Aseptic	3	1.7	40	16.9	897.1%	16.8	9.0			
Meningococcal Disease	3	1.7	0	0.0	-100.0%	0.2	0.2	0.3	1.0	0.3
Enterics										
Amebiasis	0	0.0	0	0.0	0%	0.0	0.2			
Botulism	0	0.0	0	0.0	0%	0.0	0.0	0.0		
Campylobacteriosis	13	7.4	21	8.9	20.8%	14.3	14.7		12.3	8.5
Cryptosporidiosis	0	0.0	0	0.0	0%	0.6	0.6	2.5		
<i>E. Coli</i> O157:H7	0	0.0	3	1.3	-	1.3	1.5		1.0	0.6
Giardiasis	5	2.8	6	2.5	-10.3%	2.7	2.4	7.4		
Listeriosis	0	0.0	0	0.0	0%	0.2	0.0	0.3	0.25	0.20
Salmonella Paratyphi	1	0.6	0	0.0	-100.0%	0.1				
Salmonellosis	19	10.8	31	13.1	22.0%	13.2	14.3	16.2	6.8	11.4
Shigellosis	12	6.8	6	2.5	-62.6%	6.4	6.8	5.2		
Typhoid	2	1.1	0	0.0	-100.0%	0.2	0.1	0.1		
Mycosis										
Coccidioidomycosis	27	15.3	399	169.0	1005.1%	247.7	175.9	13.2		
Zoonoses/Vectorborne										
Brucellosis	0	0.0	0	0.0	0%	0.2	0.1	0.0		
Hantavirus Pulmonary Syndrome	0	0.0	0	0.0	0%	0	0.0	0.0		
Malaria	0	0.0	1	0.4	-	0.5	0.4	0.5		
West Nile Virus	-	-	10	4.2	-	3.0	2.6			
Hepatitides										
Hepatitis A	9	5.1	4	1.7	-66.8%	0.9	1.1	0.7	4.5	
Hepatitis B	3	1.7	5	2.1	24.6%	2.5	2.3	1.1	2.4-9.0	0.0-1.5
Other										
Legionellosis	0	0.0	1	0.4	-	1.2	1.0	1.2		
Methicillin res. <i>S. aureus</i> (MRSA)	-	-	22	9.3	-	20.9	17.6			
Streptococcal Inv. Pneumonia	14	7.9	16	6.8	-14.5%	11.1	11.9	1.8		
Streptococcal Inf. Group A	2	1.1	2	0.8	-25.2%	2.6	2.8	2.1		
Streptococcal Inf. Group B***	0	0.0	0	0.0	0%	0.6	0.7		0.5	0.25
Vibrio Infection	0	0.0	1	0.4	-	0.3	0.3	0.3		0.2
Yersiniosis	0	0.0	0	0.0	0%	0.0	0.0			0.3

***Streptococcal Inf. Group B rates are per 1,000 live births

Health Status Indicators for Cities and Towns 2000 and 2010

Chandler

Selected Causes of Death

Cause of Death	Chandler				Comparisons					
	2000		2010		Percent Change 2000-2010	Maricopa County, 2010	Arizona 2010	U.S. 2010	Healthy People 2010	Healthy People 2020
	Number	Rate per 100,000	Number	Rate per 100,000						
Tuberculosis	0	0.0	0	0.0	0%	0.3	0.2	0.2		
Syphilis	0	0.0	0	0.0	0%	0	0.0	0.0		
HIV Disease	5	2.8	<5		-	1.8	1.5	2.7	0.7	3.3
Malignant Neoplasms	159	90.0	266	112.7	25.1%	144.3	163.1	185.9	159.9	160.6
Malignant Neoplasm Stomach	3	1.7	4	1.7	-0.3%	3.0	3.1	3.7		
Malignant Neoplasm Colon	19	10.8	34	14.4	33.8%	13.1	14.9	17.0	13.9	14.5
Malignant Neoplasm Pancreas	12	6.8	16	6.8	-0.3%	10.0	11.1	11.9		
Malig. Neo. Bronchus, Lung	37	21.0	70	29.6	41.5%	37.9	41.5	51.2	44.9	45.5
Malignant Neoplasm Breast **	17	19.2	21	17.5	-9.1%	20.9	11.5	13.4	22.3*	20.6*
Mal. Neo. Uterus, Cervix,										
Ovary**	6	6.8	14	11.6	71.7%	13.5	6.6	8.7		
Malig. Neoplasm Prostate **	7	7.9	10	8.6	8.6%	14.5	8.6	9.2	28.8*	21.2*
Malignant Neoplasm Urinary	5	2.8	13	5.5	94.4%	7.6	8.4	9.1		
Non-Hodgkins Lymphoma	7	4.0	9	3.8	-3.8%	5.0	5.9	6.6		
Leukemia	10	5.7	10	4.2	-25.2%	5.8	6.9	7.3		
Other Malignant Neoplasms	36	20.4	65	27.5	35.0%	37.1	44.6	47.8		
Diabetes	12	6.8	25	10.6	55.8%	18.4	21.5	22.3		
Alzheimers	20	11.3	81	34.3	202.9%	43.6	36.2	27.0		
Major Cardiovascular Diseases	235	133.1	292	123.7	-7.1%	178.3	199.5	251.8		
Disease of Heart	169	95.7	213	90.2	-5.7%	134.7	152.0	192.9	166.0	100.8
Hypertensive Heart Disease	7	4.0	7	3.0	-25.2%	8.3	10.1	10.8		
Ischemic Heart Disease	134	75.9	170	72.0	-5.1%	103.7	110.2	122.5		
Other Heart Disease	28	15.9	36	15.2	-3.8%	21.4	31.7	57.7		
Primary Hypertension	8	4.5	14	5.9	30.9%	8.3	7.8	8.6		
Cerebrovascular	52	29.4	45	19.1	-35.3%	28.4	32.1	41.8	48.0	33.8
Atherosclerosis	2	1.1	8	3.4	199.1%	1.7	2.4	2.3		
Other Circulatory	4	2.3	12	5.1	124.4%	5.2	5.2	6.3		

**Breast and cervical cancer rates are per 100,000 females, prostate cancer rates are per 100,000 males
(continued on next page)

**Health Status Indicators for Cities and Towns
2000 and 2010**

Chandler

Selected Causes of Death, cont.

Cause of Death	Chandler				Comparisons					
	2000		2010		Percent Change 2000-2010	Maricopa County, 2010	Arizona 2010	U.S. 2010	Healthy People 2010	Healthy People 2020
	Number	Rate per 100,000	Number	Rate per 100,000						
Influenza & Pneumonia	25	14.2	14	5.9	-58.1%	7.8	11.4	16.2		
Chronic Lower Respiratory	50	28.3	55	23.3	-17.7%	38.3	45.2	44.6		
Peptic Ulcer	3	1.7	0	0.0	-100.0%	1.0	1.1	1.0		
Liver Disease	8	4.5	13	5.5	21.5%	10.1	13.2	10.3		
Nephritis	7	4.0	5	2.1	-46.6%	4.7	8.1	16.3		
Pregnancy	1	0.6	0	0.0	-100.0%	0.4	0.2	0.3		
Perinatal Conditions	9	5.1	5	2.1	-58.5%	3.8	3.6	3.9		
Congenital Malformations	6	3.4	6	2.5	-25.2%	3.0	3.3	3.1		
SIDS**	1	0.3	0	0.0	-100.0%	0.4	0.4	0.5		0.5
Symptoms, Signs ex. SIDS	18	10.2	23	9.7	-4.4%	19.7				
All Other Diseases	92	52.1	171	72.4	39.0%	100.6				
Motor Vehicle Accidents	15	8.5	17	7.2	-15.2%	8.8	11.1	11.4	9.2	12.4
All Other Acc. & Adverse Effects	19	10.8	54	22.9	112.5%	32.6	33.2	26.8		
Suicide	11	6.2	34	14.4	131.1%	14.4	16.7	12.2	5.0	10.2
Homicide	5	2.8	14	5.9	109.4%	5.7	6.3	5.2	3.0	5.5
All Other External Causes	0	0.0	2	0.8	-	2.4				
Unknown	0	0.0	0	0.0	0%	0.0				
Total	696	394.2	1,077	456.1	15.7%	640.2	717.6	798.7		

**Sudden Infant Death Syndrome (SIDS) rates are per 1,000 live births

Health Status Indicators for Cities and Towns 2000 and 2010

El Mirage

Population Statistics

	El Mirage		Maricopa County		Arizona	U.S.
	Number	% Inc. from 2000	Number	% Inc. from 2000	Number	Number
Population						
2000	7,609	NA	3,072,149	NA	5,130,623	281,421,906
2010	31,797	317.9%	3,817,117	24.2%	6,392,017	308,745,538
Age Distribution 2010	Number	% Distribution	Number	% Distribution	% Distribution	% Distribution
Under 20 years old	12,160	38.2%	1,119,606	29.3%	28.4%	26.9%
20 - 44 years old	12,316	38.7%	1,332,596	34.9%	33.2%	33.6%
45 - 64 years old	5,272	16.6%	902,274	23.6%	24.6%	26.4%
65 and older	2,049	6.4%	462,641	12.1%	13.8%	13.1%
Dependency ratio		0.81		0.71	0.73	0.67

Infant Health Indicators

	El Mirage				Percent Change 2000-2010	Maricopa County 2010	Arizona 2010	U.S. 2010	Healthy People 2010	Healthy People 2020
	2000		2010							
	Number	Percent or Rate	Number	Percent or Rate						
Low weight births (under 2500 grams) - % of live births	13	4.2%	35	5.9%	39.4%	7.1%	7.1%	8.2%	5.0%	7.8%
Births to teen mothers - per 1,000 females 15-19	69	218.4	68	58.5	-73.2%	39.8	41.6	34.3	(-)	(-)
Infant mortality per 1,000 live births	0	0.0	8	13.4	-	5.8	6.0	6.1	4.5	6.0
Total Births/ Births per 1,000 females 15-44	308	181.4	595	80.6	-55.6%	68.4/ 54,235	68.9/ 87,053	64.1/ 4,000,279		

Note: Infant health indicators for cities/towns with fewer than 1,000 births may not be reliable.

Total Birth Rates are per 1,000 females 15-44 years old; Teen Birth Rates are per 1,000 females 15-19 years old.

The Healthy People 2010 Goals that are met are highlighted in green

Health Status Indicators for Cities and Towns 2000 and 2010

EI Mirage

Selected Reportable Diseases

	EI Mirage				Percent Change 2000-2010	Comparisons				
	2000		2010			Rate per 100,000 Population				
	Number	Rate per 100,000	Number	Rate per 100,000		Maricopa County, 2010	Arizona 2010	U.S. 2009	H.P. 2010	H.P. 2020
Vaccine Preventable										
<i>H. influenzae</i>	0	0.0	1	3.1	-	1.6	0.4	1.0	0.0	0.0
Measles	0	0.0	0	0.0	0%	0	0.0	0.0	0.0	0.0
Mumps	0	0.0	0	0.0	0%	0.1	0.1	0.7	0.0	0.0
Pertussis	0	0.0	0	0.0	0%	1.7	1.2	5.5	0.0	0.0
Central Nervous System										
Encephalitis	0	0.0	0	0.0	0%	0.1	0.1			
Meningitis - Aseptic	1	13.1	4	12.6	-4.3%	16.8	9.0			
Meningococcal Disease	0	0.0	0	0.0	0%	0.2	0.2	0.3	1.0	0.3
Enterics										
Amebiasis	0	0.0	0	0.0	0%	0.0	0.2			
Botulism	0	0.0	0	0.0	0%	0.0	0.0	0.0		
Campylobacteriosis	2	26.3	2	6.3	-76.1%	14.3	14.7		12.3	8.5
Cryptosporidiosis	0	0.0	0	0.0	0%	0.6	0.6	2.5		
<i>E. Coli</i> O157:H7	0	0.0	0	0.0	0%	1.3	1.5		1.0	0.6
Giardiasis	1	13.1	1	3.1	-76.1%	2.7	2.4	7.4		
Listeriosis	0	0.0	0	0.0	0%	0.2	0.0	0.3	0.25	0.20
Salmonella Paratyphi	0	0.0	0	0.0	0%	0.1				
Salmonellosis	3	39.4	5	15.7	-60.1%	13.2	14.3	16.2	6.8	11.4
Shigellosis	1	13.1	1	3.1	-76.1%	6.4	6.8	5.2		
Typhoid	0	0.0	0	0.0	0%	0.2	0.1	0.1		
Mycosis										
Coccidioidomycosis	1	13.1	50	157.2	1096.5%	247.7	175.9	13.2		
Zoonoses/Vectorborne										
Brucellosis	0	0.0	0	0.0	0%	0.2	0.1	0.0		
Hantavirus Pulmonary Syndrome	0	0.0	0	0.0	0%	0	0.0	0.0		
Malaria	0	0.0	0	0.0	0%	0.5	0.4	0.5		
West Nile Virus	-	-	0	0.0	-	3.0	2.6			
Hepatitides										
Hepatitis A	0	0.0	0	0.0	0%	0.9	1.1	0.7	4.5	
Hepatitis B	0	0.0	0	0.0	0%	2.5	2.3	1.1	2.4-9.0	0.0-1.5
Other										
Legionellosis	0	0.0	0	0.0	0%	1.2	1.0	1.2		
Methicillin res. <i>S. aureus</i> (MRSA)	-	-	6	18.9	-	20.9	17.6			
Streptococcal Inv. Pneumonia	1	13.1	1	3.1	-76.1%	11.1	11.9	1.8		
Streptococcal Inf. Group A	0	0.0	1	3.1	-	2.6	2.8	2.1		
Streptococcal Inf. Group B***	0	0.0	0	0.0	0%	0.6	0.7		0.5	0.25
Vibrio Infection	0	0.0	0	0.0	0%	0.3	0.3	0.3		0.2
Yersiniosis	0	0.0	0	0.0	0%	0.0	0.0			0.3

***Streptococcal Inf. Group B rates are per 1,000 live births

Health Status Indicators for Cities and Towns 2000 and 2010

El Mirage

Selected Causes of Death

Cause of Death	El Mirage				Comparisons					
	2000		2010		Percent Change 2000-2010	Maricopa County, 2010	Arizona 2010	U.S. 2010	Healthy People 2010	Healthy People 2020
	Number	Rate per 100,000	Number	Rate per 100,000						
Tuberculosis	0	0.0	0	0.0	0%	0.3	0.2	0.2		
Syphilis	0	0.0	0	0.0	0%	0	0.0	0.0		
HIV Disease	<5		0	0.0	-	1.8	1.5	2.7	0.7	3.3
Malignant Neoplasms	12	157.7	25	78.6	-50.1%	144.3	163.1	185.9	159.9	160.6
Malignant Neoplasm Stomach	0	0.0	1	3.1	-	3.0	3.1	3.7		
Malignant Neoplasm Colon	1	13.1	3	9.4	-28.2%	13.1	14.9	17.0	13.9	14.5
Malignant Neoplasm Pancreas	1	13.1	1	3.1	-76.1%	10.0	11.1	11.9		
Malig. Neo. Bronchus, Lung	1	13.1	7	22.0	67.5%	37.9	41.5	51.2	44.9	45.5
Malignant Neoplasm Breast **	1	27.0	2	12.5	-53.8%	20.9	11.5	13.4	22.3*	20.6*
Mal. Neo. Uterus, Cervix, Ovary**	1	27.0	4	24.9	-7.6%	13.5	6.6	8.7		
Malig. Neoplasm Prostate **	1	25.6	0	0.0	-100.0%	14.5	8.6	9.2	28.8*	21.2*
Malignant Neoplasm Urinary	1	13.1	1	3.1	-76.1%	7.6	8.4	9.1		
Non-Hodgkins Lymphoma	0	0.0	0	0.0	0%	5.0	5.9	6.6		
Leukemia	1	13.1	0	0.0	-100.0%	5.8	6.9	7.3		
Other Malignant Neoplasms	4	52.6	6	18.9	-64.1%	37.1	44.6	47.8		
Diabetes	0	0.0	5	15.7	-	18.4	21.5	22.3		
Alzheimers	0	0.0	2	6.3	-	43.6	36.2	27.0		
Major Cardiovascular Diseases	7	92.0	33	103.8	12.8%	178.3	199.5	251.8		
Disease of Heart	4	52.6	17	53.5	1.7%	134.7	152.0	192.9	166.0	100.8
Hypertensive Heart Disease	0	0.0	0	0.0	0%	8.3	10.1	10.8		
Ischemic Heart Disease	3	39.4	16	50.3	27.6%	103.7	110.2	122.5		
Other Heart Disease	1	13.1	1	3.1	-76.1%	21.4	31.7	57.7		
Primary Hypertension	1	13.1	1	3.1	-76.1%	8.3	7.8	8.6		
Cerebrovascular	2	26.3	12	37.7	43.6%	28.4	32.1	41.8	48.0	33.8
Atherosclerosis	0	0.0	1	3.1	-	1.7	2.4	2.3		
Other Circulatory	0	0.0	2	6.3	-	5.2	5.2	6.3		

**Breast and cervical cancer rates are per 100,000 females, prostate cancer rates are per 100,000 males
(continued on next page)

**Health Status Indicators for Cities and Towns
2000 and 2010**

El Mirage

Selected Causes of Death, cont.

Cause of Death	El Mirage				Comparisons					
	2000		2010		Percent Change 2000-2010	Maricopa County, 2010	Arizona 2010	U.S. 2010	Healthy People 2010	Healthy People 2020
	Number	Rate per 100,000	Number	Rate per 100,000						
Influenza & Pneumonia	1	13.1	1	3.1	-76.1%	7.8	11.4	16.2		
Chronic Lower Respiratory	1	13.1	5	15.7	19.6%	38.3	45.2	44.6		
Peptic Ulcer	0	0.0	0	0.0	0%	1.0	1.1	1.0		
Liver Disease	3	39.4	4	12.6	-68.1%	10.1	13.2	10.3		
Nephritis	2	26.3	2	6.3	-76.1%	4.7	8.1	16.3		
Pregnancy	0	0.0	0	0.0	0%	0.4	0.2	0.3		
Perinatal Conditions	0	0.0	2	6.3	-	3.8	3.6	3.9		
Congenital Malformations	0	0.0	2	6.3	-	3.0	3.3	3.1		
SIDS**	0	0.0	1	1.7	-	0.4	0.4	0.5		0.5
Symptoms, Signs ex. SIDS	0	0.0	1	3.1	-	19.7				
All Other Diseases	5	65.7	21	66.0	0.5%	100.6				
Motor Vehicle Accidents	1	13.1	3	9.4	-28.2%	8.8	11.1	11.4	9.2	12.4
All Other Acc. & Adverse Effects	3	39.4	5	15.7	-60.1%	32.6	33.2	26.8		
Suicide	2	26.3	4	12.6	-52.1%	14.4	16.7	12.2	5.0	10.2
Homicide	0	0.0	2	6.3	-	5.7	6.3	5.2	3.0	5.5
All Other External Causes	0	0.0	0	0.0	0%	2.4				
Unknown	0	0.0	0	0.0	0%	0.0				
Total	37	486.3	118	371.1	-23.7%	640.2	717.6	798.7		

**Sudden Infant Death Syndrome (SIDS) rates are per 1,000 live births

**Health Status Indicators for Cities and Towns
2000 and 2010**

Fountain Hills

Population Statistics

	Fountain Hills		Maricopa County		Arizona	U.S.
	Number	% Inc. from 2000	Number	% Inc. from 2000	Number	Number
Population						
2000	20,235	NA	3,072,149	NA	5,130,623	281,421,906
2010	22,489	11.1%	3,817,117	24.2%	6,392,017	308,745,538
Age Distribution 2010	Number	% Distribution	Number	% Distribution	% Distribution	% Distribution
Under 20 years old	3,602	16.0%	1,119,606	29.3%	28.4%	26.9%
20 - 44 years old	4,234	18.8%	1,332,596	34.9%	33.2%	33.6%
45 - 64 years old	8,395	37.3%	902,274	23.6%	24.6%	26.4%
65 and older	6,258	27.8%	462,641	12.1%	13.8%	13.1%
Dependency ratio		0.78		0.71	0.73	0.67

Infant Health Indicators

	Fountain Hills				Percent Change 2000-2010	Maricopa County 2010	Arizona 2010	U.S. 2010	Healthy People 2010	Healthy People 2020
	2000		2010							
	Number	Percent or Rate	Number	Percent or Rate						
Low weight births (under 2500 grams) - % of live births	14	7.2%	6	6.6%	-8.2%	7.1%	7.1%	8.2%	5.0%	7.8%
Births to teen mothers - per 1,000 females 15-19	6	12.4	<5		-	39.8	41.6	34.3	(-)	(-)
Infant mortality per 1,000 live births	0	0.0	0	0.0	0%	5.8	6.0	6.1	4.5	6.0
Total Births/ Births per 1,000 females 15-44	195	57.2	91	33.6	-41.3%	68.4/ 54,235	68.9/ 87,053	64.1/ 4,000,279		

Note: Infant health indicators for cities/towns with fewer than 1,000 births may not be reliable.

Total Birth Rates are per 1,000 females 15-44 years old; Teen Birth Rates are per 1,000 females 15-19 years old.

The Healthy People 2010 Goals that are met are highlighted in green

Health Status Indicators for Cities and Towns 2000 and 2010

Fountain Hills

Selected Reportable Diseases

	Fountain Hills				Percent Change 2000-2010	Comparisons				
	2000		2010			Rate per 100,000 Population				
	Number	Rate per 100,000	Number	Rate per 100,000		Maricopa County, 2010	Arizona 2010	U.S. 2009	H.P. 2010	H.P. 2020
Vaccine Preventable										
<i>H. influenzae</i>	0	0.0	0	0.0	0%	1.6	0.4	1.0	0.0	0.0
Measles	0	0.0	0	0.0	0%	0	0.0	0.0	0.0	0.0
Mumps	0	0.0	0	0.0	0%	0.1	0.1	0.7	0.0	0.0
Pertussis	0	0.0	0	0.0	0%	1.7	1.2	5.5	0.0	0.0
Central Nervous System										
Encephalitis	0	0.0	0	0.0	0%	0.1	0.1			
Meningitis - Aseptic	0	0.0	1	4.4	-	16.8	9.0			
Meningococcal Disease	0	0.0	0	0.0	0%	0.2	0.2	0.3	1.0	0.3
Enterics										
Amebiasis	0	0.0	0	0.0	0%	0.0	0.2			
Botulism	0	0.0	0	0.0	0%	0.0	0.0	0.0		
Campylobacteriosis	1	4.9	2	8.9	80.0%	14.3	14.7		12.3	8.5
Cryptosporidiosis	0	0.0	0	0.0	0%	0.6	0.6	2.5		
<i>E. Coli</i> O157:H7	0	0.0	0	0.0	0%	1.3	1.5		1.0	0.6
Giardiasis	0	0.0	0	0.0	0%	2.7	2.4	7.4		
Listeriosis	0	0.0	0	0.0	0%	0.2	0.0	0.3	0.25	0.20
Salmonella Paratyphi	0	0.0	0	0.0	0%	0.1				
Salmonellosis	2	9.9	2	8.9	-10.0%	13.2	14.3	16.2	6.8	11.4
Shigellosis	0	0.0	0	0.0	0%	6.4	6.8	5.2		
Typhoid	0	0.0	0	0.0	0%	0.2	0.1	0.1		
Mycosis										
Coccidioidomycosis	11	54.4	89	395.7	628.0%	247.7	175.9	13.2		
Zoonoses/Vectorborne										
Brucellosis	0	0.0	0	0.0	0%	0.2	0.1	0.0		
Hantavirus Pulmonary Syndrome	0	0.0	0	0.0	0%	0	0.0	0.0		
Malaria	0	0.0	0	0.0	0%	0.5	0.4	0.5		
West Nile Virus	-	-	0	0.0	-	3.0	2.6			
Hepatitides										
Hepatitis A	1	4.9	0	0.0	-100.0%	0.9	1.1	0.7	4.5	
Hepatitis B	0	0.0	0	0.0	0%	2.5	2.3	1.1	2.4-9.0	0.0-1.5
Other										
Legionellosis	0	0.0	2	8.9	-	1.2	1.0	1.2		
Methicillin res. <i>S. aureus</i> (MRSA)	-	-	1	4.4	-	20.9	17.6			
Streptococcal Inv. Pneumonia	0	0.0	2	8.9	-	11.1	11.9	1.8		
Streptococcal Inf. Group A	2	9.9	1	4.4	-55.0%	2.6	2.8	2.1		
Streptococcal Inf. Group B***	0	0.0	0	0.0	0%	0.6	0.7		0.5	0.25
Vibrio Infection	0	0.0	0	0.0	0%	0.3	0.3	0.3		0.2
Yersiniosis	0	0.0	0	0.0	0%	0.0	0.0			0.3

***Streptococcal Inf. Group B rates are per 1,000 live births

Health Status Indicators for Cities and Towns 2000 and 2010

Fountain Hills

Selected Causes of Death

Cause of Death	Fountain Hills				Percent Change 2000-2010	Comparisons				
	2000		2010			Maricopa County, 2010	Arizona 2010	U.S. 2010	Healthy People 2010	Healthy People 2020
	Number	Rate per 100,000	Number	Rate per 100,000						
Tuberculosis	0	0.0	0	0.0	0%	0.3	0.2	0.2		
Syphilis	0	0.0	0	0.0	0%	0	0.0	0.0		
HIV Disease	0	0.0	0	0.0	0%	1.8	1.5	2.7	0.7	3.3
Malignant Neoplasms	42	207.6	62	275.7	32.8%	144.3	163.1	185.9	159.9	160.6
Malignant Neoplasm Stomach	1	4.9	2	8.9	80.0%	3.0	3.1	3.7		
Malignant Neoplasm Colon	9	44.5	6	26.7	-40.0%	13.1	14.9	17.0	13.9	14.5
Malignant Neoplasm Pancreas	2	9.9	6	26.7	169.9%	10.0	11.1	11.9		
Malig. Neo. Bronchus, Lung	6	29.7	18	80.0	169.9%	37.9	41.5	51.2	44.9	45.5
Malignant Neoplasm Breast **	2	19.1	6	51.1	167.2%	20.9	11.5	13.4	22.3*	20.6*
Mal. Neo. Uterus, Cervix, Ovary**	0	0.0	0	0.0	0%	13.5	6.6	8.7		
Malig. Neoplasm Prostate **	2	20.5	2	18.6	-9.0%	14.5	8.6	9.2	28.8*	21.2*
Malignant Neoplasm Urinary	2	9.9	4	17.8	80.0%	7.6	8.4	9.1		
Non-Hodgkins Lymphoma	1	4.9	1	4.4	-10.0%	5.0	5.9	6.6		
Leukemia	2	9.9	4	17.8	80.0%	5.8	6.9	7.3		
Other Malignant Neoplasms	15	74.1	13	57.8	-22.0%	37.1	44.6	47.8		
Diabetes	6	29.7	5	22.2	-25.0%	18.4	21.5	22.3		
Alzheimers	8	39.5	14	62.3	57.5%	43.6	36.2	27.0		
Major Cardiovascular Diseases	62	306.4	65	289.0	-5.7%	178.3	199.5	251.8		
Disease of Heart	50	247.1	45	200.1	-19.0%	134.7	152.0	192.9	166.0	100.8
Hypertensive Heart Disease	2	9.9	3	13.3	35.0%	8.3	10.1	10.8		
Ischemic Heart Disease	40	197.7	37	164.5	-16.8%	103.7	110.2	122.5		
Other Heart Disease	8	39.5	5	22.2	-43.8%	21.4	31.7	57.7		
Primary Hypertension	1	4.9	2	8.9	80.0%	8.3	7.8	8.6		
Cerebrovascular	9	44.5	12	53.4	20.0%	28.4	32.1	41.8	48.0	33.8
Atherosclerosis	1	4.9	2	8.9	80.0%	1.7	2.4	2.3		
Other Circulatory	1	4.9	4	17.8	259.9%	5.2	5.2	6.3		

**Breast and cervical cancer rates are per 100,000 females, prostate cancer rates are per 100,000 males
(continued on next page)

**Health Status Indicators for Cities and Towns
2000 and 2010**

Fountain Hills

Selected Causes of Death, cont.

Cause of Death	Fountain Hills				Comparisons					
	2000		2010		Percent Change 2000-2010	Maricopa County, 2010	Arizona 2010	U.S. 2010	Healthy People 2010	Healthy People 2020
	Number	Rate per 100,000	Number	Rate per 100,000						
Influenza & Pneumonia	2	9.9	2	8.9	-10.0%	7.8	11.4	16.2		
Chronic Lower Respiratory	6	29.7	12	53.4	80.0%	38.3	45.2	44.6		
Peptic Ulcer	2	9.9	1	4.4	-55.0%	1.0	1.1	1.0		
Liver Disease	1	4.9	5	22.2	349.9%	10.1	13.2	10.3		
Nephritis	0	0.0	0	0.0	0%	4.7	8.1	16.3		
Pregnancy	0	0.0	0	0.0	0%	0.4	0.2	0.3		
Perinatal Conditions	0	0.0	0	0.0	0%	3.8	3.6	3.9		
Congenital Malformations	0	0.0	0	0.0	0%	3.0	3.3	3.1		
SIDS**	0	0.0	0	0.0	0%	0.4	0.4	0.5		0.5
Symptoms, Signs ex. SIDS	3	14.8	11	48.9	229.9%	19.7				
All Other Diseases	21	103.8	30	133.4	28.5%	100.6				
Motor Vehicle Accidents	2	9.9	1	4.4	-55.0%	8.8	11.1	11.4	9.2	12.4
All Other Acc. & Adverse Effects	2	9.9	9	40.0	304.9%	32.6	33.2	26.8		
Suicide	3	14.8	2	8.9	-40.0%	14.4	16.7	12.2	5.0	10.2
Homicide	0	0.0	0	0.0	0%	5.7	6.3	5.2	3.0	5.5
All Other External Causes	0	0.0	1	4.4	-	2.4				
Unknown	0	0.0	0	0.0	0%	0.0				
Total	160	790.7	220	978.3	23.7%	640.2	717.6	798.7		

**Sudden Infant Death Syndrome (SIDS) rates are per 1,000 live births

Health Status Indicators for Cities and Towns 2000 and 2010

Gila Bend

Population Statistics

	Gila Bend		Maricopa County		Arizona	U.S.
	Number	% Inc. from 2000	Number	% Inc. from 2000	Number	Number
Population						
2000	1,980	NA	3,072,149	NA	5,130,623	281,421,906
2010	1,922	-2.9%	3,817,117	24.2%	6,392,017	308,745,538
Age Distribution 2010	Number	% Distribution	Number	% Distribution	% Distribution	% Distribution
Under 20 years old	632	32.9%	1,119,606	29.3%	28.4%	26.9%
20 - 44 years old	624	32.5%	1,332,596	34.9%	33.2%	33.6%
45 - 64 years old	479	24.9%	902,274	23.6%	24.6%	26.4%
65 and older	187	9.7%	462,641	12.1%	13.8%	13.1%
Dependency ratio		0.74		0.71	0.73	0.67

Infant Health Indicators

	Gila Bend				Percent Change 2000-2010	Maricopa County 2010	Arizona 2010	U.S. 2010	Healthy People 2010	Healthy People 2020
	2000		2010							
	Number	Percent or Rate	Number	Percent or Rate						
Low weight births (under 2500 grams) - % of live births	<5		<5		-	7.1%	7.1%	8.2%	5.0%	7.8%
Births to teen mothers - per 1,000 females 15-19	18	206.9	10	135.1	-34.7%	39.8	41.6	34.3	(-)	(-)
Infant mortality per 1,000 live births	0	0.0	0	0.0	0%	5.8	6.0	6.1	4.5	6.0
Total Births/ Births per 1,000 females 15-44	50	116.8	66	179.3	53.5%	68.4/ 54,235	68.9/ 87,053	64.1/ 4,000,279		

Note: Infant health indicators for cities/towns with fewer than 1,000 births may not be reliable.

Total Birth Rates are per 1,000 females 15-44 years old; Teen Birth Rates are per 1,000 females 15-19 years old.

The Healthy People 2010 Goals that are met are highlighted in green

Health Status Indicators for Cities and Towns 2000 and 2010

Gila Bend

Selected Reportable Diseases

	Gila Bend				Percent Change 2000-2010	Comparisons				
	2000		2010			Rate per 100,000 Population				
	Number	Rate per 100,000	Number	Rate per 100,000		Maricopa County, 2010	Arizona 2010	U.S. 2009	H.P. 2010	H.P. 2020
Vaccine Preventable										
<i>H. influenzae</i>	0	0.0	0	0.0	0%	1.6	0.4	1.0	0.0	0.0
Measles	0	0.0	0	0.0	0%	0	0.0	0.0	0.0	0.0
Mumps	0	0.0	0	0.0	0%	0.1	0.1	0.7	0.0	0.0
Pertussis	0	0.0	0	0.0	0%	1.7	1.2	5.5	0.0	0.0
Central Nervous System										
Encephalitis	0	0.0	0	0.0	0%	0.1	0.1			
Meningitis - Aseptic	0	0.0	0	0.0	0%	16.8	9.0			
Meningococcal Disease	0	0.0	0	0.0	0%	0.2	0.2	0.3	1.0	0.3
Enterics										
Amebiasis	0	0.0	0	0.0	0%	0.0	0.2			
Botulism	0	0.0	0	0.0	0%	0.0	0.0	0.0		
Campylobacteriosis	1	50.5	2	104.1	106.0%	14.3	14.7		12.3	8.5
Cryptosporidiosis	0	0.0	0	0.0	0%	0.6	0.6	2.5		
<i>E. Coli</i> O157:H7	0	0.0	0	0.0	0%	1.3	1.5		1.0	0.6
Giardiasis	0	0.0	0	0.0	0%	2.7	2.4	7.4		
Listeriosis	0	0.0	0	0.0	0%	0.2	0.0	0.3	0.25	0.20
Salmonella Paratyphi	0	0.0	0	0.0	0%	0.1				
Salmonellosis	0	0.0	0	0.0	0%	13.2	14.3	16.2	6.8	11.4
Shigellosis	1	50.5	0	0.0	-100.0%	6.4	6.8	5.2		
Typhoid	0	0.0	0	0.0	0%	0.2	0.1	0.1		
Mycosis										
Coccidioidomycosis	0	0.0	1	52.0	-	247.7	175.9	13.2		
Zoonoses/Vectorborne										
Brucellosis	0	0.0	0	0.0	0%	0.2	0.1	0.0		
Hantavirus Pulmonary Syndrome	0	0.0	0	0.0	0%	0	0.0	0.0		
Malaria	0	0.0	0	0.0	0%	0.5	0.4	0.5		
West Nile Virus	-	-	0	0.0	-	3.0	2.6			
Hepatitides										
Hepatitis A	1	50.5	0	0.0	-100.0%	0.9	1.1	0.7	4.5	
Hepatitis B	0	0.0	0	0.0	0%	2.5	2.3	1.1	2.4-9.0	0.0-1.5
Other										
Legionellosis	0	0.0	0	0.0	0%	1.2	1.0	1.2		
Methicillin res. <i>S. aureus</i> (MRSA)	-	-	0	0.0	-	20.9	17.6			
Streptococcal Inv. Pneumonia	0	0.0	0	0.0	0%	11.1	11.9	1.8		
Streptococcal Inf. Group A	2	101.0	0	0.0	-100.0%	2.6	2.8	2.1		
Streptococcal Inf. Group B***	0	0.0	1	15.2	-	0.6	0.7		0.5	0.25
Vibrio Infection	0	0.0	0	0.0	0%	0.3	0.3	0.3		0.2
Yersiniosis	0	0.0	0	0.0	0%	0.0	0.0			0.3

***Streptococcal Inf. Group B rates are per 1,000 live births

Health Status Indicators for Cities and Towns 2000 and 2010

Gila Bend

Selected Causes of Death

Cause of Death	Gila Bend				Comparisons					
	2000		2010		Percent Change 2000-2010	Maricopa County, 2010	Arizona 2010	U.S. 2010	Healthy People 2010	Healthy People 2020
	Number	Rate per 100,000	Number	Rate per 100,000						
Tuberculosis	0	0.0	0	0.0	0%	0.3	0.2	0.2		
Syphilis	0	0.0	0	0.0	0%	0	0.0	0.0		
HIV Disease	0	0.0	0	0.0	0%	1.8	1.5	2.7	0.7	3.3
Malignant Neoplasms	5	252.5	6	312.2	23.6%	144.3	163.1	185.9	159.9	160.6
Malignant Neoplasm Stomach	0	0.0	0	0.0	0%	3.0	3.1	3.7		
Malignant Neoplasm Colon	0	0.0	0	0.0	0%	13.1	14.9	17.0	13.9	14.5
Malignant Neoplasm Pancreas	0	0.0	0	0.0	0%	10.0	11.1	11.9		
Malig. Neo. Bronchus, Lung	1	50.5	2	104.1	106.0%	37.9	41.5	51.2	44.9	45.5
Malignant Neoplasm Breast **	2	207.5	1	108.6	-47.7%	20.9	11.5	13.4	22.3*	20.6*
Mal. Neo. Uterus, Cervix, Ovary**	1	103.7	0	0.0	-100.0%	13.5	6.6	8.7		
Malig. Neoplasm Prostate **	0	0.0	1	99.9	-	14.5	8.6	9.2	28.8*	21.2*
Malignant Neoplasm Urinary	0	0.0	1	52.0	-	7.6	8.4	9.1		
Non-Hodgkins Lymphoma	1	50.5	0	0.0	-100.0%	5.0	5.9	6.6		
Leukemia	0	0.0	1	52.0	-	5.8	6.9	7.3		
Other Malignant Neoplasms	0	0.0	0	0.0	0%	37.1	44.6	47.8		
Diabetes	2	101.0	1	52.0	-48.5%	18.4	21.5	22.3		
Alzheimers	4	202.0	0	0.0	-100.0%	43.6	36.2	27.0		
Major Cardiovascular Diseases	12	606.1	5	260.1	-57.1%	178.3	199.5	251.8		
Disease of Heart	12	606.1	4	208.1	-65.7%	134.7	152.0	192.9	166.0	100.8
Hypertensive Heart Disease	0	0.0	0	0.0	0%	8.3	10.1	10.8		
Ischemic Heart Disease	11	555.6	4	208.1	-62.5%	103.7	110.2	122.5		
Other Heart Disease	1	50.5	0	0.0	-100.0%	21.4	31.7	57.7		
Primary Hypertension	0	0.0	0	0.0	0%	8.3	7.8	8.6		
Cerebrovascular	0	0.0	1	52.0	-	28.4	32.1	41.8	48.0	33.8
Atherosclerosis	0	0.0	0	0.0	0%	1.7	2.4	2.3		
Other Circulatory	0	0.0	0	0.0	0%	5.2	5.2	6.3		

**Breast and cervical cancer rates are per 100,000 females, prostate cancer rates are per 100,000 males

(continued on next page)

**Health Status Indicators for Cities and Towns
2000 and 2010**

Gila Bend

Selected Causes of Death, cont.

Cause of Death	Gila Bend				Comparisons					
	2000		2010		Percent Change 2000-2010	Maricopa County, 2010	Arizona 2010	U.S. 2010	Healthy People 2010	Healthy People 2020
	Number	Rate per 100,000	Number	Rate per 100,000						
Influenza & Pneumonia	1	50.5	0	0.0	-100.0%	7.8	11.4	16.2		
Chronic Lower Respiratory	0	0.0	0	0.0	0%	38.3	45.2	44.6		
Peptic Ulcer	0	0.0	0	0.0	0%	1.0	1.1	1.0		
Liver Disease	1	50.5	1	52.0	3.0%	10.1	13.2	10.3		
Nephritis	0	0.0	0	0.0	0%	4.7	8.1	16.3		
Pregnancy	0	0.0	1	52.0	-	0.4	0.2	0.3		
Perinatal Conditions	0	0.0	0	0.0	0%	3.8	3.6	3.9		
Congenital Malformations	0	0.0	0	0.0	0%	3.0	3.3	3.1		
SIDS**	0	0.0	0	0.0	0%	0.4	0.4	0.5		0.5
Symptoms, Signs ex. SIDS	0	0.0	0	0.0	0%	19.7				
All Other Diseases	6	303.0	5	260.1	-14.2%	100.6				
Motor Vehicle Accidents	4	202.0	1	52.0	-74.2%	8.8	11.1	11.4	9.2	12.4
All Other Acc. & Adverse Effects	3	151.5	0	0.0	-100.0%	32.6	33.2	26.8		
Suicide	0	0.0	1	52.0	-	14.4	16.7	12.2	5.0	10.2
Homicide	0	0.0	0	0.0	0%	5.7	6.3	5.2	3.0	5.5
All Other External Causes	0	0.0	0	0.0	0%	2.4				
Unknown	0	0.0	0	0.0	0%	0.0				
Total	38	1,919.2	21	1,092.6	-43.1%	640.2	717.6	798.7		

**Sudden Infant Death Syndrome (SIDS) rates are per 1,000 live births

Health Status Indicators for Cities and Towns 2000 and 2010

Gilbert

Population Statistics

	Gilbert		Maricopa County		Arizona	U.S.
	Number	% Inc. from 2000	Number	% Inc. from 2000	Number	Number
Population						
2000	109,697	NA	3,072,149	NA	5,130,623	281,421,906
2010	208,453	90.0%	3,817,117	24.2%	6,392,017	308,745,538
Age Distribution 2010						
	Number	% Distribution	Number	% Distribution	% Distribution	% Distribution
Under 20 years old	72,232	34.7%	1,119,606	29.3%	28.4%	26.9%
20 - 44 years old	77,674	37.3%	1,332,596	34.9%	33.2%	33.6%
45 - 64 years old	45,919	22.0%	902,274	23.6%	24.6%	26.4%
65 and older	12,628	6.1%	462,641	12.1%	13.8%	13.1%
Dependency ratio		0.69		0.71	0.73	0.67

Infant Health Indicators

	Gilbert				Percent Change 2000-2010	Maricopa County 2010	Arizona 2010	U.S. 2010	Healthy People 2010	Healthy People 2020
	2000		2010							
	Number	Percent or Rate	Number	Percent or Rate						
Low weight births (under 2500 grams) - % of live births	174	7.7%	189	6.1%	-21.3%	7.1%	7.1%	8.2%	5.0%	7.8%
Births to teen mothers - per 1,000 females 15-19	98	25.6	102	13.3	-48.2%	39.8	41.6	34.3	(-)	(-)
Infant mortality per 1,000 live births	11	4.9	13	4.2	-14.4%	5.8	6.0	6.1	4.5	6.0
Total Births/ Births per 1,000 females 15-44	2,261	81.3	3,121	65.5	-19.4%	68.4/ 54,235	68.9/ 87,053	64.1/ 4,000,279		

Total Birth Rates are per 1,000 females 15-44 years old; Teen Birth Rates are per 1,000 females 15-19 years old.

The Healthy People 2010 Goals that are met are highlighted in green

Health Status Indicators for Cities and Towns 2000 and 2010
Gilbert

Selected Reportable Diseases

	Gilbert				Percent Change 2000-2010	Comparisons				
	2000		2010			Rate per 100,000 Population				
	Number	Rate per 100,000	Number	Rate per 100,000		Maricopa County, 2010	Arizona 2010	U.S. 2009	H.P. 2010	H.P. 2020
Vaccine Preventable										
<i>H. influenzae</i>	0	0.0	0	0.0	0%	1.6	0.4	1.0	0.0	0.0
Measles	0	0.0	0	0.0	0%	0	0.0	0.0	0.0	0.0
Mumps	0	0.0	0	0.0	0%	0.1	0.1	0.7	0.0	0.0
Pertussis	6	5.5	0	0.0	-100.0%	1.7	1.2	5.5	0.0	0.0
Central Nervous System										
Encephalitis	0	0.0	0	0.0	0%	0.1	0.1			
Meningitis - Aseptic	2	1.8	44	21.1	1057.7%	16.8	9.0			
Meningococcal Disease	0	0.0	0	0.0	0%	0.2	0.2	0.3	1.0	0.3
Enterics										
Amebiasis	0	0.0	0	0.0	0%	0.0	0.2			
Botulism	0	0.0	0	0.0	0%	0.0	0.0	0.0		
Campylobacteriosis	7	6.4	15	7.2	12.8%	14.3	14.7		12.3	8.5
Cryptosporidiosis	0	0.0	3	1.4	-	0.6	0.6	2.5		
<i>E. Coli</i> O157:H7	0	0.0	2	1.0	-	1.3	1.5		1.0	0.6
Giardiasis	1	0.9	5	2.4	163.1%	2.7	2.4	7.4		
Listeriosis	0	0.0	1	0.5	-	0.2	0.0	0.3	0.25	0.20
Salmonella Paratyphi	0	0.0	0	0.0	0%	0.1				
Salmonellosis	0	0.0	27	13.0	-	13.2	14.3	16.2	6.8	11.4
Shigellosis	1	0.9	3	1.4	57.9%	6.4	6.8	5.2		
Typhoid	0	0.0	0	0.0	0%	0.2	0.1	0.1		
Mycosis										
Coccidioidomycosis	19	17.3	398	190.9	1002.3%	247.7	175.9	13.2		
Zoonoses/Vectorborne										
Brucellosis	0	0.0	0	0.0	0%	0.2	0.1	0.0		
Hantavirus Pulmonary Syndrome	0	0.0	0	0.0	0%	0	0.0	0.0		
Malaria	0	0.0	0	0.0	0%	0.5	0.4	0.5		
West Nile Virus	-	-	31	14.9	-	3.0	2.6			
Hepatitides										
Hepatitis A	3	2.7	1	0.5	-82.5%	0.9	1.1	0.7	4.5	
Hepatitis B	1	0.9	2	1.0	5.2%	2.5	2.3	1.1	2.4-9.0	0.0-1.5
Other										
Legionellosis	0	0.0	3	1.4	-	1.2	1.0	1.2		
Methicillin res. <i>S. aureus</i> (MRSA)	-	-	9	4.3	-	20.9	17.6			
Streptococcal Inv. Pneumonia	4	3.6	15	7.2	97.3%	11.1	11.9	1.8		
Streptococcal Inf. Group A	1	0.9	1	0.5	-47.4%	2.6	2.8	2.1		
Streptococcal Inf. Group B***	0	0.0	1	0.3	-	0.6	0.7		0.5	0.25
Vibrio Infection	0	0.0	1	0.5	-	0.3	0.3	0.3		0.2
Yersiniosis	0	0.0	0	0.0	0%	0.0	0.0			0.3

***Streptococcal Inf. Group B rates are per 1,000 live births

Health Status Indicators for Cities and Towns 2000 and 2010

Gilbert

Selected Causes of Death

Cause of Death	Gilbert				Percent Change 2000-2010	Comparisons				
	2000		2010			Maricopa County, 2010	Arizona 2010	U.S. 2010	Healthy People 2010	Healthy People 2020
	Number	Rate per 100,000	Number	Rate per 100,000						
Tuberculosis	1	0.9	0	0.0	-100.0%	0.3	0.2	0.2		
Syphilis	0	0.0	0	0.0	0%	0	0.0	0.0		
HIV Disease	0	0.0	0	0.0	0%	1.8	1.5	2.7	0.7	3.3
Malignant Neoplasms	96	87.5	171	82.0	-6.3%	144.3	163.1	185.9	159.9	160.6
Malignant Neoplasm Stomach	1	0.9	2	1.0	5.2%	3.0	3.1	3.7		
Malignant Neoplasm Colon	11	10.0	15	7.2	-28.2%	13.1	14.9	17.0	13.9	14.5
Malignant Neoplasm Pancreas	5	4.6	8	3.8	-15.8%	10.0	11.1	11.9		
Malig. Neo. Bronchus, Lung	33	30.1	46	22.1	-26.6%	37.9	41.5	51.2	44.9	45.5
Malignant Neoplasm Breast **	6	10.9	13	12.3	13.0%	20.9	11.5	13.4	22.3*	20.6*
Mal. Neo. Uterus, Cervix, Ovary**	2	3.6	7	6.6	82.5%	13.5	6.6	8.7		
Malig. Neoplasm Prostate **	2	3.7	6	5.8	59.4%	14.5	8.6	9.2	28.8*	21.2*
Malignant Neoplasm Urinary	3	2.7	9	4.3	57.9%	7.6	8.4	9.1		
Non-Hodgkins Lymphoma	5	4.6	9	4.3	-5.3%	5.0	5.9	6.6		
Leukemia	1	0.9	9	4.3	373.6%	5.8	6.9	7.3		
Other Malignant Neoplasms	27	24.6	47	22.5	-8.4%	37.1	44.6	47.8		
Diabetes	12	10.9	17	8.2	-25.4%	18.4	21.5	22.3		
Alzheimers	9	8.2	46	22.1	169.0%	43.6	36.2	27.0		
Major Cardiovascular Diseases	99	90.2	183	87.8	-2.7%	178.3	199.5	251.8		
Disease of Heart	80	72.9	130	62.4	-14.5%	134.7	152.0	192.9	166.0	100.8
Hypertensive Heart Disease	4	3.6	9	4.3	18.4%	8.3	10.1	10.8		
Ischemic Heart Disease	64	58.3	95	45.6	-21.9%	103.7	110.2	122.5		
Other Heart Disease	12	10.9	26	12.5	14.0%	21.4	31.7	57.7		
Primary Hypertension	1	0.9	12	5.8	531.5%	8.3	7.8	8.6		
Cerebrovascular	14	12.8	30	14.4	12.8%	28.4	32.1	41.8	48.0	33.8
Atherosclerosis	0	0.0	3	1.4	-	1.7	2.4	2.3		
Other Circulatory	4	3.6	8	3.8	5.2%	5.2	5.2	6.3		

**Breast and cervical cancer rates are per 100,000 females, prostate cancer rates are per 100,000 males
(continued on next page)

Health Status Indicators for Cities and Towns 2000 and 2010

Gilbert

Selected Causes of Death, cont.

Cause of Death	Gilbert				Comparisons					
	2000		2010		Percent Change 2000-2010	Maricopa County, 2010	Arizona 2010	U.S. 2010	Healthy People 2010	Healthy People 2020
	Number	Rate per 100,000	Number	Rate per 100,000						
Influenza & Pneumonia	8	7.3	12	5.8	-21.1%	7.8	11.4	16.2		
Chronic Lower Respiratory	22	20.1	43	20.6	2.9%	38.3	45.2	44.6		
Peptic Ulcer	1	0.9	2	1.0	5.2%	1.0	1.1	1.0		
Liver Disease	1	0.9	9	4.3	373.6%	10.1	13.2	10.3		
Nephritis	7	6.4	6	2.9	-54.9%	4.7	8.1	16.3		
Pregnancy	0	0.0	1	0.5	-	0.4	0.2	0.3		
Perinatal Conditions	6	5.5	6	2.9	-47.4%	3.8	3.6	3.9		
Congenital Malformations	3	2.7	7	3.4	22.8%	3.0	3.3	3.1		
SIDS**	0	0.0	1	0.3	-	0.4	0.4	0.5		0.5
Symptoms, Signs ex. SIDS	8	7.3	21	10.1	38.1%	19.7				
All Other Diseases	57	52.0	101	48.5	-6.8%	100.6				
Motor Vehicle Accidents	11	10.0	14	6.7	-33.0%	8.8	11.1	11.4	9.2	12.4
All Other Acc. & Adverse Effects	9	8.2	34	16.3	98.8%	32.6	33.2	26.8		
Suicide	7	6.4	17	8.2	27.8%	14.4	16.7	12.2	5.0	10.2
Homicide	1	0.9	3	1.4	57.9%	5.7	6.3	5.2	3.0	5.5
All Other External Causes	0	0.0	2	1.0	-	2.4				
Unknown	0	0.0	0	0.0	0%	0.0				
Total	358	326.4	696	333.9	2.3%	640.2	717.6	798.7		

**Sudden Infant Death Syndrome (SIDS) rates are per 1,000 live births

**Health Status Indicators for Cities and Towns
2000 and 2010**

Glendale

Population Statistics

	Glendale		Maricopa County		Arizona	U.S.
	Number	% Inc. from 2000	Number	% Inc. from 2000	Number	Number
Population						
2000	218,812	NA	3,072,149	NA	5,130,623	281,421,906
2010	226,721	3.6%	3,817,117	24.2%	6,392,017	308,745,538
Age Distribution 2010	Number	% Distribution	Number	% Distribution	% Distribution	% Distribution
Under 20 years old	71,062	31.3%	1,119,606	29.3%	28.4%	26.9%
20 - 44 years old	79,173	34.9%	1,332,596	34.9%	33.2%	33.6%
45 - 64 years old	55,726	24.6%	902,274	23.6%	24.6%	26.4%
65 and older	20,760	9.2%	462,641	12.1%	13.8%	13.1%
Dependency ratio		0.68		0.71	0.73	0.67

Infant Health Indicators

	Glendale				Percent Change 2000-2010	Maricopa County 2010	Arizona 2010	U.S. 2010	Healthy People 2010	Healthy People 2020
	2000		2010							
	Number	Percent or Rate	Number	Percent or Rate						
Low weight births (under 2500 grams) - % of live births	361	7.5%	301	6.9%	-7.8%	7.1%	7.1%	8.2%	5.0%	7.8%
Births to teen mothers - per 1,000 females 15-19	640	76.0	557	61.5	-19.0%	39.8	41.6	34.3	(-)	(-)
Infant mortality per 1,000 live births	35	7.3	22	5.1	-30.5%	5.8	6.0	6.1	4.5	6.0
Total Births/ Births per 1,000 females 15-44	4,800	94.6	4,343	89.1	-5.8%	68.4/ 54,235	68.9/ 87,053	64.1/ 4,000,279		

Total Birth Rates are per 1,000 females 15-44 years old; Teen Birth Rates are per 1,000 females 15-19 years old.
The Healthy People 2010 Goals that are met are highlighted in green

Health Status Indicators for Cities and Towns 2000 and 2010

Glendale

Selected Reportable Diseases

	Glendale				Percent Change 2000-2010	Comparisons				
	2000		2010			Rate per 100,000 Population				
	Number	Rate per 100,000	Number	Rate per 100,000		Maricopa County, 2010	Arizona 2010	U.S. 2009	H.P. 2010	H.P. 2020
Vaccine Preventable										
<i>H. influenzae</i>	2	0.9	2	0.9	-3.5%	1.6	0.4	1.0	0.0	0.0
Measles	0	0.0	0	0.0	0%	0	0.0	0.0	0.0	0.0
Mumps	0	0.0	0	0.0	0%	0.1	0.1	0.7	0.0	0.0
Pertussis	10	4.6	6	2.6	-42.1%	1.7	1.2	5.5	0.0	0.0
Central Nervous System										
Encephalitis	0	0.0	0	0.0	0%	0.1	0.1			
Meningitis - Aseptic	26	11.9	60	26.5	122.7%	16.8	9.0			
Meningococcal Disease	0	0.0	2	0.9	0%	0.2	0.2	0.3	1.0	0.3
Enterics										
Amebiasis	0	0.0	0	0.0	0%	0.0	0.2			
Botulism	0	0.0	0	0.0	0%	0.0	0.0	0.0		
Campylobacteriosis	14	6.4	39	17.2	168.9%	14.3	14.7		12.3	8.5
Cryptosporidiosis	0	0.0	3	1.3	-	0.6	0.6	2.5		
<i>E. Coli</i> O157:H7	0	0.0	2	0.9	-	1.3	1.5		1.0	0.6
Giardiasis	6	2.7	8	3.5	28.7%	2.7	2.4	7.4		
Listeriosis	0	0.0	0	0.0	0%	0.2	0.0	0.3	0.25	0.20
Salmonella Paratyphi	1	0.5	0	0.0	-100.0%	0.1				
Salmonellosis	19	8.7	30	13.2	52.4%	13.2	14.3	16.2	6.8	11.4
Shigellosis	11	5.0	23	10.1	101.8%	6.4	6.8	5.2		
Typhoid	1	0.5	1	0.4	-3.5%	0.2	0.1	0.1		
Mycosis										
Coccidioidomycosis	50	22.9	442	195.0	753.2%	247.7	175.9	13.2		
Zoonoses/Vectorborne										
Brucellosis	0	0.0	1	0.4	-	0.2	0.1	0.0		
Hantavirus Pulmonary Syndrome	0	0.0	0	0.0	0%	0	0.0	0.0		
Malaria	0	0.0	2	0.9	-	0.5	0.4	0.5		
West Nile Virus	-	-	2	0.9	-	3.0	2.6			
Hepatitides										
Hepatitis A	9	4.1	2	0.9	-78.6%	0.9	1.1	0.7	4.5	
Hepatitis B	4	1.8	3	1.3	-27.6%	2.5	2.3	1.1	2.4-9.0	0.0-1.5
Other										
Legionellosis	0	0.0	2	0.9	-	1.2	1.0	1.2		
Methicillin res. <i>S. aureus</i> (MRSA)	-	-	19	8.4	-	20.9	17.6			
Streptococcal Inv. Pneumonia	27	12.3	23	10.1	-17.8%	11.1	11.9	1.8		
Streptococcal Inf. Group A	3	1.4	6	2.6	93.0%	2.6	2.8	2.1		
Streptococcal Inf. Group B***	3	0.6	0	0.0	-100.0%	0.6	0.7		0.5	0.25
Vibrio Infection	0	0.0	0	0.0	0%	0.3	0.3	0.3		0.2
Yersiniosis	0	0.0	0	0.0	0%	0.0	0.0			0.3

***Streptococcal Inf. Group B rates are per 1,000 live births

Health Status Indicators for Cities and Towns 2000 and 2010

Glendale

Selected Causes of Death

Cause of Death	Glendale				Comparisons					
	2000		2010		Percent Change 2000-2010	Maricopa County, 2010	Arizona 2010	U.S. 2010	Healthy People 2010	Healthy People 2020
	Number	Rate per 100,000	Number	Rate per 100,000						
Tuberculosis	0	0.0	0	0.0	0%	0.3	0.2	0.2		
Syphilis	0	0.0	0	0.0	0%	0	0.0	0.0		
HIV Disease	5	2.3	7	3.1	35.1%	1.8	1.5	2.7	0.7	3.3
Malignant Neoplasms	365	166.8	379	167.2	0.2%	144.3	163.1	185.9	159.9	160.6
Malignant Neoplasm Stomach	9	4.1	7	3.1	-24.9%	3.0	3.1	3.7		
Malignant Neoplasm Colon	42	19.2	31	13.7	-28.8%	13.1	14.9	17.0	13.9	14.5
Malignant Neoplasm Pancreas	18	8.2	26	11.5	39.4%	10.0	11.1	11.9		
Malig. Neo. Bronchus, Lung	111	50.7	119	52.5	3.5%	37.9	41.5	51.2	44.9	45.5
Malignant Neoplasm Breast **	31	28.3	26	22.5	-20.3%	20.9	11.5	13.4	22.3*	20.6*
Mal. Neo. Uterus, Cervix, Ovary**	19	17.3	20	17.3	0.1%	13.5	6.6	8.7		
Malig. Neoplasm Prostate **	17	15.6	13	11.7	-25.1%	14.5	8.6	9.2	28.8*	21.2*
Malignant Neoplasm Urinary	22	10.1	20	8.8	-12.3%	7.6	8.4	9.1		
Non-Hodgkins Lymphoma	15	6.9	7	3.1	-55.0%	5.0	5.9	6.6		
Leukemia	15	6.9	12	5.3	-22.8%	5.8	6.9	7.3		
Other Malignant Neoplasms	66	30.2	98	43.2	43.3%	37.1	44.6	47.8		
Diabetes	36	16.5	48	21.2	28.7%	18.4	21.5	22.3		
Alzheimers	59	27.0	129	56.9	111.0%	43.6	36.2	27.0		
Major Cardiovascular Diseases	549	250.9	443	195.4	-22.1%	178.3	199.5	251.8		
Disease of Heart	400	182.8	333	146.9	-19.7%	134.7	152.0	192.9	166.0	100.8
Hypertensive Heart Disease	18	8.2	29	12.8	55.5%	8.3	10.1	10.8		
Ischemic Heart Disease	292	133.4	251	110.7	-17.0%	103.7	110.2	122.5		
Other Heart Disease	90	41.1	53	23.4	-43.2%	21.4	31.7	57.7		
Primary Hypertension	13	5.9	25	11.0	85.6%	8.3	7.8	8.6		
Cerebrovascular	112	51.2	64	28.2	-44.9%	28.4	32.1	41.8	48.0	33.8
Atherosclerosis	6	2.7	1	0.4	-83.9%	1.7	2.4	2.3		
Other Circulatory	18	8.2	20	8.8	7.2%	5.2	5.2	6.3		

**Breast and cervical cancer rates are per 100,000 females, prostate cancer rates are per 100,000 males
(continued on next page)

**Health Status Indicators for Cities and Towns
2000 and 2010**

Glendale

Selected Causes of Death, cont.

Cause of Death	Glendale				Comparisons					
	2000		2010		Percent Change 2000-2010	Maricopa County, 2010	Arizona 2010	U.S. 2010	Healthy People 2010	Healthy People 2020
	Number	Rate per 100,000	Number	Rate per 100,000						
Influenza & Pneumonia	55	25.1	20	8.8	-64.9%	7.8	11.4	16.2		
Chronic Lower Respiratory	109	49.8	113	49.8	0.1%	38.3	45.2	44.6		
Peptic Ulcer	5	2.3	1	0.4	-80.7%	1.0	1.1	1.0		
Liver Disease	26	11.9	34	15.0	26.2%	10.1	13.2	10.3		
Nephritis	21	9.6	11	4.9	-49.4%	4.7	8.1	16.3		
Pregnancy	0	0.0	1	0.4	-	0.4	0.2	0.3		
Perinatal Conditions	20	9.1	14	6.2	-32.4%	3.8	3.6	3.9		
Congenital Malformations	4	1.8	11	4.9	165.4%	3.0	3.3	3.1		
SIDS**	1	0.2	1	0.2	10.5%	0.4	0.4	0.5		0.5
Symptoms, Signs ex. SIDS	34	15.5	51	22.5	44.8%	19.7				
All Other Diseases	234	106.9	278	122.6	14.7%	100.6				
Motor Vehicle Accidents	31	14.2	31	13.7	-3.5%	8.8	11.1	11.4	9.2	12.4
All Other Acc. & Adverse Effects	32	14.6	83	36.6	150.3%	32.6	33.2	26.8		
Suicide	30	13.7	32	14.1	2.9%	14.4	16.7	12.2	5.0	10.2
Homicide	19	8.7	19	8.4	-3.5%	5.7	6.3	5.2	3.0	5.5
All Other External Causes	1	0.5	12	5.3	1058.1%	2.4				
Unknown	0	0.0	0	0.0	0%	0.0				
Total	1,636	747.7	1,718	757.8	1.3%	640.2	717.6	798.7		

**Sudden Infant Death Syndrome (SIDS) rates are per 1,000 live births

**Health Status Indicators for Cities and Towns
2000 and 2010**

Goodyear

Population Statistics

	Goodyear		Maricopa County		Arizona	U.S.
	Number	% Inc. from 2000	Number	% Inc. from 2000	Number	Number
Population						
2000	18,911	NA	3,072,149	NA	5,130,623	281,421,906
2010	65,275	245.2%	3,817,117	24.2%	6,392,017	308,745,538
Age Distribution 2010						
	Number	% Distribution	Number	% Distribution	% Distribution	% Distribution
Under 20 years old	19,593	30.0%	1,119,606	29.3%	28.4%	26.9%
20 - 44 years old	23,308	35.7%	1,332,596	34.9%	33.2%	33.6%
45 - 64 years old	15,309	23.5%	902,274	23.6%	24.6%	26.4%
65 and older	7,065	10.8%	462,641	12.1%	13.8%	13.1%
Dependency ratio		0.69		0.71	0.73	0.67

Infant Health Indicators

	Goodyear				Percent Change 2000-2010	Maricopa County 2010	Arizona 2010	U.S. 2010	Healthy People 2010	Healthy People 2020
	2000		2010							
	Number	Percent or Rate	Number	Percent or Rate						
Low weight births (under 2500 grams) - % of live births	21	8.0%	54	6.3%	-21.5%	7.1%	7.1%	8.2%	5.0%	7.8%
Births to teen mothers - per 1,000 females 15-19	22	47.6	58	22.2	-53.3%	39.8	41.6	34.3	(-)	(-)
Infant mortality per 1,000 live births	<5		<5		-	5.8	6.0	6.1	4.5	6.0
Total Births/ Births per 1,000 females 15-44	263	62.2	861	55.1	-11.3%	68.4/ 54,235	68.9/ 87,053	64.1/ 4,000,279		

Note: Infant health indicators for cities/towns with fewer than 1,000 births may not be reliable.

Total Birth Rates are per 1,000 females 15-44 years old; Teen Birth Rates are per 1,000 females 15-19 years old.

The Healthy People 2010 Goals that are met are highlighted in green

Health Status Indicators for Cities and Towns 2000 and 2010

Goodyear

Selected Reportable Diseases

	Goodyear				Percent Change 2000-2010	Comparisons				
	2000		2010			Rate per 100,000 Population				
	Number	Rate per 100,000	Number	Rate per 100,000		Maricopa County, 2010	Arizona 2010	U.S. 2009	H.P. 2010	H.P. 2020
Vaccine Preventable										
<i>H. influenzae</i>	0	0.0	1	1.5	-	1.6	0.4	1.0	0.0	0.0
Measles	0	0.0	0	0.0	0%	0	0.0	0.0	0.0	0.0
Mumps	0	0.0	0	0.0	0%	0.1	0.1	0.7	0.0	0.0
Pertussis	0	0.0	0	0.0	0%	1.7	1.2	5.5	0.0	0.0
Central Nervous System										
Encephalitis	0	0.0	0	0.0	0%	0.1	0.1			
Meningitis - Aseptic	0	0.0	11	16.9	-	16.8	9.0			
Meningococcal Disease	0	0.0	0	0.0	0%	0.2	0.2	0.3	1.0	0.3
Enterics										
Amebiasis	0	0.0	0	0.0	0%	0.0	0.2			
Botulism	0	0.0	0	0.0	0%	0.0	0.0	0.0		
Campylobacteriosis	0	0.0	5	7.7	-	14.3	14.7		12.3	8.5
Cryptosporidiosis	0	0.0	0	0.0	0%	0.6	0.6	2.5		
<i>E. Coli</i> O157:H7	0	0.0	1	1.5	-	1.3	1.5		1.0	0.6
Giardiasis	0	0.0	1	1.5	-	2.7	2.4	7.4		
Listeriosis	0	0.0	0	0.0	0%	0.2	0.0	0.3	0.25	0.20
Salmonella Paratyphi	0	0.0	0	0.0	0%	0.1				
Salmonellosis	2	10.6	2	3.1	-71.0%	13.2	14.3	16.2	6.8	11.4
Shigellosis	0	0.0	2	3.1	-	6.4	6.8	5.2		
Typhoid	0	0.0	0	0.0	0%	0.2	0.1	0.1		
Mycosis										
Coccidioidomycosis	9	47.6	89	136.3	186.5%	247.7	175.9	13.2		
Zoonoses/Vectorborne										
Brucellosis	0	0.0	0	0.0	0%	0.2	0.1	0.0		
Hantavirus Pulmonary Syndrome	0	0.0	0	0.0	0%	0	0.0	0.0		
Malaria	0	0.0	0	0.0	0%	0.5	0.4	0.5		
West Nile Virus	-	-	0	0.0	-	3.0	2.6			
Hepatitides										
Hepatitis A	0	0.0	1	1.5	-	0.9	1.1	0.7	4.5	
Hepatitis B	0	0.0	2	3.1	-	2.5	2.3	1.1	2.4-9.0	0.0-1.5
Other										
Legionellosis	0	0.0	2	3.1	-	1.2	1.0	1.2		
Methicillin res. <i>S. aureus</i> (MRSA)	-	-	0	0.0	-	20.9	17.6			
Streptococcal Inv. Pneumonia	3	15.9	6	9.2	-42.1%	11.1	11.9	1.8		
Streptococcal Inf. Group A	1	5.3	0	0.0	-100.0%	2.6	2.8	2.1		
Streptococcal Inf. Group B***	0	0.0	1	1.5	-	0.6	0.7		0.5	0.25
Vibrio Infection	0	0.0	0	0.0	0%	0.3	0.3	0.3		0.2
Yersiniosis	0	0.0	0	0.0	0%	0.0	0.0			0.3

***Streptococcal Inf. Group B rates are per 1,000 live births

**Health Status Indicators for Cities and Towns
2000 and 2010**

Goodyear

Selected Causes of Death

Cause of Death	Goodyear				Percent Change 2000-2010	Comparisons				
	2000		2010			Maricopa County, 2010	Arizona 2010	U.S. 2010	Healthy People 2010	Healthy People 2020
	Number	Rate per 100,000	Number	Rate per 100,000						
Tuberculosis	0	0.0	0	0.0	0%	0.3	0.2	0.2		
Syphilis	0	0.0	0	0.0	0%	0	0.0	0.0		
HIV Disease	0	0.0	<5	-	-	1.8	1.5	2.7	0.7	3.3
Malignant Neoplasms	24	126.9	69	105.7	-16.7%	144.3	163.1	185.9	159.9	160.6
Malignant Neoplasm Stomach	0	0.0	2	3.1	-	3.0	3.1	3.7		
Malignant Neoplasm Colon	3	15.9	2	3.1	-80.7%	13.1	14.9	17.0	13.9	14.5
Malignant Neoplasm Pancreas	1	5.3	5	7.7	44.9%	10.0	11.1	11.9		
Malig. Neo. Bronchus, Lung	9	47.6	21	32.2	-32.4%	37.9	41.5	51.2	44.9	45.5
Malignant Neoplasm Breast**	1	10.8	7	20.2	87.6%	20.9	11.5	13.4	22.3*	20.6*
Mal. Neo. Uterus, Cervix, Ovary**	0	0.0	1	2.9	-	13.5	6.6	8.7		
Malig. Neoplasm Prostate **	1	10.4	4	13.1	25.7%	14.5	8.6	9.2	28.8*	21.2*
Malignant Neoplasm Urinary	1	5.3	3	4.6	-13.1%	7.6	8.4	9.1		
Non-Hodgkins Lymphoma	0	0.0	2	3.1	-	5.0	5.9	6.6		
Leukemia	1	5.3	3	4.6	-13.1%	5.8	6.9	7.3		
Other Malignant Neoplasms	7	37.0	19	29.1	-21.4%	37.1	44.6	47.8		
Diabetes	2	10.6	10	15.3	44.9%	18.4	21.5	22.3		
Alzheimers	3	15.9	13	19.9	25.5%	43.6	36.2	27.0		
Major Cardiovascular Diseases	24	126.9	63	96.5	-24.0%	178.3	199.5	251.8		
Disease of Heart	19	100.5	45	68.9	-31.4%	134.7	152.0	192.9	166.0	100.8
Hypertensive Heart Disease	0	0.0	5	7.7	-	8.3	10.1	10.8		
Ischemic Heart Disease	15	79.3	36	55.2	-30.5%	103.7	110.2	122.5		
Other Heart Disease	4	21.2	4	6.1	-71.0%	21.4	31.7	57.7		
Primary Hypertension	1	5.3	7	10.7	-	8.3	7.8	8.6		
Cerebrovascular	4	21.2	11	16.9	-20.3%	28.4	32.1	41.8	48.0	33.8
Atherosclerosis	0	0.0	0	0.0	0%	1.7	2.4	2.3		
Other Circulatory	0	0.0	0	0.0	0%	5.2	5.2	6.3		

**Breast and cervical cancer rates are per 100,000 females, prostate cancer rates are per 100,000 males
(continued on next page)

**Health Status Indicators for Cities and Towns
2000 and 2010**

Goodyear

Selected Causes of Death, cont.

Cause of Death	Goodyear				Percent Change 2000-2010	Comparisons				
	2000		2010			Maricopa County, 2010	Arizona 2010	U.S. 2010	Healthy People 2010	Healthy People 2020
	Number	Rate per 100,000	Number	Rate per 100,000						
Influenza & Pneumonia	4	21.2	1	1.5	-92.8%	7.8	11.4	16.2		
Chronic Lower Respiratory	3	15.9	16	24.5	54.5%	38.3	45.2	44.6		
Peptic Ulcer	0	0.0	2	3.1	-	1.0	1.1	1.0		
Liver Disease	0	0.0	2	3.1	-	10.1	13.2	10.3		
Nephritis	2	10.6	1	1.5	-85.5%	4.7	8.1	16.3		
Pregnancy	0	0.0	0	0.0	0%	0.4	0.2	0.3		
Perinatal Conditions	0	0.0	0	0.0	0%	3.8	3.6	3.9		
Congenital Malformations	0	0.0	1	1.5	-	3.0	3.3	3.1		
SIDS**	0	0.0	0	0.0	0%	0.4	0.4	0.5		0.5
Symptoms, Signs ex. SIDS	3	15.9	11	16.9	6.2%	19.7				
All Other Diseases	17	89.9	50	76.6	-14.8%	100.6				
Motor Vehicle Accidents	4	21.2	1	1.5	-92.8%	8.8	11.1	11.4	9.2	12.4
All Other Acc. & Adverse Effects	0	0.0	12	18.4	-	32.6	33.2	26.8		
Suicide	1	5.3	9	13.8	160.7%	14.4	16.7	12.2	5.0	10.2
Homicide	0	0.0	2	3.1	-	5.7	6.3	5.2	3.0	5.5
All Other External Causes	0	0.0	1	1.5	-	2.4				
Unknown	0	0.0	0	0.0	0%	0.0				
Total	87	460.0	264	404.4	-12.1%	640.2	717.6	798.7		

**Sudden Infant Death Syndrome (SIDS) rates are per 1,000 live births

**Health Status Indicators for Cities and Towns
2000 and 2010**

Guadalupe

Population Statistics

	Guadalupe		Maricopa County		Arizona	U.S.
	Number	% Inc. from 2000	Number	% Inc. from 2000	Number	Number
Population						
2000	5,228	NA	3,072,149	NA	5,130,623	281,421,906
2010	5,523	5.6%	3,817,117	24.2%	6,392,017	308,745,538
Age Distribution 2010	Number	% Distribution	Number	% Distribution	% Distribution	% Distribution
Under 20 years old	2,180	39.5%	1,119,606	29.3%	28.4%	26.9%
20 - 44 years old	1,811	32.8%	1,332,596	34.9%	33.2%	33.6%
45 - 64 years old	1,082	19.6%	902,274	23.6%	24.6%	26.4%
65 and older	450	8.1%	462,641	12.1%	13.8%	13.1%
Dependency ratio		0.91		0.71	0.73	0.67

Infant Health Indicators

	Guadalupe				Percent Change 2000-2010	Maricopa County 2010	Arizona 2010	U.S. 2010	Healthy People 2010	Healthy People 2020
	2000		2010							
	Number	Percent or Rate	Number	Percent or Rate						
Low weight births (under 2500 grams) - % of live births	15	11.4%	8	7.9%	-30.3%	7.1%	7.1%	8.2%	5.0%	7.8%
Births to teen mothers - per 1,000 females 15-19	34	134.4	21	82.0	-39.0%	39.8	41.6	34.3	(-)	(-)
Infant mortality per 1,000 live births	5	37.9	0	0.0	-100.0%	5.8	6.0	6.1	4.5	6.0
Total Births/ Births per 1,000 females 15-44	132	118.5	101	85.6	-27.8%	68.4/ 54,235	68.9/ 87,053	64.1/ 4,000,279		

Note: Infant health indicators for cities/towns with fewer than 1,000 births may not be reliable.

Note: The 2000 and 2010 Infant Health Indicator data are from ADHS. See Appendix A - Data Notes for details.

Total Birth Rates are per 1,000 females 15-44 years old; Teen Birth Rates are per 1,000 females 15-19 years old.

The Healthy People 2010 Goals that are met are highlighted in green

Health Status Indicators for Cities and Towns 2000 and 2010
Guadalupe

Selected Reportable Diseases

	Guadalupe				Percent Change 2000-2010	Comparisons				
	2000		2010			Rate per 100,000 Population				
	Number	Rate per 100,000	Number	Rate per 100,000		Maricopa County, 2010	Arizona 2010	U.S. 2009	H.P. 2010	H.P. 2020
Vaccine Preventable										
<i>H. influenzae</i>	0	0.0	2	2.6	-	1.6	0.4	1.0	0.0	0.0
Measles	0	0.0	0	0.0	0%	0	0.0	0.0	0.0	0.0
Mumps	0	0.0	0	0.0	0%	0.1	0.1	0.7	0.0	0.0
Pertussis	0	0.0	3	3.9	-	1.7	1.2	5.5	0.0	0.0
Central Nervous System										
Encephalitis	0	0.0	0	0.0	0%	0.1	0.1			
Meningitis - Aseptic	1	2.8	10	13.1	370.7%	16.8	9.0			
Meningococcal Disease	0	0.0	0	0.0	0%	0.2	0.2	0.3	1.0	0.3
Enterics										
Amebiasis	0	0.0	0	0.0	0%	0.0	0.2			
Botulism	0	0.0	0	0.0	0%	0.0	0.0	0.0		
Campylobacteriosis	2	5.6	5	6.6	17.7%	14.3	14.7		12.3	8.5
Cryptosporidiosis	0	0.0	0	0.0	0%	0.6	0.6	2.5		
<i>E. Coli</i> O157:H7	0	0.0	0	0.0	0%	1.3	1.5		1.0	0.6
Giardiasis	4	11.1	1	1.3	-88.2%	2.7	2.4	7.4		
Listeriosis	0	0.0	0	0.0	0%	0.2	0.0	0.3	0.25	0.20
Salmonella Paratyphi	0	0.0	0	0.0	0%	0.1				
Salmonellosis	4	11.1	6	7.9	-29.4%	13.2	14.3	16.2	6.8	11.4
Shigellosis	1	2.8	6	7.9	182.4%	6.4	6.8	5.2		
Typhoid	0	0.0	0	0.0	0%	0.2	0.1	0.1		
Mycosis										
Coccidioidomycosis	2	5.6	81	106.2	1806.2%	247.7	175.9	13.2		
Zoonoses/Vectorborne										
Brucellosis	0	0.0	0	0.0	0%	0.2	0.1	0.0		
Hantavirus Pulmonary Syndrome	0	0.0	0	0.0	0%	0	0.0	0.0		
Malaria	0	0.0	0	0.0	0%	0.5	0.4	0.5		
West Nile Virus	-		0	0.0	-	3.0	2.6			
Hepatitides										
Hepatitis A	0	0.0	1	1.3	-	0.9	1.1	0.7	4.5	
Hepatitis B	0	0.0	1	1.3	-	2.5	2.3	1.1	2.4-9.0	0.0-1.5
Other										
Legionellosis	0	0.0	0	0.0	0%	1.2	1.0	1.2		
Methicillin res. <i>S. aureus</i> (MRSA)	-		2	2.6	-	20.9	17.6			
Streptococcal Inv. Pneumonia	0	0.0	5	6.6	-	11.1	11.9	1.8		
Streptococcal Inf. Group A	1	2.8	4	5.2	88.3%	2.6	2.8	2.1		
Streptococcal Inf. Group B***	0	0.0	0	0.0	0%	0.6	0.7		0.5	0.25
Vibrio Infection	0	0.0	0	0.0	0%	0.3	0.3	0.3		0.2
Yersiniosis	0	0.0	0	0.0	0%	0.0	0.0			0.3

***Streptococcal Inf. Group B rates are per 1,000 live births

Health Status Indicators for Cities and Towns 2000 and 2010

Guadalupe

Selected Causes of Death

Cause of Death	Guadalupe				Percent Change 2000-2010	Comparisons				
	2000		2010			Maricopa County, 2010	Arizona 2010	U.S. 2010	Healthy People 2010	Healthy People 2020
	Number	Rate per 100,000	Number	Rate per 100,000						
Tuberculosis	0	0.0	0	0.0	0%	0.3	0.2	0.2		
Syphilis	0	0.0	0	0.0	0%	0	0.0	0.0		
HIV Disease	<5		0	0.0	-	1.8	1.5	2.7	0.7	3.3
Malignant Neoplasms	21	58.5	69	90.5	54.6%	144.3	163.1	185.9	159.9	160.6
Malignant Neoplasm Stomach	0	0.0	4	5.2	-	3.0	3.1	3.7		
Malignant Neoplasm Colon	1	2.8	11	14.4	417.7%	13.1	14.9	17.0	13.9	14.5
Malignant Neoplasm Pancreas	0	0.0	7	9.2	-	10.0	11.1	11.9		
Malig. Neo. Bronchus, Lung	4	11.1	20	26.2	135.3%	37.9	41.5	51.2	44.9	45.5
Malignant Neoplasm Breast **	2	78.5	3	107.7	37.2%	20.9	11.5	13.4	22.3*	20.6*
Mal. Neo. Uterus, Cervix, Ovary**	1	39.3	0	0.0	-100.0%	13.5	6.6	8.7		
Malig. Neoplasm Prostate **	0	0.0	3	109.6	-	14.5	8.6	9.2	28.8*	21.2*
Malignant Neoplasm Urinary	1	2.8	7	9.2	229.5%	7.6	8.4	9.1		
Non-Hodgkins Lymphoma	1	2.8	2	2.6	-5.9%	5.0	5.9	6.6		
Leukemia	1	2.8	2	2.6	-5.9%	5.8	6.9	7.3		
Other Malignant Neoplasms	10	27.9	10	13.1	-52.9%	37.1	44.6	47.8		
Diabetes	5	13.9	15	19.7	41.2%	18.4	21.5	22.3		
Alzheimers	5	13.9	9	11.8	-15.3%	43.6	36.2	27.0		
Major Cardiovascular Diseases	39	108.7	65	85.3	-21.6%	178.3	199.5	251.8		
Disease of Heart	31	86.4	47	61.6	-28.6%	134.7	152.0	192.9	166.0	100.8
Hypertensive Heart Disease	1	2.8	4	5.2	88.3%	8.3	10.1	10.8		
Ischemic Heart Disease	27	75.2	36	47.2	-37.2%	103.7	110.2	122.5		
Other Heart Disease	3	8.4	7	9.2	9.8%	21.4	31.7	57.7		
Primary Hypertension	0	0.0	7	9.2	-	8.3	7.8	8.6		
Cerebrovascular	8	22.3	11	14.4	-35.3%	28.4	32.1	41.8	48.0	33.8
Atherosclerosis	0	0.0	0	0.0	0%	1.7	2.4	2.3		
Other Circulatory	0	0.0	0	0.0	0%	5.2	5.2	6.3		

**Breast and cervical cancer rates are per 100,000 females, prostate cancer rates are per 100,000 males
(continued on next page)

**Health Status Indicators for Cities and Towns
2000 and 2010**

Guadalupe

Selected Causes of Death, cont.

Cause of Death	Guadalupe				Comparisons					
	2000		2010		Percent Change 2000-2010	Maricopa County, 2010	Arizona 2010	U.S. 2010	Healthy People 2010	Healthy People 2020
	Number	Rate per 100,000	Number	Rate per 100,000						
Influenza & Pneumonia	3	8.4	2	2.6	-68.6%	7.8	11.4	16.2		
Chronic Lower Respiratory	11	30.7	14	18.4	-40.1%	38.3	45.2	44.6		
Peptic Ulcer	0	0.0	0	0.0	0%	1.0	1.1	1.0		
Liver Disease	3	8.4	5	6.6	-21.6%	10.1	13.2	10.3		
Nephritis	1	2.8	7	9.2	229.5%	4.7	8.1	16.3		
Pregnancy	0	0.0	0	0.0	0%	0.4	0.2	0.3		
Perinatal Conditions	5	13.9	2	2.6	-81.2%	3.8	3.6	3.9		
Congenital Malformations	2	5.6	3	3.9	-29.4%	3.0	3.3	3.1		
SIDS**	1	2.8	0	0.0	-100.0%	0.4	0.4	0.5		0.5
Symptoms, Signs ex. SIDS	4	11.1	4	5.2	-52.9%	19.7				
All Other Diseases	16	44.6	53	69.5	55.9%	100.6				
Motor Vehicle Accidents	6	16.7	5	6.6	-60.8%	8.8	11.1	11.4	9.2	12.4
All Other Acc. & Adverse Effects	6	16.7	10	13.1	-21.6%	32.6	33.2	26.8		
Suicide	2	5.6	8	10.5	88.3%	14.4	16.7	12.2	5.0	10.2
Homicide	2	5.6	3	3.9	-29.4%	5.7	6.3	5.2	3.0	5.5
All Other External Causes	1	2.8	0	0.0	-100.0%	2.4				
Unknown	0	0.0	0	0.0	0%	0.0				
Total	133	370.6	274	359.4	-3.0%	640.2	717.6	798.7		

**Sudden Infant Death Syndrome (SIDS) rates are per 1,000 live births

Health Status Indicators for Cities and Towns 2000 and 2010

Litchfield Park

Population Statistics

	Litchfield Park		Maricopa County		Arizona	U.S.
	Number	% Inc. from 2000	Number	% Inc. from 2000	Number	Number
Population						
2000	3,810	NA	3,072,149	NA	5,130,623	281,421,906
2010	5,476	43.7%	3,817,117	24.2%	6,392,017	308,745,538
Age Distribution 2010	Number	% Distribution	Number	% Distribution	% Distribution	% Distribution
Under 20 years old	1,343	24.5%	1,119,606	29.3%	28.4%	26.9%
20 - 44 years old	1,446	26.4%	1,332,596	34.9%	33.2%	33.6%
45 - 64 years old	1,526	27.9%	902,274	23.6%	24.6%	26.4%
65 and older	1,161	21.2%	462,641	12.1%	13.8%	13.1%
Dependency ratio		0.84		0.71	0.73	0.67

Infant Health Indicators

	Litchfield Park				Percent Change 2000-2010	Maricopa County 2010	Arizona 2010	U.S. 2010	Healthy People 2010	Healthy People 2020
	2000		2010							
	Number	Percent or Rate	Number	Percent or Rate						
Low weight births (under 2500 grams) - % of live births	<5		15	4.6%	-	7.1%	7.1%	8.2%	5.0%	7.8%
Births to teen mothers - per 1,000 females 15-19	5	41.7	21	124.3	198.2%	39.8	41.6	34.3	(-)	(-)
Infant mortality per 1,000 live births	0	0.0	<5		-	5.8	6.0	6.1	4.5	6.0
Total Births/ Births per 1,000 females 15-44	98	157.1	323	350.7	123.3%	68.4/ 54,235	68.9/ 87,053	64.1/ 4,000,279		

Note: Infant health indicators for cities/towns with fewer than 1,000 births may not be reliable.

Total Birth Rates are per 1,000 females 15-44 years old; Teen Birth Rates are per 1,000 females 15-19 years old.

The Healthy People 2010 Goals that are met are highlighted in green

Health Status Indicators for Cities and Towns 2000 and 2010

Litchfield Park

Selected Reportable Diseases

	Litchfield Park				Percent Change 2000-2010	Comparisons Rate per 100,000 Population				
	2000		2010			Maricopa County, 2010	Arizona 2010	U.S. 2009	H.P. 2010	H.P. 2020
	Number	Rate per 100,000	Number	Rate per 100,000						
Vaccine Preventable										
<i>H. influenzae</i>	0	0.0	0	0.0	0%	1.6	0.4	1.0	0.0	0.0
Measles	0	0.0	0	0.0	0%	0	0.0	0.0	0.0	0.0
Mumps	0	0.0	0	0.0	0%	0.1	0.1	0.7	0.0	0.0
Pertussis	0	0.0	0	0.0	0%	1.7	1.2	5.5	0.0	0.0
Central Nervous System										
Encephalitis	0	0.0	0	0.0	0%	0.1	0.1			
Meningitis - Aseptic	1	26.2	4	73.0	178.3%	16.8	9.0			
Meningococcal Disease	1	26.2	0	0.0	-100.0%	0.2	0.2	0.3	1.0	0.3
Enterics										
Amebiasis	0	0.0	0	0.0	0%	0.0	0.2			
Botulism	0	0.0	0	0.0	0%	0.0	0.0	0.0		
Campylobacteriosis	2	52.5	4	73.0	39.2%	14.3	14.7		12.3	8.5
Cryptosporidiosis	0	0.0	0	0.0	0%	0.6	0.6	2.5		
<i>E. Coli</i> O157:H7	0	0.0	0	0.0	0%	1.3	1.5		1.0	0.6
Giardiasis	0	0.0	0	0.0	0%	2.7	2.4	7.4		
Listeriosis	0	0.0	0	0.0	0%	0.2	0.0	0.3	0.25	0.20
Salmonella Paratyphi	0	0.0	0	0.0	0%	0.1				
Salmonellosis	2	52.5	5	91.3	73.9%	13.2	14.3	16.2	6.8	11.4
Shigellosis	0	0.0	0	0.0	0%	6.4	6.8	5.2		
Typhoid	0	0.0	0	0.0	0%	0.2	0.1	0.1		
Mycosis										
Coccidioidomycosis	2	52.5	25	456.5	769.7%	247.7	175.9	13.2		
Zoonoses/Vectorborne										
Brucellosis	0	0.0	0	0.0	0%	0.2	0.1	0.0		
Hantavirus Pulmonary Syndrome	0	0.0	0	0.0	0%	0	0.0	0.0		
Malaria	0	0.0	0	0.0	0%	0.5	0.4	0.5		
West Nile Virus	-	-	0	0.0	-	3.0	2.6			
Hepatitides										
Hepatitis A	1	26.2	0	0.0	-100.0%	0.9	1.1	0.7	4.5	
Hepatitis B	0	0.0	0	0.0	0%	2.5	2.3	1.1	2.4-9.0	0.0-1.5
Other										
Legionellosis	0	0.0	0	0.0	0%	1.2	1.0	1.2		
Methicillin res. <i>S. aureus</i> (MRSA)	-	-	1	18.3	-	20.9	17.6			
Streptococcal Inv. Pneumonia	0	0.0	4	73.0	-	11.1	11.9	1.8		
Streptococcal Inf. Group A	0	0.0	0	0.0	0%	2.6	2.8	2.1		
Streptococcal Inf. Group B***	0	0.0	0	0.0	0%	0.6	0.7		0.5	0.25
Vibrio Infection	0	0.0	0	0.0	0%	0.3	0.3	0.3		0.2
Yersiniosis	0	0.0	0	0.0	0%	0.0	0.0			0.3

***Streptococcal Inf. Group B rates are per 1,000 live births

Health Status Indicators for Cities and Towns 2000 and 2010

Litchfield Park

Selected Causes of Death

Cause of Death	Litchfield Park				Comparisons					
	2000		2010		Percent Change 2000-2010	Maricopa County, 2010	Arizona 2010	U.S. 2010	Healthy People 2010	Healthy People 2020
	Number	Rate per 100,000	Number	Rate per 100,000						
Tuberculosis	0	0.0	0	0.0	0%	0.3	0.2	0.2		
Syphilis	0	0.0	0	0.0	0%	0	0.0	0.0		
HIV Disease	0	0.0	<5	-	-	1.8	1.5	2.7	0.7	3.3
Malignant Neoplasms	18	472.4	35	639.2	35.3%	144.3	163.1	185.9	159.9	160.6
Malignant Neoplasm Stomach	1	26.2	1	18.3	-30.4%	3.0	3.1	3.7		
Malignant Neoplasm Colon	1	26.2	4	73.0	178.3%	13.1	14.9	17.0	13.9	14.5
Malignant Neoplasm Pancreas	0	0.0	3	54.8	-	10.0	11.1	11.9		
Malig. Neo. Bronchus, Lung	7	183.7	12	219.1	19.3%	37.9	41.5	51.2	44.9	45.5
Malignant Neoplasm Breast **	2	100.7	2	69.3	-31.2%	20.9	11.5	13.4	22.3*	20.6*
Mal. Neo. Uterus, Cervix, Ovary**	0	0.0	0	0.0	0%	13.5	6.6	8.7		
Malign. Neoplasm Prostate **	2	109.6	4	154.4	40.8%	14.5	8.6	9.2	28.8*	21.2*
Malignant Neoplasm Urinary	0	0.0	2	36.5	-	7.6	8.4	9.1		
Non-Hodgkins Lymphoma	1	26.2	2	36.5	39.2%	5.0	5.9	6.6		
Leukemia	0	0.0	0	0.0	0%	5.8	6.9	7.3		
Other Malignant Neoplasms	4	105.0	5	91.3	-13.0%	37.1	44.6	47.8		
Diabetes	2	52.5	6	109.6	108.7%	18.4	21.5	22.3		
Alzheimers	2	52.5	13	237.4	352.2%	43.6	36.2	27.0		
Major Cardiovascular Diseases	17	446.2	43	785.2	76.0%	178.3	199.5	251.8		
Disease of Heart	10	262.5	27	493.1	87.9%	134.7	152.0	192.9	166.0	100.8
Hypertensive Heart Disease	0	0.0	1	18.3	-	8.3	10.1	10.8		
Ischemic Heart Disease	9	236.2	23	420.0	77.8%	103.7	110.2	122.5		
Other Heart Disease	1	26.2	3	54.8	108.7%	21.4	31.7	57.7		
Primary Hypertension	0	0.0	2	36.5	-	8.3	7.8	8.6		
Cerebrovascular	4	105.0	8	146.1	39.2%	28.4	32.1	41.8	48.0	33.8
Atherosclerosis	1	26.2	1	18.3	-30.4%	1.7	2.4	2.3		
Other Circulatory	2	52.5	5	91.3	73.9%	5.2	5.2	6.3		

**Breast and cervical cancer rates are per 100,000 females, prostate cancer rates are per 100,000 males
(continued on next page)

**Health Status Indicators for Cities and Towns
2000 and 2010**

Litchfield Park

Selected Causes of Death, cont.

Cause of Death	Litchfield Park				Comparisons					
	2000		2010		Percent Change 2000-2010	Maricopa County, 2010	Arizona 2010	U.S. 2010	Healthy People 2010	Healthy People 2020
	Number	Rate per 100,000	Number	Rate per 100,000						
Influenza & Pneumonia	0	0.0	2	36.5	-	7.8	11.4	16.2		
Chronic Lower Respiratory	8	210.0	6	109.6	-47.8%	38.3	45.2	44.6		
Peptic Ulcer	0	0.0	0	0.0	0%	1.0	1.1	1.0		
Liver Disease	0	0.0	3	54.8	-	10.1	13.2	10.3		
Nephritis	0	0.0	4	73.0	-	4.7	8.1	16.3		
Pregnancy	0	0.0	0	0.0	0%	0.4	0.2	0.3		
Perinatal Conditions	0	0.0	0	0.0	0%	3.8	3.6	3.9		
Congenital Malformations	0	0.0	1	18.3	-	3.0	3.3	3.1		
SIDS**	0	0.0	0	0.0	0%	0.4	0.4	0.5		0.5
Symptoms, Signs ex. SIDS	1	26.2	2	36.5	39.2%	19.7				
All Other Diseases	4	105.0	21	383.5	265.3%	100.6				
Motor Vehicle Accidents	0	0.0	2	36.5	-	8.8	11.1	11.4	9.2	12.4
All Other Acc. & Adverse Effects	1	26.2	8	146.1	456.6%	32.6	33.2	26.8		
Suicide	2	52.5	0	0.0	-100.0%	14.4	16.7	12.2	5.0	10.2
Homicide	1	26.2	1	18.3	-30.4%	5.7	6.3	5.2	3.0	5.5
All Other External Causes	0	0.0	0	0.0	0%	2.4				
Unknown	0	0.0	0	0.0	0%	0.0				
Total	56	1,469.8	147	2,684.4	82.6%	640.2	717.6	798.7		

**Sudden Infant Death Syndrome (SIDS) rates are per 1,000 live births

Health Status Indicators for Cities and Towns 2000 and 2010

Mesa

Population Statistics

	Mesa		Maricopa County		Arizona	U.S.
	Number	% Inc. from 2000	Number	% Inc. from 2000	Number	Number
Population						
2000	396,375	NA	3,072,149	NA	5,130,623	281,421,906
2010	439,041	10.8%	3,817,117	24.2%	6,392,017	308,745,538
Age Distribution 2010	Number	% Distribution	Number	% Distribution	% Distribution	% Distribution
Under 20 years old	127,862	29.1%	1,119,606	29.3%	28.4%	26.9%
20 - 44 years old	148,835	33.9%	1,332,596	34.9%	33.2%	33.6%
45 - 64 years old	100,585	22.9%	902,274	23.6%	24.6%	26.4%
65 and older	61,759	14.1%	462,641	12.1%	13.8%	13.1%
Dependency ratio		0.76		0.71	0.73	0.67

Infant Health Indicators

	Mesa				Percent Change 2000-2010	Maricopa County 2010	Arizona 2010	U.S. 2010	Healthy People 2010	Healthy People 2020
	2000		2010							
	Number	Percent or Rate	Number	Percent or Rate						
Low weight births (under 2500 grams) - % of live births	472	6.1%	515	6.9%	13.1%	7.1%	7.1%	8.2%	5.0%	7.8%
Births to teen mothers - per 1,000 females 15-19	890	63.3	743	49.5	-21.8%	39.8	41.6	34.3	(-)	(-)
Infant mortality per 1,000 live births	56	7.2	40	5.3	-26.0%	5.8	6.0	6.1	4.5	6.0
Total Births/ Births per 1,000 females 15-44	7,772	89.4	7,501	84.8	-5.2%	68.4/ 54,235	68.9/ 87,053	64.1/ 4,000,279		

Total Birth Rates are per 1,000 females 15-44 years old; Teen Birth Rates are per 1,000 females 15-19 years old.

The Healthy People 2010 Goals that are met are highlighted in green

Health Status Indicators for Cities and Towns 2000 and 2010

Mesa

Selected Reportable Diseases

	Mesa				Percent Change 2000-2010	Comparisons				
	2000		2010			Rate per 100,000 Population				
	Number	Rate per 100,000	Number	Rate per 100,000		Maricopa County, 2010	Arizona 2010	U.S. 2009	H.P. 2010	H.P. 2020
Vaccine Preventable										
<i>H. influenzae</i>	3	0.8	8	1.8	140.8%	1.6	0.4	1.0	0.0	0.0
Measles	0	0.0	0	0.0	0%	0	0.0	0.0	0.0	0.0
Mumps	1	0.3	0	0.0	-100.0%	0.1	0.1	0.7	0.0	0.0
Pertussis	4	1.0	15	3.4	238.6%	1.7	1.2	5.5	0.0	0.0
Central Nervous System										
Encephalitis	0	0.0	0	0.0	0%	0.1	0.1			
Meningitis - Aseptic	14	3.5	112	25.5	622.3%	16.8	9.0			
Meningococcal Disease	1	0.3	0	0.0	-100.0%	0.2	0.2	0.3	1.0	0.3
Enterics										
Amebiasis	0	0.0	0	0.0	0%	0.0	0.2			
Botulism	0	0.0	0	0.0	0%	0.0	0.0	0.0		
Campylobacteriosis	25	6.3	55	12.5	98.6%	14.3	14.7		12.3	8.5
Cryptosporidiosis	0	0.0	3	0.7	-	0.6	0.6	2.5		
<i>E. Coli</i> O157:H7	0	0.0	4	0.9	-	1.3	1.5		1.0	0.6
Giardiasis	5	1.3	4	0.9	-27.8%	2.7	2.4	7.4		
Listeriosis	1	0.3	1	0.2	-9.7%	0.2	0.0	0.3	0.25	0.20
Salmonella Paratyphi	0	0.0	0	0.0	0%	0.1				
Salmonellosis	28	7.1	58	13.2	87.0%	13.2	14.3	16.2	6.8	11.4
Shigellosis	27	6.8	19	4.3	-36.5%	6.4	6.8	5.2		
Typhoid	0	0.0	1	0.2	-	0.2	0.1	0.1		
Mycosis										
Coccidioidomycosis	140	35.3	741	168.8	377.8%	247.7	175.9	13.2		
Zoonoses/Vectorborne										
Brucellosis	0	0.0	1	0.2	-	0.2	0.1	0.0		
Hantavirus Pulmonary Syndrome	0	0.0	0	0.0	0%	0	0.0	0.0		
Malaria	1	0.3	0	0.0	-100.0%	0.5	0.4	0.5		
West Nile Virus	-	-	26	5.9	-	3.0	2.6			
Hepatitides										
Hepatitis A	19	4.8	3	0.7	-85.7%	0.9	1.1	0.7	4.5	
Hepatitis B	15	3.8	12	2.7	-27.8%	2.5	2.3	1.1	2.4-9.0	0.0-1.5
Other										
Legionellosis	0	0.0	4	0.9	-	1.2	1.0	1.2		
Methicillin res. <i>S. aureus</i> (MRSA)	-	-	61	13.9	-	20.9	17.6			
Streptococcal Inv. Pneumonia	39	9.8	48	10.9	11.1%	11.1	11.9	1.8		
Streptococcal Inf. Group A	8	2.0	16	3.6	80.6%	2.6	2.8	2.1		
Streptococcal Inf. Group B***	2	0.3	7	0.9	262.6%	0.6	0.7		0.5	0.25
Vibrio Infection	0	0.0	4	0.9	-	0.3	0.3	0.3		0.2
Yersiniosis	0	0.0	0	0.0	0%	0.0	0.0			0.3

***Streptococcal Inf. Group B rates are per 1,000 live births

Health Status Indicators for Cities and Towns 2000 and 2010

Mesa

Selected Causes of Death

Cause of Death	Mesa				Comparisons					
	2000		2010		Percent Change 2000-2010	Maricopa County, 2010	Arizona 2010	U.S. 2010	Healthy People 2010	Healthy People 2020
	Number	Rate per 100,000	Number	Rate per 100,000						
Tuberculosis	0	0.0	2	0.5	-	0.3	0.2	0.2		
Syphilis	0	0.0	0	0.0	0%	0	0.0	0.0		
HIV Disease	7	1.8	12	2.7	54.8%	1.8	1.5	2.7	0.7	3.3
Malignant Neoplasms	785	198.0	757	172.4	-12.9%	144.3	163.1	185.9	159.9	160.6
Malignant Neoplasm Stomach	8	2.0	18	4.1	103.1%	3.0	3.1	3.7		
Malignant Neoplasm Colon	75	18.9	61	13.9	-26.6%	13.1	14.9	17.0	13.9	14.5
Malignant Neoplasm Pancreas	47	11.9	57	13.0	9.5%	10.0	11.1	11.9		
Malig. Neo. Bronchus, Lung	202	51.0	186	42.4	-16.9%	37.9	41.5	51.2	44.9	45.5
Malignant Neoplasm Breast **	66	33.0	50	22.4	-32.1%	20.9	11.5	13.4	22.3*	20.6*
Mal. Neo. Uterus, Cervix, Ovary**	23	11.5	37	16.6	44.2%	13.5	6.6	8.7		
Malig. Neoplasm Prostate **	57	29.0	45	20.8	-28.2%	14.5	8.6	9.2	28.8*	21.2*
Malignant Neoplasm Urinary	37	9.3	33	7.5	-19.5%	7.6	8.4	9.1		
Non-Hodgkins Lymphoma	36	9.1	24	5.5	-39.8%	5.0	5.9	6.6		
Leukemia	36	9.1	32	7.3	-19.7%	5.8	6.9	7.3		
Other Malignant Neoplasms	198	50.0	214	48.7	-2.4%	37.1	44.6	47.8		
Diabetes	77	19.4	95	21.6	11.4%	18.4	21.5	22.3		
Alzheimers	107	27.0	228	51.9	92.4%	43.6	36.2	27.0		
Major Cardiovascular Diseases	1263	318.6	1,063	242.1	-24.0%	178.3	199.5	251.8		
Disease of Heart	963	243.0	834	190.0	-21.8%	134.7	152.0	192.9	166.0	100.8
Hypertensive Heart Disease	20	5.0	72	16.4	225.0%	8.3	10.1	10.8		
Ischemic Heart Disease	786	198.3	624	142.1	-28.3%	103.7	110.2	122.5		
Other Heart Disease	157	39.6	138	31.4	-20.6%	21.4	31.7	57.7		
Primary Hypertension	29	7.3	52	11.8	61.9%	8.3	7.8	8.6		
Cerebrovascular	219	55.3	137	31.2	-43.5%	28.4	32.1	41.8	48.0	33.8
Atherosclerosis	12	3.0	11	2.5	-17.2%	1.7	2.4	2.3		
Other Circulatory	40	10.1	29	6.6	-34.5%	5.2	5.2	6.3		

**Breast and cervical cancer rates are per 100,000 females, prostate cancer rates are per 100,000 males
(continued on next page)

**Health Status Indicators for Cities and Towns
2000 and 2010**

Mesa

Selected Causes of Death, cont.

Cause of Death	Mesa				Percent Change 2000-2010	Comparisons				
	2000		2010			Maricopa County, 2010	Arizona 2010	U.S. 2010	Healthy People 2010	Healthy People 2020
	Number	Rate per 100,000	Number	Rate per 100,000						
Influenza & Pneumonia	107	27.0	36	8.2	-69.6%	7.8	11.4	16.2		
Chronic Lower Respiratory	209	52.7	250	56.9	8.0%	38.3	45.2	44.6		
Peptic Ulcer	6	1.5	5	1.1	-24.8%	1.0	1.1	1.0		
Liver Disease	32	8.1	47	10.7	32.6%	10.1	13.2	10.3		
Nephritis	57	14.4	21	4.8	-66.7%	4.7	8.1	16.3		
Pregnancy	0	0.0	1	0.2	-	0.4	0.2	0.3		
Perinatal Conditions	19	4.8	13	3.0	-38.2%	3.8	3.6	3.9		
Congenital Malformations	21	5.3	11	2.5	-52.7%	3.0	3.3	3.1		
SIDS**	2	0.3	3	0.4	50.0%	0.4	0.4	0.5		0.5
Symptoms, Signs ex. SIDS	69	17.4	112	25.5	46.5%	19.7				
All Other Diseases	500	126.1	652	148.5	17.7%	100.6				
Motor Vehicle Accidents	50	12.6	40	9.1	-27.8%	8.8	11.1	11.4	9.2	12.4
All Other Acc. & Adverse Effects	103	26.0	152	34.6	33.2%	32.6	33.2	26.8		
Suicide	50	12.6	75	17.1	35.4%	14.4	16.7	12.2	5.0	10.2
Homicide	20	5.0	26	5.9	17.4%	5.7	6.3	5.2	3.0	5.5
All Other External Causes	4	1.0	14	3.2	216.0%	2.4				
Unknown	0	0.0	0	0.0	0%	0.0				
Total	3488	880.0	3,615	823.4	-6.4%	640.2	717.6	798.7		

**Sudden Infant Death Syndrome (SIDS) rates are per 1,000 live births

Health Status Indicators for Cities and Towns 2000 and 2010

New River**

Population Statistics

	New River**		Maricopa County		Arizona	U.S.
	Number	% Inc. from 2000	Number	% Inc. from 2000	Number	Number
Population						
2000	10,740	NA	3,072,149	NA	5,130,623	281,421,906
2010	14,952	39.2%	3,817,117	24.2%	6,392,017	308,745,538
Age Distribution 2010	Number	% Distribution	Number	% Distribution	% Distribution	% Distribution
Under 20 years old	3,636	24.3%	1,119,606	29.3%	28.4%	26.9%
20 - 44 years old	3,836	25.7%	1,332,596	34.9%	33.2%	33.6%
45 - 64 years old	5,736	38.4%	902,274	23.6%	24.6%	26.4%
65 and older	1,744	11.7%	462,641	12.1%	13.8%	13.1%
Dependency ratio		0.56		0.71	0.73	0.67

Infant Health Indicators

	New River**				Percent Change 2000-2010	Maricopa County 2010	Arizona 2010	U.S. 2010	Healthy People 2010	Healthy People 2020
	2000		2010							
	Number	Percent or Rate	Number	Percent or Rate						
Low weight births (under 2500 grams) - % of live births	<5		5	10.0%	-	7.1%	7.1%	8.2%	5.0%	7.8%
Births to teen mothers - per 1,000 females 15-19	<5		<5		-	39.8	41.6	34.3	(-)	(-)
Infant mortality per 1,000 live births	0	0.0	0	0.0	0%	5.8	6.0	6.1	4.5	6.0
Total Births/ Births per 1,000 females 15-44	26	11.6	50	21.1	82.9%	68.4/ 54,235	68.9/ 87,053	64.1/ 4,000,279		

Note: Infant health indicators for cities/towns with fewer than 1,000 births may not be reliable.

**Unincorporated

Total Birth Rates are per 1,000 females 15-44 years old; Teen Birth Rates are per 1,000 females 15-19 years old.

The Healthy People 2010 Goals that are met are highlighted in green

Health Status Indicators for Cities and Towns 2000 and 2010

New River**

Selected Reportable Diseases

	New River**				Percent Change 2000-2010	Comparisons				
	2000		2010			Rate per 100,000 Population				
	Number	Rate per 100,000	Number	Rate per 100,000		Maricopa County, 2010	Arizona 2010	U.S. 2009	H.P. 2010	H.P. 2020
Vaccine Preventable										
<i>H. influenzae</i>	0	0.0	0	0.0	0%	1.6	0.4	1.0	0.0	0.0
Measles	0	0.0	0	0.0	0%	0	0.0	0.0	0.0	0.0
Mumps	0	0.0	0	0.0	0%	0.1	0.1	0.7	0.0	0.0
Pertussis	0	0.0	0	0.0	0%	1.7	1.2	5.5	0.0	0.0
Central Nervous System										
Encephalitis	0	0.0	0	0.0	0%	0.1	0.1			
Meningitis - Aseptic	0	0.0	0	0.0	0%	16.8	9.0			
Meningococcal Disease	0	0.0	0	0.0	0%	0.2	0.2	0.3	1.0	0.3
Enterics										
Amebiasis	0	0.0	0	0.0	0%	0.0	0.2			
Botulism	0	0.0	0	0.0	0%	0.0	0.0	0.0		
Campylobacteriosis	0	0.0	0	0.0	0%	14.3	14.7		12.3	8.5
Cryptosporidiosis	0	0.0	0	0.0	0%	0.6	0.6	2.5		
<i>E. Coli</i> O157:H7	0	0.0	0	0.0	0%	1.3	1.5		1.0	0.6
Giardiasis	0	0.0	0	0.0	0%	2.7	2.4	7.4		
Listeriosis	0	0.0	0	0.0	0%	0.2	0.0	0.3	0.25	0.20
Salmonella Paratyphi	0	0.0	0	0.0	0%	0.1				
Salmonellosis	0	0.0	0	0.0	0%	13.2	14.3	16.2	6.8	11.4
Shigellosis	0	0.0	0	0.0	0%	6.4	6.8	5.2		
Typhoid	0	0.0	0	0.0	0%	0.2	0.1	0.1		
Mycosis										
Coccidioidomycosis	1	9.3	13	86.9	833.8%	247.7	175.9	13.2		
Zoonoses/Vectorborne										
Brucellosis	0	0.0	0	0.0	0%	0.2	0.1	0.0		
Hantavirus Pulmonary Syndrome	0	0.0	0	0.0	0%	0	0.0	0.0		
Malaria	0	0.0	0	0.0	0%	0.5	0.4	0.5		
West Nile Virus	-	-	0	0.0	-	3.0	2.6			
Hepatitides										
Hepatitis A	0	0.0	0	0.0	0%	0.9	1.1	0.7	4.5	
Hepatitis B	0	0.0	0	0.0	0%	2.5	2.3	1.1	2.4-9.0	0.0-1.5
Other										
Legionellosis	0	0.0	1	6.7	-	1.2	1.0	1.2		
Methicillin res. <i>S. aureus</i> (MRSA)	-	-	0	0.0	-	20.9	17.6			
Streptococcal Inv. Pneumonia	1	9.3	1	6.7	-28.2%	11.1	11.9	1.8		
Streptococcal Inf. Group A	0	0.0	0	0.0	0%	2.6	2.8	2.1		
Streptococcal Inf. Group B***	0	0.0	0	0.0	0%	0.6	0.7		0.5	0.25
Vibrio Infection	0	0.0	0	0.0	0%	0.3	0.3	0.3		0.2
Yersiniosis	0	0.0	0	0.0	0%	0.0	0.0			0.3

**Unincorporated

***Streptococcal Inf. Group B rates are per 1,000 live births

Health Status Indicators for Cities and Towns 2000 and 2010

New River**

Selected Causes of Death

Cause of Death	New River**				Comparisons					
	2000		2010		Percent Change 2000-2010	Maricopa County, 2010	Arizona 2010	U.S. 2010	Healthy People 2010	Healthy People 2020
	Number	Rate per 100,000	Number	Rate per 100,000						
Tuberculosis	0	0.0	0	0.0	0%	0.3	0.2	0.2		
Syphilis	0	0.0	0	0.0	0%	0	0.0	0.0		
HIV Disease	0	0.0	0	0.0	0%	1.8	1.5	2.7	0.7	3.3
Malignant Neoplasms	5	46.6	12	80.3	72.4%	144.3	163.1	185.9	159.9	160.6
Malignant Neoplasm Stomach	1	9.3	0	0.0	-100.0%	3.0	3.1	3.7		
Malignant Neoplasm Colon	1	9.3	0	0.0	-100.0%	13.1	14.9	17.0	13.9	14.5
Malignant Neoplasm Pancreas	0	0.0	1	6.7	-	10.0	11.1	11.9		
Malig. Neo. Bronchus, Lung	0	0.0	2	13.4	-	37.9	41.5	51.2	44.9	45.5
Malignant Neoplasm Breast **	1	19.0	1	13.7	-28.0%	20.9	11.5	13.4	22.3*	20.6*
Mal. Neo. Uterus, Cervix, Ovary**	1	19.0	1	13.7	-28.0%	13.5	6.6	8.7		
Malig. Neoplasm Prostate **	0	0.0	2	26.2	-	14.5	8.6	9.2	28.8*	21.2*
Malignant Neoplasm Urinary	0	0.0	1	6.7	-	7.6	8.4	9.1		
Non-Hodgkins Lymphoma	0	0.0	1	6.7	-	5.0	5.9	6.6		
Leukemia	0	0.0	0	0.0	0%	5.8	6.9	7.3		
Other Malignant Neoplasms	1	9.3	3	20.1	115.5%	37.1	44.6	47.8		
Diabetes	1	9.3	1	6.7	-28.2%	18.4	21.5	22.3		
Alzheimers	2	18.6	0	0.0	-100.0%	43.6	36.2	27.0		
Major Cardiovascular Diseases	9	83.8	9	60.2	-28.2%	178.3	199.5	251.8		
Disease of Heart	7	65.2	6	40.1	-38.4%	134.7	152.0	192.9	166.0	100.8
Hypertensive Heart Disease	0	0.0	1	6.7	-	8.3	10.1	10.8		
Ischemic Heart Disease	5	46.6	5	33.4	-28.2%	103.7	110.2	122.5		
Other Heart Disease	2	18.6	0	0.0	-100.0%	21.4	31.7	57.7		
Primary Hypertension	1	9.3	0	0.0	-100.0%	8.3	7.8	8.6		
Cerebrovascular	1	9.3	3	20.1	115.5%	28.4	32.1	41.8	48.0	33.8
Atherosclerosis	0	0.0	0	0.0	0%	1.7	2.4	2.3		
Other Circulatory	0	0.0	0	0.0	0%	5.2	5.2	6.3		

**Breast and cervical cancer rates are per 100,000 females, prostate cancer rates are per 100,000 males

(continued on next page)

**Unincorporated

**Health Status Indicators for Cities and Towns
2000 and 2010**

New River**

Selected Causes of Death, cont.

Cause of Death	New River**				Comparisons					
	2000		2010		Percent Change 2000-2010	Maricopa County, 2010	Arizona 2010	U.S. 2010	Healthy People 2010	Healthy People 2020
	Number	Rate per 100,000	Number	Rate per 100,000						
Influenza & Pneumonia	0	0.0	0	0.0	0%	7.8	11.4	16.2		
Chronic Lower Respiratory	1	9.3	6	40.1	331.0%	38.3	45.2	44.6		
Peptic Ulcer	0	0.0	0	0.0	0%	1.0	1.1	1.0		
Liver Disease	1	9.3	1	6.7	-28.2%	10.1	13.2	10.3		
Nephritis	0	0.0	1	6.7	-	4.7	8.1	16.3		
Pregnancy	0	0.0	0	0.0	0%	0.4	0.2	0.3		
Perinatal Conditions	0	0.0	0	0.0	0%	3.8	3.6	3.9		
Congenital Malformations	1	9.3	0	0.0	-100.0%	3.0	3.3	3.1		
SIDS**	0	0.0	0	0.0	0%	0.4	0.4	0.5		0.5
Symptoms, Signs ex. SIDS	1	9.3	1	6.7	-28.2%	19.7				
All Other Diseases	4	37.2	2	13.4	-64.1%	100.6				
Motor Vehicle Accidents	2	18.6	2	13.4	-28.2%	8.8	11.1	11.4	9.2	12.4
All Other Acc. & Adverse Effects	1	9.3	2	13.4	43.7%	32.6	33.2	26.8		
Suicide	0	0.0	1	6.7	-	14.4	16.7	12.2	5.0	10.2
Homicide	0	0.0	0	0.0	0%	5.7	6.3	5.2	3.0	5.5
All Other External Causes	0	0.0	0	0.0	0%	2.4				
Unknown	0	0.0	0	0.0	0%	0.0				
Total	28	260.7	38	254.1	-2.5%	640.2	717.6	798.7		

**Unincorporated

***Sudden Infant Death Syndrome (SIDS) rates are per 1,000 live births

Health Status Indicators for Cities and Towns 2000 and 2010

Paradise Valley

Population Statistics

	Paradise Valley		Maricopa County		Arizona	U.S.
	Number	% Inc. from 2000	Number	% Inc. from 2000	Number	Number
Population						
2000	13,664	NA	3,072,149	NA	5,130,623	281,421,906
2010	12,820	-6.2%	3,817,117	24.2%	6,392,017	308,745,538
Age Distribution 2010	Number	% Distribution	Number	% Distribution	% Distribution	% Distribution
Under 20 years old	3,147	24.5%	1,119,606	29.3%	28.4%	26.9%
20 - 44 years old	1,931	15.1%	1,332,596	34.9%	33.2%	33.6%
45 - 64 years old	4,841	37.8%	902,274	23.6%	24.6%	26.4%
65 and older	2,901	22.6%	462,641	12.1%	13.8%	13.1%
Dependency ratio		0.89		0.71	0.73	0.67

Infant Health Indicators

	Paradise Valley				Percent Change 2000-2010	Maricopa County 2010	Arizona 2010	U.S. 2010	Healthy People 2010	Healthy People 2020
	2000		2010							
	Number	Percent or Rate	Number	Percent or Rate						
Low weight births (under 2500 grams) - % of live births	<5		13	18.3%	-	7.1%	7.1%	8.2%	5.0%	7.8%
Births to teen mothers - per 1,000 females 15-19	<5		0	0.0	-	39.8	41.6	34.3	(-)	(-)
Infant mortality per 1,000 live births	<5		<5		-	5.8	6.0	6.1	4.5	6.0
Total Births/ Births per 1,000 females 15-44	107	54.2	71	47.0	-13.4%	68.4/ 54,235	68.9/ 87,053	64.1/ 4,000,279		

Note: Infant health indicators for cities/towns with fewer than 1,000 births may not be reliable.

Total Birth Rates are per 1,000 females 15-44 years old; Teen Birth Rates are per 1,000 females 15-19 years old.

The Healthy People 2010 Goals that are met are highlighted in green

Health Status Indicators for Cities and Towns 2000 and 2010

Paradise Valley

Selected Reportable Diseases

	Paradise Valley				Percent Change 2000-2010	Comparisons				
	2000		2010			Rate per 100,000 Population				
	Number	Rate per 100,000	Number	Rate per 100,000		Maricopa County, 2010	Arizona 2010	U.S. 2009	H.P. 2010	H.P. 2020
Vaccine Preventable										
<i>H. influenzae</i>	0	0.0	0	0.0	0%	1.6	0.4	1.0	0.0	0.0
Measles	0	0.0	0	0.0	0%	0	0.0	0.0	0.0	0.0
Mumps	0	0.0	0	0.0	0%	0.1	0.1	0.7	0.0	0.0
Pertussis	0	0.0	0	0.0	0%	1.7	1.2	5.5	0.0	0.0
Central Nervous System										
Encephalitis	0	0.0	0	0.0	0%	0.1	0.1			
Meningitis - Aseptic	0	0.0	1	7.8	-	16.8	9.0			
Meningococcal Disease	0	0.0	0	0.0	0%	0.2	0.2	0.3	1.0	0.3
Enterics										
Amebiasis	0	0.0	0	0.0	0%	0.0	0.2			
Botulism	0	0.0	0	0.0	0%	0.0	0.0	0.0		
Campylobacteriosis	0	0.0	2	15.6	-	14.3	14.7		12.3	8.5
Cryptosporidiosis	0	0.0	0	0.0	0%	0.6	0.6	2.5		
<i>E. Coli</i> O157:H7	0	0.0	0	0.0	0%	1.3	1.5		1.0	0.6
Giardiasis	1	7.3	2	15.6	113.2%	2.7	2.4	7.4		
Listeriosis	0	0.0	0	0.0	0%	0.2	0.0	0.3	0.25	0.20
Salmonella Paratyphi	0	0.0	0	0.0	0%	0.1				
Salmonellosis	5	36.6	1	7.8	-78.7%	13.2	14.3	16.2	6.8	11.4
Shigellosis	0	0.0	0	0.0	0%	6.4	6.8	5.2		
Typhoid	0	0.0	0	0.0	0%	0.2	0.1	0.1		
Mycosis										
Coccidioidomycosis	6	43.9	44	343.2	681.6%	247.7	175.9	13.2		
Zoonoses/Vectorborne										
Brucellosis	0	0.0	0	0.0	0%	0.2	0.1	0.0		
Hantavirus Pulmonary Syndrome	0	0.0	0	0.0	0%	0	0.0	0.0		
Malaria	0	0.0	0	0.0	0%	0.5	0.4	0.5		
West Nile Virus	-	-	0	0.0	-	3.0	2.6			
Hepatitides										
Hepatitis A	0	0.0	0	0.0	0%	0.9	1.1	0.7	4.5	
Hepatitis B	2	14.6	0	0.0	-100.0%	2.5	2.3	1.1	2.4-9.0	0.0-1.5
Other										
Legionellosis	0	0.0	1	7.8	-	1.2	1.0	1.2		
Methicillin res. <i>S. aureus</i> (MRSA)	-	-	0	0.0	-	20.9	17.6			
Streptococcal Inv. Pneumonia	1	7.3	0	0.0	-100.0%	11.1	11.9	1.8		
Streptococcal Inf. Group A	0	0.0	0	0.0	0%	2.6	2.8	2.1		
Streptococcal Inf. Group B***	0	0.0	0	0.0	0%	0.6	0.7		0.5	0.25
Vibrio Infection	0	0.0	0	0.0	0%	0.3	0.3	0.3		0.2
Yersiniosis	0	0.0	0	0.0	0%	0.0	0.0			0.3

***Streptococcal Inf. Group B rates are per 1,000 live births

Health Status Indicators for Cities and Towns 2000 and 2010

Paradise Valley

Selected Causes of Death

Cause of Death	Paradise Valley				Comparisons					
	2000		2010		Percent Change 2000-2010	Maricopa County, 2010	Arizona 2010	U.S. 2010	Healthy People 2010	Healthy People 2020
	Number	Rate per 100,000	Number	Rate per 100,000						
Tuberculosis	0	0.0	0	0.0	0%	0.3	0.2	0.2		
Syphilis	0	0.0	0	0.0	0%	0	0.0	0.0		
HIV Disease	0	0.0	0	0.0	0%	1.8	1.5	2.7	0.7	3.3
Malignant Neoplasms	27	197.6	23	179.4	-9.2%	144.3	163.1	185.9	159.9	160.6
Malignant Neoplasm Stomach	0	0.0	1	7.8	-	3.0	3.1	3.7		
Malignant Neoplasm Colon	1	7.3	4	31.2	326.3%	13.1	14.9	17.0	13.9	14.5
Malignant Neoplasm Pancreas	3	22.0	1	7.8	-64.5%	10.0	11.1	11.9		
Malig. Neo. Bronchus, Lung	10	73.2	4	31.2	-57.4%	37.9	41.5	51.2	44.9	45.5
Malignant Neoplasm Breast**	2	29.1	2	31.0	6.6%	20.9	11.5	13.4	22.3*	20.6*
Mal. Neo. Uterus, Cervix,										
Ovary**	0	0.0	1	15.5	-	13.5	6.6	8.7		
Malig. Neoplasm Prostate **	1	14.7	1	15.7	6.5%	14.5	8.6	9.2	28.8*	21.2*
Malignant Neoplasm Urinary	1	7.3	1	7.8	6.6%	7.6	8.4	9.1		
Non-Hodgkins Lymphoma	2	14.6	2	15.6	6.6%	5.0	5.9	6.6		
Leukemia	1	7.3	0	0.0	-100.0%	5.8	6.9	7.3		
Other Malignant Neoplasms	6	43.9	6	46.8	6.6%	37.1	44.6	47.8		
Diabetes	3	22.0	4	31.2	42.1%	18.4	21.5	22.3		
Alzheimers	2	14.6	11	85.8	486.2%	43.6	36.2	27.0		
Major Cardiovascular Diseases	32	234.2	32	249.6	6.6%	178.3	199.5	251.8		
Disease of Heart	26	190.3	24	187.2	-1.6%	134.7	152.0	192.9	166.0	100.8
Hypertensive Heart Disease	0	0.0	1	7.8	-	8.3	10.1	10.8		
Ischemic Heart Disease	20	146.4	17	132.6	-9.4%	103.7	110.2	122.5		
Other Heart Disease	6	43.9	6	46.8	6.6%	21.4	31.7	57.7		
Primary Hypertension	6	43.9	0	0.0	-100.0%	8.3	7.8	8.6		
Cerebrovascular	0	0.0	4	31.2	-	28.4	32.1	41.8	48.0	33.8
Atherosclerosis	0	0.0	1	7.8	-	1.7	2.4	2.3		
Other Circulatory	0	0.0	3	23.4	-	5.2	5.2	6.3		

**Breast and cervical cancer rates are per 100,000 females, prostate cancer rates are per 100,000 males
(continued on next page)

**Health Status Indicators for Cities and Towns
2000 and 2010**

Paradise Valley

Selected Causes of Death, cont.

Cause of Death	Paradise Valley				Comparisons					
	2000		2010		Percent Change 2000-2010	Maricopa County, 2010	Arizona 2010	U.S. 2010	Healthy People 2010	Healthy People 2020
	Number	Rate per 100,000	Number	Rate per 100,000						
Influenza & Pneumonia	2	14.6	1	7.8	-46.7%	7.8	11.4	16.2		
Chronic Lower Respiratory	7	51.2	4	31.2	-39.1%	38.3	45.2	44.6		
Peptic Ulcer	0	0.0	0	0.0	0%	1.0	1.1	1.0		
Liver Disease	0	0.0	0	0.0	0%	10.1	13.2	10.3		
Nephritis	1	7.3	0	0.0	-100.0%	4.7	8.1	16.3		
Pregnancy	0	0.0	0	0.0	0%	0.4	0.2	0.3		
Perinatal Conditions	0	0.0	0	0.0	0%	3.8	3.6	3.9		
Congenital Malformations	0	0.0	0	0.0	0%	3.0	3.3	3.1		
SIDS**	0	0.0	0	0.0	0%	0.4	0.4	0.5		0.5
Symptoms, Signs ex. SIDS	2	14.6	3	23.4	59.9%	19.7				
All Other Diseases	12	87.8	12	93.6	6.6%	100.6				
Motor Vehicle Accidents	2	14.6	1	7.8	-46.7%	8.8	11.1	11.4	9.2	12.4
All Other Acc. & Adverse Effects	2	14.6	10	78.0	432.9%	32.6	33.2	26.8		
Suicide	1	7.3	5	39.0	432.9%	14.4	16.7	12.2	5.0	10.2
Homicide	0	0.0	0	0.0	0%	5.7	6.3	5.2	3.0	5.5
All Other External Causes	0	0.0	1	7.8	-	2.4				
Unknown	0	0.0	0	0.0	0%	0.0				
Total	89	651.3	107	834.6	28.1%	640.2	717.6	798.7		

**Sudden Infant Death Syndrome (SIDS) rates are per 1,000 live births

Health Status Indicators for Cities and Towns 2000 and 2010

Peoria

Population Statistics

	Peoria		Maricopa County		Arizona	U.S.
	Number	% Inc. from 2000	Number	% Inc. from 2000	Number	Number
Population						
2000	108,363	NA	3,072,149	NA	5,130,623	281,421,906
2010	154,065	42.2%	3,817,117	24.2%	6,392,017	308,745,538
Age Distribution 2010	Number	% Distribution	Number	% Distribution	% Distribution	% Distribution
Under 20 years old	44,254	28.7%	1,119,606	29.3%	28.4%	26.9%
20 - 44 years old	48,376	31.4%	1,332,596	34.9%	33.2%	33.6%
45 - 64 years old	39,389	25.6%	902,274	23.6%	24.6%	26.4%
65 and older	22,046	14.3%	462,641	12.1%	13.8%	13.1%
Dependency ratio		0.76		0.71	0.73	0.67

Infant Health Indicators

	Peoria				Percent Change 2000-2010	Maricopa County 2010	Arizona 2010	U.S. 2010	Healthy People 2010	Healthy People 2020
	2000		2010							
	Number	Percent or Rate	Number	Percent or Rate						
Low weight births (under 2500 grams) - % of live births	89	5.5%	121	6.5%	18.7%	7.1%	7.1%	8.2%	5.0%	7.8%
Births to teen mothers - per 1,000 females 15-19	168	47.8	148	26.7	-44.2%	39.8	41.6	34.3	(-)	(-)
Infant mortality per 1,000 live births	9	5.6	7	3.8	-32.1%	5.8	6.0	6.1	4.5	6.0
Total Births/ Births per 1,000 females 15-44	1,617	70.1	1,852	60.8	-13.2%	68.4/ 54,235	68.9/ 87,053	64.1/ 4,000,279		

Total Birth Rates are per 1,000 females 15-44 years old; Teen Birth Rates are per 1,000 females 15-19 years old.
The Healthy People 2010 Goals that are met are highlighted in green

Health Status Indicators for Cities and Towns 2000 and 2010

Peoria

Selected Reportable Diseases

	Peoria				Percent Change 2000-2010	Comparisons				
	2000		2010			Rate per 100,000 Population				
	Number	Rate per 100,000	Number	Rate per 100,000		Maricopa County, 2010	Arizona 2010	U.S. 2009	H.P. 2010	H.P. 2020
Vaccine Preventable										
<i>H. influenzae</i>	0	0.0	0	0.0	0%	1.6	0.4	1.0	0.0	0.0
Measles	0	0.0	0	0.0	0%	0	0.0	0.0	0.0	0.0
Mumps	0	0.0	0	0.0	0%	0.1	0.1	0.7	0.0	0.0
Pertussis	4	3.7	0	0.0	-100.0%	1.7	1.2	5.5	0.0	0.0
Central Nervous System										
Encephalitis	0	0.0	0	0.0	0%	0.1	0.1			
Meningitis - Aseptic	11	10.2	21	13.6	34.3%	16.8	9.0			
Meningococcal Disease	0	0.0	1	0.6	-	0.2	0.2	0.3	1.0	0.3
Enterics										
Amebiasis	0	0.0	0	0.0	0%	0.0	0.2			
Botulism	0	0.0	0	0.0	0%	0.0	0.0	0.0		
Campylobacteriosis	4	3.7	14	9.1	146.2%	14.3	14.7		12.3	8.5
Cryptosporidiosis	0	0.0	1	0.6	-	0.6	0.6	2.5		
<i>E. Coli</i> O157:H7	0	0.0	3	1.9	-	1.3	1.5		1.0	0.6
Giardiasis	1	0.9	2	1.3	40.7%	2.7	2.4	7.4		
Listeriosis	0	0.0	0	0.0	0%	0.2	0.0	0.3	0.25	0.20
Salmonella Paratyphi	0	0.0	1	0.6	-	0.1				
Salmonellosis	8	7.4	17	11.0	49.5%	13.2	14.3	16.2	6.8	11.4
Shigellosis	2	1.8	9	5.8	216.5%	6.4	6.8	5.2		
Typhoid	0	0.0	0	0.0	0%	0.2	0.1	0.1		
Mycosis										
Coccidioidomycosis	20	18.5	292	189.5	926.9%	247.7	175.9	13.2		
Zoonoses/Vectorborne										
Brucellosis	0	0.0	2	1.3	-	0.2	0.1	0.0		
Hantavirus Pulmonary Syndrome	0	0.0	0	0.0	0%	0	0.0	0.0		
Malaria	0	0.0	0	0.0	0%	0.5	0.4	0.5		
West Nile Virus	-	-	5	3.2	-	3.0	2.6			
Hepatitides										
Hepatitis A	1	0.9	0	0.0	-100.0%	0.9	1.1	0.7	4.5	
Hepatitis B	2	1.8	1	0.6	-64.8%	2.5	2.3	1.1	2.4-9.0	0.0-1.5
Other										
Legionellosis	0	0.0	2	1.3	-	1.2	1.0	1.2		
Methicillin res. <i>S. aureus</i> (MRSA)	-	-	13	8.4	-	20.9	17.6			
Streptococcal Inv. Pneumonia	12	11.1	12	7.8	-29.7%	11.1	11.9	1.8		
Streptococcal Inf. Group A	2	1.8	1	0.6	-64.8%	2.6	2.8	2.1		
Streptococcal Inf. Group B***	0	0.0	3	1.6	-	0.6	0.7		0.5	0.25
Vibrio Infection	0	0.0	1	0.6	-	0.3	0.3	0.3		0.2
Yersiniosis	0	0.0	0	0.0	0%	0.0	0.0			0.3

***Streptococcal Inf. Group B rates are per 1,000 live births

Health Status Indicators for Cities and Towns 2000 and 2010

Peoria

Selected Causes of Death

Cause of Death	Peoria				Percent Change 2000-2010	Comparisons				
	2000		2010			Maricopa County, 2010	Arizona 2010	U.S. 2010	Healthy People 2010	Healthy People 2020
	Number	Rate per 100,000	Number	Rate per 100,000						
Tuberculosis	0	0.0	0	0.0	0%	0.3	0.2	0.2		
Syphilis	0	0.0	0	0.0	0%	0	0.0	0.0		
HIV Disease	<5		<5			1.8	1.5	2.7	0.7	3.3
Malignant Neoplasms	223	205.8	286	185.6	-9.8%	144.3	163.1	185.9	159.9	160.6
Malignant Neoplasm Stomach	5	4.6	5	3.2	-29.7%	3.0	3.1	3.7		
Malignant Neoplasm Colon	23	21.2	22	14.3	-32.7%	13.1	14.9	17.0	13.9	14.5
Malignant Neoplasm Pancreas	13	12.0	18	11.7	-2.6%	10.0	11.1	11.9		
Malig. Neo. Bronchus, Lung	72	66.4	91	59.1	-11.1%	37.9	41.5	51.2	44.9	45.5
Malignant Neoplasm Breast **	14	24.9	12	15.0	-39.8%	20.9	11.5	13.4	22.3*	20.6*
Mal. Neo. Uterus, Cervix, Ovary**	11	19.5	15	18.7	-4.2%	13.5	6.6	8.7		
Malig. Neoplasm Prostate **	21	40.3	14	18.9	-53.0%	14.5	8.6	9.2	28.8*	21.2*
Malignant Neoplasm Urinary	11	10.2	19	12.3	21.5%	7.6	8.4	9.1		
Non-Hodgkins Lymphoma	4	3.7	12	7.8	111.0%	5.0	5.9	6.6		
Leukemia	4	3.7	8	5.2	40.7%	5.8	6.9	7.3		
Other Malignant Neoplasms	45	41.5	70	45.4	9.4%	37.1	44.6	47.8		
Diabetes	21	19.4	25	16.2	-16.3%	18.4	21.5	22.3		
Alzheimers	48	44.3	129	83.7	89.0%	43.6	36.2	27.0		
Major Cardiovascular Diseases	380	350.7	352	228.5	-34.8%	178.3	199.5	251.8		
Disease of Heart	270	249.2	259	168.1	-32.5%	134.7	152.0	192.9	166.0	100.8
Hypertensive Heart Disease	4	3.7	18	11.7	216.5%	8.3	10.1	10.8		
Ischemic Heart Disease	199	183.6	207	134.4	-26.8%	103.7	110.2	122.5		
Other Heart Disease	67	61.8	34	22.1	-64.3%	21.4	31.7	57.7		
Primary Hypertension	7	6.5	14	9.1	40.7%	8.3	7.8	8.6		
Cerebrovascular	85	78.4	67	43.5	-44.6%	28.4	32.1	41.8	48.0	33.8
Atherosclerosis	7	6.5	5	3.2	-49.8%	1.7	2.4	2.3		
Other Circulatory	11	10.2	7	4.5	-55.2%	5.2	5.2	6.3		

**Breast and cervical cancer rates are per 100,000 females, prostate cancer rates are per 100,000 males
(continued on next page)

**Health Status Indicators for Cities and Towns
2000 and 2010**

Peoria

Selected Causes of Death, cont.

Cause of Death	Peoria				Comparisons					
	2000		2010		Percent Change 2000-2010	Maricopa County, 2010	Arizona 2010	U.S. 2010	Healthy People 2010	Healthy People 2020
	Number	Rate per 100,000	Number	Rate per 100,000						
Influenza & Pneumonia	35	32.3	12	7.8	-75.9%	7.8	11.4	16.2		
Chronic Lower Respiratory	66	60.9	80	51.9	-14.7%	38.3	45.2	44.6		
Peptic Ulcer	0	0.0	2	1.3	-	1.0	1.1	1.0		
Liver Disease	7	6.5	20	13.0	101.0%	10.1	13.2	10.3		
Nephritis	14	12.9	8	5.2	-59.8%	4.7	8.1	16.3		
Pregnancy	0	0.0	1	0.6	-	0.4	0.2	0.3		
Perinatal Conditions	2	1.8	8	5.2	181.3%	3.8	3.6	3.9		
Congenital Malformations	8	7.4	1	0.6	-91.2%	3.0	3.3	3.1		
SIDS**	1	0.6	0	0.0	-100.0%	0.4	0.4	0.5		0.5
Symptoms, Signs ex. SIDS	16	14.8	27	17.5	18.7%	19.7				
All Other Diseases	146	134.7	189	122.7	-8.9%	100.6				
Motor Vehicle Accidents	12	11.1	17	11.0	-0.4%	8.8	11.1	11.4	9.2	12.4
All Other Acc. & Adverse Effects	21	19.4	54	35.1	80.9%	32.6	33.2	26.8		
Suicide	13	12.0	22	14.3	19.0%	14.4	16.7	12.2	5.0	10.2
Homicide	4	3.7	6	3.9	5.5%	5.7	6.3	5.2	3.0	5.5
All Other External Causes	0	0.0	4	2.6	-	2.4				
Unknown	0	0.0	0	0.0	0%	0.0				
Total	1017	938.5	1,243	806.8	-14.0%	640.2	717.6	798.7		

**Sudden Infant Death Syndrome (SIDS) rates are per 1,000 live births

Health Status Indicators for Cities and Towns 2000 and 2010

Phoenix

Population Statistics

	Phoenix		Maricopa County		Arizona	U.S.
	Number	% Inc. from 2000	Number	% Inc. from 2000	Number	Number
Population						
2000	1,321,045	NA	3,072,149	NA	5,130,623	281,421,906
2010	1,445,632	9.4%	3,817,117	24.2%	6,392,017	308,745,538
Age Distribution 2010	Number	% Distribution	Number	% Distribution	% Distribution	% Distribution
Under 20 years old	452,255	31.3%	1,119,606	29.3%	28.4%	26.9%
20 - 44 years old	537,272	37.2%	1,332,596	34.9%	33.2%	33.6%
45 - 64 years old	334,162	23.1%	902,274	23.6%	24.6%	26.4%
65 and older	121,943	8.4%	462,641	12.1%	13.8%	13.1%
Dependency ratio		0.66		0.71	0.73	0.67

Infant Health Indicators

	Phoenix				Percent Change 2000-2010	Maricopa County 2010	Arizona 2010	U.S. 2010	Healthy People 2010	Healthy People 2020
	2000		2010							
	Number	Percent or Rate	Number	Percent or Rate						
Low weight births (under 2500 grams) - % of live births	1,778	7.1%	1,664	7.7%	8.2%	7.1%	7.1%	8.2%	5.0%	7.8%
Births to teen mothers - per 1,000 females 15-19	4,124	90.5	2,725	50.9	-43.7%	39.8	41.6	34.3	(-)	(-)
Infant mortality per 1,000 live births	166	6.6	150	6.9	4.5%	5.8	6.0	6.1	4.5	6.0
Total Births/ Births per 1,000 females 15-44	25,118	83.1	21,717	68.7	-17.3%	68.4/ 54,235	68.9/ 87,053	64.1/ 4,000,279		

Total Birth Rates are per 1,000 females 15-44 years old; Teen Birth Rates are per 1,000 females 15-19 years old.
The Healthy People 2010 Goals that are met are highlighted in green

Health Status Indicators for Cities and Towns 2000 and 2010

Phoenix

Selected Reportable Diseases

	Phoenix				Percent Change 2000-2010	Comparisons				
	2000		2010			Rate per 100,000 Population				
	Number	Rate per 100,000	Number	Rate per 100,000		Maricopa County, 2010	Arizona 2010	U.S. 2009	H.P. 2010	H.P. 2020
Vaccine Preventable										
<i>H. influenzae</i>	15	1.1	24	1.7	46.2%	1.6	0.4	1.0	0.0	0.0
Measles	0	0.0	0	0.0	0%	0	0.0	0.0	0.0	0.0
Mumps	0	0.0	1	0.1	-	0.1	0.1	0.7	0.0	0.0
Pertussis	30	2.3	22	1.5	-33.0%	1.7	1.2	5.5	0.0	0.0
Central Nervous System										
Encephalitis	1	0.1	1	0.1	-8.6%	0.1	0.1			
Meningitis - Aseptic	42	3.2	188	13.0	309.0%	16.8	9.0			
Meningococcal Disease	19	1.4	1	0.1	-95.2%	0.2	0.2	0.3	1.0	0.3
Enterics										
Amebiasis	1	0.1	0	0.0	-100.0%	0.0	0.2			
Botulism	1	0.1	0	0.0	-100.0%	0.0	0.0	0.0		
Campylobacteriosis	137	10.4	183	12.7	22.1%	14.3	14.7		12.3	8.5
Cryptosporidiosis	6	0.5	5	0.3	-23.8%	0.6	0.6	2.5		
<i>E. Coli</i> O157:H7	0	0.0	18	1.2	-	1.3	1.5		1.0	0.6
Giardiasis	29	2.2	48	3.3	51.3%	2.7	2.4	7.4		
Listeriosis	2	0.2	0	0.0	-100.0%	0.2	0.0	0.3	0.25	0.20
Salmonella Paratyphi	3	0.2	2	0.1	-39.1%	0.1				
Salmonellosis	168	12.7	172	11.9	-6.4%	13.2	14.3	16.2	6.8	11.4
Shigellosis	150	11.4	122	8.4	-25.7%	6.4	6.8	5.2		
Typhoid	0	0.0	2	0.1	-	0.2	0.1	0.1		
Mycosis										
Coccidioidomycosis	468	35.4	1,546	106.9	201.9%	247.7	175.9	13.2		
Zoonoses/Vectorborne										
Brucellosis	0	0.0	1	0.1	-	0.2	0.1	0.0		
Hantavirus Pulmonary Syndrome	0	0.0	0	0.0	0%	0	0.0	0.0		
Malaria	2	0.2	5	0.3	128.5%	0.5	0.4	0.5		
West Nile Virus	-	-	13	0.9	-	3.0	2.6			
Hepatitides										
Hepatitis A	86	6.5	11	0.8	-88.3%	0.9	1.1	0.7	4.5	
Hepatitis B	59	4.5	26	1.8	-59.7%	2.5	2.3	1.1	2.4-9.0	0.0-1.5
Other										
Legionellosis	2	0.2	14	1.0	539.7%	1.2	1.0	1.2		
Methicillin res. <i>S. aureus</i> (MRSA)	-	-	163	11.3	-	20.9	17.6			
Streptococcal Inv. Pneumonia	159	12.0	144	10.0	-17.2%	11.1	11.9	1.8		
Streptococcal Inf. Group A	32	2.4	29	2.0	-17.2%	2.6	2.8	2.1		
Streptococcal Inf. Group B***	8	0.3	12	0.6	73.5%	0.6	0.7		0.5	0.25
Vibrio Infection	0	0.0	4	0.3	-	0.3	0.3	0.3		0.2
Yersiniosis	1	0.1	0	0.0	-100.0%	0.0	0.0			0.3

***Streptococcal Inf. Group B rates are per 1,000 live births

Health Status Indicators for Cities and Towns 2000 and 2010

Phoenix

Selected Causes of Death

Cause of Death	Phoenix				Percent Change 2000-2010	Comparisons				
	2000		2010			Maricopa County, 2010	Arizona 2010	U.S. 2010	Healthy People 2010	Healthy People 2020
	Number	Rate per 100,000	Number	Rate per 100,000						
Tuberculosis	4	0.3	6	0.4	37.1%	0.3	0.2	0.2		
Syphilis	0	0.0	0	0.0	0%	0	0.0	0.0		
HIV Disease	77	5.8	39	2.7	-53.7%	1.8	1.5	2.7	0.7	3.3
Malignant Neoplasms	1735	131.3	1,524	105.4	-19.7%	144.3	163.1	185.9	159.9	160.6
Malignant Neoplasm Stomach	35	2.6	34	2.4	-11.2%	3.0	3.1	3.7		
Malignant Neoplasm Colon	170	12.9	136	9.4	-26.9%	13.1	14.9	17.0	13.9	14.5
Malignant Neoplasm Pancreas	85	6.4	94	6.5	1.1%	10.0	11.1	11.9		
Malig. Neo. Bronchus, Lung	503	38.1	398	27.5	-27.7%	37.9	41.5	51.2	44.9	45.5
Malignant Neoplasm Breast**	138	21.3	122	16.9	-20.3%	20.9	11.5	13.4	22.3*	20.6*
Mal. Neo. Uterus, Cervix,										
Ovary**	70	10.8	70	9.7	-9.9%	13.5	6.6	8.7		
Malign. Neoplasm Prostate **	112	16.7	70	9.7	-42.1%	14.5	8.6	9.2	28.8*	21.2*
Malignant Neoplasm Urinary	74	5.6	75	5.2	-7.4%	7.6	8.4	9.1		
Non-Hodgkins Lymphoma	70	5.3	54	3.7	-29.5%	5.0	5.9	6.6		
Leukemia	58	4.4	74	5.1	16.6%	5.8	6.9	7.3		
Other Malignant Neoplasms	420	31.8	397	27.5	-13.6%	37.1	44.6	47.8		
Diabetes	209	15.8	252	17.4	10.2%	18.4	21.5	22.3		
Alzheimers	187	14.2	419	29.0	104.8%	43.6	36.2	27.0		
Major Cardiovascular Diseases	2796	211.7	1,906	131.8	-37.7%	178.3	199.5	251.8		
Disease of Heart	2167	164.0	1,454	100.6	-38.7%	134.7	152.0	192.9	166.0	100.8
Hypertensive Heart Disease	67	5.1	109	7.5	48.7%	8.3	10.1	10.8		
Ischemic Heart Disease	1725	130.6	1,131	78.2	-40.1%	103.7	110.2	122.5		
Other Heart Disease	375	28.4	214	14.8	-47.9%	21.4	31.7	57.7		
Primary Hypertension	46	3.5	87	6.0	72.8%	8.3	7.8	8.6		
Cerebrovascular	467	35.4	306	21.2	-40.1%	28.4	32.1	41.8	48.0	33.8
Atherosclerosis	31	2.3	9	0.6	-73.5%	1.7	2.4	2.3		
Other Circulatory	85	6.4	50	3.5	-46.2%	5.2	5.2	6.3		

**Breast and cervical cancer rates are per 100,000 females, prostate cancer rates are per 100,000 males
(continued on next page)

**Health Status Indicators for Cities and Towns
2000 and 2010**

Phoenix

Selected Causes of Death, cont.

Cause of Death	Phoenix				Comparisons					
	2000		2010		Percent Change 2000-2010	Maricopa County, 2010	Arizona 2010	U.S. 2010	Healthy People 2010	Healthy People 2020
	Number	Rate per 100,000	Number	Rate per 100,000						
Influenza & Pneumonia	225	17.0	100	6.9	-59.4%	7.8	11.4	16.2		
Chronic Lower Respiratory	520	39.4	411	28.4	-27.8%	38.3	45.2	44.6		
Peptic Ulcer	16	1.2	16	1.1	-8.6%	1.0	1.1	1.0		
Liver Disease	159	12.0	142	9.8	-18.4%	10.1	13.2	10.3		
Nephritis	109	8.3	64	4.4	-46.3%	4.7	8.1	16.3		
Pregnancy	1	0.1	3	0.2	174.1%	0.4	0.2	0.3		
Perinatal Conditions	78	5.9	73	5.0	-14.5%	3.8	3.6	3.9		
Congenital Malformations	54	4.1	45	3.1	-23.8%	3.0	3.3	3.1		
SIDS**	3	0.1	5	0.2	92.8%	0.4	0.4	0.5		0.5
Symptoms, Signs ex. SIDS	249	18.8	258	17.8	-5.3%	19.7				
All Other Diseases	1073	81.2	1,142	79.0	-2.7%	100.6				
Motor Vehicle Accidents	216	16.4	140	9.7	-40.8%	8.8	11.1	11.4	9.2	12.4
All Other Acc. & Adverse Effects	264	20.0	475	32.9	64.4%	32.6	33.2	26.8		
Suicide	166	12.6	178	12.3	-2.0%	14.4	16.7	12.2	5.0	10.2
Homicide	163	12.3	103	7.1	-42.3%	5.7	6.3	5.2	3.0	5.5
All Other External Causes	11	0.8	39	2.7	224.0%	2.4				
Unknown	0	0.0	0	0.0	0%	0.0				
Total	8315	629.4	7,340	507.7	-19.3%	640.2	717.6	798.7		

**Sudden Infant Death Syndrome (SIDS) rates are per 1,000 live births

**Health Status Indicators for Cities and Towns
2000 and 2010**

Queen Creek

Population Statistics

	Queen Creek		Maricopa County		Arizona	U.S.
	Number	% Inc. from 2000	Number	% Inc. from 2000	Number	Number
Population						
2000	4,197	NA	3,072,149	NA	5,130,623	281,421,906
2010	25,912	517.4%	3,817,117	24.2%	6,392,017	308,745,538
Age Distribution 2010	Number	% Distribution	Number	% Distribution	% Distribution	% Distribution
Under 20 years old	10,519	39.9%	1,119,606	29.3%	28.4%	26.9%
20 - 44 years old	9,595	36.4%	1,332,596	34.9%	33.2%	33.6%
45 - 64 years old	4,879	18.5%	902,274	23.6%	24.6%	26.4%
65 and older	1,368	5.2%	462,641	12.1%	13.8%	13.1%
Dependency ratio		0.82		0.71	0.73	0.67

Infant Health Indicators

	Queen Creek				Percent Change 2000-2010	Maricopa County 2010	Arizona 2010	U.S. 2010	Healthy People 2010	Healthy People 2020
	2000		2010							
	Number	Percent or Rate	Number	Percent or Rate						
Low weight births (under 2500 grams) - % of live births	20	7.8%	33	6.2%	-20.3%	7.1%	7.1%	8.2%	5.0%	7.8%
Births to teen mothers - per 1,000 females 15-19	30	162.2	25	26.5	-83.7%	39.8	41.6	34.3	(-)	(-)
Infant mortality per 1,000 live births	<5		<5		-	5.8	6.0	6.1	4.5	6.0
Total Births/ Births per 1,000 females 15-44	257	268.8	532	89.8	-66.6%	68.4/ 54,235	68.9/ 87,053	64.1/ 4,000,279		

Note: Infant health indicators for cities/towns with fewer than 1,000 births may not be reliable.
Total Birth Rates are per 1,000 females 15-44 years old; Teen Birth Rates are per 1,000 females 15-19 years old.
The Healthy People 2010 Goals that are met are highlighted in green

Health Status Indicators for Cities and Towns 2000 and 2010

Queen Creek

Selected Reportable Diseases

	Queen Creek				Percent Change 2000-2010	Comparisons				
	2000		2010			Rate per 100,000 Population				
	<u>Number</u>	<u>Rate per 100,000</u>	<u>Number</u>	<u>Rate per 100,000</u>		<u>Maricopa County, 2010</u>	<u>Arizona 2010</u>	<u>U.S. 2009</u>	<u>H.P. 2010</u>	<u>H.P. 2020</u>
Vaccine Preventable										
<i>H. influenzae</i>	0	0.0	1	3.9	-	1.6	0.4	1.0	0.0	0.0
Measles	0	0.0	0	0.0	0%	0	0.0	0.0	0.0	0.0
Mumps	0	0.0	0	0.0	0%	0.1	0.1	0.7	0.0	0.0
Pertussis	0	0.0	0	0.0	0%	1.7	1.2	5.5	0.0	0.0
Central Nervous System										
Encephalitis	0	0.0	0	0.0	0%	0.1	0.1			
Meningitis - Aseptic	0	0.0	8	30.9	-	16.8	9.0			
Meningococcal Disease	0	0.0	0	0.0	0%	0.2	0.2	0.3	1.0	0.3
Enterics										
Amebiasis	0	0.0	0	0.0	0%	0.0	0.2			
Botulism	0	0.0	0	0.0	0%	0.0	0.0	0.0		
Campylobacteriosis	0	0.0	3	11.6	-	14.3	14.7		12.3	8.5
Cryptosporidiosis	0	0.0	2	7.7	-	0.6	0.6	2.5		
<i>E. Coli</i> O157:H7	0	0.0	0	0.0	0%	1.3	1.5		1.0	0.6
Giardiasis	0	0.0	2	7.7	-	2.7	2.4	7.4		
Listeriosis	1	23.8	0	0.0	-100.0%	0.2	0.0	0.3	0.25	0.20
Salmonella Paratyphi	0	0.0	0	0.0	0%	0.1				
Salmonellosis	2	47.7	5	19.3	-59.5%	13.2	14.3	16.2	6.8	11.4
Shigellosis	1	23.8	1	3.9	-83.8%	6.4	6.8	5.2		
Typhoid	0	0.0	0	0.0	0%	0.2	0.1	0.1		
Mycosis										
Coccidioidomycosis	1	23.8	136	524.9	2102.8%	247.7	175.9	13.2		
Zoonoses/Vectorborne										
Brucellosis	0	0.0	0	0.0	0%	0.2	0.1	0.0		
Hantavirus Pulmonary Syndrome	0	0.0	0	0.0	0%	0	0.0	0.0		
Malaria	0	0.0	0	0.0	0%	0.5	0.4	0.5		
West Nile Virus	-	-	4	15.4	-	3.0	2.6			
Hepatitides										
Hepatitis A	0	0.0	0	0.0	0%	0.9	1.1	0.7	4.5	
Hepatitis B	0	0.0	1	3.9	-	2.5	2.3	1.1	2.4-9.0	0.0-1.5
Other										
Legionellosis	0	0.0	0	0.0	0%	1.2	1.0	1.2		
Methicillin res. <i>S. aureus</i> (MRSA)	-	-	4	15.4	-	20.9	17.6			
Streptococcal Inv. Pneumonia	0	0.0	0	0.0	0%	11.1	11.9	1.8		
Streptococcal Inf. Group A	0	0.0	0	0.0	0%	2.6	2.8	2.1		
Streptococcal Inf. Group B***	0	0.0	0	0.0	0%	0.6	0.7		0.5	0.25
Vibrio Infection	0	0.0	0	0.0	0%	0.3	0.3	0.3		0.2
Yersiniosis	0	0.0	0	0.0	0%	0.0	0.0			0.3

***Streptococcal Inf. Group B rates are per 1,000 live births

Health Status Indicators for Cities and Towns 2000 and 2010

Queen Creek

Selected Causes of Death

Cause of Death	Queen Creek				Percent Change 2000-2010	Comparisons				
	2000		2010			Maricopa County, 2010	Arizona 2010	U.S. 2010	Healthy People 2010	Healthy People 2020
	Number	Rate per 100,000	Number	Rate per 100,000						
Tuberculosis	0	0.0	0	0.0	0%	0.3	0.2	0.2		
Syphilis	0	0.0	0	0.0	0%	0	0.0	0.0		
HIV Disease	0	0.0	0	0.0	0%	1.8	1.5	2.7	0.7	3.3
Malignant Neoplasms	3	71.5	25	96.5	35.0%	144.3	163.1	185.9	159.9	160.6
Malignant Neoplasm Stomach	0	0.0	0	0.0	0%	3.0	3.1	3.7		
Malignant Neoplasm Colon	1	23.8	1	3.9	-83.8%	13.1	14.9	17.0	13.9	14.5
Malignant Neoplasm Pancreas	0	0.0	1	3.9	-	10.0	11.1	11.9		
Malig. Neo. Bronchus, Lung	1	23.8	6	23.2	-2.8%	37.9	41.5	51.2	44.9	45.5
Malignant Neoplasm Breast **	0	0.0	4	30.4	-	20.9	11.5	13.4	22.3*	20.6*
Mal. Neo. Uterus, Cervix, Ovary**	0	0.0	1	7.6	-	13.5	6.6	8.7		
Malig. Neoplasm Prostate **	0	0.0	1	7.6	-	14.5	8.6	9.2	28.8*	21.2*
Malignant Neoplasm Urinary	0	0.0	3	11.6	-	7.6	8.4	9.1		
Non-Hodgkins Lymphoma	0	0.0	0	0.0	0%	5.0	5.9	6.6		
Leukemia	0	0.0	2	7.7	-	5.8	6.9	7.3		
Other Malignant Neoplasms	1	23.8	6	23.2	-2.8%	37.1	44.6	47.8		
Diabetes	0	0.0	0	0.0	0%	18.4	21.5	22.3		
Alzheimers	0	0.0	2	7.7	-	43.6	36.2	27.0		
Major Cardiovascular Diseases	9	214.4	25	96.5	-55.0%	178.3	199.5	251.8		
Disease of Heart	9	214.4	18	69.5	-67.6%	134.7	152.0	192.9	166.0	100.8
Hypertensive Heart Disease	0	0.0	3	11.6	-	8.3	10.1	10.8		
Ischemic Heart Disease	7	166.8	8	30.9	-81.5%	103.7	110.2	122.5		
Other Heart Disease	2	47.7	7	27.0	-43.3%	21.4	31.7	57.7		
Primary Hypertension	0	0.0	2	7.7	-	8.3	7.8	8.6		
Cerebrovascular	0	0.0	3	11.6	-	28.4	32.1	41.8	48.0	33.8
Atherosclerosis	0	0.0	1	3.9	-	1.7	2.4	2.3		
Other Circulatory	0	0.0	1	3.9	-	5.2	5.2	6.3		

**Breast and cervical cancer rates are per 100,000 females, prostate cancer rates are per 100,000 males
(continued on next page)

**Health Status Indicators for Cities and Towns
2000 and 2010**

Queen Creek

Selected Causes of Death, cont.

Cause of Death	Queen Creek				Comparisons					
	2000		2010		Percent Change 2000-2010	Maricopa County, 2010	Arizona 2010	U.S. 2010	Healthy People 2010	Healthy People 2020
	Number	Rate per 100,000	Number	Rate per 100,000						
Influenza & Pneumonia	1	23.8	2	7.7	-67.6%	7.8	11.4	16.2		
Chronic Lower Respiratory	0	0.0	5	19.3	-	38.3	45.2	44.6		
Peptic Ulcer	0	0.0	0	0.0	0%	1.0	1.1	1.0		
Liver Disease	0	0.0	1	3.9	-	10.1	13.2	10.3		
Nephritis	0	0.0	0	0.0	0%	4.7	8.1	16.3		
Pregnancy	0	0.0	0	0.0	0%	0.4	0.2	0.3		
Perinatal Conditions	1	23.8	2	7.7	-67.6%	3.8	3.6	3.9		
Congenital Malformations	0	0.0	1	3.9	-	3.0	3.3	3.1		
SIDS**	0	0.0	1	1.9	-	0.4	0.4	0.5		0.5
Symptoms, Signs ex. SIDS	1	23.8	1	3.9	-83.8%	19.7				
All Other Diseases	4	95.3	4	15.4	-83.8%	100.6				
Motor Vehicle Accidents	1	23.8	1	3.9	-83.8%	8.8	11.1	11.4	9.2	12.4
All Other Acc. & Adverse Effects	2	47.7	1	3.9	-91.9%	32.6	33.2	26.8		
Suicide	2	47.7	4	15.4	-67.6%	14.4	16.7	12.2	5.0	10.2
Homicide	0	0.0	0	0.0	0%	5.7	6.3	5.2	3.0	5.5
All Other External Causes	0	0.0	1	3.9	-	2.4				
Unknown	0	0.0	0	0.0	0%	0.0				
Total	24	571.8	76	293.3	-48.7%	640.2	717.6	798.7		

**Sudden Infant Death Syndrome (SIDS) rates are per 1,000 live births

Health Status Indicators for Cities and Towns 2000 and 2010

Rio Verde**

Population Statistics

	Rio Verde**		Maricopa County		Arizona	U.S.
	Number	% Inc. from 2000	Number	% Inc. from 2000	Number	Number
Population						
2000	1,419	NA	3,072,149	NA	5,130,623	281,421,906
2010	1,811	27.6%	3,817,117	24.2%	6,392,017	308,745,538
Age Distribution 2010	Number	% Distribution	Number	% Distribution	% Distribution	% Distribution
Under 20 years old	3	0.2%	1,119,606	29.3%	28.4%	26.9%
20 - 44 years old	17	0.9%	1,332,596	34.9%	33.2%	33.6%
45 - 64 years old	456	25.2%	902,274	23.6%	24.6%	26.4%
65 and older	1,335	73.7%	462,641	12.1%	13.8%	13.1%
Dependency ratio		2.83		0.71	0.73	0.67

Infant Health Indicators

	Rio Verde**				Percent Change 2000-2010	Maricopa County 2010	Arizona 2010	U.S. 2010	Healthy People 2010	Healthy People 2020
	2000		2010							
	Number	Percent or Rate	Number	Percent or Rate						
Low weight births (under 2500 grams) - % of live births	0		0		0%	7.1%	7.1%	8.2%	5.0%	7.8%
Births to teen mothers - per 1,000 females 15-19	0		<5		-	39.8	41.6	34.3	(-)	(-)
Infant mortality per 1,000 live births	0		0		0%	5.8	6.0	6.1	4.5	6.0
Total Births/ Births per 1,000 females 15-44	0		<5		-	68.4/ 54,235	68.9/ 87,053	64.1/ 4,000,279		

Note: Infant health indicators for cities/towns with fewer than 1,000 births may not be reliable.

Total Birth Rates are per 1,000 females 15-44 years old; Teen Birth Rates are per 1,000 females 15-19 years old.

The Healthy People 2010 Goals that are met are highlighted in green

**Unincorporated

Health Status Indicators for Cities and Towns 2000 and 2010

Rio Verde**

Selected Reportable Diseases

	Rio Verde**				Percent Change 2000-2010	Comparisons				
	2000		2010			Rate per 100,000 Population				
	Number	Rate per 100,000	Number	Rate per 100,000		Maricopa County, 2010	Arizona 2010	U.S. 2009	H.P. 2010	H.P. 2020
Vaccine Preventable										
<i>H. influenzae</i>	0	0.0	0	0.0	0%	1.6	0.4	1.0	0.0	0.0
Measles	0	0.0	0	0.0	0%	0	0.0	0.0	0.0	0.0
Mumps	0	0.0	0	0.0	0%	0.1	0.1	0.7	0.0	0.0
Pertussis	0	0.0	0	0.0	0%	1.7	1.2	5.5	0.0	0.0
Central Nervous System										
Encephalitis	0	0.0	0	0.0	0%	0.1	0.1			
Meningitis - Aseptic	0	0.0	2	110.4	-	16.8	9.0			
Meningococcal Disease	0	0.0	0	0.0	0%	0.2	0.2	0.3	1.0	0.3
Enterics										
Amebiasis	0	0.0	0	0.0	0%	0.0	0.2			
Botulism	0	0.0	0	0.0	0%	0.0	0.0	0.0		
Campylobacteriosis	0	0.0	0	0.0	0%	14.3	14.7		12.3	8.5
Cryptosporidiosis	0	0.0	0	0.0	0%	0.6	0.6	2.5		
<i>E. Coli</i> O157:H7	0	0.0	0	0.0	0%	1.3	1.5		1.0	0.6
Giardiasis	0	0.0	0	0.0	0%	2.7	2.4	7.4		
Listeriosis	0	0.0	0	0.0	0%	0.2	0.0	0.3	0.25	0.20
Salmonella Paratyphi	0	0.0	0	0.0	0%	0.1				
Salmonellosis	0	0.0	0	0.0	0%	13.2	14.3	16.2	6.8	11.4
Shigellosis	0	0.0	0	0.0	0%	6.4	6.8	5.2		
Typhoid	0	0.0	0	0.0	0%	0.2	0.1	0.1		
Mycosis										
Coccidioidomycosis	0	0.0	9	497.0	-	247.7	175.9	13.2		
Zoonoses/Vectorborne										
Brucellosis	0	0.0	0	0.0	0%	0.2	0.1	0.0		
Hantavirus Pulmonary Syndrome	0	0.0	0	0.0	0%	0	0.0	0.0		
Malaria	0	0.0	0	0.0	0%	0.5	0.4	0.5		
West Nile Virus	-	-	0	0.0	-	3.0	2.6			
Hepatitides										
Hepatitis A	0	0.0	0	0.0	0%	0.9	1.1	0.7	4.5	
Hepatitis B	0	0.0	1	55.2	-	2.5	2.3	1.1	2.4-9.0	0.0-1.5
Other										
Legionellosis	0	0.0	1	55.2	-	1.2	1.0	1.2		
Methicillin res. <i>S. aureus</i> (MRSA)	-	-	0	0.0	-	20.9	17.6			
Streptococcal Inv. Pneumonia	0	0.0	0	0.0	0%	11.1	11.9	1.8		
Streptococcal Inf. Group A	0	0.0	0	0.0	0%	2.6	2.8	2.1		
Streptococcal Inf. Group B***	0	0.0	0	0.0	0%	0.6	0.7		0.5	0.25
Vibrio Infection	0	0.0	0	0.0	0%	0.3	0.3	0.3		0.2
Yersiniosis	0	0.0	0	0.0	0%	0.0	0.0			0.3

**Unincorporated

***Streptococcal Inf. Group B rates are per 1,000 live births

Health Status Indicators for Cities and Towns 2000 and 2010

Rio Verde**

Selected Causes of Death

Cause of Death	Rio Verde**				Comparisons					
	2000		2010		Percent Change 2000-2010	Maricopa County, 2010	Arizona 2010	U.S. 2010	Healthy People 2010	Healthy People 2020
	Number	Rate per 100,000	Number	Rate per 100,000						
Tuberculosis	0	0.0	0	0.0	0%	0.3	0.2	0.2		
Syphilis	0	0.0	0	0.0	0%	0	0.0	0.0		
HIV Disease	0	0.0	0	0.0	0%	1.8	1.5	2.7	0.7	3.3
Malignant Neoplasms	5	352.4	5	276.1	-21.6%	144.3	163.1	185.9	159.9	160.6
Malignant Neoplasm Stomach	0	0.0	0	0.0	0%	3.0	3.1	3.7		
Malignant Neoplasm Colon	2	140.9	1	55.2	-60.8%	13.1	14.9	17.0	13.9	14.5
Malignant Neoplasm Pancreas	0	0.0	0	0.0	0%	10.0	11.1	11.9		
Malig. Neo. Bronchus, Lung	3	211.4	2	110.4	-47.8%	37.9	41.5	51.2	44.9	45.5
Malignant Neoplasm Breast **	0	0.0	0	0.0	0%	20.9	11.5	13.4	22.3*	20.6*
Mal. Neo. Uterus, Cervix, Ovary**	0	0.0	0	0.0	0%	13.5	6.6	8.7		
Malign. Neoplasm Prostate **	0	0.0	0	0.0	0%	14.5	8.6	9.2	28.8*	21.2*
Malignant Neoplasm Urinary	0	0.0	0	0.0	0%	7.6	8.4	9.1		
Non-Hodgkins Lymphoma	0	0.0	0	0.0	0%	5.0	5.9	6.6		
Leukemia	0	0.0	0	0.0	0%	5.8	6.9	7.3		
Other Malignant Neoplasms	0	0.0	2	110.4	-	37.1	44.6	47.8		
Diabetes	0	0.0	0	0.0	0%	18.4	21.5	22.3		
Alzheimers	1	70.5	1	55.2	-21.6%	43.6	36.2	27.0		
Major Cardiovascular Diseases	3	211.4	4	220.9	4.5%	178.3	199.5	251.8		
Disease of Heart	3	211.4	3	165.7	-21.6%	134.7	152.0	192.9	166.0	100.8
Hypertensive Heart Disease	1	70.5	0	0.0	-100.0%	8.3	10.1	10.8		
Ischemic Heart Disease	1	70.5	2	110.4	56.7%	103.7	110.2	122.5		
Other Heart Disease	1	70.5	1	55.2	-21.6%	21.4	31.7	57.7		
Primary Hypertension	0	0.0	0	0.0	0%	8.3	7.8	8.6		
Cerebrovascular	0	0.0	1	55.2	-	28.4	32.1	41.8	48.0	33.8
Atherosclerosis	0	0.0	0	0.0	0%	1.7	2.4	2.3		
Other Circulatory	0	0.0	0	0.0	0%	5.2	5.2	6.3		

**Breast and cervical cancer rates are per 100,000 females, prostate cancer rates are per 100,000 males

(continued on next page)

**Unincorporated

**Health Status Indicators for Cities and Towns
2000 and 2010**

Rio Verde**

Selected Causes of Death, cont.

Cause of Death	Rio Verde**				Comparisons					
	2000		2010		Percent Change 2000-2010	Maricopa County, 2010	Arizona 2010	U.S. 2010	Healthy People 2010	Healthy People 2020
	Number	Rate per 100,000	Number	Rate per 100,000						
Influenza & Pneumonia	0	0.0	0	0.0	0%	7.8	11.4	16.2		
Chronic Lower Respiratory	2	140.9	2	110.4	-21.6%	38.3	45.2	44.6		
Peptic Ulcer	0	0.0	0	0.0	0%	1.0	1.1	1.0		
Liver Disease	0	0.0	0	0.0	0%	10.1	13.2	10.3		
Nephritis	0	0.0	0	0.0	0%	4.7	8.1	16.3		
Pregnancy	0	0.0	0	0.0	0%	0.4	0.2	0.3		
Perinatal Conditions	0	0.0	0	0.0	0%	3.8	3.6	3.9		
Congenital Malformations	0	0.0	0	0.0	0%	3.0	3.3	3.1		
SIDS**	0	0.0	0	0.0	0%	0.4	0.4	0.5		0.5
Symptoms, Signs ex. SIDS	0	0.0	0	0.0	0%	19.7				
All Other Diseases	2	140.9	2	110.4	-21.6%	100.6				
Motor Vehicle Accidents	0	0.0	0	0.0	0%	8.8	11.1	11.4	9.2	12.4
All Other Acc. & Adverse Effects	0	0.0	1	55.2	-	32.6	33.2	26.8		
Suicide	0	0.0	1	55.2	-	14.4	16.7	12.2	5.0	10.2
Homicide	0	0.0	0	0.0	0%	5.7	6.3	5.2	3.0	5.5
All Other External Causes	0	0.0	0	0.0	0%	2.4				
Unknown	0	0.0	0	0.0	0%	0.0				
Total	13	916.1	16	883.5	-3.6%	640.2	717.6	798.7		

**Unincorporated

***Sudden Infant Death Syndrome (SIDS) rates are per 1,000 live births

Health Status Indicators for Cities and Towns 2000 and 2010

Scottsdale

Population Statistics

	Scottsdale		Maricopa County		Arizona	U.S.
	Number	% Inc. from 2000	Number	% Inc. from 2000	Number	Number
Population						
2000	202,705	NA	3,072,149	NA	5,130,623	281,421,906
2010	217,385	7.2%	3,817,117	24.2%	6,392,017	308,745,538
Age Distribution 2010	Number	% Distribution	Number	% Distribution	% Distribution	% Distribution
Under 20 years old	42,411	19.5%	1,119,606	29.3%	28.4%	26.9%
20 - 44 years old	65,168	30.0%	1,332,596	34.9%	33.2%	33.6%
45 - 64 years old	66,335	30.5%	902,274	23.6%	24.6%	26.4%
65 and older	43,471	20.0%	462,641	12.1%	13.8%	13.1%
Dependency ratio		0.65		0.71	0.73	0.67

Infant Health Indicators

	Scottsdale				Percent Change <u>2000-2010</u>	Maricopa County <u>2010</u>	Arizona <u>2010</u>	U.S. <u>2010</u>	Healthy People <u>2010</u>	Healthy People <u>2020</u>
	2000		2010							
	<u>Number</u>	<u>Percent or Rate</u>	<u>Number</u>	<u>Percent or Rate</u>						
Low weight births (under 2500 grams) - % of live births	166	6.0%	160	7.2%	19.5%	7.1%	7.1%	8.2%	5.0%	7.8%
Births to teen mothers - per 1,000 females 15-19	174	35.9	94	18.0	-49.8%	39.8	41.6	34.3	(-)	(-)
Infant mortality per 1,000 live births	23	8.3	9	4.0	-51.5%	5.8	6.0	6.1	4.5	6.0
Total Births/ Births per 1,000 females 15-44	2,764	67.8	2,230	59.2	-12.7%	68.4/ 54,235	68.9/ 87,053	64.1/ 4,000,279		

Total Birth Rates are per 1,000 females 15-44 years old; Teen Birth Rates are per 1,000 females 15-19 years old.

The Healthy People 2010 Goals that are met are highlighted in green

Health Status Indicators for Cities and Towns 2000 and 2010

Scottsdale

Selected Reportable Diseases

	Scottsdale				Percent Change 2000-2010	Comparisons				
	2000		2010			Rate per 100,000 Population				
	Number	Rate per 100,000	Number	Rate per 100,000		Maricopa County, 2010	Arizona 2010	U.S. 2009	H.P. 2010	H.P. 2020
Vaccine Preventable										
<i>H. influenzae</i>	0	0.0	7	3.2	-	1.6	0.4	1.0	0.0	0.0
Measles	0	0.0	0	0.0	0%	0	0.0	0.0	0.0	0.0
Mumps	0	0.0	1	0.5	-	0.1	0.1	0.7	0.0	0.0
Pertussis	1	0.5	7	3.2	552.7%	1.7	1.2	5.5	0.0	0.0
Central Nervous System										
Encephalitis	0	0.0	0	0.0	0%	0.1	0.1			
Meningitis - Aseptic	3	1.5	42	19.3	1205.5%	16.8	9.0			
Meningococcal Disease	0	0.0	0	0.0	0%	0.2	0.2	0.3	1.0	0.3
Enterics										
Amebiasis	0	0.0	0	0.0	0%	0.0	0.2			
Botulism	0	0.0	0	0.0	0%	0.0	0.0	0.0		
Campylobacteriosis	22	10.9	30	13.8	27.2%	14.3	14.7		12.3	8.5
Cryptosporidiosis	0	0.0	3	1.4	-	0.6	0.6	2.5		
<i>E. Coli</i> O157:H7	0	0.0	4	1.8	-	1.3	1.5		1.0	0.6
Giardiasis	7	3.5	4	1.8	-46.7%	2.7	2.4	7.4		
Listeriosis	0	0.0	1	0.5	-	0.2	0.0	0.3	0.25	0.20
Salmonella Paratyphi	0	0.0	0	0.0	0%	0.1				
Salmonellosis	29	14.3	35	16.1	12.5%	13.2	14.3	16.2	6.8	11.4
Shigellosis	6	3.0	6	2.8	-6.8%	6.4	6.8	5.2		
Typhoid	0	0.0	0	0.0	0%	0.2	0.1	0.1		
Mycosis										
Coccidioidomycosis	92	45.4	584	268.6	491.9%	247.7	175.9	13.2		
Zoonoses/Vectorborne										
Brucellosis	0	0.0	0	0.0	0%	0.2	0.1	0.0		
Hantavirus Pulmonary Syndrome	0	0.0	0	0.0	0%	0	0.0	0.0		
Malaria	0	0.0	1	0.5	-	0.5	0.4	0.5		
West Nile Virus	-	-	13	6.0	-	3.0	2.6			
Hepatitides										
Hepatitis A	7	3.5	0	0.0	-100.0%	0.9	1.1	0.7	4.5	
Hepatitis B	7	3.5	5	2.3	-33.4%	2.5	2.3	1.1	2.4-9.0	0.0-1.5
Other										
Legionellosis	0	0.0	3	1.4	-	1.2	1.0	1.2		
Methicillin res. <i>S. aureus</i> (MRSA)	-	-	21	9.7	-	20.9	17.6			
Streptococcal Inv. Pneumonia	33	16.3	22	10.1	-37.8%	11.1	11.9	1.8		
Streptococcal Inf. Group A	7	3.5	7	3.2	-6.8%	2.6	2.8	2.1		
Streptococcal Inf. Group B***	0	0.0	0	0.0	0%	0.6	0.7		0.5	0.25
Vibrio Infection	0	0.0	0	0.0	0%	0.3	0.3	0.3		0.2
Yersiniosis	1	0.5	1	0.5	-6.8%	0.0	0.0			0.3

***Streptococcal Inf. Group B rates are per 1,000 live births

Health Status Indicators for Cities and Towns 2000 and 2010

Scottsdale

Selected Causes of Death

Cause of Death	Scottsdale				Percent Change 2000-2010	Comparisons				
	2000		2010			Maricopa County, 2010	Arizona 2010	U.S. 2010	Healthy People 2010	Healthy People 2020
	Number	Rate per 100,000	Number	Rate per 100,000						
Tuberculosis	0	0.0	0	0.0	0%	0.3	0.2	0.2		
Syphilis	0	0.0	0	0.0	0%	0	0.0	0.0		
HIV Disease	<5		0	0.0	-	1.8	1.5	2.7	0.7	3.3
Malignant Neoplasms	476	234.8	532	244.7	4.2%	144.3	163.1	185.9	159.9	160.6
Malignant Neoplasm Stomach	6	3.0	10	4.6	55.4%	3.0	3.1	3.7		
Malignant Neoplasm Colon	42	20.7	48	22.1	6.6%	13.1	14.9	17.0	13.9	14.5
Malignant Neoplasm Pancreas	26	12.8	40	18.4	43.5%	10.0	11.1	11.9		
Malig. Neo. Bronchus, Lung	127	62.7	128	58.9	-6.0%	37.9	41.5	51.2	44.9	45.5
Malignant Neoplasm Breast**	51	48.6	48	42.7	-12.2%	20.9	11.5	13.4	22.3*	20.6*
Mal. Neo. Uterus, Cervix, Ovary**	28	26.7	23	20.5	-23.4%	13.5	6.6	8.7		
Malig. Neoplasm Prostate **	18	18.4	19	18.1	-1.7%	14.5	8.6	9.2	28.8*	21.2*
Malignant Neoplasm Urinary	18	8.9	33	15.2	71.0%	7.6	8.4	9.1		
Non-Hodgkins Lymphoma	18	8.9	25	11.5	29.5%	5.0	5.9	6.6		
Leukemia	25	12.3	22	10.1	-17.9%	5.8	6.9	7.3		
Other Malignant Neoplasms	117	57.7	136	62.6	8.4%	37.1	44.6	47.8		
Diabetes	35	17.3	58	26.7	54.5%	18.4	21.5	22.3		
Alzheimers	81	40.0	178	81.9	104.9%	43.6	36.2	27.0		
Major Cardiovascular Diseases	679	335.0	632	290.7	-13.2%	178.3	199.5	251.8		
Disease of Heart	494	243.7	490	225.4	-7.5%	134.7	152.0	192.9	166.0	100.8
Hypertensive Heart Disease	10	4.9	33	15.2	207.7%	8.3	10.1	10.8		
Ischemic Heart Disease	379	187.0	363	167.0	-10.7%	103.7	110.2	122.5		
Other Heart Disease	105	51.8	94	43.2	-16.5%	21.4	31.7	57.7		
Primary Hypertension	5	2.5	26	12.0	384.9%	8.3	7.8	8.6		
Cerebrovascular	149	73.5	92	42.3	-42.4%	28.4	32.1	41.8	48.0	33.8
Atherosclerosis	11	5.4	9	4.1	-23.7%	1.7	2.4	2.3		
Other Circulatory	20	9.9	15	6.9	-30.1%	5.2	5.2	6.3		

**Breast and cervical cancer rates are per 100,000 females, prostate cancer rates are per 100,000 males
(continued on next page)

**Health Status Indicators for Cities and Towns
2000 and 2010**

Scottsdale

Selected Causes of Death, cont.

Cause of Death	Scottsdale				Comparisons					
	2000		2010		Percent Change 2000-2010	Maricopa County, 2010	Arizona 2010	U.S. 2010	Healthy People 2010	Healthy People 2020
	Number	Rate per 100,000	Number	Rate per 100,000						
Influenza & Pneumonia	68	33.5	26	12.0	-64.3%	7.8	11.4	16.2		
Chronic Lower Respiratory	107	52.8	111	51.1	-3.3%	38.3	45.2	44.6		
Peptic Ulcer	5	2.5	1	0.5	-81.4%	1.0	1.1	1.0		
Liver Disease	24	11.8	30	13.8	16.6%	10.1	13.2	10.3		
Nephritis	21	10.4	11	5.1	-51.2%	4.7	8.1	16.3		
Pregnancy	0	0.0	0	0.0	0%	0.4	0.2	0.3		
Perinatal Conditions	9	4.4	3	1.4	-68.9%	3.8	3.6	3.9		
Congenital Malformations	6	3.0	3	1.4	-53.4%	3.0	3.3	3.1		
SIDS**	1	0.4	3	1.3	271.8%	0.4	0.4	0.5		0.5
Symptoms, Signs ex. SIDS	26	12.8	82	37.7	194.1%	19.7				
All Other Diseases	294	145.0	329	151.3	4.3%	100.6				
Motor Vehicle Accidents	22	10.9	13	6.0	-44.9%	8.8	11.1	11.4	9.2	12.4
All Other Acc. & Adverse Effects	55	27.1	115	52.9	95.0%	32.6	33.2	26.8		
Suicide	27	13.3	64	29.4	121.0%	14.4	16.7	12.2	5.0	10.2
Homicide	6	3.0	12	5.5	86.5%	5.7	6.3	5.2	3.0	5.5
All Other External Causes	0	0.0	5	2.3	-	2.4				
Unknown	0	0.0	0	0.0	0%	0.0				
Total	1942	958.0	2,208	1,015.7	6.0%	640.2	717.6	798.7		

**Sudden Infant Death Syndrome (SIDS) rates are per 1,000 live births

**Health Status Indicators for Cities and Towns
2000 and 2010**

Sun City and Sun City West****

Population Statistics

	Sun City** & Sun City West**		Maricopa County		Arizona	U.S.
	Number	% Inc. from 2000	Number	% Inc. from 2000	Number	Number
Population						
2000	64,653	NA	3,072,149	NA	5,130,623	281,421,906
2010	62,034	-4.1%	3,817,117	24.2%	6,392,017	308,745,538
Age Distribution 2010						
	Number	% Distribution	Number	% Distribution	% Distribution	% Distribution
Under 20 years old	455	0.73%	1,119,606	29.3%	28.4%	26.9%
20 - 44 years old	1,490	2.4%	1,332,596	34.9%	33.2%	33.6%
45 - 64 years old	11,494	18.5%	902,274	23.6%	24.6%	26.4%
65 and older	48,595	78.3%	462,641	12.1%	13.8%	13.1%
Dependency ratio		3.78		0.71	0.73	0.67

Infant Health Indicators

	Sun City** and Sun City West**				Percent Change 2000-2010	Maricopa County 2010	Arizona 2010	U.S. 2010	Healthy People 2010	Healthy People 2020
	2000		2010							
	<u>Number</u>	<u>Percent or Rate</u>	<u>Number</u>	<u>Percent or Rate</u>						
Low weight births (under 2500 grams) - % of live births	6	11.1%	12	10.3%	-7.7%	7.1%	7.1%	8.2%	5.0%	7.8%
Births to teen mothers - per 1,000 females 15-19	8	205.1	<5		-100.0%	39.8	41.6	34.3	(-)	(-)
Infant mortality per 1,000 live births	0	0.0	<5		-	5.8	6.0	6.1	4.5	6.0
Total Births/ Births per 1,000 females 15-44	54	101.3	117	163.6	61.5%	68.4/ 54,235	68.9/ 87,053	64.1/ 4,000,279		

Note: Infant health indicators for cities/towns with fewer than 1,000 births may not be reliable.

Total Birth Rates are per 1,000 females 15-44 years old; Teen Birth Rates are per 1,000 females 15-19 years old.

The Healthy People 2010 Goals that are met are highlighted in green

**Unincorporated

Health Status Indicators for Cities and Towns 2000 and 2010
Sun City and Sun City West****

Selected Reportable Diseases

	Sun City** and Sun City West**				Percent Change 2000-2010	Comparisons				
	2000		2010			Rate per 100,000 Population				
	Number	Rate per 100,000	Number	Rate per 100,000		Maricopa County, 2010	Arizona 2010	U.S. 2009	H.P. 2010	H.P. 2020
Vaccine Preventable										
<i>H. influenzae</i>	1	1.5	5	8.1	421.1%	1.6	0.4	1.0	0.0	0.0
Measles	0	0.0	0	0.0	0%	0	0.0	0.0	0.0	0.0
Mumps	0	0.0	0	0.0	0%	0.1	0.1	0.7	0.0	0.0
Pertussis	0	0.0	0	0.0	0%	1.7	1.2	5.5	0.0	0.0
Central Nervous System										
Encephalitis	0	0.0	0	0.0	0%	0.1	0.1			
Meningitis - Aseptic	0	0.0	9	14.5	-	16.8	9.0			
Meningococcal Disease	0	0.0	0	0.0	0%	0.2	0.2	0.3	1.0	0.3
Enterics										
Amebiasis	0	0.0	1	1.6	-	0.0	0.2			
Botulism	0	0.0	0	0.0	0%	0.0	0.0	0.0		
Campylobacteriosis	1	1.5	1	1.6	4.2%	14.3	14.7		12.3	8.5
Cryptosporidiosis	0	0.0	0	0.0	0%	0.6	0.6	2.5		
<i>E. Coli</i> O157:H7	0	0.0	4	6.4	-	1.3	1.5		1.0	0.6
Giardiasis	0	0.0	2	3.2	-	2.7	2.4	7.4		
Listeriosis	0	0.0	2	3.2	-	0.2	0.0	0.3	0.25	0.20
Salmonella Paratyphi	0	0.0	0	0.0	0%	0.1				
Salmonellosis	5	7.7	3	4.8	-37.5%	13.2	14.3	16.2	6.8	11.4
Shigellosis	0	0.0	0	0.0	0%	6.4	6.8	5.2		
Typhoid	0	0.0	0	0.0	0%	0.2	0.1	0.1		
Mycosis										
Coccidioidomycosis	27	41.8	324	522.3	1150.7%	247.7	175.9	13.2		
Zoonoses/Vectorborne										
Brucellosis	0	0.0	0	0.0	0%	0.2	0.1	0.0		
Hantavirus Pulmonary Syndrome	0	0.0	0	0.0	0%	0	0.0	0.0		
Malaria	0	0.0	0	0.0	0%	0.5	0.4	0.5		
West Nile Virus	-	-	0	0.0	-	3.0	2.6			
Hepatitides										
Hepatitis A	1	1.5	0	0.0	-100.0%	0.9	1.1	0.7	4.5	
Hepatitis B	1	1.5	1	1.6	4.2%	2.5	2.3	1.1	2.4-9.0	0.0-1.5
Other										
Legionellosis	0	0.0	1	1.6	-	1.2	1.0	1.2		
Methicillin res. <i>S. aureus</i> (MRSA)	-	-	20	32.2	-	20.9	17.6			
Streptococcal Inv. Pneumonia	18	27.8	5	8.1	-71.0%	11.1	11.9	1.8		
Streptococcal Inf. Group A	3	4.6	3	4.8	4.2%	2.6	2.8	2.1		
Streptococcal Inf. Group B***	0	0.0	0	0.0	0%	0.6	0.7		0.5	0.25
Vibrio Infection	0	0.0	0	0.0	0%	0.3	0.3	0.3		0.2
Yersiniosis	0	0.0	0	0.0	0%	0.0	0.0			0.3

**Unincorporated

***Streptococcal Inf. Group B rates are per 1,000 live births

**Health Status Indicators for Cities and Towns
2000 and 2010**

Sun City and Sun City West****

Selected Causes of Death

Cause of Death	Sun City** & Sun City West**				Percent Change 2000-2010	Comparisons				
	2000		2010			Maricopa County, 2010	Arizona 2010	U.S. 2010	Healthy People 2010	Healthy People 2020
	Number	Rate per 100,000	Number	Rate per 100,000						
Tuberculosis	1	1.5	0	0.0	-100.0%	0.3	0.2	0.2		
Syphilis	0	0.0	0	0.0	0%	0	0.0	0.0		
HIV Disease	<5		0	0.0	-	1.8	1.5	2.7	0.7	3.3
Malignant Neoplasms	564	872.3	491	791.5	-9.3%	144.3	163.1	185.9	159.9	160.6
Malignant Neoplasm Stomach	15	23.2	11	17.7	-23.6%	3.0	3.1	3.7		
Malignant Neoplasm Colon	64	99.0	39	62.9	-36.5%	13.1	14.9	17.0	13.9	14.5
Malignant Neoplasm Pancreas	29	44.9	42	67.7	50.9%	10.0	11.1	11.9		
Malig. Neo. Bronchus, Lung	149	230.5	139	224.1	-2.8%	37.9	41.5	51.2	44.9	45.5
Malignant Neoplasm Breast **	37	100.0	22	61.7	-38.3%	20.9	11.5	13.4	22.3*	20.6*
Mal. Neo. Uterus, Cervix, Ovary**	23	62.2	25	70.1	12.8%	13.5	6.6	8.7		
Malign. Neoplasm Prostate **	44	159.1	38	144.1	-9.4%	14.5	8.6	9.2	28.8*	21.2*
Malignant Neoplasm Urinary	27	41.8	32	51.6	23.5%	7.6	8.4	9.1		
Non-Hodgkins Lymphoma	28	43.3	17	27.4	-36.7%	5.0	5.9	6.6		
Leukemia	25	38.7	14	22.6	-41.6%	5.8	6.9	7.3		
Other Malignant Neoplasms	123	190.2	112	180.5	-5.1%	37.1	44.6	47.8		
Diabetes	40	61.9	42	67.7	9.4%	18.4	21.5	22.3		
Alzheimers	82	126.8	188	303.1	138.9%	43.6	36.2	27.0		
Major Cardiovascular Diseases	871	1,347.2	724	1,167.1	-13.4%	178.3	199.5	251.8		
Disease of Heart	647	1,000.7	530	854.4	-14.6%	134.7	152.0	192.9	166.0	100.8
Hypertensive Heart Disease	18	27.8	26	41.9	50.5%	8.3	10.1	10.8		
Ischemic Heart Disease	515	796.6	418	673.8	-15.4%	103.7	110.2	122.5		
Other Heart Disease	114	176.3	86	138.6	-21.4%	21.4	31.7	57.7		
Primary Hypertension	17	26.3	26	41.9	59.4%	8.3	7.8	8.6		
Cerebrovascular	181	280.0	145	233.7	-16.5%	28.4	32.1	41.8	48.0	33.8
Atherosclerosis	6	9.3	4	6.4	-30.5%	1.7	2.4	2.3		
Other Circulatory	20	30.9	19	30.6	-1.0%	5.2	5.2	6.3		

**Breast and cervical cancer rates are per 100,000 females, prostate cancer rates are per 100,000 males

(continued on next page)

**Unincorporated

**Health Status Indicators for Cities and Towns
2000 and 2010**

Sun City and Sun City West****

Selected Causes of Death, cont.

Cause of Death	Sun City** & Sun City West**				Comparisons					
	2000		2010		Percent Change 2000-2010	Maricopa County, 2010	Arizona 2010	U.S. 2010	Healthy People 2010	Healthy People 2020
	Number	Rate per 100,000	Number	Rate per 100,000						
Influenza & Pneumonia	67	103.6	26	41.9	-59.6%	7.8	11.4	16.2		
Chronic Lower Respiratory	137	211.9	139	224.1	5.7%	38.3	45.2	44.6		
Peptic Ulcer	4	6.2	3	4.8	-21.8%	1.0	1.1	1.0		
Liver Disease	24	37.1	15	24.2	-34.9%	10.1	13.2	10.3		
Nephritis	26	40.2	17	27.4	-31.9%	4.7	8.1	16.3		
Pregnancy	0	0.0	0	0.0	0%	0.4	0.2	0.3		
Perinatal Conditions	0	0.0	2	3.2	-	3.8	3.6	3.9		
Congenital Malformations	2	3.1	3	4.8	56.3%	3.0	3.3	3.1		
SIDS**	0	0.0	0	0.0	0%	0.4	0.4	0.5		0.5
Symptoms, Signs ex. SIDS	7	10.8	57	91.9	748.7%	19.7				
All Other Diseases	332	513.5	277	446.5	-13.0%	100.6				
Motor Vehicle Accidents	11	17.0	12	19.3	13.7%	8.8	11.1	11.4	9.2	12.4
All Other Acc. & Adverse Effects	36	55.7	75	120.9	117.1%	32.6	33.2	26.8		
Suicide	18	27.8	13	21.0	-24.7%	14.4	16.7	12.2	5.0	10.2
Homicide	2	3.1	2	3.2	4.2%	5.7	6.3	5.2	3.0	5.5
All Other External Causes	1	1.5	2	3.2	108.4%	2.4				
Unknown	0	0.0	0	0.0	0%	0.0				
Total	2225	3,441.4	2,088	3,365.9	-2.2%	640.2	717.6	798.7		

**Unincorporated

***Sudden Infant Death Syndrome (SIDS) rates are per 1,000 live births

**Health Status Indicators for Cities and Towns
2000 and 2010**

Sun Lakes**

Population Statistics

	Sun Lakes**		Maricopa County		Arizona	U.S.
	Number	% Inc. from 2000	Number	% Inc. from 2000	Number	Number
Population						
2000	11,936	NA	3,072,149	NA	5,130,623	281,421,906
2010	13,975	17.1%	3,817,117	24.2%	6,392,017	308,745,538
Age Distribution 2010	Number	% Distribution	Number	% Distribution	% Distribution	% Distribution
Under 20 years old	60	0.4%	1,119,606	29.3%	28.4%	26.9%
20 - 44 years old	288	2.1%	1,332,596	34.9%	33.2%	33.6%
45 - 64 years old	3,442	24.6%	902,274	23.6%	24.6%	26.4%
65 and older	10,185	72.9%	462,641	12.1%	13.8%	13.1%
Dependency ratio		2.75		0.71	0.73	0.67

Infant Health Indicators

	Sun Lakes**				Percent Change 2000-2010	Maricopa County 2010	Arizona 2010	U.S. 2010	Healthy People 2010	Healthy People 2020
	2000		2010							
	Number	Percent or Rate	Number	Percent or Rate						
Low weight births (under 2500 grams) - % of live births	0	0.0%	0	0.0%	0%	7.1%	7.1%	8.2%	5.0%	7.8%
Births to teen mothers - per 1,000 females 15-19	0	0.0%	0	0.0%	0%	39.8	41.6	34.3	(-)	(-)
Infant mortality per 1,000 live births	0	0.0	0	0.0	0%	5.8	6.0	6.1	4.5	6.0
Total Births/ Births per 1,000 females 15-44	0		0		0%	68.4/ 54,235	68.9/ 87,053	64.1/ 4,000,279		

Note: Infant health indicators for cities/towns with fewer than 1,000 births may not be reliable.

Total Birth Rates are per 1,000 females 15-44 years old; Teen Birth Rates are per 1,000 females 15-19 years old.

The Healthy People 2010 Goals that are met are highlighted in green

**Unincorporated

Health Status Indicators for Cities and Towns 2000 and 2010
Sun Lakes**

Selected Reportable Diseases

	Sun Lakes**				Percent Change 2000-2010	Comparisons				
	2000		2010			Rate per 100,000 Population				
	Number	Rate per 100,000	Number	Rate per 100,000		Maricopa County, 2010	Arizona 2010	U.S. 2009	H.P. 2010	H.P. 2020
Vaccine Preventable										
<i>H. influenzae</i>	0	0.0	0	0.0	0%	1.6	0.4	1.0	0.0	0.0
Measles	0	0.0	0	0.0	0%	0	0.0	0.0	0.0	0.0
Mumps	0	0.0	0	0.0	0%	0.1	0.1	0.7	0.0	0.0
Pertussis	0	0.0	0	0.0	0%	1.7	1.2	5.5	0.0	0.0
Central Nervous System										
Encephalitis	0	0.0	0	0.0	0%	0.1	0.1			
Meningitis - Aseptic	0	0.0	1	7.2	-	16.8	9.0			
Meningococcal Disease	0	0.0	0	0.0	0%	0.2	0.2	0.3	1.0	0.3
Enterics										
Amebiasis	0	0.0	0	0.0	0%	0.0	0.2			
Botulism	0	0.0	0	0.0	0%	0.0	0.0	0.0		
Campylobacteriosis	1	8.4	2	14.3	70.8%	14.3	14.7		12.3	8.5
Cryptosporidiosis	0	0.0	0	0.0	0%	0.6	0.6	2.5		
<i>E. Coli</i> O157:H7	0	0.0	0	0.0	0%	1.3	1.5		1.0	0.6
Giardiasis	0	0.0	0	0.0	0%	2.7	2.4	7.4		
Listeriosis	0	0.0	1	7.2	-	0.2	0.0	0.3	0.25	0.20
Salmonella Paratyphi	0	0.0	0	0.0	0%	0.1				
Salmonellosis	0	0.0	3	21.5	-	13.2	14.3	16.2	6.8	11.4
Shigellosis	0	0.0	0	0.0	0%	6.4	6.8	5.2		
Typhoid	0	0.0	0	0.0	0%	0.2	0.1	0.1		
Mycosis										
Coccidioidomycosis	3	25.1	29	207.5	725.6%	247.7	175.9	13.2		
Zoonoses/Vectorborne										
Brucellosis	0	0.0	0	0.0	0%	0.2	0.1	0.0		
Hantavirus Pulmonary Syndrome	0	0.0	0	0.0	0%	0	0.0	0.0		
Malaria	0	0.0	0	0.0	0%	0.5	0.4	0.5		
West Nile Virus	-	-	1	7.2	-	3.0	2.6			
Hepatitides										
Hepatitis A	0	0.0	0	0.0	0%	0.9	1.1	0.7	4.5	
Hepatitis B	0	0.0	0	0.0	0%	2.5	2.3	1.1	2.4-9.0	0.0-1.5
Other										
Legionellosis	0	0.0	0	0.0	0%	1.2	1.0	1.2		
Methicillin res. <i>S. aureus</i> (MRSA)	-	-	1	7.2	-	20.9	17.6			
Streptococcal Inv. Pneumonia	1	8.4	2	14.3	70.8%	11.1	11.9	1.8		
Streptococcal Inf. Group A	0	0.0	0	0.0	0%	2.6	2.8	2.1		
Streptococcal Inf. Group B***	0	0.0	0	0.0	0%	0.6	0.7		0.5	0.25
Vibrio Infection	0	0.0	0	0.0	0%	0.3	0.3	0.3		0.2
Yersiniosis	0	0.0	0	0.0	0%	0.0	0.0			0.3

**Unincorporated

***Streptococcal Inf. Group B rates are per 1,000 live births

Health Status Indicators for Cities and Towns 2000 and 2010

Sun Lakes**

Selected Causes of Death

Cause of Death	Sun Lakes**				Comparisons					
	2000		2010		Percent Change 2000-2010	Maricopa County, 2010	Arizona 2010	U.S. 2010	Healthy People 2010	Healthy People 2020
	Number	Rate per 100,000	Number	Rate per 100,000						
Tuberculosis	0	0.0	0	0.0	0%	0.3	0.2	0.2		
Syphilis	0	0.0	0	0.0	0%	0	0.0	0.0		
HIV Disease	0	0.0	0	0.0	0%	1.8	1.5	2.7	0.7	3.3
Malignant Neoplasms	68	569.7	80	572.5	0.5%	144.3	163.1	185.9	159.9	160.6
Malignant Neoplasm Stomach	0	0.0	1	7.2	-	3.0	3.1	3.7		
Malignant Neoplasm Colon	4	33.5	12	85.9	156.2%	13.1	14.9	17.0	13.9	14.5
Malignant Neoplasm Pancreas	8	67.0	5	35.8	-46.6%	10.0	11.1	11.9		
Malig. Neo. Bronchus, Lung	18	150.8	18	128.8	-14.6%	37.9	41.5	51.2	44.9	45.5
Malignant Neoplasm Breast**	2	30.6	5	63.8	108.6%	20.9	11.5	13.4	22.3*	20.6*
Mal. Neo. Uterus, Cervix,										
Ovary**	0	0.0	3	38.3	-	13.5	6.6	8.7		
Malig. Neoplasm Prostate **	6	111.1	6	97.7	-12.1%	14.5	8.6	9.2	28.8*	21.2*
Malignant Neoplasm Urinary	1	8.4	3	21.5	156.2%	7.6	8.4	9.1		
Non-Hodgkins Lymphoma	7	58.6	4	28.6	-51.2%	5.0	5.9	6.6		
Leukemia	3	25.1	3	21.5	-14.6%	5.8	6.9	7.3		
Other Malignant Neoplasms	19	159.2	20	143.1	-10.1%	37.1	44.6	47.8		
Diabetes	2	16.8	4	28.6	70.8%	18.4	21.5	22.3		
Alzheimers	6	50.3	20	143.1	184.7%	43.6	36.2	27.0		
Major Cardiovascular Diseases	78	653.5	120	858.7	31.4%	178.3	199.5	251.8		
Disease of Heart	61	511.1	89	636.9	24.6%	134.7	152.0	192.9	166.0	100.8
Hypertensive Heart Disease	1	8.4	7	50.1	497.9%	8.3	10.1	10.8		
Ischemic Heart Disease	50	418.9	68	486.6	16.2%	103.7	110.2	122.5		
Other Heart Disease	10	83.8	14	100.2	19.6%	21.4	31.7	57.7		
Primary Hypertension	2	16.8	8	57.2	241.6%	8.3	7.8	8.6		
Cerebrovascular	12	100.5	16	114.5	13.9%	28.4	32.1	41.8	48.0	33.8
Atherosclerosis	1	8.4	3	21.5	156.2%	1.7	2.4	2.3		
Other Circulatory	2	16.8	4	28.6	70.8%	5.2	5.2	6.3		

**Breast and cervical cancer rates are per 100,000 females, prostate cancer rates are per 100,000 males

(continued on next page)

**Unincorporated

**Health Status Indicators for Cities and Towns
2000 and 2010**

Sun Lakes**

Selected Causes of Death, cont.

Cause of Death	Sun Lakes**				Comparisons					
	2000		2010		Percent Change 2000-2010	Maricopa County, 2010	Arizona 2010	U.S. 2010	Healthy People 2010	Healthy People 2020
	Number	Rate per 100,000	Number	Rate per 100,000						
Influenza & Pneumonia	8	67.0	1	7.2	-89.3%	7.8	11.4	16.2		
Chronic Lower Respiratory	15	125.7	17	121.6	-3.2%	38.3	45.2	44.6		
Peptic Ulcer	0	0.0	1	7.2	-	1.0	1.1	1.0		
Liver Disease	0	0.0	5	35.8	-	10.1	13.2	10.3		
Nephritis	3	25.1	3	21.5	-14.6%	4.7	8.1	16.3		
Pregnancy	0	0.0	0	0.0	0%	0.4	0.2	0.3		
Perinatal Conditions	0	0.0	0	0.0	0%	3.8	3.6	3.9		
Congenital Malformations	0	0.0	1	7.2	-	3.0	3.3	3.1		
SIDS**	0	0.0	0	0.0	0%	0.4	0.4	0.5		0.5
Symptoms, Signs ex. SIDS	1	8.4	8	57.2	583.3%	19.7				
All Other Diseases	30	251.3	46	329.2	31.0%	100.6				
Motor Vehicle Accidents	1	8.4	1	7.2	-14.6%	8.8	11.1	11.4	9.2	12.4
All Other Acc. & Adverse Effects	3	25.1	13	93.0	270.1%	32.6	33.2	26.8		
Suicide	0	0.0	7	50.1	-	14.4	16.7	12.2	5.0	10.2
Homicide	0	0.0	1	7.2	-	5.7	6.3	5.2	3.0	5.5
All Other External Causes	0	0.0	1	7.2	-	2.4				
Unknown	0	0.0	0	0.0	0%	0.0				
Total	215	1,801.3	329	2,354.2	30.7%	640.2	717.6	798.7		

**Unincorporated

***Sudden Infant Death Syndrome (SIDS) rates are per 1,000 live births

Health Status Indicators for Cities and Towns 2000 and 2010

Surprise

Population Statistics

	Surprise		Maricopa County		Arizona	U.S.
	Number	% Inc. from 2000	Number	% Inc. from 2000	Number	Number
Population						
2000	30,848	NA	3,072,149	NA	5,130,623	281,421,906
2010	117,517	281.0%	3,817,117	24.2%	6,392,017	308,745,538
Age Distribution 2010	Number	% Distribution	Number	% Distribution	% Distribution	% Distribution
Under 20 years old	34,288	29.2%	1,119,606	29.3%	28.4%	26.9%
20 - 44 years old	37,308	31.7%	1,332,596	34.9%	33.2%	33.6%
45 - 64 years old	23,594	20.1%	902,274	23.6%	24.6%	26.4%
65 and older	22,327	19.0%	462,641	12.1%	13.8%	13.1%
Dependency ratio		0.93		0.71	0.73	0.67

Infant Health Indicators

	Surprise				Percent Change 2000-2010	Maricopa County 2010	Arizona 2010	U.S. 2010	Healthy People 2010	Healthy People 2020
	2000		2010							
	Number	Percent or Rate	Number	Percent or Rate						
Low weight births (under 2500 grams) - % of live births	39	6.8%	88	5.7%	-16.5%	7.1%	7.1%	8.2%	5.0%	7.8%
Births to teen mothers - per 1,000 females 15-19	64	119.6	92	28.3	-76.4%	39.8	41.6	34.3	(-)	(-)
Infant mortality per 1,000 live births	<5		<5		-	5.8	6.0	6.1	4.5	6.0
Total Births/ Births per 1,000 females 15-44	576	122.9	1,557	69.5	-43.4%	68.4/ 54,235	68.9/ 87,053	64.1/ 4,000,279		

Note: Infant health indicators for cities/towns with fewer than 1,000 births may not be reliable.

Total Birth Rates are per 1,000 females 15-44 years old; Teen Birth Rates are per 1,000 females 15-19 years old.

The Healthy People 2010 Goals that are met are highlighted in green

Health Status Indicators for Cities and Towns 2000 and 2010

Surprise

Selected Reportable Diseases

	Surprise				Percent Change 2000-2010	Comparisons				
	2000		2010			Rate per 100,000 Population				
	Number	Rate per 100,000	Number	Rate per 100,000		Maricopa County, 2010	Arizona 2010	U.S. 2009	H.P. 2010	H.P. 2020
Vaccine Preventable										
<i>H. influenzae</i>	0	0.0	2	1.7	-	1.6	0.4	1.0	0.0	0.0
Measles	0	0.0	0	0.0	0%	0	0.0	0.0	0.0	0.0
Mumps	0	0.0	0	0.0	0%	0.1	0.1	0.7	0.0	0.0
Pertussis	0	0.0	0	0.0	0%	1.7	1.2	5.5	0.0	0.0
Central Nervous System										
Encephalitis	0	0.0	1	0.9	-	0.1	0.1			
Meningitis - Aseptic	1	3.2	28	23.8	635.0%	16.8	9.0			
Meningococcal Disease	0	0.0	0	0.0	0%	0.2	0.2	0.3	1.0	0.3
Enterics										
Amebiasis	0	0.0	0	0.0	0%	0.0	0.2			
Botulism	0	0.0	0	0.0	0%	0.0	0.0	0.0		
Campylobacteriosis	1	3.2	8	6.8	110.0%	14.3	14.7		12.3	8.5
Cryptosporidiosis	0	0.0	1	0.9	-	0.6	0.6	2.5		
<i>E. Coli</i> O157:H7	0	0.0	2	1.7	-	1.3	1.5		1.0	0.6
Giardiasis	0	0.0	1	0.9	-	2.7	2.4	7.4		
Listeriosis	0	0.0	0	0.0	0%	0.2	0.0	0.3	0.25	0.20
Salmonella Paratyphi	0	0.0	0	0.0	0%	0.1				
Salmonellosis	4	13.0	12	10.2	-21.3%	13.2	14.3	16.2	6.8	11.4
Shigellosis	0	0.0	1	0.9	-	6.4	6.8	5.2		
Typhoid	0	0.0	1	0.9	-	0.2	0.1	0.1		
Mycosis										
Coccidioidomycosis	7	22.7	410	348.9	1437.5%	247.7	175.9	13.2		
Zoonoses/Vectorborne										
Brucellosis	0	0.0	0	0.0	0%	0.2	0.1	0.0		
Hantavirus Pulmonary Syndrome	0	0.0	0	0.0	0%	0	0.0	0.0		
Malaria	0	0.0	0	0.0	0%	0.5	0.4	0.5		
West Nile Virus	-	-	4	3.4	-	3.0	2.6			
Hepatitides										
Hepatitis A	0	0.0	0	0.0	0%	0.9	1.1	0.7	4.5	
Hepatitis B	0	0.0	0	0.0	0%	2.5	2.3	1.1	2.4-9.0	0.0-1.5
Other										
Legionellosis	0	0.0	2	1.7	-	1.2	1.0	1.2		
Methicillin res. <i>S. aureus</i> (MRSA)	-	-	15	12.8	-	20.9	17.6			
Streptococcal Inv. Pneumonia	6	19.5	6	5.1	-73.8%	11.1	11.9	1.8		
Streptococcal Inf. Group A	2	6.5	3	2.6	-60.6%	2.6	2.8	2.1		
Streptococcal Inf. Group B***	0	0.0	0	0.0	0%	0.6	0.7		0.5	0.25
Vibrio Infection	0	0.0	0	0.0	0%	0.3	0.3	0.3		0.2
Yersiniosis	0	0.0	0	0.0	0%	0.0	0.0			0.3

***Streptococcal Inf. Group B rates are per 1,000 live births

Health Status Indicators for Cities and Towns 2000 and 2010

Surprise

Selected Causes of Death

Cause of Death	Surprise				Comparisons					
	2000		2010		Percent Change 2000-2010	Maricopa County, 2010	Arizona 2010	U.S. 2010	Healthy People 2010	Healthy People 2020
	Number	Rate per 100,000	Number	Rate per 100,000						
Tuberculosis	0	0.0	0	0.0	0%	0.3	0.2	0.2		
Syphilis	0	0.0	0	0.0	0%	0	0.0	0.0		
HIV Disease	0	0.0	<5		-	1.8	1.5	2.7	0.7	3.3
Malignant Neoplasms	62	201.0	196	166.8	-17.0%	144.3	163.1	185.9	159.9	160.6
Malignant Neoplasm Stomach	0	0.0	3	2.6	-	3.0	3.1	3.7		
Malignant Neoplasm Colon	5	16.2	15	12.8	-21.3%	13.1	14.9	17.0	13.9	14.5
Malignant Neoplasm Pancreas	1	3.2	18	15.3	372.5%	10.0	11.1	11.9		
Malig. Neo. Bronchus, Lung	17	55.1	52	44.2	-19.7%	37.9	41.5	51.2	44.9	45.5
Malignant Neoplasm Breast **	5	31.9	18	29.6	-7.0%	20.9	11.5	13.4	22.3*	20.6*
Mal. Neo. Uterus, Cervix,										
Ovary**	2	12.7	12	19.7	54.9%	13.5	6.6	8.7		
Malig. Neoplasm Prostate **	7	46.2	13	22.9	-50.4%	14.5	8.6	9.2	28.8*	21.2*
Malignant Neoplasm Urinary	7	22.7	12	10.2	-55.0%	7.6	8.4	9.1		
Non-Hodgkins Lymphoma	2	6.5	7	6.0	-8.1%	5.0	5.9	6.6		
Leukemia	3	9.7	6	5.1	-47.5%	5.8	6.9	7.3		
Other Malignant Neoplasms	13	42.1	40	34.0	-19.2%	37.1	44.6	47.8		
Diabetes	5	16.2	12	10.2	-37.0%	18.4	21.5	22.3		
Alzheimers	8	25.9	50	42.5	64.1%	43.6	36.2	27.0		
Major Cardiovascular Diseases	85	275.5	229	194.9	-29.3%	178.3	199.5	251.8		
Disease of Heart	73	236.6	185	157.4	-33.5%	134.7	152.0	192.9	166.0	100.8
Hypertensive Heart Disease	3	9.7	7	6.0	-38.8%	8.3	10.1	10.8		
Ischemic Heart Disease	59	191.3	148	125.9	-34.2%	103.7	110.2	122.5		
Other Heart Disease	11	35.7	30	25.5	-28.4%	21.4	31.7	57.7		
Primary Hypertension	1	3.2	8	6.8	110.0%	8.3	7.8	8.6		
Cerebrovascular	9	29.2	33	28.1	-3.8%	28.4	32.1	41.8	48.0	33.8
Atherosclerosis	1	3.2	0	0.0	-100.0%	1.7	2.4	2.3		
Other Circulatory	1	3.2	3	2.6	-21.3%	5.2	5.2	6.3		

**Breast and cervical cancer rates are per 100,000 females, prostate cancer rates are per 100,000 males
(continued on next page)

**Health Status Indicators for Cities and Towns
2000 and 2010**

Surprise

Selected Causes of Death, cont.

Cause of Death	Surprise				Comparisons					
	2000		2010		Percent Change 2000-2010	Maricopa County, 2010	Arizona 2010	U.S. 2010	Healthy People 2010	Healthy People 2020
	Number	Rate per 100,000	Number	Rate per 100,000						
Influenza & Pneumonia	10	32.4	10	8.5	-73.8%	7.8	11.4	16.2		
Chronic Lower Respiratory	20	64.8	56	47.7	-26.5%	38.3	45.2	44.6		
Peptic Ulcer	1	3.2	1	0.9	-73.8%	1.0	1.1	1.0		
Liver Disease	2	6.5	8	6.8	5.0%	10.1	13.2	10.3		
Nephritis	3	9.7	6	5.1	-47.5%	4.7	8.1	16.3		
Pregnancy	0	0.0	0	0.0	0%	0.4	0.2	0.3		
Perinatal Conditions	2	6.5	0	0.0	-100.0%	3.8	3.6	3.9		
Congenital Malformations	1	3.2	2	1.7	-47.5%	3.0	3.3	3.1		
SIDS**	0	0.0	0	0.0	0%	0.4	0.4	0.5		0.5
Symptoms, Signs ex. SIDS	5	16.2	28	23.8	47.0%	19.7				
All Other Diseases	30	97.3	122	103.8	6.7%	100.6				
Motor Vehicle Accidents	4	13.0	4	3.4	-73.8%	8.8	11.1	11.4	9.2	12.4
All Other Acc. & Adverse Effects	4	13.0	32	27.2	110.0%	32.6	33.2	26.8		
Suicide	3	9.7	17	14.5	48.7%	14.4	16.7	12.2	5.0	10.2
Homicide	2	6.5	3	2.6	-60.6%	5.7	6.3	5.2	3.0	5.5
All Other External Causes	0	0.0	2	1.7	-	2.4				
Unknown	0	0.0	0	0.0	0%	0.0				
Total	247	800.7	778	662.0	-17.3%	640.2	717.6	798.7		

**Sudden Infant Death Syndrome (SIDS) rates are per 1,000 live births

**Health Status Indicators for Cities and Towns
2000 and 2010**

Tempe

Population Statistics

	Tempe		Maricopa County		Arizona	U.S.
	Number	% Inc. from 2000	Number	% Inc. from 2000	Number	Number
Population						
2000	158,625	NA	3,072,149	NA	5,130,623	281,421,906
2010	161,719	2.0%	3,817,117	24.2%	6,392,017	308,745,538
Age Distribution 2010	Number	% Distribution	Number	% Distribution	% Distribution	% Distribution
Under 20 years old	38,911	24.1%	1,119,606	29.3%	28.4%	26.9%
20 - 44 years old	76,552	47.3%	1,332,596	34.9%	33.2%	33.6%
45 - 64 years old	32,596	20.2%	902,274	23.6%	24.6%	26.4%
65 and older	13,660	8.4%	462,641	12.1%	13.8%	13.1%
Dependency ratio		0.48		0.71	0.73	0.67

Infant Health Indicators

	Tempe				Percent Change 2000-2010	Maricopa County 2010	Arizona 2010	U.S. 2010	Healthy People 2010	Healthy People 2020
	2000		2010							
	<u>Number</u>	<u>Percent or Rate</u>	<u>Number</u>	<u>Percent or Rate</u>						
Low weight births (under 2500 grams) - % of live births	148	7.0%	129	7.0%	0.6%	7.1%	7.1%	8.2%	5.0%	7.8%
Births to teen mothers - per 1,000 females 15-19	214	28.7	137	17.0	-40.6%	39.8	41.6	34.3	(-)	(-)
Infant mortality per 1,000 live births	12	5.7	12	6.5	15.5%	5.8	6.0	6.1	4.5	6.0
Total Births/ Births per 1,000 females 15-44	2,120	50.1	1,836	43.6	-13.0%	68.4/ 54,235	68.9/ 87,053	64.1/ 4,000,279		

Note: The 2000 and 2010 Infant Health Indicator data are from ADHS. See Appendix A - Data Notes for details.
Total Birth Rates are per 1,000 females 15-44 years old; Teen Birth Rates are per 1,000 females 15-19 years old.
The Healthy People 2010 Goals that are met are highlighted in green

Health Status Indicators for Cities and Towns 2000 and 2010

Tempe

Selected Reportable Diseases

	Tempe				Percent Change 2000-2010	Comparisons				
	2000		2010			Rate per 100,000 Population				
	Number	Rate per 100,000	Number	Rate per 100,000		Maricopa County, 2010	Arizona 2010	U.S. 2009	H.P. 2010	H.P. 2020
Vaccine Preventable										
<i>H. influenzae</i>	1	0.6	1	0.6	-1.9%	1.6	0.4	1.0	0.0	0.0
Measles	0	0.0	0	0.0	0%	0	0.0	0.0	0.0	0.0
Mumps	1	0.6	0	0.0	-100.0%	0.1	0.1	0.7	0.0	0.0
Pertussis	5	3.2	2	1.2	-60.8%	1.7	1.2	5.5	0.0	0.0
Central Nervous System										
Encephalitis	0	0.0	0	0.0	0%	0.1	0.1			
Meningitis - Aseptic	7	4.4	18	11.1	152.2%	16.8	9.0			
Meningococcal Disease	0	0.0	1	0.6	-	0.2	0.2	0.3	1.0	0.3
Enterics										
Amebiasis	0	0.0	0	0.0	0%	0.0	0.2			
Botulism	0	0.0	0	0.0	0%	0.0	0.0	0.0		
Campylobacteriosis	10	6.3	12	7.4	17.7%	14.3	14.7		12.3	8.5
Cryptosporidiosis	0	0.0	0	0.0	0%	0.6	0.6	2.5		
<i>E. Coli</i> O157:H7	0	0.0	1	0.6	-	1.3	1.5		1.0	0.6
Giardiasis	10	6.3	5	3.1	-51.0%	2.7	2.4	7.4		
Listeriosis	0	0.0	0	0.0	0%	0.2	0.0	0.3	0.25	0.20
Salmonella Paratyphi	0	0.0	0	0.0	0%	0.1				
Salmonellosis	19	12.0	13	8.0	-32.9%	13.2	14.3	16.2	6.8	11.4
Shigellosis	6	3.8	3	1.9	-51.0%	6.4	6.8	5.2		
Typhoid	0	0.0	0	0.0	0%	0.2	0.1	0.1		
Mycosis										
Coccidioidomycosis	49	30.9	239	147.8	378.4%	247.7	175.9	13.2		
Zoonoses/Vectorborne										
Brucellosis	0	0.0	0	0.0	0%	0.2	0.1	0.0		
Hantavirus Pulmonary Syndrome	0	0.0	0	0.0	0%	0	0.0	0.0		
Malaria	1	0.6	2	1.2	96.2%	0.5	0.4	0.5		
West Nile Virus	-	-	6	3.7	-	3.0	2.6			
Hepatitides										
Hepatitis A	7	4.4	5	3.1	-29.9%	0.9	1.1	0.7	4.5	
Hepatitis B	7	4.4	5	3.1	-29.9%	2.5	2.3	1.1	2.4-9.0	0.0-1.5
Other										
Legionellosis	0	0.0	1	0.6	-	1.2	1.0	1.2		
Methicillin res. <i>S. aureus</i> (MRSA)	-	-	7	4.3	-	20.9	17.6			
Streptococcal Inv. Pneumonia	14	8.8	9	5.6	-36.9%	11.1	11.9	1.8		
Streptococcal Inf. Group A	7	4.4	2	1.2	-72.0%	2.6	2.8	2.1		
Streptococcal Inf. Group B***	1	0.5	1	0.5	15.5%	0.6	0.7		0.5	0.25
Vibrio Infection	0	0.0	0	0.0	0%	0.3	0.3	0.3		0.2
Yersiniosis	0	0.0	0	0.0	0%	0.0	0.0			0.3

***Streptococcal Inf. Group B rates are per 1,000 live births

**Health Status Indicators for Cities and Towns
2000 and 2010**

Tempe

Selected Causes of Death

Cause of Death	Tempe				Percent Change 2000-2010	Comparisons				
	2000		2010			Maricopa County, 2010	Arizona 2010	U.S. 2010	Healthy People 2010	Healthy People 2020
	Number	Rate per 100,000	Number	Rate per 100,000						
Tuberculosis	0	0.0	1	0.6	-	0.3	0.2	0.2		
Syphilis	0	0.0	0	0.0	0%	0	0.0	0.0		
HIV Disease	<5		<5		-	1.8	1.5	2.7	0.7	3.3
Malignant Neoplasms	172	108.4	193	119.3	10.1%	144.3	163.1	185.9	159.9	160.6
Malignant Neoplasm Stomach	5	3.2	1	0.6	-80.4%	3.0	3.1	3.7		
Malignant Neoplasm Colon	23	14.5	20	12.4	-14.7%	13.1	14.9	17.0	13.9	14.5
Malignant Neoplasm Pancreas	10	6.3	16	9.9	56.9%	10.0	11.1	11.9		
Malig. Neo. Bronchus, Lung	45	28.4	49	30.3	6.8%	37.9	41.5	51.2	44.9	45.5
Malignant Neoplasm Breast **	13	17.0	14	18.1	6.5%	20.9	11.5	13.4	22.3*	20.6*
Mal. Neo. Uterus, Cervix, Ovary**	5	6.5	9	11.6	78.1%	13.5	6.6	8.7		
Malign. Neoplasm Prostate **	13	15.9	8	9.5	-40.1%	14.5	8.6	9.2	28.8*	21.2*
Malignant Neoplasm Urinary	6	3.8	8	4.9	30.8%	7.6	8.4	9.1		
Non-Hodgkins Lymphoma	9	5.7	4	2.5	-56.4%	5.0	5.9	6.6		
Leukemia	10	6.3	7	4.3	-31.3%	5.8	6.9	7.3		
Other Malignant Neoplasms	33	20.8	57	35.2	69.4%	37.1	44.6	47.8		
Diabetes	20	12.6	24	14.8	17.7%	18.4	21.5	22.3		
Alzheimers	23	14.5	54	33.4	130.3%	43.6	36.2	27.0		
Major Cardiovascular Diseases	276	174.0	205	126.8	-27.1%	178.3	199.5	251.8		
Disease of Heart	199	125.5	151	93.4	-25.6%	134.7	152.0	192.9	166.0	100.8
Hypertensive Heart Disease	10	6.3	12	7.4	17.7%	8.3	10.1	10.8		
Ischemic Heart Disease	145	91.4	114	70.5	-22.9%	103.7	110.2	122.5		
Other Heart Disease	44	27.7	25	15.5	-44.3%	21.4	31.7	57.7		
Primary Hypertension	9	5.7	13	8.0	41.7%	8.3	7.8	8.6		
Cerebrovascular	60	37.8	33	20.4	-46.1%	28.4	32.1	41.8	48.0	33.8
Atherosclerosis	3	1.9	3	1.9	-1.9%	1.7	2.4	2.3		
Other Circulatory	5	3.2	5	3.1	-1.9%	5.2	5.2	6.3		

**Breast and cervical cancer rates are per 100,000 females, prostate cancer rates are per 100,000 males
(continued on next page)

**Health Status Indicators for Cities and Towns
2000 and 2010**

Tempe

Selected Causes of Death, cont.

Cause of Death	Tempe				Comparisons					
	2000		2010		Percent Change 2000-2010	Maricopa County, 2010	Arizona 2010	U.S. 2010	Healthy People 2010	Healthy People 2020
	Number	Rate per 100,000	Number	Rate per 100,000						
Influenza & Pneumonia	30	18.9	11	6.8	-64.0%	7.8	11.4	16.2		
Chronic Lower Respiratory	51	32.2	34	21.0	-34.6%	38.3	45.2	44.6		
Peptic Ulcer	2	1.3	3	1.9	47.1%	1.0	1.1	1.0		
Liver Disease	14	8.8	17	10.5	19.1%	10.1	13.2	10.3		
Nephritis	15	9.5	2	1.2	-86.9%	4.7	8.1	16.3		
Pregnancy	0	0.0	0	0.0	0%	0.4	0.2	0.3		
Perinatal Conditions	4	2.5	7	4.3	71.7%	3.8	3.6	3.9		
Congenital Malformations	5	3.2	7	4.3	37.3%	3.0	3.3	3.1		
SIDS**	0	0.0	0	0.0	0%	0.4	0.4	0.5		0.5
Symptoms, Signs ex. SIDS	26	16.4	23	14.2	-13.2%	19.7				
All Other Diseases	125	78.8	134	82.9	5.1%	100.6				
Motor Vehicle Accidents	20	12.6	10	6.2	-51.0%	8.8	11.1	11.4	9.2	12.4
All Other Acc. & Adverse Effects	22	13.9	38	23.5	69.4%	32.6	33.2	26.8		
Suicide	19	12.0	30	18.6	54.9%	14.4	16.7	12.2	5.0	10.2
Homicide	10	6.3	6	3.7	-41.1%	5.7	6.3	5.2	3.0	5.5
All Other External Causes	0	0.0	3	1.9	-	2.4				
Unknown	0	0.0	0	0.0	0%	0.0				
Total	834	525.8	802	495.9	-5.7%	640.2	717.6	798.7		

**Sudden Infant Death Syndrome (SIDS) rates are per 1,000 live births

**Health Status Indicators for Cities and Towns
2000 and 2010**

Tolleson

Population Statistics

	Tolleson		Maricopa County		Arizona	U.S.
	Number	% Inc. from 2000	Number	% Inc. from 2000	Number	Number
Population						
2000	4,974	NA	3,072,149	NA	5,130,623	281,421,906
2010	6,545	31.6%	3,817,117	24.2%	6,392,017	308,745,538
Age Distribution 2010						
	Number	% Distribution	Number	% Distribution	% Distribution	% Distribution
Under 20 years old	2,545	38.9%	1,119,606	29.3%	28.4%	26.9%
20 - 44 years old	2,280	34.8%	1,332,596	34.9%	33.2%	33.6%
45 - 64 years old	1,130	17.3%	902,274	23.6%	24.6%	26.4%
65 and older	590	9%	462,641	12.1%	13.8%	13.1%
Dependency ratio		0.92		0.71	0.73	0.67

Infant Health Indicators

	Tolleson				Percent Change 2000-2010	Maricopa County 2010	Arizona 2010	U.S. 2010	Healthy People 2010	Healthy People 2020
	2000		2010							
	Number	Percent or Rate	Number	Percent or Rate						
Low weight births (under 2500 grams) - % of live births	12	8.9%	50	7.1%	-20.2%	7.1%	7.1%	8.2%	5.0%	7.8%
Births to teen mothers - per 1,000 females 15-19	26	115.0	93	339.4	195.0%	39.8	41.6	34.3	(-)	(-)
Infant mortality per 1,000 live births	0	0.0	<5		-	5.8	6.0	6.1	4.5	6.0
Total Births/ Births per 1,000 females 15-44	135	129.7	705	483.9	273.1%	68.4/ 54,235	68.9/ 87,053	64.1/ 4,000,279		

Note: Infant health indicators for cities/towns with fewer than 1,000 births may not be reliable.

Total Birth Rates are per 1,000 females 15-44 years old; Teen Birth Rates are per 1,000 females 15-19 years old.

The Healthy People 2010 Goals that are met are highlighted in green

Health Status Indicators for Cities and Towns 2000 and 2010
Tolleson

Selected Reportable Diseases

	Tolleson				Percent Change 2000-2010	Comparisons				
	2000		2010			Rate per 100,000 Population				
	Number	Rate per 100,000	Number	Rate per 100,000		Maricopa County, 2010	Arizona 2010	U.S. 2009	H.P. 2010	H.P. 2020
Vaccine Preventable										
<i>H. influenzae</i>	0	0.0	0	0.0	0%	1.6	0.4	1.0	0.0	0.0
Measles	0	0.0	0	0.0	0%	0	0.0	0.0	0.0	0.0
Mumps	0	0.0	0	0.0	0%	0.1	0.1	0.7	0.0	0.0
Pertussis	0	0.0	0	0.0	0%	1.7	1.2	5.5	0.0	0.0
Central Nervous System										
Encephalitis	0	0.0	0	0.0	0%	0.1	0.1			
Meningitis - Aseptic	0	0.0	9	137.5	-	16.8	9.0			
Meningococcal Disease	0	0.0	0	0.0	0%	0.2	0.2	0.3	1.0	0.3
Enterics										
Amebiasis	0	0.0	0	0.0	0%	0.0	0.2			
Botulism	0	0.0	0	0.0	0%	0.0	0.0	0.0		
Campylobacteriosis	0	0.0	4	61.1	-	14.3	14.7		12.3	8.5
Cryptosporidiosis	0	0.0	0	0.0	0%	0.6	0.6	2.5		
<i>E. Coli</i> O157:H7	0	0.0	1	15.3	-	1.3	1.5		1.0	0.6
Giardiasis	0	0.0	0	0.0	0%	2.7	2.4	7.4		
Listeriosis	0	0.0	0	0.0	0%	0.2	0.0	0.3	0.25	0.20
Salmonella Paratyphi	0	0.0	0	0.0	0%	0.1				
Salmonellosis	1	20.1	1	15.3	-24.0%	13.2	14.3	16.2	6.8	11.4
Shigellosis	0	0.0	3	45.8	-	6.4	6.8	5.2		
Typhoid	0	0.0	0	0.0	0%	0.2	0.1	0.1		
Mycosis										
Coccidioidomycosis	0	0.0	19	290.3	-	247.7	175.9	13.2		
Zoonoses/Vectorborne										
Brucellosis	0	0.0	1	15.3	-	0.2	0.1	0.0		
Hantavirus Pulmonary Syndrome	0	0.0	0	0.0	0%	0	0.0	0.0		
Malaria	0	0.0	0	0.0	0%	0.5	0.4	0.5		
West Nile Virus	-	-	0	0.0	-	3.0	2.6			
Hepatitides										
Hepatitis A	2	40.2	1	15.3	-62.0%	0.9	1.1	0.7	4.5	
Hepatitis B	0	0.0	0	0.0	0%	2.5	2.3	1.1	2.4-9.0	0.0-1.5
Other										
Legionellosis	0	0.0	0	0.0	0%	1.2	1.0	1.2		
Methicillin res. <i>S. aureus</i> (MRSA)	-	-	2	30.6	-	20.9	17.6			
Streptococcal Inv. Pneumonia	1	20.1	1	15.3	-24.0%	11.1	11.9	1.8		
Streptococcal Inf. Group A	0	0.0	0	0.0	0%	2.6	2.8	2.1		
Streptococcal Inf. Group B***	0	0.0	0	0.0	0%	0.6	0.7		0.5	0.25
Vibrio Infection	0	0.0	0	0.0	0%	0.3	0.3	0.3		0.2
Yersiniosis	0	0.0	0	0.0	0%	0.0	0.0			0.3

***Streptococcal Inf. Group B rates are per 1,000 live births

Health Status Indicators for Cities and Towns 2000 and 2010

Tolleson

Selected Causes of Death

Cause of Death	Tolleson				Percent Change 2000-2010	Comparisons				
	2000		2010			Maricopa County, 2010	Arizona 2010	U.S. 2010	Healthy People 2010	Healthy People 2020
	Number	Rate per 100,000	Number	Rate per 100,000						
Tuberculosis	0	0.0	0	0.0	0%	0.3	0.2	0.2		
Syphilis	0	0.0	0	0.0	0%	0	0.0	0.0		
HIV Disease	0	0.0	0	0.0	0%	1.8	1.5	2.7	0.7	3.3
Malignant Neoplasms	11	221.1	28	427.8	93.4%	144.3	163.1	185.9	159.9	160.6
Malignant Neoplasm Stomach	0	0.0	0	0.0	0%	3.0	3.1	3.7		
Malignant Neoplasm Colon	3	60.3	2	30.6	-49.3%	13.1	14.9	17.0	13.9	14.5
Malignant Neoplasm Pancreas	1	20.1	2	30.6	52.0%	10.0	11.1	11.9		
Malig. Neo. Bronchus, Lung	4	80.4	5	76.4	-5.0%	37.9	41.5	51.2	44.9	45.5
Malignant Neoplasm Breast **	0	0.0	2	58.6	-	20.9	11.5	13.4	22.3*	20.6*
Mal. Neo. Uterus, Cervix, Ovary**	0	0.0	2	58.6	-	13.5	6.6	8.7		
Malign. Neoplasm Prostate **	1	39.7	0	0.0	-100.0%	14.5	8.6	9.2	28.8*	21.2*
Malignant Neoplasm Urinary	0	0.0	0	0.0	0%	7.6	8.4	9.1		
Non-Hodgkins Lymphoma	0	0.0	1	15.3	-	5.0	5.9	6.6		
Leukemia	0	0.0	2	30.6	-	5.8	6.9	7.3		
Other Malignant Neoplasms	2	40.2	12	183.3	356.0%	37.1	44.6	47.8		
Diabetes	2	40.2	3	45.8	14.0%	18.4	21.5	22.3		
Alzheimers	2	40.2	3	45.8	14.0%	43.6	36.2	27.0		
Major Cardiovascular Diseases	19	382.0	23	351.4	-8.0%	178.3	199.5	251.8		
Disease of Heart	17	341.8	19	290.3	-15.1%	134.7	152.0	192.9	166.0	100.8
Hypertensive Heart Disease	0	0.0	4	61.1	-	8.3	10.1	10.8		
Ischemic Heart Disease	14	281.5	11	168.1	-40.3%	103.7	110.2	122.5		
Other Heart Disease	3	60.3	4	61.1	1.3%	21.4	31.7	57.7		
Primary Hypertension	0	0.0	1	15.3	-	8.3	7.8	8.6		
Cerebrovascular	2	40.2	2	30.6	-24.0%	28.4	32.1	41.8	48.0	33.8
Atherosclerosis	0	0.0	0	0.0	0%	1.7	2.4	2.3		
Other Circulatory	0	0.0	1	15.3	-	5.2	5.2	6.3		

**Breast and cervical cancer rates are per 100,000 females, prostate cancer rates are per 100,000 males
(continued on next page)

**Health Status Indicators for Cities and Towns
2000 and 2010**

Tolleson

Selected Causes of Death, cont.

Cause of Death	Tolleson				Comparisons					
	2000		2010		Percent Change 2000-2010	Maricopa County, 2010	Arizona 2010	U.S. 2010	Healthy People 2010	Healthy People 2020
	Number	Rate per 100,000	Number	Rate per 100,000						
Influenza & Pneumonia	1	20.1	1	15.3	-24.0%	7.8	11.4	16.2		
Chronic Lower Respiratory	3	60.3	6	91.7	52.0%	38.3	45.2	44.6		
Peptic Ulcer	0	0.0	0	0.0	0%	1.0	1.1	1.0		
Liver Disease	2	40.2	1	15.3	-62.0%	10.1	13.2	10.3		
Nephritis	0	0.0	1	15.3	-	4.7	8.1	16.3		
Pregnancy	0	0.0	0	0.0	0%	0.4	0.2	0.3		
Perinatal Conditions	0	0.0	1	15.3	-	3.8	3.6	3.9		
Congenital Malformations	0	0.0	0	0.0	0%	3.0	3.3	3.1		
SIDS**	0	0.0	0	0.0	0%	0.4	0.4	0.5		0.5
Symptoms, Signs ex. SIDS	1	20.1	2	30.6	52.0%	19.7				
All Other Diseases	7	140.7	8	122.2	-13.1%	100.6				
Motor Vehicle Accidents	0	0.0	1	15.3	-	8.8	11.1	11.4	9.2	12.4
All Other Acc. & Adverse Effects	0	0.0	1	15.3	-	32.6	33.2	26.8		
Suicide	1	20.1	2	30.6	52.0%	14.4	16.7	12.2	5.0	10.2
Homicide	0	0.0	0	0.0	0%	5.7	6.3	5.2	3.0	5.5
All Other External Causes	1	20.1	3	45.8	128.0%	2.4				
Unknown	0	0.0	0	0.0	0%	0.0				
Total	50	1,005.2	84	1,283.4	27.7%	640.2	717.6	798.7		

**Sudden Infant Death Syndrome (SIDS) rates are per 1,000 live births

**Health Status Indicators for Cities and Towns
2000 and 2010**

Wickenburg

Population Statistics

	Wickenburg		Maricopa County		Arizona	U.S.
	Number	% Inc. from 2000	Number	% Inc. from 2000	Number	Number
Population						
2000	5,082	NA	3,072,149	NA	5,130,623	281,421,906
2010	6,363	25.2%	3,817,117	24.2%	6,392,017	308,745,538
Age Distribution 2010	Number	% Distribution	Number	% Distribution	% Distribution	% Distribution
Under 20 years old	1,270	20.0%	1,119,606	29.3%	28.4%	26.9%
20 - 44 years old	1,304	20.5%	1,332,596	34.9%	33.2%	33.6%
45 - 64 years old	1,791	28.1%	902,274	23.6%	24.6%	26.4%
65 and older	1,998	31.4%	462,641	12.1%	13.8%	13.1%
Dependency ratio		1.06		0.71	0.73	0.67

Infant Health Indicators

	Wickenburg				Percent Change 2000-2010	Maricopa County 2010	Arizona 2010	U.S. 2010	Healthy People 2010	Healthy People 2020
	2000		2010							
	Number	Percent or Rate	Number	Percent or Rate						
Low weight births (under 2500 grams) - % of live births	<5		6	10.9%	-	7.1%	7.1%	8.2%	5.0%	7.8%
Births to teen mothers - per 1,000 females 15-19	11	80.9	8	40.6	-49.8%	39.8	41.6	34.3	(-)	(-)
Infant mortality per 1,000 live births	0	0.0	0	0.0	0%	5.8	6.0	6.1	4.5	6.0
Total Births/ Births per 1,000 females 15-44	71	90.3	55	65.1	-27.9%	68.4/ 54,235	68.9/ 87,053	64.1/ 4,000,279		

Note: Infant health indicators for cities/towns with fewer than 1,000 births may not be reliable.
Total Birth Rates are per 1,000 females 15-44 years old; Teen Birth Rates are per 1,000 females 15-19 years old.
The Healthy People 2010 Goals that are met are highlighted in green

Health Status Indicators for Cities and Towns 2000 and 2010
Wickenburg

Selected Reportable Diseases

	Wickenburg				Percent Change 2000-2010	Comparisons				
	2000		2010			Rate per 100,000 Population				
	Number	Rate per 100,000	Number	Rate per 100,000		Maricopa County, 2010	Arizona 2010	U.S. 2009	H.P. 2010	H.P. 2020
Vaccine Preventable										
<i>H. influenzae</i>	0	0.0	1	15.7	-	1.6	0.4	1.0	0.0	0.0
Measles	0	0.0	0	0.0	0%	0	0.0	0.0	0.0	0.0
Mumps	0	0.0	0	0.0	0%	0.1	0.1	0.7	0.0	0.0
Pertussis	0	0.0	0	0.0	0%	1.7	1.2	5.5	0.0	0.0
Central Nervous System										
Encephalitis	0	0.0	0	0.0	0%	0.1	0.1			
Meningitis - Aseptic	0	0.0	1	15.7	-	16.8	9.0			
Meningococcal Disease	0	0.0	0	0.0	0%	0.2	0.2	0.3	1.0	0.3
Enterics										
Amebiasis	0	0.0	0	0.0	0%	0.0	0.2			
Botulism	0	0.0	0	0.0	0%	0.0	0.0	0.0		
Campylobacteriosis	0	0.0	2	31.4	-	14.3	14.7		12.3	8.5
Cryptosporidiosis	0	0.0	0	0.0	0%	0.6	0.6	2.5		
<i>E. Coli</i> O157:H7	0	0.0	0	0.0	0%	1.3	1.5		1.0	0.6
Giardiasis	0	0.0	0	0.0	0%	2.7	2.4	7.4		
Listeriosis	0	0.0	0	0.0	0%	0.2	0.0	0.3	0.25	0.20
Salmonella Paratyphi	0	0.0	0	0.0	0%	0.1				
Salmonellosis	0	0.0	0	0.0	0%	13.2	14.3	16.2	6.8	11.4
Shigellosis	0	0.0	0	0.0	0%	6.4	6.8	5.2		
Typhoid	0	0.0	0	0.0	0%	0.2	0.1	0.1		
Mycosis										
Coccidioidomycosis	3	59.0	32	502.9	751.9%	247.7	175.9	13.2		
Zoonoses/Vectorborne										
Brucellosis	0	0.0	0	0.0	0%	0.2	0.1	0.0		
Hantavirus Pulmonary Syndrome	0	0.0	0	0.0	0%	0	0.0	0.0		
Malaria	0	0.0	0	0.0	0%	0.5	0.4	0.5		
West Nile Virus	-	-	0	0.0	-	3.0	2.6			
Hepatitides										
Hepatitis A	0	0.0	0	0.0	0%	0.9	1.1	0.7	4.5	
Hepatitis B	0	0.0	0	0.0	0%	2.5	2.3	1.1	2.4-9.0	0.0-1.5
Other										
Legionellosis	0	0.0	0	0.0	0%	1.2	1.0	1.2		
Methicillin res. <i>S. aureus</i> (MRSA)	-	-	2	31.4	-	20.9	17.6			
Streptococcal Inv. Pneumonia	1	19.7	1	15.7	-20.1%	11.1	11.9	1.8		
Streptococcal Inf. Group A	0	0.0	0	0.0	-	2.6	2.8	2.1		
Streptococcal Inf. Group B***	0	0.0	0	0.0	0%	0.6	0.7		0.5	0.25
Vibrio Infection	0	0.0	0	0.0	0%	0.3	0.3	0.3		0.2
Yersiniosis	0	0.0	0	0.0	0%	0.0	0.0			0.3

***Streptococcal Inf. Group B rates are per 1,000 live births

Health Status Indicators for Cities and Towns 2000 and 2010

Wickenburg

Selected Causes of Death

Cause of Death	Wickenburg				Comparisons					
	2000		2010		Percent Change 2000-2010	Maricopa County, 2010	Arizona 2010	U.S. 2010	Healthy People 2010	Healthy People 2020
	Number	Rate per 100,000	Number	Rate per 100,000						
Tuberculosis	0	0.0	0	0.0	0%	0.3	0.2	0.2		
Syphilis	0	0.0	0	0.0	0%	0	0.0	0.0		
HIV Disease	0	0.0	0	0.0	0%	1.8	1.5	2.7	0.7	3.3
Malignant Neoplasms	34	669.0	28	440.0	-34.2%	144.3	163.1	185.9	159.9	160.6
Malignant Neoplasm Stomach	1	19.7	0	0.0	-100.0%	3.0	3.1	3.7		
Malignant Neoplasm Colon	4	78.7	4	62.9	-20.1%	13.1	14.9	17.0	13.9	14.5
Malignant Neoplasm Pancreas	0	0.0	2	31.4	-	10.0	11.1	11.9		
Malig. Neo. Bronchus, Lung	13	255.8	4	62.9	-75.4%	37.9	41.5	51.2	44.9	45.5
Malignant Neoplasm Breast **	1	37.2	3	89.9	141.6%	20.9	11.5	13.4	22.3*	20.6*
Mal. Neo. Uterus, Cervix, Ovary**	0	0.0	2	60.0	-	13.5	6.6	8.7		
Malig. Neoplasm Prostate **	3	125.3	2	66.1	-47.3%	14.5	8.6	9.2	28.8*	21.2*
Malignant Neoplasm Urinary	0	0.0	1	15.7	-	7.6	8.4	9.1		
Non-Hodgkins Lymphoma	0	0.0	0	0.0	0%	5.0	5.9	6.6		
Leukemia	3	59.0	1	15.7	-73.4%	5.8	6.9	7.3		
Other Malignant Neoplasms	9	177.1	9	141.4	-20.1%	37.1	44.6	47.8		
Diabetes	6	118.1	4	62.9	-46.8%	18.4	21.5	22.3		
Alzheimers	3	59.0	11	172.9	192.8%	43.6	36.2	27.0		
Major Cardiovascular Diseases	28	551.0	31	487.2	-11.6%	178.3	199.5	251.8		
Disease of Heart	19	373.9	20	314.3	-15.9%	134.7	152.0	192.9	166.0	100.8
Hypertensive Heart Disease	2	39.4	0	0.0	-100.0%	8.3	10.1	10.8		
Ischemic Heart Disease	15	295.2	18	282.9	-4.2%	103.7	110.2	122.5		
Other Heart Disease	2	39.4	2	31.4	-20.1%	21.4	31.7	57.7		
Primary Hypertension	1	19.7	3	47.1	139.6%	8.3	7.8	8.6		
Cerebrovascular	6	118.1	7	110.0	-6.8%	28.4	32.1	41.8	48.0	33.8
Atherosclerosis	1	19.7	1	15.7	-20.1%	1.7	2.4	2.3		
Other Circulatory	1	19.7	0	0.0	-100.0%	5.2	5.2	6.3		

**Breast and cervical cancer rates are per 100,000 females, prostate cancer rates are per 100,000 males
(continued on next page)

**Health Status Indicators for Cities and Towns
2000 and 2010
Wickenburg**

Selected Causes of Death, cont.

Cause of Death	Wickenburg				Percent Change 2000-2010	Comparisons				
	2000		2010			Maricopa County, 2010	Arizona 2010	U.S. 2010	Healthy People 2010	Healthy People 2020
	Number	Rate per 100,000	Number	Rate per 100,000						
Influenza & Pneumonia	3	59.0	1	15.7	-73.4%	7.8	11.4	16.2		
Chronic Lower Respiratory	18	354.2	15	235.7	-33.4%	38.3	45.2	44.6		
Peptic Ulcer	0	0.0	0	0.0	0%	1.0	1.1	1.0		
Liver Disease	2	39.4	1	15.7	-60.1%	10.1	13.2	10.3		
Nephritis	0	0.0	1	15.7	-	4.7	8.1	16.3		
Pregnancy	0	0.0	0	0.0	0%	0.4	0.2	0.3		
Perinatal Conditions	0	0.0	0	0.0	0%	3.8	3.6	3.9		
Congenital Malformations	0	0.0	0	0.0	0%	3.0	3.3	3.1		
SIDS**	0	0.0	0	0.0	0%	0.4	0.4	0.5		0.5
Symptoms, Signs ex. SIDS	4	78.7	0	0.0	-100.0%	19.7				
All Other Diseases	14	275.5	18	282.9	2.7%	100.6				
Motor Vehicle Accidents	4	78.7	3	47.1	-40.1%	8.8	11.1	11.4	9.2	12.4
All Other Acc. & Adverse Effects	3	59.0	6	94.3	59.7%	32.6	33.2	26.8		
Suicide	4	78.7	0	0.0	-100.0%	14.4	16.7	12.2	5.0	10.2
Homicide	0	0.0	1	15.7	-	5.7	6.3	5.2	3.0	5.5
All Other External Causes	1	19.7	0	0.0	-100.0%	2.4				
Unknown	0	0.0	0	0.0	0%	0.0				
Total	124	2,440.0	120	1,885.9	-22.7%	640.2	717.6	798.7		

**Sudden Infant Death Syndrome (SIDS) rates are per 1,000 live births

**Health Status Indicators for Cities and Towns
2000 and 2010**

Youngtown

Population Statistics

	Youngtown		Maricopa County		Arizona	U.S.
	Number	% Inc. from 2000	Number	% Inc. from 2000	Number	Number
Population						
2000	3,010	NA	3,072,149	NA	5,130,623	281,421,906
2010	6,156	104.5%	3,817,117	24.2%	6,392,017	308,745,538
Age Distribution 2010						
	Number	% Distribution	Number	% Distribution	% Distribution	% Distribution
Under 20 years old	1,699	27.6%	1,119,606	29.3%	28.4%	26.9%
20 - 44 years old	1,956	31.8%	1,332,596	34.9%	33.2%	33.6%
45 - 64 years old	1,317	21.4%	902,274	23.6%	24.6%	26.4%
65 and older	1,184	19.2%	462,641	12.1%	13.8%	13.1%
Dependency ratio		0.88		0.71	0.73	0.67

Infant Health Indicators

	Youngtown				Percent Change 2000-2010	Maricopa County 2010	Arizona 2010	U.S. 2010	Healthy People 2010	Healthy People 2020
	2000		2010							
	Number	Percent or Rate	Number	Percent or Rate						
Low weight births (under 2500 grams) - % of live births	0	0.0%	<5		-	7.1%	7.1%	8.2%	5.0%	7.8%
Births to teen mothers - per 1,000 females 15-19	<5		6	33.1	-	39.8	41.6	34.3	(-)	(-)
Infant mortality per 1,000 live births	0	0.0	<5		-	5.8	6.0	6.1	4.5	6.0
Total Births/ Births per 1,000 females 15-44	16	62.7	81	70.9	12.9%	68.4/ 54,235	68.9/ 87,053	64.1/ 4,000,279		

Note: Infant health indicators for cities/towns with fewer than 1,000 births may not be reliable.
Total Birth Rates are per 1,000 females 15-44 years old; Teen Birth Rates are per 1,000 females 15-19 years old.
The Healthy People 2010 Goals that are met are highlighted in green

Health Status Indicators for Cities and Towns 2000 and 2010
Youngtown

Selected Reportable Diseases

	Youngtown				Percent Change 2000-2010	Comparisons				
	2000		2010			Rate per 100,000 Population				
	Number	Rate per 100,000	Number	Rate per 100,000		Maricopa County, 2010	Arizona 2010	U.S. 2009	H.P. 2010	H.P. 2020
Vaccine Preventable										
<i>H. influenzae</i>	0	0.0	0	0.0	0%	1.6	0.4	1.0	0.0	0.0
Measles	0	0.0	0	0.0	0%	0	0.0	0.0	0.0	0.0
Mumps	0	0.0	0	0.0	0%	0.1	0.1	0.7	0.0	0.0
Pertussis	0	0.0	0	0.0	0%	1.7	1.2	5.5	0.0	0.0
Central Nervous System										
Encephalitis	0	0.0	0	0.0	0%	0.1	0.1			
Meningitis - Aseptic	0	0.0	1	16.2	-	16.8	9.0			
Meningococcal Disease	0	0.0	0	0.0	0%	0.2	0.2	0.3	1.0	0.3
Enterics										
Amebiasis	0	0.0	0	0.0	0%	0.0	0.2			
Botulism	0	0.0	0	0.0	0%	0.0	0.0	0.0		
Campylobacteriosis	0	0.0	0	0.0	0%	14.3	14.7		12.3	8.5
Cryptosporidiosis	0	0.0	0	0.0	0%	0.6	0.6	2.5		
<i>E. Coli</i> O157:H7	0	0.0	0	0.0	0%	1.3	1.5		1.0	0.6
Giardiasis	0	0.0	0	0.0	0%	2.7	2.4	7.4		
Listeriosis	0	0.0	0	0.0	0%	0.2	0.0	0.3	0.25	0.20
Salmonella Paratyphi	0	0.0	0	0.0	0%	0.1				
Salmonellosis	0	0.0	0	0.0	0%	13.2	14.3	16.2	6.8	11.4
Shigellosis	0	0.0	0	0.0	0%	6.4	6.8	5.2		
Typhoid	0	0.0	0	0.0	0%	0.2	0.1	0.1		
Mycosis										
Coccidioidomycosis	0	0.0	11	178.7	-	247.7	175.9	13.2		
Zoonoses/Vectorborne										
Brucellosis	0	0.0	0	0.0	0%	0.2	0.1	0.0		
Hantavirus Pulmonary Syndrome	0	0.0	0	0.0	0%	0	0.0	0.0		
Malaria	0	0.0	0	0.0	0%	0.5	0.4	0.5		
West Nile Virus	-	-	0	0.0	-	3.0	2.6			
Hepatitides										
Hepatitis A	0	0.0	0	0.0	0%	0.9	1.1	0.7	4.5	
Hepatitis B	0	0.0	0	0.0	0%	2.5	2.3	1.1	2.4-9.0	0.0-1.5
Other										
Legionellosis	0	0.0	0	0.0	0%	1.2	1.0	1.2		
Methicillin res. <i>S. aureus</i> (MRSA)	-	-	0	0.0	-	20.9	17.6			
Streptococcal Inv. Pneumonia	0	0.0	1	16.2	-	11.1	11.9	1.8		
Streptococcal Inf. Group A	0	0.0	0	0.0	0%	2.6	2.8	2.1		
Streptococcal Inf. Group B***	0	0.0	0	0.0	0%	0.6	0.7		0.5	0.25
Vibrio Infection	0	0.0	0	0.0	0%	0.3	0.3	0.3		0.2
Yersiniosis	0	0.0	0	0.0	0%	0.0	0.0			0.3

***Streptococcal Inf. Group B rates are per 1,000 live births

Health Status Indicators for Cities and Towns 2000 and 2010

Youngtown

Selected Causes of Death

Cause of Death	Youngtown				Percent Change 2000-2010	Comparisons			Healthy People 2010	Healthy People 2020
	2000		2010			Maricopa County, 2010	Arizona 2010	U.S. 2010		
	Number	Rate per 100,000	Number	Rate per 100,000						
Tuberculosis	0	0.0	0	0.0	0%	0.3	0.2	0.2		
Syphilis	0	0.0	0	0.0	0%	0	0.0	0.0		
HIV Disease	0	0.0	0	0.0	0%	1.8	1.5	2.7	0.7	
Malignant Neoplasms	16	531.6	14	227.4	-57.2%	144.3	163.1	185.9	159.9	
Malignant Neoplasm Stomach	0	0.0	0	0.0	0%	3.0	3.1	3.7		
Malignant Neoplasm Colon	3	99.7	1	16.2	-83.7%	13.1	14.9	17.0	13.9	
Malignant Neoplasm Pancreas	0	0.0	1	16.2	-	10.0	11.1	11.9		
Malig. Neo. Bronchus, Lung	5	166.1	2	32.5	-80.4%	37.9	41.5	51.2	44.9	
Malignant Neoplasm Breast **	2	113.0	4	124.2	9.9%	20.9	11.5	13.4	22.3*	
Mal. Neo. Uterus, Cervix, Ovary**	1	56.5	2	62.1	9.9%	13.5	6.6	8.7		
Malig. Neoplasm Prostate **	3	241.9	0	0.0	-100.0%	14.5	8.6	9.2	28.8*	
Malignant Neoplasm Urinary	0	0.0	0	0.0	0%	7.6	8.4	9.1		
Non-Hodgkins Lymphoma	0	0.0	0	0.0	0%	5.0	5.9	6.6		
Leukemia	1	33.2	0	0.0	-100.0%	5.8	6.9	7.3		
Other Malignant Neoplasms	1	33.2	4	65.0	95.6%	37.1	44.6	47.8		
Diabetes	2	66.4	2	32.5	-51.1%	18.4	21.5	22.3		
Alzheimers	9	299.0	16	259.9	-13.1%	43.6	36.2	27.0		
Major Cardiovascular Diseases	48	1,594.7	35	568.6	-64.3%	178.3	199.5	251.8		
Disease of Heart	34	1,129.6	27	438.6	-61.2%	134.7	152.0	192.9	166.0	
Hypertensive Heart Disease	0	0.0	4	65.0	-	8.3	10.1	10.8		
Ischemic Heart Disease	24	797.3	19	308.6	-61.3%	103.7	110.2	122.5		
Other Heart Disease	10	332.2	4	65.0	-80.4%	21.4	31.7	57.7		
Primary Hypertension	4	132.9	1	16.2	-87.8%	8.3	7.8	8.6		
Cerebrovascular	4	132.9	5	81.2	-38.9%	28.4	32.1	41.8	48.0	
Atherosclerosis	4	132.9	0	0.0	-100.0%	1.7	2.4	2.3		
Other Circulatory	2	66.4	2	32.5	-51.1%	5.2	5.2	6.3	33.8	

**Breast and cervical cancer rates are per 100,000 females, prostate cancer rates are per 100,000 males
(continued on next page)

**Health Status Indicators for Cities and Towns
2000 and 2010**

Youngtown

Selected Causes of Death, cont.

Cause of Death	Youngtown				Percent Change 2000-2010	Comparisons				
	2000		2010			Maricopa County, 2010	Arizona 2010	U.S. 2010	Healthy People 2010	Healthy People 2020
	Number	Rate per 100,000	Number	Rate per 100,000						
Influenza & Pneumonia	4	132.9	0	0.0	-100.0%	7.8	11.4	16.2		
Chronic Lower Respiratory	3	99.7	9	146.2	46.7%	38.3	45.2	44.6		
Peptic Ulcer	0	0.0	1	16.2	-	1.0	1.1	1.0		
Liver Disease	3	99.7	0	0.0	-100.0%	10.1	13.2	10.3		
Nephritis	1	33.2	2	32.5	-2.2%	4.7	8.1	16.3		
Pregnancy	0	0.0	0	0.0	0%	0.4	0.2	0.3		
Perinatal Conditions	0	0.0	1	16.2	-	3.8	3.6	3.9		
Congenital Malformations	0	0.0	1	16.2	-	3.0	3.3	3.1		
SIDS**	0	0.0	0	0.0	0%	0.4	0.4	0.5		0.5
Symptoms, Signs ex. SIDS	2	66.4	4	65.0	-2.2%	19.7				
All Other Diseases	19	631.2	23	373.6	-40.8%	100.6				
Motor Vehicle Accidents	0	0.0	0	0.0	0%	8.8	11.1	11.4	9.2	12.4
All Other Acc. & Adverse Effects	4	132.9	3	48.7	-63.3%	32.6	33.2	26.8		
Suicide	0	0.0	3	48.7	-	14.4	16.7	12.2	5.0	10.2
Homicide	0	0.0	0	0.0	0%	5.7	6.3	5.2	3.0	5.5
All Other External Causes	0	0.0	0	0.0	0%	2.4				
Unknown	0	0.0	0	0.0	0%	0.0				
Total	111	3,687.7	114	1,851.9	-49.8%	640.2	717.6	798.7		

**Sudden Infant Death Syndrome (SIDS) rates are per 1,000 live births

**Health Status Indicators for Cities and Towns
2000 and 2010**

Remainder of Maricopa County

Population Statistics

	Rem. Maricopa County		Maricopa County		Arizona	U.S.
	Number	% Inc. from 2000	Number	% Inc. from 2000	Number	Number
Population						
2000	122,575	NA	3,072,149	NA	5,130,623	281,421,906
2010	191,919	56.6%	3,817,117	24.2%	6,392,017	308,745,538
Age Distribution 2010						
	Number	% Distribution	Number	% Distribution	% Distribution	% Distribution
Under 20 years old	56,726	29.6%	1,119,606	29.3%	28.4%	26.9%
20 - 44 years old	54,761	28.5%	1,332,596	34.9%	33.2%	33.6%
45 - 64 years old	51,107	26.6%	902,274	23.6%	24.6%	26.4%
65 and older	28,876	15.0%	462,641	12.1%	13.8%	13.1%
Dependency ratio		0.81		0.71	0.73	0.67

Infant Health Indicators

	Remainder of Maricopa County				Percent Change 2000-2010	Maricopa County 2010	Arizona 2010	U.S. 2010	Healthy People 2010	Healthy People 2020
	2000		2010							
	Number	Percent or Rate	Number	Percent or Rate						
Low weight births (under 2500 grams) - % of live births	44	7.2%	118	8.4%	16.9%	7.1%	7.1%	8.2%	5.0%	7.8%
Births to teen mothers - per 1,000 females 15-19	98	NA	125	NA	-	39.8	41.6	34.3	(-)	(-)
Infant mortality per 1,000 live births	<5		7	5.0	-	5.8	6.0	6.1	4.5	6.0
Total Births/ Births per 1,000 females 15-44	614		1,408			68.4/ 54,235	68.9/ 87,053	64.1/ 4,000,279		

Note: Infant health indicators for cities/towns with fewer than 1,000 births may not be reliable.

Note: Due to the heterogeneity of this group, these rates are not reliable. See the Technical Notes for further details.

Health Status Indicators for Cities and Towns 2000 and 2010
Remainder of Maricopa County

Selected Reportable Diseases

	Remainder of Maricopa County					Comparisons				
	2000		2010		Percent Change 2000-2010	Rate per 100,000 Population				
	Number	Rate per 100,000	Number	Rate per 100,000		Maricopa County, 2010	Arizona 2010	U.S. 2009	H.P. 2010	H.P. 2020
Vaccine Preventable										
<i>H. influenzae</i>	0	NA	4	NA	NA	1.6	0.4	1.0	0.0	0.0
Measles	0	NA	0	NA	NA	0	0.0	0.0	0.0	0.0
Mumps	0	NA	1	NA	NA	0.1	0.1	0.7	0.0	0.0
Pertussis	0	NA	4	NA	NA	1.7	1.2	5.5	0.0	0.0
Central Nervous System										
Encephalitis	0	NA	0	NA	NA	0.1	0.1			
Meningitis - Aseptic	1	NA	19	NA	NA	16.8	9.0			
Meningococcal Disease	0	NA	1	NA	NA	0.2	0.2	0.3	1.0	0.3
Enterics										
Amebiasis	0	NA	0	NA	NA	0.0	0.2			
Botulism	0	NA	0	NA	NA	0.0	0.0	0.0		
Campylobacteriosis	2	NA	124	NA	NA	14.3	14.7		12.3	8.5
Cryptosporidiosis	0	NA	0	NA	NA	0.6	0.6	2.5		
<i>E. Coli</i> O157:H7	0	NA	3	NA	NA	1.3	1.5		1.0	0.6
Giardiasis	1	NA	10	NA	NA	2.7	2.4	7.4		
Listeriosis	0	NA	0	NA	NA	0.2	0.0	0.3	0.25	0.20
Salmonella Paratyphi	0	NA	0	NA	NA	0.1				
Salmonellosis	9	NA	73	NA	NA	13.2	14.3	16.2	6.8	11.4
Shigellosis	3	NA	33	NA	NA	6.4	6.8	5.2		
Typhoid	0	NA	0	NA	NA	0.2	0.1	0.1		
Mycosis										
Coccidioidomycosis	6	NA	3,306	NA	NA	247.7	175.9	13.2		
Zoonoses/Vectorborne										
Brucellosis	0	NA	0	NA	NA	0.2	0.1	0.0		
Hantavirus Pulmonary Syndrome	0	NA	0	NA	NA	0	0.0	0.0		
Malaria	0	NA	8	NA	NA	0.5	0.4	0.5		
West Nile Virus	-		0	NA	NA	3.0	2.6			
Hepatitides										
Hepatitis A	4	NA	4	NA	NA	0.9	1.1	0.7	4.5	
Hepatitis B	0	NA	24	NA	NA	2.5	2.3	1.1	2.4-9.0	0.0-1.5
Other										
Legionellosis	0	NA	3	NA	NA	1.2	1.0	1.2		
Methicillin res. <i>S. aureus</i> (MRSA)	-		424	NA	NA	20.9	17.6			
Streptococcal Inv. Pneumonia	9	NA	91	NA	NA	11.1	11.9	1.8		
Streptococcal Inf. Group A	2	NA	23	NA	NA	2.6	2.8	2.1		
Streptococcal Inf. Group B***	0	NA	3	NA	NA	0.6	0.7		0.5	0.25
Vibrio Infection	0	NA	1	NA	NA	0.3	0.3	0.3		0.2
Yersiniosis	0	NA	0	NA	NA	0.0	0.0			0.3

***Streptococcal Inf. Group B rates are per 1,000 live births

Health Status Indicators for Cities and Towns 2000 and 2010

Remainder of Maricopa County

Selected Causes of Death

Cause of Death	Rem. Maricopa County					Comparisons				
	2000		2010		Percent Change 2000-2010	Maricopa County, 2010	Arizona 2010	U.S. 2010	Healthy People 2010	Healthy People 2020
	Number	Rate per 100,000	Number	Rate per 100,000						
Tuberculosis	0	NA	1	NA	NA	0.3	0.2	0.2		
Syphilis	0	NA	0	NA	NA	0	0.0	0.0		
HIV Disease	<5	NA	<5	NA	NA	1.8	1.5	2.7	0.7	3.3
Malignant Neoplasms	21	NA	126	NA	NA	144.3	163.1	185.9	159.9	160.6
Malignant Neoplasm Stomach	0	NA	5	NA	NA	3.0	3.1	3.7		
Malignant Neoplasm Colon	1	NA	12	NA	NA	13.1	14.9	17.0	13.9	14.5
Malignant Neoplasm Pancreas	0	NA	5	NA	NA	10.0	11.1	11.9		
Malig. Neo. Bronchus, Lung	4	NA	26	NA	NA	37.9	41.5	51.2	44.9	45.5
Malignant Neoplasm Breast	2	NA	11	NA	NA	20.9	11.5	13.4	22.3*	20.6*
Mal. Neo. Uterus, Cervix, Ovary	1	NA	5	NA	NA	13.5	6.6	8.7		
Malig. Neoplasm Prostate	0	NA	7	NA	NA	14.5	8.6	9.2	28.8*	21.2*
Malignant Neoplasm Urinary	1	NA	5	NA	NA	7.6	8.4	9.1		
Non-Hodgkins Lymphoma	1	NA	3	NA	NA	5.0	5.9	6.6		
Leukemia	1	NA	7	NA	NA	5.8	6.9	7.3		
Other Malignant Neoplasms	10	NA	40	NA	NA	37.1	44.6	47.8		
Diabetes	5	NA	22	NA	NA	18.4	21.5	22.3		
Alzheimers	5	NA	25	NA	NA	43.6	36.2	27.0		
Major Cardiovascular Diseases	39	NA	116	NA	NA	178.3	199.5	251.8		
Disease of Heart	31	NA	93	NA	NA	134.7	152.0	192.9	166.0	100.8
Hypertensive Heart Disease	1	NA	11	NA	NA	8.3	10.1	10.8		
Ischemic Heart Disease	27	NA	69	NA	NA	103.7	110.2	122.5		
Other Heart Disease	3	NA	13	NA	NA	21.4	31.7	57.7		
Primary Hypertension	0	NA	4	NA	NA	8.3	7.8	8.6		
Cerebrovascular	8	NA	14	NA	NA	28.4	32.1	41.8	48.0	33.8
Atherosclerosis	0	NA	2	NA	NA	1.7	2.4	2.3		
Other Circulatory	0	NA	3	NA	NA	5.2	5.2	6.3		

**Breast and cervical cancer rates are per 100,000 females, prostate cancer rates are per 100,000 males
(continued on next page)

**Health Status Indicators for Cities and Towns
2000 and 2010**


Remainder of Maricopa County

Selected Causes of Death, cont.


Cause of Death	Rem. Maricopa County					Comparisons				
	2000		2010		Percent Change 2000-2010	Maricopa County, 2010	Arizona 2010	U.S. 2010	Healthy People 2010	Healthy People 2020
	Number	Rate per 100,000	Number	Rate per 100,000						
Influenza & Pneumonia	3	NA	8	NA	NA	7.8	11.4	16.2		
Chronic Lower Respiratory	11	NA	34	NA	NA	38.3	45.2	44.6		
Peptic Ulcer	0	NA	0	NA	NA	1.0	1.1	1.0		
Liver Disease	3	NA	11	NA	NA	10.1	13.2	10.3		
Nephritis	1	NA	5	NA	NA	4.7	8.1	16.3		
Pregnancy	0	NA	0	NA	NA	0.4	0.2	0.3		
Perinatal Conditions	5	NA	1	NA	NA	3.8	3.6	3.9		
Congenital Malformations	2	NA	4	NA	NA	3.0	3.3	3.1		
SIDS**	1	NA	1	NA	NA	0.4	0.4	0.5		0.5
Symptoms, Signs ex. SIDS	4	NA	8	NA	NA	19.7				
All Other Diseases	16	NA	82	NA	NA	100.6				
Motor Vehicle Accidents	6	NA	7	NA	NA	8.8	11.1	11.4	9.2	12.4
All Other Acc. & Adverse Effects	6	NA	33	NA	NA	32.6	33.2	26.8		
Suicide	2	NA	10	NA	NA	14.4	16.7	12.2	5.0	10.2
Homicide	2	NA	9	NA	NA	5.7	6.3	5.2	3.0	5.5
All Other External Causes	1	NA	1	NA	NA	2.4				
Unknown	0	NA	0	NA	NA	0.0				
Total	138	NA	504	NA	NA	640.2	717.6	798.7		

**Sudden Infant Death Syndrome (SIDS) rates are per 1,000 live births


**Crude Death Rate
Maricopa County and Selected Cities, 2010**




**Percent of Population 65 Years Old and Older
Maricopa County and Selected Cities, 2010**




**Deaths Due to Malignant Neoplasms (Cancer)
Maricopa County and Selected Cities, 2010**




**Deaths Due to Malignant Neoplasms of the Trachea, Bronchus & Lung
Maricopa County and Selected Cities, 2010**




**Deaths Due to Malignant Neoplasms of the Breast (Female)
Maricopa County and Selected Cities, 2010**




**Deaths Due to Malignant Neoplasms of the Prostate
Maricopa County and Selected Cities, 2010**




**Deaths Due to Cardiovascular Disease
Maricopa County and Selected Cities, 2010**




**Deaths Due to Heart Disease
Maricopa County and Selected Cities, 2010**




**Deaths Due to Unintentional Injuries (Accidents)
Maricopa County and Selected Cities, 2010**




**Deaths Due to Homicide
Maricopa County and Selected Cities, 2010**




**Deaths Due to Suicide
Maricopa County and Selected Cities, 2010**




**Low Weight Births
Maricopa County and Selected Cities, 2010**




**Births to Teenaged Mothers
Maricopa County and Selected Cities, 2010**




**Infant Mortality Rates
Maricopa County and Selected Cities, 2010**




**New Cases of Coccidioidomycosis (Valley Fever)
Maricopa County and Selected Cities, 2010**




**New Cases of Aseptic (Viral) Meningitis
Maricopa County and Selected Cities, 2010**



**New Cases of Hepatitis A
Maricopa County and Selected Cities, 2010**



**New Cases of Hepatitis B
Maricopa County and Selected Cities, 2010**



Appendix A - Data Notes

Population Statistics

All city, town, Maricopa County, Arizona, and U.S. population data are for calendar years 2000 and 2010. Both incorporated and unincorporated cities and towns identified by the US Census Bureau with populations over 1,000 residents at the time of the 2000 U.S. Census were included in this report.

Population statistics for incorporated and incorporated cities, towns, Maricopa County, Arizona and the United States were obtained directly from the U.S. Census Bureau for each year included in the report (2000 and 2010). Maricopa County population and distributions for 2000 are from the U.S. Census Bureau 2000 Census for April 1, 2000. Maricopa County population and distributions for 2010 are from the U.S. Census Bureau 2010 Census for April 1, 2010, released July 21, 2011.

Dependency Ratio: In this report, the dependency ratio is defined as the number of people in the city or town who are usually outside of the labor force (those younger than 20 or older than 64 years of age), divided by the number of people in the city or town usually in the labor force (those between 20 and 64 years old, inclusive). Thus, a dependency ratio of .7 means that there are .7 persons in that city/town under 20 or over 64 years old for each person 20-64 years old.

Remainder of Maricopa County Population

“Remainder of Maricopa County” populations for 2000 and 2010 were calculated by subtracting the combined populations of all cities and towns in this report from the total population figure for Maricopa County. “Remainder of Maricopa County” includes all towns or areas not included in this report and residents whose addresses could not be identified.

For the Cities and Towns report, births, deaths, and diseases are assigned to the city or town of residence at the time of the event. For some births, deaths and disease cases, there is no corresponding physical address information. This makes it impossible to assign the birth, death, or disease case to a city or town. These individuals appear in the Maricopa County total counts, but not in the counts for any particular city or town. They are counted in the “Remainder of Maricopa County” totals. Because the “Remainder of Maricopa County” totals include data from a heterogeneous population, the numbers presented do not coincide with any denominators that could be used for rate calculations. Therefore, the rates presented for the “Remainder of Maricopa County” are not reliable and are not presented.

Mortality (Death) Statistics

All data on mortality statistics are from death certificates included in the Arizona Department of Health Services (ADHS) final annual files. The cities and towns data presented in this report include Maricopa County residents. This includes Maricopa County residents who died in Maricopa County and residents who died elsewhere. Non-Maricopa County residents who died in Maricopa County are not included. For each city or town, the number of deaths reported corresponds to the number of death certificates with that particular city or town listed as the city of residence. If city of residence was unknown, the death was assigned to the 'Remainder of Maricopa County'.

During the course of routine data review, several deaths each year were identified as being in one county even though their city and ZIP codes indicated that they lived in a different county. For these discrepant cases, final classification in this report was based on the address of the resident. (The address is determined by reviewing the street address, city, county, and ZIP code). Therefore, the numbers presented in this report may not precisely match those presented by ADHS in other reports.

The selected morbidities for each city for 2000 and 2010 and for Maricopa County as a whole are attributed to one underlying condition unless otherwise noted. The underlying condition is based upon death certificate information using the International Classification of Disease 10th edition (ICD-10). Although other causes may have contributed to death, the underlying cause of death is the cause that began the disease process that resulted in death. Causes of death are classified by ICD-10 codes. The codes used for each category are listed in Table 1.1 below.

Table 1.1 ICD-10 Codes Used for This Report

Cause	ICD-10 Codes Used
Tuberculosis	A16-A19
Syphilis	A50-A53
HIV Disease	B20-B24
Malignant Neoplasms (Cancer)	C00-C97
Malignant Neoplasm of the Stomach	C16
Malignant Neoplasm of the Colon	C18-C21
Malignant Neoplasm of the Pancreas	C25
Malignant Neoplasm of Bronchus, Lung, or Trachea	C33-C34
Malignant Neoplasm of the Breast	C50
Malignant Neoplasm of the Uterus, Cervix, Ovary	C53-C56
Malignant Neoplasm of the Prostate	C61
Malignant Neoplasm of Urinary Organs	C64-C68
Non-Hodgkins Lymphoma	C82-C85
Leukemia	C91-C95
Other Malignant Neoplasms	C00-C15, C17, C22-C24, C26-C32, C37-C49, C51-C52, C57-C60, C62-C63, C69-C81, C88, C90, C96-97
Diabetes	E10-E14
Alzheimer's	G30
Major Cardiovascular Disease	I00-I78

(Table Continues)

(Table 1.1, Continued)

Disease of Heart	I00-I09, I11, I13, I20-I51
Hypertensive Heart Disease	I11, I13
Ischemic Heart Disease	I20-I25
Other Heart Disease	I00-I09, I26-I51
Primary Hypertension	I10, I12
Cerebrovascular Diseases	I60-I69
Atherosclerosis	I70
Other Circulatory	I71-I78
Influenza & Pneumonia	J10-J18
Chronic Lower Respiratory	J40-J47
Peptic Ulcer	K25-K28
Liver Disease, including chronic liver disease, cirrhosis, alcoholic liver disease, and other chronic liver disease	K70, K73-K74
Nephritis, nephritic syndrome and nephrosis	N00-N07, N17-N19, N25-N27
Pregnancy, childbirth, and the puerperium	O00-O99
Perinatal Conditions	P00-P96
Congenital Malformations	Q00-Q99
SIDS (Sudden Infant Death Syndrome)	R95
Ill Defined Disease Conditions (Symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified, excluding SIDS)	R00-R94, R96-R99
All Other Diseases	A00-A09, A20-A49, A54-B19, B25-B99, D00-E07, E15-G25, G31-H93, I80-J06, J20-J39, J60-K22, K29-K66, K71-K72, K75-M99, N10-N15N20-N23, N28-N98
Motor Vehicle Collisions	V02-V04, V09.0, V09.2, V12-V14, V19.0 - V19.2, V19.4-V19.6, V20-V79, V80.3-V80.5, V81.0-V81.1, V82.0-V82.1, V83-V86, V87.0-V87.8, V88.0-V88.8, V89.0 V89.2
All Other Accidents & Adverse Effects	V01, V05-V06, V09.1, V09.3-V09.9, V10-V11, V15-V18, V19.3, V19.8-V19.9, V80.0-V80.2, V80.6-V80.9, V81.2-V81.9, V82.2-V82.9, V87.9, V88.9, V89.1, V89.3, V89.9 V90-X29, X31-X59, Y40-Y86, Y88
Suicide	U03, X60-X84, Y87.0
Homicide	U01-U02, X85-Y09, Y87.1
All Other External Causes	Y10-Y36, Y87.2, Y89
Unknown Causes	No ICD code listed

Cities and towns with at least one death and fewer than five deaths from HIV disease are labeled "<5" to protect confidentiality. For these cities and towns, the total number of deaths does not include the HIV deaths.

Only female deaths for breast cancer are reported in the tables. There were 3 and 7 deaths to males from breast cancer in 2000 and 2010 respectively. The rates for breast and uterine cancer are per 100,000 females while the rates for prostate cancer are per 100,000 males. The population by sex for each city and town in 2000 and 2010 are shown in Table 1.2. These populations were used to calculate the rates for breast, uterine, and prostate cancer.

Table 1.2 Populations by Sex, 2000 and 2010

City/Town	2000		2010	
	Male	Female	Male	Female
Avondale	18,155	17,728	37,844	38,394
Buckeye	3,297	3,240	27,761	23,115
Carefree	1,453	1,474	1,638	1,725
Cave Creek	1,865	1,863	2,474	2,541
Chandler	88,140	88,441	115,939	120,184
El Mirage	3,906	3,703	15,760	16,037
Fountain Hills	9,771	10,464	10,741	11,748
Gila Bend	1,016	964	1,001	921
Gilbert	54,531	55,166	102,634	105,819
Glendale	109,168	109,644	111,387	115,334
Goodyear	9,625	9,286	30,624	34,651
Guadalupe	2,681	2,547	2,738	2,785
Litchfield Park	1,824	1,986	2,591	2,885
Mesa	196,378	199,997	215,918	223,123
New River	5,474	5,266	7,639	7,313
Paradise Valley	6,787	6,877	6,370	6,450
Peoria	52,058	56,306	73,916	80,149
Phoenix	671,760	649,285	725,020	720,612
Queen Creek	2,209	2,107	13,197	13,164
Rio Verde	679	740	875	936
Scottsdale	97,785	104,920	104,960	112,455
Sun City and Sun City West	27,655	36,998	26,368	35,666
Sun Lakes	5,400	6,536	6,143	7,832
Surprise	15,158	15,690	56,751	60,766
Tempe	81,942	76,683	84,200	77,519
Tolleson	2,521	2,453	3,131	3,414
Wickenburg	2,395	2,687	3,027	3,336
Youngtown	1,240	1,770	2,935	3,221

The comparison mortality rates for Arizona are for 2010 and can be found at the website: <http://www.azdhs.gov/plan/report/ahs/ahs2010/pdf/2b6.pdf>. The comparison mortality rates for the U.S. are preliminary for 2010 and can be found at the website: http://www.cdc.gov/nchs/data/nvsr/nvsr60/nvsr60_04.pdf. These were the most recent years for which reliable data could be obtained at the time the report was written.

Communicable Disease (Morbidity) Statistics

The morbidity data presented in this report are for Maricopa County residents only. This includes Maricopa County residents who acquired a disease in Maricopa County and residents who acquired a disease elsewhere. Non-Maricopa County residents are not included, even if they acquired a disease in Maricopa County. Other reports may show different morbidity rates because they include non-residents who acquired a disease in Maricopa County or they exclude residents who were exposed outside of the county.

All data on morbidity are new cases of reportable diseases included in the ADHS final annual files for the given year.

Morbidity data include only confirmed cases with the exception of hepatitis B for 2010. Hepatitis B in 2010 data include probable and confirmed acute cases.

Any morbidity rate except for streptococcal group B invasive disease can be calculated by taking the number of cases from any city or town and dividing it by the population of the city or town to create a rate per 100,000 population. Streptococcal group B invasive disease is only reportable in infants under 90 days. Therefore, the morbidity rate is calculated by taking the number of cases for each city or town and dividing by the number of live births for the city or town to produce a rate per 1,000 live births.

The comparison morbidity rates for Arizona are also from 2010 and can be found at the website: <http://www.azdhs.gov/plan/report/ahs/ahs2010/pdf/5f2.pdf>. The comparable U.S. disease rates are for the year 2009 and can be found at the website: <http://www.cdc.gov/mmwr/PDF/wk/mm5853.pdf>. These were the most recent years for which reliable data could be obtained at the time the report was written.

Nativity (Birth) Statistics

All data on natality statistics are from the Arizona Department of Health Services (ADHS) final annual files. The Maricopa County natality data are from birth certificates where the mother's county of residence is Maricopa County. This includes births that did not occur in Maricopa County. National Center for Health Statistics rules state that if a birth does not occur in the state of residency and the county and city of residency are unknown, the city or residency is assigned to the largest city in the state of residency. For Arizona, the largest city is Phoenix. However, for this report, births that occurred in another state and the city of residency is unknown are counted in the 'Remainder of Maricopa County' and not in Phoenix. For further explanation, please see <http://www.cdc.gov/nchs/data/dvs/3amanual.pdf>.

During the course of routine data review, several births were identified as being in one county even though their city and ZIP codes indicated that they lived in a different county. For these discrepant cases, final classification in this report was based on the address of the resident. (The address is determined by reviewing the street address, city, county, and ZIP code). Therefore, the numbers presented in this report may not precisely match those presented by ADHS in other reports.

The infant health indicators for cities and towns with fewer than 1,000 births may not be reliable, as the low number of total births results in rates that may vary greatly from year to year. Cities and towns with at least 1 infant birth or death and fewer than 5 infant births or deaths are labeled "<5" to protect confidentiality.

Infant health indicator data for all cities and towns except Guadalupe and Tempe are aggregated based on the mother's reported city of residence. The Arizona birth database has systematic errors in the assignment of residential cities to individual births due to programming anomalies. Residents of ZIP Codes containing more than one city may have their residential city erroneously recorded (e.g., residents of Guadalupe often appear to be residents of Tempe). As a result of this error, infant health indicator data for Guadalupe and Tempe are based on geocoded data.

The birth rate for each city and town is the number of births per 1,000 females that are 15-44 years old. The teen birth rate is the number of births to mothers under 20 per 1,000

females 15-19 years old. The number of females between 15-44 years old and 15-19 years old for each city and town in 2000 and 2010 are shown in Table 1.3.

Table 1.3 Population of Females 15-44 Years of Age

City/Town	2000		2010	
	15-44	15-19	15-44	15-19
Avondale	8,382	1,394	18,228	3,108
Buckeye	1,393	241	10,167	1,622
Carefree	309	49	240	68
Cave Creek	652	131	666	148
Chandler	44,314	5,596	53,369	8,071
El Mirage	1,698	316	7,383	1,163
Fountain Hills	3,409	482	2,709	497
Gila Bend	428	87	368	74
Gilbert	27,799	3,821	47,621	7,674
Glendale	50,718	8,424	48,729	9,055
Goodyear	4,231	462	15,624	2,607
Guadalupe	1,114	253	1,180	256
Litchfield Park	624	120	921	169
Mesa	86,891	14,049	88,453	15,001
New River	2,249	284	2,365	463
Paradise Valley	1,973	429	1,511	477
Peoria	23,066	3,517	30,444	5,552
Phoenix	302,372	45,583	316,144	53,522
Queen Creek	956	185	5,922	944
Rio Verde	11	<5	11	<5
Scottsdale	40,737	4,844	37,656	5,213
Sun City and Sun City West	533	39	715	67
Sun Lakes	150	8	144	15
Surprise	4,687	535	22,393	3,255
Tempe	42,275	7,459	42,076	8,044
Tolleson	1,041	226	1,457	274
Wickenburg	786	136	845	197
Youngtown	255	33	1,143	181

The comparison Arizona infant mortality information for 2010 can be found at the website: <http://www.azdhs.gov/plan/report/ahs/ahs2010/pdf/1b2.pdf>. The comparison U.S. birth information is preliminary for 2010. The data can be found at the website: http://www.cdc.gov/nchs/data/nvsr/nvsr60/nvsr60_02.pdf. The comparison U.S. infant mortality and SIDS rates are preliminary 2010 data and can be found at http://www.cdc.gov/nchs/data/nvsr/nvsr60/nvsr60_04.pdf. These were the most recent years for which reliable data could be obtained at the time the report was written.

Healthy People 2010 and 2020

For each section, selected Healthy People 2010 and 2020 goals are shown. The goals for breast cancer and prostate cancer are for female and male rates only. If a rate or percentage for a city or town is highlighted in green, the city or town met the goal for 2010.

Percent Change

The percent change is the extent that a value increases or decreases. The percent change shown is the increase or decrease of the rate between 2000 and 2010. A negative percent change indicates that there was a decrease from 2000 to 2010, while a positive percent change indicates that there was an increase. A percent change of 0% means that there were zero events in 2000 and zero events in 2010. A percent change of '-' means that it was not able to be calculated because there were zero events in 2000 while at least one event in 2010. If there were less than 5 teen births, infant deaths, or HIV deaths for at least one year, then no percent change was calculated and a '-' is shown. The equation for calculating percent change is

$$\left(\frac{(\text{rate in 2010} - \text{rate in 2000})}{\text{rate in 2000}} \right) * 100$$

Additional Information on Population and Health Statistics

For more information on population characteristics, please visit the following website:
<http://www.census.gov/>

For more information on health statistics, please visit the following websites:

Maricopa County Department of Public Health: www.maricopa.gov/public_health

Arizona Department of Health Services: www.hs.state.az.us

Centers for Disease Control and Prevention, National Center for Health Statistics:
www.cdc.gov/nchs